

PROPOSED ADDITIONS & ALTERATIONS AT 1 QUINTON ROAD, MANLY FOR JAMESONS STRATA MANAGEMENT

CONSTRUCTION NOTES

GENERAL NOTES

- G1. THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ARCHITECTURAL AND OTHER CONSULTANTS DRAWINGS AND SPECIFICATIONS. ANY DISCREPANCIES ARE TO BE REFERRED TO THE ARCHITECT BEFORE PROCEEDING WITH THE WORK.
- G2. DIMENSIONS SHALL NOT BE OBTAINED BY SCALING THE STRUCTURAL DETAILS AND ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER PRIOR TO COMMENCEMENT OF THE WORK.
- G3. REFER TO ARCHITECTURAL DRAWINGS FOR SLAB LEVELS AND ARCHITECTURAL DETAILS.
- G4. DURING CONSTRUCTION THE BUILDER IS RESPONSIBLE FOR MAINTAINING THE STRUCTURE IN A STABLE CONDITION WITHOUT OVERSTRESSING ANY PART.
- G5. COMPLY WITH AS 3660 PROTECTION OF BUILDING FROM SUBTERRANEAN TERMITES.
- G6. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH THE BUILDING CODE OF AUSTRALIA.
- G7. THIS DOCUMENT IS NOT VALID TO BE USED AS DRAWINGS ON SITE UNLESS SIGNED AND MARKED AS 'FOR CONSTRUCTION'.

STRUCTURAL STEEL NOTES

- S1. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH AS 4100, AS 1554 AND FOR TUBULAR MEMBERS AS 1163. S2. UNLESS OTHERWISE NOTED ALL STRUCTURAL STEEL TO BE FY = 300mPa IN ACCORDANCE WITH AS 1204, TUBULAR AS 1163, BLACK
- BOLTS AS 1111 AND HIGH TENSION BOLTS AS 1252. S3. ALL WELDS TO BE 6mm CONTINUOUS FILLET UNLESS OTHERWISE NOTED. WELDS IN ACCORDANCE WITH AS 1554.
- S4. ALL STRUCTURAL STEELWORK BEARING ON MASONRY TO BE BEDDED ON A 25mm GROUT PAD.
- S5. EXCEPT WHERE CONCRETE ENCASED OR WHERE NOTED OTHERWISE, ALL STRUCTURAL STEELWORK TO BE SURFACE CLEANED TO REMOVE ALL LOOSE MILL SCALE, RUST, DIRT, GREASE ETC, AND EVEN GIVEN ONE SHOP COAT OF RED OXIDE ZINC CHROMATE PRIMER.
- S6. TWO COPIES OF CHECKED WORKSHOP DRAWINGS TO BE SUBMITTED TO THE ENGINEER AND APPROVAL OBTAINED IN WRITING BEFORE FABRICATION IS COMMENCED, APPROVAL COVERS STRUCTURAL SUFFICIENCY OF JOINTS AND MEMBERS AND NOT DIMINISHING

FOUNDATION NOTES

F1. FOUNDATION MATERIAL (.....SHALE....) TO BE CONSISTENT WITH UNIFORM MOISTURE CONTENT THROUGHOUT, AND HAVE A MINIMUM SAFE BEARING CAPACITY OF400...... kPa, TO BE ACHIEVED ON SITE. F2. ALL RESIDENTIAL SLABS AND FOOTINGS TO COMPLY WITH AS 2870 UNLESS DETAILED OTHERWISE

BRICKWORK NOTES

- B1. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH AS 3700, NCC 2016 AND AS 1316 AS AMENDED, EXCEPT
- WHERE VARIED BY CONTRACT DOCUMENTS. B2. BRICKS TO HAVE MINIMUM COMPRESSIVE STRENGTH OF 15 mPa AND TO BE LAID IN 1: 4 1/2 MORTAR UNLESS NOTED OTHERWISE

T1. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH AS 1720.2. AS 1684 AND AS 1328 (GLUED LAMINATED) T2. ALL WORKMANSHIP AND MATERIALS WITH REGARD TO WIND BRACING TO BE IN ACCORDANCE WITH AS 4055.

- L1. IMPORTANCE LEVELS OF BUILDING: 2
- L2. SUPERIMPOSED FLOOR LOADS ARE GENERALLY IN ACCORDANCE WITH AS / NZS1170.1 & SPECIFICALLY 1.5 kPa GENERALLY
- 2.0 kPa BALCONIES
- 2.0 kPa STAIRS L3. WIND LOADS HAVE BEEN DETERMINED IN ACCORDANCE WITH AS4055
- WIND REGION: A TERRAIN CATEGORY: 3
- TOPOGRAPHIC CLASS: T1 SHEILDING: FS
- WIND CLASSIFICATION: N1
- L4. THE RELEVANT PROVISIONS OF AS1170.4 HAVE BEEN APPLIED FOR THE FOLLOWING EARTHQUAKE DESIGN
- PROBABLILTY FACTOR Kp: 1 HAZARD FACTOR Z: 0.08 SITE SUB-SOIL CLASS: CE
- EARTHQUAKE DESIGN CATEGORY: N/A

BARS LAPS & COGS

BAR SIZE	SLAB & WALL L	4PS	BEAM	LAPS	BAR	COGS
N12	400		40	0	180	
N16	600		60	0	2	10
N20	800		90	0	2	60
N24	1100		1200		310	
N28	1400		1500		3	60
N32	1700		1900		4	00
LAPS ARE MINIMUM U.N.O						
INCREASE LAP BY 25% IF			JRN CC	G SID	EWAY	'S IF
DEPTH OF CONCRETE			SLAB DEPTH IS			
BELOW BAR IS > 300			INS	UFFICI	ENT	

MESH LAPPING DIAGRAM

• • • •

CONCRETE NOTES

- C1. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH AS 3600 AS AMENDED, EXCEPT WHERE VARIED BY CONTRACT
- C2. CONCRETE QUALITY TO BE ACCORDANCE WITH THE FOLLOWING TABLE UNLESS NOTED OTHERWISE

ELEMENT	SLUMP	MAX SIZE AGGREGATE	CEMENT TYPE	AS 3600 F'c MPa	ADMIXTURE
PIERS	80	20	А	32	_
FOOTINGS	80	20	А	32	_
SLAB ON GROUND	80	20	А	32	_
COLUMNS	80	20	А	32	_
WALLS	80	20	А	32	_
SUSPENDED SLABS	80	20	A	32	_
BLOCKWORK CORES	230	10	A	32	_
STAIRS	80	20	А	32	_


C3. CLEAR CONCRETE COVER TO REINFORCEMENT SHALL BE AS FOLLOWS EXCEPT WHERE INCREASED COVER IS REQUIRED TO SATISFY FIRE RATING OR UNLESS NOTED OTHERWISE

	REQUIRE) CLEAR	CONCRETE C	COVER (mm) RA	TIONALISED FR	OM AS 3600			
	INTERNAL			EXTERNAL			IN CONTACT WITH GROUND		
	WET AREAS		COASTAL	INLAND	INLAND >	DAMP	NO	BELOW	AGGRESSIVE
	AND	OTHER	< 1km	> 1 < 50km	50km NON	PR00F	MEMBRANE	WATER	GROUND
	INDUSTRIAL			OR INDUST.	INDUST	MEMBRANE		TABLE	WATER
FOOTINGS	_	_	_	_	_	40	50	75	100
PEDESTALS & COL	40	40	50	40	40	40	50	65	75
SLABS	40	20	45	40	30	30	40	60	65
BEAMS	40	25	50	40	40	40	50	65	75
WALLS	40	20	50	40	40	40	50	65	75


- C4. SIZES OF CONCRETE ELEMENTS DO NOT INCLUDE THICKNESS OF APPLIED FINISHES.
- C5. CONSTRUCTION JOINTS WHERE NOT SHOWN SHALL BE LOCATED TO THE APPROVAL OF THE ENGINEER. C6. BEAM DEPTHS ARE WRITTEN FIRST AND INCLUDE SLAB THICKNESS (IF ANY).
- C7. NO HOLES OR CHASES OTHER THAN THOSE SHOWN ON THE STRUCTURAL DRAWINGS SHALL BE MADE IN THE CONCRETE MEMBERS WITHOUT THE PRIOR APPROVAL OF THE ENGINEER.
- C8. ALL CONCRETE SHALL BE COMPACTED USING HIGH FREQUENCY VIBRATORS.
- C9. ALL CONCRETE SURFACES SHALL BE CURED BY MAINTAINING THEM CONSTANTLY DAMP OR WET FOR A MINIMUM OF 7 DAYS. CURING TO COMMENCE IMMEDIATELY AFTER POURING.
- C10. REINFORCEMENT IS REPRESENTED DIAGRAMMATICALLY, IT IS NOT NECESSARILY SHOWN IN TRUE PROJECTION. C11. SPLICES IN REINFORCEMENT SHALL BE MADE ONLY IN THE POSITIONS SHOWN. THE WRITTEN APPROVAL OF THE ENGINEER SHALL BE
- OBTAINED FOR ANY OTHER SPLICES. REINFORCEMENT FABRIC TO HAVE END AND SIDE LAPS OF 250 MIN C12. ALL REINFORCEMENT SHALL BE SUPPORTED ON STEEL CHAIRS TO MAINTAIN IT AT THE CORRECT LEVELS, IN NO CASE SHALL THE
- SPACING OF CHAIRS EXCEED 800. PLASTIC BAR CHAIRS ONLY SHALL BE USED FOR EXPOSURE CLASSIFICATION B1 OR WORSE. C13. UNLESS OTHERWISE SHOWN CONCRETE ENCASING TO STRUCTURAL STEELWORK SHALL BE 50 MINIMUM THICKNESS REINFORCED WITH
- FGW41. FABRIC SHALL HAVE 25 COVER AND BE LAPPED 250 AT ALL SPLICES. C14. SEPARATE ALL CONCRETE SLAB AND BEAM SURFACES FROM CONTACT WITH MASONRY WITH TWO LAYERS OF "MALTHOID" OR
- EQUIVALENT C15. REINFORCEMENT SYMBOLS ARE AS FOLLOW:
- N---- GRADE D500N DEFORMED BAR IN ACCORDANCE WITH AS 4671
- S---- GRADE D250N DEFORMED BAR IN ACCORDANCE WITH AS 4671 R---- GRADE R250N PLAIN BAR IN ACCORDANCE WITH AS 4671
- SL----GRADE 500 SQUARE & RECTANGULAR WIRE FABRIC IN ACCORDANCE WITH AS 4671 L?TM-- GRADE 500 TRENCH MESH BAR IN ACCORDANCE WITH AS 4671
- THE NUMBER FOLLOWING THE REINFORCEMENT BAR SYMBOL IS THE NUMBER OF MILLIMETERS IN THE BAR DIAMETER. C16. FORMWORK WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH THE S.A.A. FORMWORK CODE AS 1509.
- C17. THE ENGINEER IS TO BE GIVEN 48 HOURS NOTICE OF ALL IMPENDING POURS.

NEEDLING DETAIL

- SUGGESTED WALL NEEDLING PROCEDURE IN CONJUNCTION WITH THE ENGINEERS DRAWINGS PROCEED WITH THE FOLLOWING
- N1. NEEDLE THROUGH WALL DIRECTLY ABOVE POSITION OF NEW STEEL BEAMS AT 900mm MAX CENTRES WITH 125 PFC OR 100 x 6 SHS OR EQUAL NEEDLES SPANNING 900mm MAX ONTO PROP AT EACH END.
- N2. PROPS SHALL BE SUPPORTED DIRECTLY ON THE EXISTING CONCRETE FLOOR SLAB. SCREW UP PROPS TO SUPPORT FULL LOAD OF BRICKWORK ABOVE NEEDLES.
- N4. INSERT BEAM WITH SEATING ON GROUT BED AS PER DETAILS, ALLOW 24 HOURS FOR GROUT TO CURE. PREDEFLECT BEAM BY DRIVING
- 1:20 STEEL FOX WEDGES BETWEEN UNDERSIDE OF BRICKWORK & TOP OF BEAM TO TRANSFER LOAD TO NEW BEAM.
- N5. RAM PACK BETWEEN NEW STEELBEAM & UNDERSIDE OF EXISTING BRICKWORK WITH DRY NON SHRINK GROUT N6. A MINIMUM OF 48HRS AFTER GROUTING REMOVE THE PROPS & NEEDLES & MAKE GOOD
 - NOTE: THE ABOVE SUGGESTED PROCEDURE IN NO WAY RELIEVES THE BUILDER OF THE USUAL CONSTRUCTION RESPONSIBILITIES



	ABN 71121623550 Suite 201/283 Alfred S Tel: (02) 9922 5501 Email: info@neill	St., North Sydney	COPYRIGHT THIS DOCUMENT IS & SHALL REMAIN THE PROPERTY O NEILLY DAVIES & PARTNERS CONSULTING ENGINEERS. TI DOCUIMENT MAY ONLY BE USED FOR THE PURPOSE FO WHICH IT WAS COMISSIONED. IT MUST NOT BE USED, REPRODUCED OR COPIED IN WHOLE OR IN PART WITHOL PRIOR WRITTEN CONSENT OF THE COMPANY.				
PROJECT STATUS	FOR CONSTRUCTION						
CLIENT	JAMESONS STRATA MANAGEMENT						
PROJECT ADDRESS PROF	POSED ADDITIONS 1 QUINTON R		INS AT				
SHEET INFO	CONSTRUCT	TON NOTES					
DESIGNED DRAFTED S.D.	L.S.	снескед В.М.	SIGNED				
SHEET NO SCALES	AS SHOWN	START DATE 03-05-2018	PLOT DATE 02-05-2019				
SHEET SIZE A1	DO NOT ATTEMPT TO SCAL	PROJECT NO J170097					



4M16 BOLTS-


10mm PL — WITH 4M12


200UB 29 —


TOP VIEW
BEAM CONNECTION DETAIL
SCALE 1:5

6mm STIFFENER-

250x250x10mm PL -








N16@300 DOWELD — INTO EXISTING SLAB

200UB 29 —

N12 BARS —

R10@250—



nelly	/davie consulting engine	ABN 71121623550 Suite 201/283 Alfred Fers Tel: (02) 9922 550 Email: info@neill	St., North Sydney 1	COPYRIGHT THIS DOCUMENT IS & SHALL REMAIN THE NEILLY DAVIES & PARTNERS CONSULTING DOCUMENT MAY ONLY BE USED FOR THE WHICH IT WAS COMISSIONED. IT MUST N REPRODUCED OR COPIED IN WHOLE OR IN PRIOR WRITTEN CONSENT OF THE (ENGINEERS. THE E PURPOSE FOR NOT BE USED, N PART WITHOUT
PROJECT STATUS		FOR CONS	STRUCTION		
CLIENT		JAMESONS STRA	ta managemen	VT.	
PROJECT ADDRESS	Р	ROPOSED ADDITIONS 1 QUINTON F	S & ALTERATIC ROAD, MANLY	NS AT	
SHEET INFO	G	ARAGE ROOF PLAN,	SECTIONS & E)ETAILS	
DESIGNED	S.D.	drafted L.S.	CHECKED B.M.	SIGNED	
SHEET NO	S02	scales AS SHOWN	START DATE 03-05-2018	PLOT DATE 02-05-2(019
SHEET SIZE	A1	1 DO NOT ATTEMPT TO SCALE FROM THESE DRAWINGS J170097			

MEMBER SCHEDULE:

1. REMOVE ALL PARUPET WALLS, PLANTER BOXES AND

IS PROPERLY SUPPORTED BY WALLS BELOW.

THE STRUCTURAL ENGINEER'S APPROVAL. 6. INSPECTIONS BY THE STRUCTURAL ENGINEER WILL BE

4. REPLACE PARUPET WALLS AROUND THE SLAB AFTER

5. THIS INSTALLER TO PROVIDE THE PROPPING DETAILS FOR

BEAMS WITH CONCRETE & REMOVAL OF PROPPING.

REQUIRED ONCE THE BEAM IS INSTALLED PRIOR TO CASTING

STAIRS SITTING ON TOP OF THE EXISTING SLAB.

3. CONSTRUCT NEW SLAB AND ENSURE THAT THE NEW SLAB


<u>BEAMS</u> B1: 200UB 29

NOTES:


<u>POST</u> P1: 100X100X9 S.H.S.


2. REMOVE THE EXISTING SLAB.

CONCRETE IS SET (28 DAYS).




GARAGE FLOOR PLAN





DRIVEWAY PLAN
SCALE 1:50

nellydavie consulting engine	ABN 71121623550 Suite 201/283 Alfred Sers Tel: (02) 9922 550 Email: info@neill	St., North Sydney 1	COPYRIGHT THIS DOCUMENT IS & SHALL REMAIN THE PROPERTY OF NEILLY DAVIES & PARTNERS CONSULTING ENGINEERS. THE DOCUMENT MAY ONLY BE USED FOR THE PURPOSE FOR WHICH IT WAS COMISSIONED. IT MUST NOT BE USED, REPRODUCED OR COPIED IN WHOLE OR IN PART WITHOUT PRIOR WRITTEN CONSENT OF THE COMPANY.				
PROJECT STATUS	FOR CONSTRUCTION						
CLIENT	JAMESONS STRA	TA MANAGEMEN	VT				
PROJECT ADDRESS	PROPOSED ADDITIONS & ALTERATIONS AT 1 QUINTON ROAD, MANLY						
SHEET INFO	ARAGE ROOF PLAN,	SECTIONS & [DETAILS				
DESIGNED S.D.	DRAFTED L.S.	CHECKED B.M.	SIGNED				
SHEET NO SO3	SCALES AS SHOWN	START DATE 03-05-2018	02-05-2019				
SHEET SIZE A1	A1 DO NOT ATTEMPT TO SCALE FROM THESE DRAWINGS PROJECT NO J170097						



DATUM LEVEL

R.L. 33.00

PROPOSED LEVEL

EXISTING LEVEL

KERB LINE

33.90

DATUM LEVEL

R.L. 33.00


PROPOSED LEVEL

EXISTING LEVEL

R.L. 33.00

PROPOSED LEVEL

EXISTING LEVEL





PROPOSED ADDITIONS & ALTERATIONS AT 1 QUINTON ROAD, MANLY FOR JAMESONS STRATA MANAGEMENT

CONSTRUCTION NOTES

GENERAL NOTES

- G1. THESE DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ARCHITECTURAL AND OTHER CONSULTANTS DRAWINGS AND SPECIFICATIONS. ANY DISCREPANCIES ARE TO BE REFERRED TO THE ARCHITECT BEFORE PROCEEDING WITH THE WORK.
- G2. DIMENSIONS SHALL NOT BE OBTAINED BY SCALING THE STRUCTURAL DETAILS AND ALL DIMENSIONS TO BE VERIFIED BY THE BUILDER PRIOR TO COMMENCEMENT OF THE WORK.
- G3. REFER TO ARCHITECTURAL DRAWINGS FOR SLAB LEVELS AND ARCHITECTURAL DETAILS.
- G4. DURING CONSTRUCTION THE BUILDER IS RESPONSIBLE FOR MAINTAINING THE STRUCTURE IN A STABLE CONDITION WITHOUT OVERSTRESSING ANY PART.
- G5. COMPLY WITH AS 3660 PROTECTION OF BUILDING FROM SUBTERRANEAN TERMITES.
- G6. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH THE BUILDING CODE OF AUSTRALIA.
- G7. THIS DOCUMENT IS NOT VALID TO BE USED AS DRAWINGS ON SITE UNLESS SIGNED AND MARKED AS 'FOR CONSTRUCTION'.

STRUCTURAL STEEL NOTES

- S1. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH AS 4100, AS 1554 AND FOR TUBULAR MEMBERS AS 1163. S2. UNLESS OTHERWISE NOTED ALL STRUCTURAL STEEL TO BE FY = 300mPa IN ACCORDANCE WITH AS 1204, TUBULAR AS 1163, BLACK
- BOLTS AS 1111 AND HIGH TENSION BOLTS AS 1252. S3. ALL WELDS TO BE 6mm CONTINUOUS FILLET UNLESS OTHERWISE NOTED. WELDS IN ACCORDANCE WITH AS 1554.
- S4. ALL STRUCTURAL STEELWORK BEARING ON MASONRY TO BE BEDDED ON A 25mm GROUT PAD.
- S5. EXCEPT WHERE CONCRETE ENCASED OR WHERE NOTED OTHERWISE, ALL STRUCTURAL STEELWORK TO BE SURFACE CLEANED TO REMOVE ALL LOOSE MILL SCALE, RUST, DIRT, GREASE ETC, AND EVEN GIVEN ONE SHOP COAT OF RED OXIDE ZINC CHROMATE PRIMER.
- S6. TWO COPIES OF CHECKED WORKSHOP DRAWINGS TO BE SUBMITTED TO THE ENGINEER AND APPROVAL OBTAINED IN WRITING BEFORE FABRICATION IS COMMENCED, APPROVAL COVERS STRUCTURAL SUFFICIENCY OF JOINTS AND MEMBERS AND NOT DIMINISHING

FOUNDATION NOTES

F1. FOUNDATION MATERIAL (.....SHALE....) TO BE CONSISTENT WITH UNIFORM MOISTURE CONTENT THROUGHOUT, AND HAVE A MINIMUM SAFE BEARING CAPACITY OF400...... kPa, TO BE ACHIEVED ON SITE. F2. ALL RESIDENTIAL SLABS AND FOOTINGS TO COMPLY WITH AS 2870 UNLESS DETAILED OTHERWISE

BRICKWORK NOTES

- B1. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH AS 3700, NCC 2016 AND AS 1316 AS AMENDED, EXCEPT WHERE VARIED BY CONTRACT DOCUMENTS.
- B2. BRICKS TO HAVE MINIMUM COMPRESSIVE STRENGTH OF 15 mPa AND TO BE LAID IN 1 : 4 1/2 MORTAR UNLESS NOTED OTHERWISE

T1. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH AS 1720.2. AS 1684 AND AS 1328 (GLUED LAMINATED) T2. ALL WORKMANSHIP AND MATERIALS WITH REGARD TO WIND BRACING TO BE IN ACCORDANCE WITH AS 4055.

- L1. IMPORTANCE LEVELS OF BUILDING: 2 L2. SUPERIMPOSED FLOOR LOADS ARE GENERALLY IN ACCORDANCE WITH AS / NZS1170.1 & SPECIFICALLY
- 1.5 kPa GENERALLY 2.0 kPa BALCONIES 2.0 kPa STAIRS
- L3. WIND LOADS HAVE BEEN DETERMINED IN ACCORDANCE WITH AS4055 WIND REGION: A TERRAIN CATEGORY: 3

TOPOGRAPHIC CLASS: T1 SHEILDING: FS

WIND CLASSIFICATION: N1 L4. THE RELEVANT PROVISIONS OF AS1170.4 HAVE BEEN APPLIED FOR THE FOLLOWING

EARTHQUAKE DESIGN

PROBABLILTY FACTOR Kp: 1 HAZARD FACTOR Z: 0.08

SITE SUB-SOIL CLASS: CE

EARTHQUAKE DESIGN CATEGORY: N/A

BARS LAPS & COGS

BAR SIZE	SLAB & WALL LA	4PS	BEAM	LAPS	BAR COGS
N12	400		40	00	180
N16	600		60	0(210
N20	800		90	00	260
N24	1100		1200		310
N28	1400		1500		360
N32	1700		190	00	400
LAPS ARE MINIMUM U.N.O					
INCREASE LAP BY 25% IF			IRN CC	G SID	EWAYS IF
DEPTH OF CONCRETE			0 = 7 12	B DEP	
BELOW I		INS	UFFICI	ENT	

MESH LAPPING DIAGRAM

• • • •

CONCRETE NOTES

- C1. ALL WORKMANSHIP AND MATERIALS TO BE IN ACCORDANCE WITH AS 3600 AS AMENDED, EXCEPT WHERE VARIED BY CONTRACT
- C2. CONCRETE QUALITY TO BE ACCORDANCE WITH THE FOLLOWING TABLE UNLESS NOTED OTHERWISE

ELEMENT	SLUMP	MAX SIZE AGGREGATE	CEMENT TYPE	AS 3600 F'c MPa	ADMIXTURE
PIERS	80	20	А	32	_
FOOTINGS	80	20	А	32	_
SLAB ON GROUND	80	20	А	32	_
COLUMNS	80	20	А	32	_
WALLS	80	20	А	32	_
SUSPENDED SLABS	80	20	A	32	_
BLOCKWORK CORES	230	10	А	32	_
STAIRS	80	20	А	32	_

C3. CLEAR CONCRETE COVER TO REINFORCEMENT SHALL BE AS FOLLOWS EXCEPT WHERE INCREASED COVER IS REQUIRED TO SATISFY FIRE RATING OR UNLESS NOTED OTHERWISE


REQUIRED CLEAR CONCRETE COVER (mm) RATIONALISED FROM AS 3600									
	INTERNAL		EXTERNAL			IN CONTACT WITH GROUND			
	WET AREAS		COASTAL	INLAND	INLAND >	DAMP	NO	BELOW	AGGRESSIVE
	AND	OTHER	< 1km	> 1 < 50km	50km NON	PR00F	MEMBRANE	WATER	GROUND
	INDUSTRIAL			OR INDUST.	INDUST	MEMBRANE		TABLE	WATER
FOOTINGS	_	_	_	_	_	40	50	75	100
PEDESTALS & COL	40	40	50	40	40	40	50	65	75
SLABS	40	20	45	40	30	30	40	60	65
BEAMS	40	25	50	40	40	40	50	65	75
WALLS	40	20	50	40	40	40	50	65	75

- C4. SIZES OF CONCRETE ELEMENTS DO NOT INCLUDE THICKNESS OF APPLIED FINISHES. C5. CONSTRUCTION JOINTS WHERE NOT SHOWN SHALL BE LOCATED TO THE APPROVAL OF THE ENGINEER.
- C6. BEAM DEPTHS ARE WRITTEN FIRST AND INCLUDE SLAB THICKNESS (IF ANY).
- C7. NO HOLES OR CHASES OTHER THAN THOSE SHOWN ON THE STRUCTURAL DRAWINGS SHALL BE MADE IN THE CONCRETE MEMBERS WITHOUT THE PRIOR APPROVAL OF THE ENGINEER.
- C8. ALL CONCRETE SHALL BE COMPACTED USING HIGH FREQUENCY VIBRATORS. C9. ALL CONCRETE SURFACES SHALL BE CURED BY MAINTAINING THEM CONSTANTLY DAMP OR WET FOR A MINIMUM OF 7 DAYS. CURING
- TO COMMENCE IMMEDIATELY AFTER POURING. C10. REINFORCEMENT IS REPRESENTED DIAGRAMMATICALLY, IT IS NOT NECESSARILY SHOWN IN TRUE PROJECTION.
- C11. SPLICES IN REINFORCEMENT SHALL BE MADE ONLY IN THE POSITIONS SHOWN. THE WRITTEN APPROVAL OF THE ENGINEER SHALL BE OBTAINED FOR ANY OTHER SPLICES. REINFORCEMENT FABRIC TO HAVE END AND SIDE LAPS OF 250 MIN
- C12. ALL REINFORCEMENT SHALL BE SUPPORTED ON STEEL CHAIRS TO MAINTAIN IT AT THE CORRECT LEVELS, IN NO CASE SHALL THE
- SPACING OF CHAIRS EXCEED 800. PLASTIC BAR CHAIRS ONLY SHALL BE USED FOR EXPOSURE CLASSIFICATION B1 OR WORSE. C13. UNLESS OTHERWISE SHOWN CONCRETE ENCASING TO STRUCTURAL STEELWORK SHALL BE 50 MINIMUM THICKNESS REINFORCED WITH
- FGW41. FABRIC SHALL HAVE 25 COVER AND BE LAPPED 250 AT ALL SPLICES. C14. SEPARATE ALL CONCRETE SLAB AND BEAM SURFACES FROM CONTACT WITH MASONRY WITH TWO LAYERS OF "MALTHOID" OR
- EQUIVALENT
- C15. REINFORCEMENT SYMBOLS ARE AS FOLLOW: N---- GRADE D500N DEFORMED BAR IN ACCORDANCE WITH AS 4671 S---- GRADE D250N DEFORMED BAR IN ACCORDANCE WITH AS 4671
- R---- GRADE R250N PLAIN BAR IN ACCORDANCE WITH AS 4671 SL----GRADE 500 SQUARE & RECTANGULAR WIRE FABRIC IN ACCORDANCE WITH AS 4671 L?TM-- GRADE 500 TRENCH MESH BAR IN ACCORDANCE WITH AS 4671
- THE NUMBER FOLLOWING THE REINFORCEMENT BAR SYMBOL IS THE NUMBER OF MILLIMETERS IN THE BAR DIAMETER. C16. FORMWORK WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH THE S.A.A. FORMWORK CODE AS 1509.
- C17. THE ENGINEER IS TO BE GIVEN 48 HOURS NOTICE OF ALL IMPENDING POURS.


NEEDLING DETAIL


- SUGGESTED WALL NEEDLING PROCEDURE IN CONJUNCTION WITH THE ENGINEERS DRAWINGS PROCEED WITH THE FOLLOWING
- N1. NEEDLE THROUGH WALL DIRECTLY ABOVE POSITION OF NEW STEEL BEAMS AT 900mm MAX CENTRES WITH 125 PFC OR 100 x 6 SHS OR EQUAL NEEDLES SPANNING 900mm MAX ONTO PROP AT EACH END.
- N2. PROPS SHALL BE SUPPORTED DIRECTLY ON THE EXISTING CONCRETE FLOOR SLAB. SCREW UP PROPS TO SUPPORT FULL LOAD OF BRICKWORK ABOVE NEEDLES.
- N4. INSERT BEAM WITH SEATING ON GROUT BED AS PER DETAILS, ALLOW 24 HOURS FOR GROUT TO CURE. PREDEFLECT BEAM BY DRIVING
- 1:20 STEEL FOX WEDGES BETWEEN UNDERSIDE OF BRICKWORK & TOP OF BEAM TO TRANSFER LOAD TO NEW BEAM. N5. RAM PACK BETWEEN NEW STEELBEAM & UNDERSIDE OF EXISTING BRICKWORK WITH DRY NON SHRINK GROUT
- N6. A MINIMUM OF 48HRS AFTER GROUTING REMOVE THE PROPS & NEEDLES & MAKE GOOD


NOTE: THE ABOVE SUGGESTED PROCEDURE IN NO WAY RELIEVES THE BUILDER OF THE USUAL CONSTRUCTION RESPONSIBILITIES




nellydavies consulting engineers	ABN 71121623550 Suite 201/283 Alfred S Tel: (02) 9922 5503 Email: info@neill	St., North Sydney	NEILLY DAVIES & PA DOCUIMENT MAY ON WHICH IT WAS CO REPRODUCED OR CC	COPYRIGHT & SHALL REMAIN THE PROPERTY OF JUBEL OF THE PURPOSE FOR JUBEL OF THE PURPOSE FOR JUBEL OF THE PURPOSE FOR JUBEL OF THE PURPOSE JUBEL OF THE COMPANY.			
PROJECT STATUS	FOR CONSTRUCTION						
CLIENT	JAMESONS STRATA MANAGEMENT						
PROJECT ADDRESS PRO	PROPOSED ADDITIONS & ALTERATIONS AT 1 QUINTON ROAD, MANLY						
SHEET INFO	CONSTRUC ⁻	TION NOTES					
DESIGNED M.R. DRAFTER	M.L.	снескей В.М.	SIGNED	y lehun			
SHEET NO SCALES	AS SHOWN	START DATE 03-05-2018	PLOT DATE	02-05-2019			
SHEET SIZE A1	DO NOT ATTEMPT TO SCA	LE FROM THESE DRAWINGS	PROJECT N	J170097			









This drawing has been prepared on the information provided and has generated the technical specifications here drawn. Any changed to the site details and dimensions will affect the specifications and must be communicated to Easy Living. Do not scale, if in doubt ask.


PRIMARY NOTES

- The lift shaft be provided with permanent shaft lighting the terminal lighting units at shaft pit level
- 2) Controller and pump unit shall be protected from manomissions.
- 3) The machine room/shaft shall be provided with hole 150 mm diameter


Please confirm the following

DIMENSIONS		
Description	mm	
Overall travel	3000	
Overhead height (min.)	2650	
Pit Width	1700	
Pit length	1960	
Pit depth	200	
Distance to control panel	3500	

CAR FINIS	CAR FINISH				
Car sling wall	PLASTIC LAMINATE 1678 WOOD With full height flush central COP panel in Mirror Stainless steel. Blue display and key switch				
Ceiling	Mirror Stailess steel with 4 LED downlights in the frame corners				
Side wall	PLASTIC LAMINATE 1678 WOOD				
Back	Back entry floors G, 1				
Cabin corners	Polish Stainless Steel				
Flooring	Granit Rocksolid 607				




Approved without changes		
Yes	No	
Signed		
Date		




DOORS

<u>CAR DOORS</u>	
Туре	2 PANELS SLIDING DOOR
Colour/Finish	MIRROR STAINLESS STEEL FRAMED TRANSPARENT GLASS PANELS

LANDING DOORS	
Туре	2 PANELS SLIDING DOOR
Colour/Finish	MIRROR STAINLESS STEEL FRAME WITH FRAMED TRANSPARENT GLASS PANELS
LOP	MIRROR STAINLESS STEEL





Page 1 of 2

