


EROSION AND SEDIMENT CONTROL



This drawing and design is subject to copyright and may not be reproduced without prior written consent. All ions to be verified and any discrepancies refereed to Cradle Design prior to the commencement of any work. Use figured dimensions only.



MINIMISE AREA TO BE CLEARED AND LEAVE AS MUCH VEGETATION AS POSSIBLE. INSTALL TEMPORARY FENCES TO DEFINE 'NO GO AREAS THAT ARE NOT TO BE DISTURBED.

ALL SEDIMENT CONTROL DEVICES ARE TO BE INSTALLED PRIOR TO ANY COMMENCEMENT OF CLEARING AND EARTHWORKS ON THE SITE. ONGOING MAINTENANCE OF THESE DEVICES DURING CONSTRUCTION WILL BE REQUIRED. INSTALL SEDIMENT FENCE(S) ALONG THE LOW SIDE OF THE SITE BEFORE WORK BEGINS.

APPROPRIATE SCOUR PROTECTION INSTALLED AT THE OUTLET TO STORM WATER CONDUITS

INSTALLATION OF POLLUTION CONTROL DEVICES AT THE SOURCE, ON-LINE, OFF-LINE OR AT THE END OF THE LINE TO CONTROL SEDIMENT LADEN OVERLAND STORM WATER FLOWS.

REV. A - ??.01.20 - FOR COMMENT

REV B - 10.05.2021 - SECTION 4.55

REV C - 31.03.2023 - SECTION 4.55 -B

ESTABLISH A SINGLE STABILISED ENTRY/EXIT POINT. CLEARLY MARK THE ACCESS POINT ON AN ACCESS MAP THAT HAS A DELIVERY POINT INDICATED FOR ALL SUPPLIES.

REVISION

GOOD WORKING CONDITION. ZONE.

ALWAYS BE AWARE OF THE WEATHER FORECAST. LAID WHERE APPLICABLE.

RECEPTORS).

WATER DRAIN AS SOON AS THE ROOF IS INSTALLED.

SECTION 4.55-B MODIFICATIONS ANNOTATED IN RED



- EXCAVATION TO BE TO A MAXIMUM OF 1 METRE.
- CHECK THE EROSION AND SEDIMENT CONTROLS EVERY DAY AND KEEP THEM IN
- WHERE TOPSOIL IS STOCKPILED, ENSURE IT IS WITHIN THE SEDIMENT CONTROLLED
- STABILISE EXPOSED EARTH BANKS (EG VEGETATION, EROSION CONTROL MATS). FILL IN AND COMPACT ALL TRENCHES IMMEDIATELY AFTER SERVICES HAVE BEEN
- INSTALL SITE WASTE RECEPTACLES (MINI-SKIP, BINS, WINDPROOF LITTER
- SWEEP THE ROAD AND FOOTPATH EVERY DAY AND PUT SOIL BEHIND THE SEDIMENT CONTROLS. HOSING DOWN ROADS AND FOOTPATHS IS UNACCEPTABLE. CONNECT DOWN PIPES FROM THE GUTTERING TO ON SITE DETENTION OR THE STORM DA 2020/0470 s4.55-B

