

Job No. 2009/258

Tuesday, 28 April 2009

Manly Council  
PO Box 82,  
Manly NSW 1655

Attention: General Manager

**RE: Notice of Commencement**  
Eyedontis, Shop 48, 197-215 Condamine Street, Balgowlah  
CDC: 09/258/01  
**Description of work:** Internal retail fitout for Eyedontis

*PPWE*  
7 APR 2009  
[Stamp]  
[Stamp]  
[Stamp]  
[Stamp]  
[Stamp]  
*McGill*  
*90192*

Please find enclosed a Notice of Commencement form in accordance with either Section 81(A) 2(a)(ii) and 2(c), or Section 86 (1) of the Environmental Planning and Assessment Act 1979, as applicable.

Please note that the following inspections are required under Clause 162A of the Environmental Planning and Assessment Regulation. These inspections are required to be carried out by an accredited certifier and we are unable to accept inspection records from engineers who do not hold the appropriate accreditation. SWP requires 48 hours notice of these inspections and work cannot continue to its subsequent stage until these inspections are carried out.


Class 5, 6, 7, 8 or 9 Inspections	Action by
1. After the building work has been completed and prior to any occupation certificate being issued in relation to the building	SWP

Should you have any queries, please contact myself on (02) 9283 6555.

Regards,

*[Signature]*  
Peter Tran  
Steve Watson and Partners Pty Ltd

*PCA: 1116229 1101856*  
*NAR: 1116405*  
*Agp*



# STEVE WATSON & PARTNERS

BUILDING REGULATIONS CONSULTANTS AND SURVEYORS  
MEMBERS OF THE PROFESSION

LEVEL 5, 432 KENT STREET, SYDNEY NSW 2000  
TEL +61 2 9283 6555 FAX +61 2 9283 8500  
sydney@swpartners.com.au  
www.swpartners.com.au  
ABN 46 102 368 575

## NOTICE OF COMMENCEMENT

Notice of Commencement of building or subdivision work and appointment of Principal Certifying Authority under Environmental Planning and Assessment Act 1979 Sections 81A (2) (b) (ii) and (c), 86 (1)

### PART 1 Development Details

Applicant Details	Applicant's name: <u>JUSTSPECTACLES PTY LTD.</u> Address: <u>26 ALFRED STREET</u> Suburb: <u>MILSONS POINT</u> State: <u>NSW</u> Post Code: <u>2061.</u> Phone: <u>(02) 9955 9355</u> Fax: <u>(02) 9955 9344</u> Mobile: <u>—</u> E-mail: <u>lpalmer@optifashion.com.au</u>
Details of the Land to be Developed	Address: <u>SHOP 48 - 197-215 CONDAMINE STREET.</u> Suburb: <u>BALGOWLAH</u> State: <u>NSW</u> Post Code: <u>—</u> Lot no: _____ DP No./Section: _____
Description of Work	Type of work: <b>Building Work</b> Description: _____ <u>RETAIL SHOP FITOUT - EYE DOCTOR</u>


### PART 2 Details of Development Approval

Development Consent or CDC	Development Consent/Complying Development No: <u>09/258/01</u> Date of Determination: <u>28 OCT 2009</u>
Construction Certificate	Construction Certificate No: _____ Date of Determination: <u>NA</u>

### PART 3 Appointment of Principal Certifying Authority

Details of Principal Certifying Authority	Certifying Authority: <u>STEVE WATSON</u> for Steve Watson & Partners Pty Ltd Accreditation Body: <u>BPB</u> Accreditation Number: <u>BPB0432</u> Contact number: <u>(02) 9283 6555</u> Address: <u>Level 5, 432 Kent Street, Sydney NSW 2000</u>
---	--

Please note in the absence of any prior agreement we reserve the right to nominate the most appropriate member of our staff as the PCA.



## PART 4 Date of Commencement and compliance with conditions

<b>Compliance with Development Consent/Complying Development</b>	Have all conditions required to be satisfied prior to the commencement of work been satisfied? <input checked="" type="radio"/> - yes <input type="radio"/> - no <i>(conditions may include payment of security, s 94 contributions, endorsement of building work plans by water supply authority)</i>
<b>Home Building Act 1989 Requirements</b>	<b>Note: Only fill in this section if you are constructing a house, other dwelling or undertaking alterations or additions to a dwelling.</b> 1. Are you an owner-builder? <input type="radio"/> - yes, Owner-builder permit number? _____ or 2. Will the work be carried out by some one licensed to do so? <input type="radio"/> - yes Name of the builder: <u>NIC</u> Telephone Number: _____ Contractor License no. _____ Attach <b>one</b> of the following documents to this notice: (a) Evidence that the licensed person is insured to carry out this type of work; or (b) a declaration (signed by each owner of the land) that the reasonable market cost of the labour and materials to be used is less than \$12000?
<b>Principal Contractors Details</b> <i>Required for all projects</i>	Name: <u>AQA BUILDING SERVICES PTY LTD</u> Address: <u>SUITE 211, 40 YEO STREET.</u> Contact Number: <u>02 9904 - 9558</u>
<b>Date Work is to Commence</b>	Date: <u>1.1.05/09.</u>

## PART 5 Signatures

<b>Principal Certifiers Declaration</b>	<b>The Principal certifying authority must sign the notice</b> I acknowledge that I have been appointed by the applicant to carry out the role of the Principal certifying authority for this development. I acknowledge that I have seen evidence that the builder is licensed and insured, or that I have seen evidence that the building works are to be undertaken by a person with an owner-builder permit where required by the Home Building Act. Signature: _____ Name: <u>STEVE WATSON</u> Date: <u>28/04/2009</u>
<b>Applicants Declaration</b>	<b>The applicant, or the applicant's agent must sign the notice</b> Signature: _____ Date: <u>14/04/09</u> Name if you are not the applicant: <u>Ives Palmer</u> In what capacity are you signing if not the applicant: <u>MANAGING DIRECTOR</u>

## PART 6 Privacy Policy

The information you provide in this notice is required under the *Environmental Planning and Assessment Act 1979* if you are going to erect a building or carry out subdivision work. If you do not provide the information to the consent authority, you cannot commence the work. The information will be held by the consent authority and by the council (if the council is not the consent authority). Please contact the council if the information you have provided in this notice is incorrect or changes.

Job No. 2009/203

Tuesday, 28 April 2009

Manly Council  
PO Box 82,  
Manly NSW 1655

Attention: General Manager

**RE: Complying Development Certificate No. 09/258/01  
Eyedonist, Shop 48, 197-215 Condamine Street, Balgowlah**

Please find attached a copy of Complying Development Certificate 09/258/01 and required attachments issued by Steve Watson & Partners for the above mentioned development in accordance with Section 85, 85A of the Environmental Planning and Assessment Act 1979.

Please also find attached a cheque for \$30.00 for the registration of the Complying Development Certificate.

Can you please forward SWP <sup>kn/s</sup> a receipt for the acknowledgment of the lodgement cheque.

If you have any queries please do not hesitate to contact me on (02) 9283 6555.


Regards,

  
Peter Tran  
Steve Watson & Partners

CERTIFIER

\$30

R.605885

7-5-09 



STEVE WATSON  
& PARTNERS

REGISTERED PROFESSIONAL CONSULTANTS AND ARCHITECTS  
CORPORATE MEMBERS

LEVEL 5, 432 KENT STREET, SYDNEY NSW 2000  
TEL +61 2 9283 6555 FAX +61 2 9283 8500  
sydney@swpartners.com.au  
www.swpartners.com.au  
ABN 48 102 366 576

# COMPLYING DEVELOPMENT CERTIFICATE

Issued under the Environmental Planning and Assessment Act 1979 Section 85, 85A

## Complying Development Certificate No. 09/258/01

I, Steve Watson, certify that the proposed development is complying development and that if carried out in accordance with the approved plans and specifications will comply with all development standards, any standards in a DCP and all requirements of the Regulation under the *Environmental Planning and Assessment Act 1979*.

### Applicant

Name: **Just Spectacles Pty Ltd**

Address: **26 Alfred Street**

Suburb: **Milsons Point**

State: **NSW**

Postcode: **2061**

### Location of the Property

Address: **197-215 Condamine Street**

Suburb: **Balgowlah**

State: **NSW**

Postcode: **2093**

Real Property Description: **101/1102617**

### Proposed Complying Development

Type: **Carrying out of work**

Description: **Internal retail fitout to shop 48 for Eyedonist**

Proposed Use: **Retail**

Building Code of Australia Classification: **Class 6**

### Date of Receipt

Date Received: **15<sup>th</sup> April 2009**

### Determination

**Approved**

Date of Determination: **28<sup>th</sup> April 2009**

### Date of Lapse


**28<sup>th</sup> April 2014**

### Environmental Planning Instrument Decision Made Under

**Manly Local Environment Plan 1988**

**Schedule 9 Complying Development**

*Prior to commencement of works 86 (1) and (2) of the Environmental Planning and Assessment Act 1979 must be satisfied*



**Steve Watson**

Accreditation Body: **BPB**

Accreditation no: **BPB0432**


Date of Endorsement: **Tuesday, 28 April 2009**

**Design documentation approved for Complying Development Certificate 09/258/01 for Eyedonist, Shop 48, 197-215 Condamine Street, Balgowlah**

Drawing No.	Drawing Title	Revision	Date	Drawn by
A100	Cover Sheet	B	Feb 09	PMDL
A101	Plan	C	14/4/09	PMDL
A102	RCP	B	03/04/09	PMDL
A200	Elevations 1	B	03/04/09	PMDL

**Documentation relied upon to issue Complying Development Certificate 09/258/01 for Eyedonist, Shop 48, 197-215 Condamine Street, Balgowlah**

Item No	Description	Date
1.	Mandatory inspection record (Prior to the issue of the Complying Development Certificate)	13.03.09
2.	Application for Construction Certificate	15.04.09
3.	Existing and proposed fire safety schedule	-
4.	Evidence of Long Service Levy Payment	28.04.09
5.	Manly Council – Standard CDC Conditions	-
6.	Energy Efficiency (Artificial Light & Power) – Design Certificate	14.04.09





# CI143B Site Inspection Record

Project Eyedontis, Shop 48, 197- Inspection record # 2009/258C  
Address 215 Condamine Street,  
Balgowlah

Inspector Steve Watson Accreditation # BPB 0432

DA ref Not Applicable Date 13<sup>th</sup> March 2009

CDC no. 09/258/01 Type PRE-COMPLYING DEVELOPMENT  
CERTIFICATE

## Checklist

Annual Fire Safety Statement Provided?	No – Building is under construction.  Fire Safety Schedule has been provided	Are the proposed plans/specs consistent with the existing condition of the building?	Yes
Have works associated with proposed CC commenced?	No		

## Issues/Rectification works required

#	Issue	Comment/ requirement	Action by
1.			
2.			

## Was the Inspection

- Satisfactory  
 Satisfactory subject to resolution of the issues identified above  
 Unsatisfactory


Signed

Inspector

Date

13.3.09

# FIRE SAFETY SCHEDULE



STEVE WATSON  
& PARTNERS

Complying Development Certificate 09/258/01 for Eyedonist, Shop 48, 197-215 Condamine Street,  
Balgowlah

## Existing Fire Safety Schedule

FIRE SAFETY MEASURES	STANDARD OF PERFORMANCE
Access Panels, doors and hoppers to fire resisting shaft	BCA 2006 C3.13 & AS1905.1-2005, AS1905.2-2005
Automatic activation and manual controls for retail systems	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Automatic fail safe devices	BCA 2006 Part C3 & D2.21
Automatic fire detection and alarm system, including mimic panels + red strobe light	BCA 2006 E2.2, Spec E2.2a & AS1670.1-2004, AS3786-1993 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Automatic fire suppression system (sprinkler)	BCA 2006 E1.5, Spec E1.5 & AS2118.1-1999 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Automatic sliding door operation at mall entries/exits	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Carpark & retail smoke detection – connection to approved monitoring to a fire station dispatch centre	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Carpark travel distances	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Building occupant warning system	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Egress door for after hours staff	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Egress path marking on floor of back of house + storage areas and loading dock	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Emergency lighting	BCA 2006 E4.2, E4.4 & AS/NZS2293.1-2005
Emergency Lifts, including lift F1 and Building G Lift	BCA 2006 E3.4 & AS1735.2-1997 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Emergency Management Plan and Fire Safety Management in use Plan	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Emergency warning and intercommunication system	BCA 2006 E4.9 & AS1670.4-2004, AS4428.4-2004 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Exit signs	BCA 2006 E4.5, E4.6, E4.8 & AS/NZS2293.1-2005 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire Control Centres and access to sprinkle valve and pump room	BCA 2006 E1.8 & Spec E1.8
Fire dampers	BCA 2006 C3.12, C3.15 & AS/NZS1668.1-1998, AS1668.2-1991, AS1682.1-1990, AS1682.2-1990 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire doors	BCA 2006 Spec C3.4 & AS1905.1-2005 &

09/258/01-

Complying Development Certificate  
Steve Watson Lic # EP50432



	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire hydrant systems	BCA 2006 E1.3 & AS2419.1-2005 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire seals protecting openings in fire resisting components of the building	BCA 2006 C3.12, C3.15 & Spec C3.15 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire separation of equipment	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire Separation of tower B & D together with basement carpark + podium level from buildings C, E, F, G, H + L - Horizontal fire separations - Vertical fire separations - Lift doors - Smoke guard containment system - External wall separation and protection of openings	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Gates within security fence in carpark	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Hose reel system	BCA 2006 E1.4 & AS2441-2005 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Lightweight construction	BCA 2006 C1.8 & Spec C1.8
Major stores (>1,000 m2) ventilation systems	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Make up air for retail smoke exhaust	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distance to single exit or point of choice	BCA 2006 Section D as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances in retail mall & major tenancies (>1,000 m2)	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Mechanical air handling system	BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Portable fire extinguishers	BCA 2006 E1.6 & AS2444-2004
Population + Exit widths	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Power supply for retail smoke exhaust	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Retail ceiling heights	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Separation of escalators & lifts shops connecting carpark levels + retail levels	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke baffles between retail mall and specialty shops	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07

Smoke baffles to Coles tenancy	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke baffles to mini major	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke control System	BCA 2006 E2.2, Spec E2.2b & AS1668.1 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke dampers	BCA 2006 E2.2
Smoke detectors and heat detectors	BCA 2006 E2.2, Spec E2.2a & AS1670.1-2004, AS3786-1993 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke doors	BCA 2006 Spec C3.4
Smoke exhaust for major tenancies	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke exhaust system for retail	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke seals + doors	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke separation of retail tenancies smaller than 1,000 m2	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Stair pressurisation including stair F1 + Building G stair	BCA 2006 E2.3, AS1668.1-2004 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Supply air shut down in retail	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Vertical separation of openings in external walls Towers A, C, E, F, G & H	BCA2006 C2.6 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Wall wetting sprinkler and drencher systems	BCA 2006 C3.4 & D1.7
Warning and operational signs	EPA Regulation (reg 183), BCA 2006 E3.3 (lifts), D2.23 Signs on exit doors
Zone smoke control system	BCA E2.2 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07

## Proposed Fire Safety Schedule

Item No.	Proposed Measure	Standard of performance.
1.	Automatic fire suppression systems ( <i>Sprinklers</i> )	BCA2006 Specification E1.5 and AS 2118.1 – 1999 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
2.	Emergency Lighting	BCA2008 Clause E4.2, E4.4 and AS 2293.1 – 2005
3.	Exit Signs	BCA2008 Clause E4.5, NSW E4.6, E4.8 and AS 2293.1 – 2005

# APPLICATION FOR COMPLYING DEVELOPMENT CERTIFICATE



STEVE WATSON  
& PARTNERS

BUILDING REGULATIONS CONSULTANTS AND CERTIFIERS  
SINCE 1987

LEVEL 5, 492 KENT STREET, SYDNEY NSW 2000  
TEL +61 2 9285 6555 FAX +61 2 9285 8500  
sydney@swpartners.com.au  
www.swpartners.com.au  
ABN 46 102 366 575

## PART 1 Application and Site Details

### Applicant

It is important that we are able to contact you if we need more information.

Please give us as much detail as possible.

Mr  Mrs  Miss  Ms  Other

Surname (or Company): JUST SPECTACLES PTY LTD.

Given names (or ABN): 38009245265

Address: 26 ALFRED STREET

State: NSW Post Code: 2061.

Phone: (02) 9955 9355 Fax: (02) 9955 9344.

Mobile: — E-mail: lpalmer@optifashion.com.au

Please ensure you sign the declaration in Part 3 of this application

### Owner's Consent

Every owner of the land must sign this form.

If the owner is a company, an authorised director must sign the form.

Where the works are being carried out in a strata titled building the consent of the Body Corporate must be provided.

Surname (or Company): STOCKLAND TRUST MANAGEMENT LIMITED

Given names (or ABN): ACN 001 900 741

Address: 4/0 LEVEL 25, 133 CASTLEREAGH STREET.

SYDNEY State: NSW Post Code: 2000

Phone: (02) 90352000 Fax: (02) 89882000

Mobile: — E-mail: —

As owner of the land to which this application relates, I consent to this application. I also consent for SWP staff to enter the land to carry out inspections relating to this application.

Signature(s): SEE ATTACHED Date: — / — / —

Without the owner's consent, we will not accept the application. This is a very strict requirement for all applications. If you are signing on the owner's behalf as the owner's legal representative, you must state the nature of your legal authority and attach documentary evidence (eg. Power of attorney, executor, trustee, company director, etc)

### Location of the Property

We need this to correctly identify the land.

Address: 197-215 CONDAMINE STREET

BALGOWLAH State: NSW Post Code: —

Real Property Description: \_\_\_\_\_

(eg. Lot/DP, etc) \_\_\_\_\_

\_\_\_\_\_

The real property description is mandatory, these details are shown on your rate notices, property deeds etc



Stockland Retail

Level 25, 133 Castlereagh St  
Sydney NSW 2000

T 02 90352000  
F 02 89882000

www.stockland.com.au



GPO Box 998  
Sydney NSW 2001

18<sup>th</sup> February 2009

Attn: David Morris – PMDL

Dear David

**Re: Complying Development Certificate for fitout works for the below premises**

**Property: Stockland Balgowlah, 197-215 Condamine St, Balgowlah NSW**

**Premises: Shop 48 – AV Simon Eyedonist – Stockland Balgowlah**

***This consent is to be read in conjunction with the attached Stockland stamped DA design approved drawings dated 18 February 2009***

We refer to the attached application.

As owners of the above property, we consent to this Application and provide consent for authorised Council officers to enter the land to carry out inspections relating to this Application.

**Executed on behalf of Trust Company of Australia Limited (ACN 004 027 749) in its capacity as custodian by Will Smith for Stockland Trust Management Limited (ACN 001 900 741) under Power of Attorney Book 4429 No. 43 in the presence of:**

Signature of witness

Ihara Mannise  
Name of witness

Retail Design Manager  
Occupation of witness

Level 25, 133 Castlereagh Street  
Sydney NSW 2000

By executing this document the attorney states that the attorney has received no notice of revocation of the power of attorney


## PART 2 Work description


<b>Proposed Complying Development</b>	Use of land/building <input type="checkbox"/>
	Erection of a building <input type="checkbox"/>
	Subdivision of land/building <input type="checkbox"/>
	Carrying out of work <input type="checkbox"/>
	Demolition <input type="checkbox"/>
	Other <input checked="" type="checkbox"/>
	description(eg dwelling house): <u>RETAIL FITOUT</u>
	proposed use: <u>RETAIL SALES / TRADE</u>
<b>Estimated cost of work</b> (inclusive of GST)	\$ <u>244,660.00</u>
<b>Principal Contractors Details</b> <small>Required for all projects</small>	Name: <u>A &amp; A BUILDING SERVICES PTY LTD.</u>
	Address: <u>SUITE 211, 40 YEO STREET</u>
	Contact Number: <u>02 9904 - 9558</u>

## PART 3 Declaration

ALL THE DETAILS SOUGHT IN THE CHECKLIST MUST BE PROVIDED.

THE COMPLETED CHECKLIST MUST BE SUBMITTED WITH THIS APPLICATION. FAILURE TO PROVIDE THE REQUIRED DOCUMENTATION OF AN ACCEPTABLE STANDARD WILL RESULT IN YOUR APPLICATION BEING RETURNED.

<b>Declaration</b>	I apply for approval to carry out the development or works described in this application. I declare that all the information in the application and checklist is, to the best of my knowledge, true and correct.
<small>If the applicant is a company or strata title body corporate, a director or authorised delegate must sign this declaration.</small>	I also understand that if the information is incomplete the application may be delayed or rejected or more information may be requested. I acknowledge that if the information provided is misleading any approval granted 'may be void'.
	Signature: <u></u> Date: <u>14/04/09</u>



## PART 4 Checklist

Where relevant, have you provided/completed the following:	Yes	Not Relevant
• 4 copies of plans, elevations and sections	<input checked="" type="checkbox"/>	<input type="checkbox"/>
• 4 copies of specifications	<input type="checkbox"/>	<input checked="" type="checkbox"/>
• List of any existing and proposed fire safety measures (Refer to the Fire Safety Schedule)	<input checked="" type="checkbox"/>	<input type="checkbox"/>
• Evidence of Home Building Act requirements satisfied	<input type="checkbox"/>	<input checked="" type="checkbox"/>
• Evidence that Long Service Levy has been paid	<input checked="" type="checkbox"/>	<input type="checkbox"/>
• ABS schedule is completed	<input type="checkbox"/>	-
• Owners consent	<input checked="" type="checkbox"/>	-
• Applicants signature	<input checked="" type="checkbox"/>	-

## PART 5 Schedule to Application for a Construction Certificate

Please complete this schedule. The information will be sent to the Australian Bureau of Statistics.

### All new buildings

Please complete the following:

- Number of storeys (including underground floors)
- Gross floor area of new building (m<sup>2</sup>)
- Gross site area (m<sup>2</sup>)

Many.

N/A

~~10~~ 70 sqm.

### Residential buildings only

Please complete the following details on residential structures:

- Number of dwellings to be constructed
- Number of pre-existing dwellings on site
- Number of dwellings to be demolished
- Will the new dwelling(s) be attached to other new buildings?
- Will the new building(s) be attached to existing buildings?
- Does the site contain a dual occupancy?  
(NB dual occupancy = two dwellings on the same site)

N/A

N/A

N/A

Yes  No


Yes  No

Yes  No

### Materials – residential buildings

Please indicate the materials to be used in the construction of the new building(s):

Walls	Code	Roof	Code	Floor	Code	Frame	Code
Brick (double)	<input type="checkbox"/> 11	Tiles	<input type="checkbox"/> 10	Concrete or slate	<input checked="" type="checkbox"/> 20	Timber	<input type="checkbox"/> 40
Brick (veneer)	<input type="checkbox"/> 12	Concrete or slate	<input checked="" type="checkbox"/> 20	Timber	<input type="checkbox"/> 40	Steel	<input type="checkbox"/> 60
Concrete or stone	<input checked="" type="checkbox"/> 20	Fibre cement	<input type="checkbox"/> 30	Other	<input type="checkbox"/> 80	Aluminium	<input checked="" type="checkbox"/> 70
Fibre cement	<input type="checkbox"/> 30	Steel	<input type="checkbox"/> 60	Not specified	<input type="checkbox"/> 90	Other	<input type="checkbox"/> 80
Timber	<input type="checkbox"/> 40	Aluminium	<input type="checkbox"/> 70			Not specified	<input checked="" type="checkbox"/> 90
Curtain glass	<input type="checkbox"/> 50	Other	<input type="checkbox"/> 80				
Steel	<input type="checkbox"/> 60	Not specified	<input type="checkbox"/> 90				
Aluminium	<input type="checkbox"/> 70						
Other	<input type="checkbox"/> 80						
Not specified	<input type="checkbox"/> 90						



---

## PART 6 Notes for Completing Application for a Complying Development

---

1. A description of the land to be developed can be given in the form of a map which contains details of the lot number, DP/MPS, vol/foi etc.
2. A plan of the land must indicate:
  - a) location, boundary dimensions, site area and north point of the land
  - b) existing vegetation and trees on the land
  - c) location and uses of existing buildings on the land
  - d) existing levels of the land in relation to buildings and roads
  - e) location and uses of buildings on sites adjoining the land
3. Plans or drawings describing the proposed development must indicate (where relevant):
  - a) the location of proposed new buildings or works (including extensions or additions to existing buildings or works) in relation to the land's boundaries and adjoining development
  - b) floor plans of proposed buildings showing layout, partitioning, room sizes and intended uses of each part of the building
  - c) elevations and sections showing proposed external finishes and heights
  - d) proposed finished levels of the land in relation to buildings and roads
  - e) building perspectives, where necessary to illustrate the proposed building
  - f) proposed parking arrangements, entry and exit points for vehicles, and provision for movement of vehicles within the site (including dimensions where appropriate)
  - g) proposed landscaping and treatment of the land (indicating plant types and their height and maturity)
  - h) proposed methods of draining the land.

4. The following information must also accompany a Complying Development Certificate application for building work and change of building use:

### Building Work

In the case of an application for a Complying Development Certificate for **building work**

- a) copies of compliance certificates relied upon
  - b) four (4) copies of detailed plans and specifications  
The plan for the building must be drawn to a suitable scale and consist of a general plan and a block plan. The general plan of the building is to:
    - show a plan of each floor section
    - show a plan of each elevation of the building
    - show the levels of the lowest floor and of any yard or unbuilt on area belonging to that floor and the levels of the adjacent ground
    - indicate the height, design, construction and provision for fire safety and fire resistance (if any).Where the proposed building work involves any alteration or addition to, or rebuilding or, an existing building the general plan is to be coloured or otherwise marked to the satisfaction of the certifying authority to adequately distinguish the proposed alteration, addition or rebuilding.  
Where the proposed building work involves a modification to previously approved plans and specifications the general plans must be coloured or otherwise marked to the satisfaction of the certifying authority to adequately distinguish the modification.  
The specification is:
    - to describe the construction and materials of which the building is to be built and the method of drainage, sewerage and water supply
    - state whether the materials proposed to be used are new or second hand and give particulars of any second hand materials used
  - c) where the application involves an alternative solution to meet the performance requirements of the BCA, the application must also be accompanied by:
    - details of the performance requirements that the alternative solution is intended to meet, and
    - details of the assessment methods used to establish compliance with those performance requirements
  - d) if relevant, evidence of any accredited component, process or design sought to be relied upon
- NB** if an EPI provides that complying development must comply with the deemed to satisfy provisions of the BCA a CDC cannot authorise compliance with alternative solutions to the performance requirements corresponding to those deemed-to-satisfy provisions
- e) except in the case of a class 1a or class 10 building:
    - a list of any fire safety measures that are proposed to be implemented in the building or on the land on which the building is situated, and
    - if the application relates to a proposal to carry out any alteration or rebuilding of, or addition to, an existing building, a separate list of such of those measures as are currently implemented in the building or on the land on which the building is situated.

The list must describe the extent, capability and basis of design of each of the measures concerned.

### Change of Building Use

In the case of an application for a Complying Development Certificate for a **change of building use** (except for an application that, if granted, would authorise the building concerned being used as a class 1a or class 10 building):

- a list of any fire safety measures that are proposed to be implemented in the building or on the land on which the building is situated in connection with the proposed change of building use.
- a separate list of such of those measures as are currently implemented in the building or on the land on which the building is situated.

The list must describe the extent, capability and basis of design of each of those measures concerned.



5. Other information must indicate (where relevant):
- a) in the case of shops, offices, commercial or industrial development:
    - details of hours of operation
    - plant and machinery to be installed
    - type, size and quantity of goods to be made, stored or transported, loading and unloading facilities
  - b) in the case of demolition:
    - details of age and condition of buildings or works to be demolished
  - c) in the case of advertisements:
    - details of the size, type, colour, materials and position of the sign board or structure on which the proposed advertisement is to be displayed
  - d) in the case of development relating to an existing use:
    - details of the existing use
  - e) in the case of a development involving the erection of a building, work or demolition:
    - details of the methods of securing the site during the course of construction.
6. **Home Building Act Requirements**  
In the case of an application for a Complying Development Certificate for residential building work (within the meaning of the *Home Building Act 1989*) attach the following:
- (a) in the case of work by a licensee under that Act:
    - (i) a statement detailing the licensee's name and contractor licence number (*If a licensed builder is carrying out the work provide a copy of the builder's Licence*), and
    - (ii) documentary evidence that the licensee has complied with the applicable requirements of the Act *\*(a copy of the Certificate of Insurance for the project if the value of work is greater than \$5,000)*, or
  - (b) in the case of work done by any other person:
    - (i) a statement detailing the person's name and owner-builder permit number, (*If the work is to be done by any other person provide a copy of the Owner Builders Permit*) or
    - (ii) a declaration signed by the owner of the land, to the effect that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of **owner-builder work** in section 29 of that Act. (*If the building work is less than \$12,000 provide a statement that states the proposed work is less than \$12,000*)
- \* A certificate purporting to be issued by an approved insurer under Part 6 of the *Home Building Act 1989* to the effect that a person is the holder of an insurance contract issued for the purposes of that Part, is sufficient evidence that the person has complied with the requirements of that Part.

7. **Long Service Levy**

Under s 85A (10A) of the *Environmental Planning and Assessment Act 1979* a Complying Development Certificate cannot be issued until any long service levy payable under section 34 of the *Building and Construction Industry Long Service Payments Act 1986* (or where such a levy is payable by instalments, the first instalment of the levy) has been paid. The local council may be authorised to accept payment.

---

## **PART 7 Privacy Policy**

The information you provide in this application will enable your application to be assessed by certifying authority under the *Environmental Planning and Assessment Act 1979*. If the information is not provided, your application may not be accepted. The application can potentially be viewed by members of the public. Please contact the Council if the information you have provided in your application is incorrect or changes.

---

PLEASE PRINT ALL DETAILS USING CAPITALS

Surname (if person) or Company/Organisation name JUST SPECTACLES

Given names (if person) IVES PALMER

ABN (if applicable) 38009245265

POSTAL ADDRESS No. and street or PO Box 26 ALFRED STREET

MILSONS POINT

Town/suburb SYDNEY

State NSW Postcode 2061 Bus. hours phone 0299559355

Number and street 197-215 CONDOMINE STREET

SHOP 48

Town/suburb BXL GOWLAH

State NSW Postcode

Estimated start date 24 M 04 Y 2007 Estimated finish date 15 M 06 Y 2009

Local Council Area MANLY

1 DA/CC/CDC No. 09/258/01

Estimated value of work (see note on back) \$ 244,460.00 Levy payable \$ 855.00

1 If you have provided a CC above, please provide DA number here

Signature of Officer/Private Certifier Date 28 M 04 Y 2009

Name of Officer/Private Certifier PETER TRAN Business hours phone 92836555

Department/Authority STEVE WATSON & PARTNERS

Contract/DA No (circle which) Contract amount \$ 09/258/01

Levy payable \$

Contact person (Print) Steve Watson Phone number

Contact person (Signature) Date

Any false or misleading information provided on this form may result in prosecution under Section 58A. I hereby declare that the information provided on this form is true and correct to the best of my knowledge

Name IVES PALMER Signature Date 14 M 04 Y

Exemption Approval Certificate No.



# LEVY PAYMENT FORM

The levy rate is 0.35% of the cost of building work valued at \$25,000 or more (inclusive of GST). Where sending payment by mail a cheque/money order should be used. If paying at Corporation Office, cash or cheque/money order is acceptable (no cards).

## INSTRUCTIONS

When completing this form, please print all details using CAPITAL LETTERS and write within the boxes.

### PART A – DETAILS OF PERSON/COMPANY/ORGANISATION LIABLE TO PAY LEVY

To be filled in by the person liable to pay the levy if this is an individual. If a company or organisation, an authorised officer should fill in.

### PART B – ADDRESS OF BUILDING/CONSTRUCTION WORK

The person completing Part A should also complete this section. Show the address where the building/construction work is to take place and include an estimated date for start and completion of the work.

### PART C – DETAILS OF WORK – To be completed by consenting/certifying authority with whom plans lodged for approval

DA – Development Approval under the Local Government Act 1993 or Development Consent under Environmental, Planning and Assessment Act 1979

CC – Construction Certificate under the Environmental, Planning and Assessment Act 1979

CDC – Complying Development Certificate under the Environmental, Planning and Assessment Act 1979

Estimated Value of work - The value must relate to the DA/CC/CDC appearing above

This section is to be completed by an officer of the Council or accredited certifier with which plans are lodged for approval.

The Consenting/Certifying Authority is to indicate whether a Development Application, Construction Certificate or Complying Development Certificate has been submitted by circling either "DA", "CC" or "CDC" on the form, and include estimated value of the building work covered by the application. The levy payable should also be included. It can be worked out by multiplying the value of the work by 0.35%. When calculating the levy round down to the nearest dollar eg.  $\$485,260 @ 0.35\% = \$1698.41$ , levy = \$1698.

This section should also be signed and dated by the Council Officer or accredited certifier who completes it.

### PART D – DETAILS – To be completed by Dept/Authority where applicable

"This section is to be completed where approval granted by a Crown body or body established by an Act of parliament (other than local councils)."

Please include the contract or DA number (if applicable), the contract/DA amount, levy payable (at 0.35% of the contract/DA amount) inclusive of GST. This section should be signed and dated by an authorised officer of the Department/Authority who should also print their name and contact number in the space indicated.

### PART E – DECLARATION – To be signed by person liable to pay levy or authorised officer if company/organisation

Must be signed and dated by the person, or authorised officer of the company/organisation, liable to pay the levy.

NOTE: Any false or misleading information provided on this form may result in prosecution under Section 58A of the Building and Construction Industry Long Service Payments Act 1986, (as amended).

### PART F – TO BE COMPLETED WHERE APPLICABLE

Owner Builders or Non-profit organisations who have obtained a partial levy exemption should enter the Exemption Approval Certificate No. in this section."

SECURITY FEATURE: THIS CHEQUE CONTAINS MICROPRINTED SIGNATURE LINES, THE ABSENCE OF WHICH MAY INDICATE A FRAUDULENT CHEQUE



THIS CHEQUE IS PRINTED ON SECURA CHEQUE PAPER WHICH ENHANCES TONER ADHESION

Westpac Banking Corporation

22 / 04 / 09

MILSONS POINT NSW

Pay Building + Construction Industry Long Service

Payments Corporation or bearer

The sum of Eight hundred + Fifty-five dollars

\$ 855.00

only

JUST SPECTACLES PTY LTD  
A.C.N. 009 245 265

STEVE WATSON & PARTNERS  
09/258/01-  
Complying Development Certificate  
Steve Watson Reg # BP00422

⑈ 300115 ⑈ 032⑈ 195⑈ 2⑈ 5605⑈

## ENERGY EFFICIENCY (ARTIFICIAL LIGHTING AND POWER) - DESIGN CERTIFICATE

<b>Project Name</b>	Eyedonsit
<b>Project Address</b>	Stockland - 197-215 Condamine Street, Balgowlah
<b>Part of Building to be certified</b>	Shop 48

I hereby certify that:

- a) the drawings and specifications have been designed in accordance with the nominated Standards of Performance.

Measure and/or system	Standards of Performance
Energy Efficiency (Artificial Lighting and Power)	BCA2008 Part J6 and Specification J6

### 1. Total Wattage of all interior lighting

Note: Do not include display lighting. (See point 4)

Type of light (Fluorescent, halogen, incandescent)	Watts per light	Number of lights	Adjustment factor	Total Watts per light type
HALOGEN	25	4		100
METAL HALIDE	35	4		140
METAL HALIDE	150	1		150
" "	75	19		1425
FLUORESCENT	28	10		280
<b>Total Wattage of all lighting</b>				<b>2095 W</b>

Total floor area

89

m<sup>2</sup>


2. Please calculate the *illumination power load* for you fitout:

$$\frac{\text{Total Wattage of all lighting}}{\text{Total tenancy floor area}} = \text{illumination power load}$$

23.5 W/m<sup>2</sup>

**Note!** Your illumination power load should not exceed 25W/m<sup>2</sup>.

3. Please nominate the type of lighting control device proposed in accordance with Clause J6.3 of the BCA:



Type of Device	Illumination power density adjustment factor	Tick applicable
Time switch (complying with Specification J6)	N/A	<input checked="" type="checkbox"/>
Occupant sensing device (complying with Specification J6)	0.9	<input type="checkbox"/>


4. If interior decorative or display lighting is to be utilised please specify the total Wattage:

Total display lighting Wattage

6000 W  
Approx -

Yes/No

Please confirm display lighting is to be controlled separately from other artificial lighting




*Note* If the display lighting Wattage exceeds 7000W then the display lighting must be controlled by a time switch complying with Specification J6.

b) I am a properly qualified person and have a good working knowledge of the relevant codes and standards referenced above. (My qualifications and accreditations are listed below)

Relevant qualifications and accreditations: B. ARCH, REGISTER ARCHITECT.

c) The information contained in this statement is true and accurate to the best of my knowledge.

Name: DAVID MORRIS  
 Company: PHDL ARCHITECTURE + DESIGN PTY LTD.  
 Address: SUITE 801, 8 CLARKE ST, CROWS NEST  
 Phone No. 02 9458 5500 Fax No. 8458 5555

  
 Signature

14/04/09.  
 Date

# Manly Local Environmental Plan 1988

Current version for 15 December 2008 to date (accessed 28 April 2009 at 16:37)

Schedule 10

<< page >>

## Schedule 10 Conditions of complying development certificates

(Clause 10A (4))

### General conditions applying to all complying development

#### Compliance


- 1 Notification of all affected persons is required, in accordance with council's Notification DCP adopted 28/6/99, on the date of receipt of the Complying Development Certificate application.

#### Before Commencement

- 2 Form 7 of the regulation (notice of commencement of work and appointment of Principal Certifying Officer, ie the PCA) must be submitted to Council 2 days prior of any work commencing.
- 3 Notify Council 2 days prior to that work commencing.

### Additional conditions applying to specific types of complying development

Category	Condition No	Condition	Type of complying development to which the condition applies (being a type identified by the following number in the Table to Schedule 9)
Access	4	Where a construction of a vehicular footpath Crossing is required, the design and construction shall be in accordance with Council's Policy. The crossing must be completed prior to issue of the Occupation Certificate.	1, 4, 6, 7, 8
	5	The existing surplus vehicular crossing and/or kerb layback shall be removed and the kerb and nature strip reinstated prior to issue of the Occupation Certificate.	1, 4, 6, 7, 8
	6	Any driveway within the property cannot exceed 5% slope at any point.	1, 4, 6, 7, 8
Building Construction	7	Any retaining walls must be constructed in accordance with a structural engineer's details. Certification of compliance with the structural detail during construction must be submitted to the Principal Certifying Authority.	1, 4, 6, 13



	8	All construction shall be strictly in accordance with the Reduced Levels (RLs) as shown on the certified plans. Certificates of compliance prepared by a registered surveyor, showing compliance with ground and finished ridge levels, must be submitted to the Principal Certifying Authority.	1, 4, 6
	9	A Certificate of Adequacy signed by a practising Structural Engineer must be submitted to the Principal Certifying Authority in respect of the load carrying capabilities of the existing structure to support the proposed <b>additions</b> .	1, 2, 4, 7
	10	The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material, properly graded and drained and waterproofed. Certification is to be provided to the Principal Certifying Authority from a licensed applicator prior to the fixing of any wall or floor tiles	1, 2, 4, 7, 8, 13
	11	All materials and finishes of the proposed additions are to match, as closely as possible the material and finish of the existing building.	1
	12	A suitable sub-surface drainage system must be provided adjacent to all excavated areas and such drains must be connected to an approved disposal system.	1, 4, 6, 10
	13	Prior to excavation applicants must contact Sydney One Call Service to ascertain which utility services are underground in the proposed excavation.	1, 4, 6, 10
	14	An adequate security fence, must be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence must be maintained in a state of good repair and condition until completion of the building project.	1, 4, 6, 13
Building Materials	15	All plumbing and drainage, including sewerage drainage stacks, ventilation stacks and water service pipes must be concealed within the building. Plumbing other than stormwater downpipes must not be attached to the external surfaces of the building.	1, 2, 4, 7
Car Parking	16	An approved water interceptor must be provided across the driveway at the street boundary and all stormwater must be conveyed by underground pipe to Council's street gutter.	4, 6
Drainage and Stormwater	17	Roofwater and surface stormwater from paved areas must be conveyed by pipeline to Council's street gutter.	1, 4, 6, 13
	18	The width of inter-allotment drainage easements is no less than: (a) 1.0m for pipes up to 150mm, or	1, 4, 6





STEVE WATSON & PARTNERS

CD 31/09.

BUILDING REGULATIONS CONSULTANTS AND FIRE ENGINEERS

LEVEL 5, 432 KENT STREET, SYDNEY NSW 2000  
TEL +61 2 9283 6555 IFAX +61 2 9283 8500  
sydney@swpartners.com.au  
www.swpartners.com.au  
ABN 48 102 366 574

# FAX

	Addressee	Company	Fax Number
To	General Manager	Manly Council	(02) 9976 1400
From	Peter Tran		
Subject	<b>NOTICE OF COMMENCEMENT</b> - Eyedonist, Shop 48, 197-215 Condamine Street, Balgowlah		
Date	28 April 2009	Job No: 2009/258	Number of pages: 3

Dear Sir or Madam:

Please find attached a copy of the Notice of Commencement for the above mentioned project. A copy of the Complying Development Certificate no. 09/258/01 along with all the required attachments will be posted out to council today.

If you have any queries please do not hesitate to contact me on (02) 9283 6555.

Kind regards,

  
Peter Tran  
Building Regulations Consultant  
Steve Watson & Partners Pty Ltd

Manly Council

28 April 2009

Distribution  
Approved

SNLF

e-89011

Document No

**PART 4 Date of Commencement and compliance with conditions**

**Compliance with Development Consent/Complying Development**

Have all conditions required to be satisfied prior to the commencement of work been satisfied?

- yes

- no

(conditions may include payment of security, s 94 contributions, endorsement of building work plans by water supply authority)

**Home Building Act 1989 Requirements**

Note: Only fill in this section if you are constructing a house, other dwelling or undertaking alterations or additions to a dwelling.

1. Are you an owner-builder?

- yes, Owner-builder permit number? \_\_\_\_\_

or

2. Will the work be carried out by some one licensed to do so?

- yes

Name of the builder: \_\_\_\_\_ *NVIC*

Telephone Number: \_\_\_\_\_ Contractor License no. \_\_\_\_\_

Attach one of the following documents to this notice:

(a) Evidence that the licensed person is insured to carry out this type of work, or

(b) a declaration (signed by each owner of the land) that the reasonable market cost of the labour and materials to be used is less than \$12000?

**Principal Contractors Details**

*Required for all projects*

Name: AQA BUILDING SERVICES PTY LTD

Address: SUITE 211, 40 YEO STREET.

Contact Number: 02 9904 - 9558

**Date Work is to Commence**

Date: 1.1.05.09.

**PART 5 Signatures**

**Principal Certifiers Declaration**

The Principal certifying authority must sign the notice

I acknowledge that I have been appointed by the applicant to carry out the role of the Principal certifying authority for this development.

I acknowledge that I have seen evidence that the builder is licensed and insured, or that I have seen evidence that the building works are to be undertaken by a person with an owner-builder permit where required by the Home Building Act.

Signature: \_\_\_\_\_

Name: STEVE WATSON

Date: 28/04/2009

**Applicants Declaration**

The applicant, or the applicant's agent must sign the notice

Signature: \_\_\_\_\_

Date: 14/04/09

Name if you are not the applicant: Ives Palmer

In what capacity are you signing if not the applicant: MANAGING DIRECTOR

**PART 6 Privacy Policy**

The information you provide in this notice is required under the *Environmental Planning and Assessment Act 1979* if you are going to erect a building or carry out subdivision work. If you do not provide the information to the consent authority, you cannot commence the work. The information will be held by the consent authority and by the council (if the council is not the consent authority). Please contact the council if the information you have provided in this notice is incorrect or changes.