

**ELECTRICAL LEGEND** 

LIGHT SWITCH

(2) DOUBLE GPO

SINGLE POWER SUPPLY (SEPARATE SWITCHES)

SINGLE GPO AT KICK LEVEL

Ê DATA POINT EFTPOS

 $\triangle$ DATA POINT TELEPHONE

Æ DATA POINT FAX

EDXIII PHONE DISTRIBUTION BOX

CAT 6

CAT 6 COMPUTER CABLE TERMINATION POINT

**ELECTRICAL DISTRIBUTION BOX** 

TENANCY POWER SUPPLIED IS 63 AMP SINGLE PHASES. SHOPFRONT SIGNAGE & LIGHTING TO BE ON A SEPARATE CIRCUIT & ON A TIMER TO CENTRES CORE TRADING HOURS. SHOPFITTING CONTRACTOR TO ENSURE ELECTRICAL CERTIFICATION ON SITE.

> COMPLYING DEVELOPMENT CERTIFICATE No.

09/2323-1

McKENZIE GROUP CONSULTING (NSW) PTV A.C.N. 093 211 998

revision:		description:	
01		revised layout	
02	22.04.09	revised layout	

title:	electrical plan
project:	Sunday rose pty. ltd 78m2
location:	shop 27- stockland balgowlah
client:	les winderbaum
drawing no:	0996-04

SUN-0309-0996 Andy Buckland 1:50 @ A3 scale: march 09 date: revision:


Totem Design 24 Munro Street Baulkham Hills NSW 2153

Ph:(02) 96866500 Fax:(02) 96866511





FOR FINISHES LEGEND REFER TO FINISHES SCHEDULE PAGE. CONTRACTOR TO CONFIRM ALL DIMENSIONS ON SITE PRIOR TO MANUFACTURE. ENGINEERS CERTIFICATE REQUIRED TO VERIFY STRUCTURAL ADEQUACY.



revision:	date:	description:	
		revised layout	
02		revised layout	
03	22.04.09	revised layout	
04	22.04.09	revised layout	

title:	floor planion
Project;	Sunday rose pty. ltd 78m2
location:	shop 27- stockland balgowlah
client:	les winderbaum
drawing no:	0996-01

job no:	SUN-0309-0996	
drawn by:	Andy Buckland	
scale:	1:50 @ A3	
date:	march 09	
revision:		

Totem Design 24 Munro Street Baulkham Hills NSW 2153 Ph:(02) 96866500


Fax:(02) 96866511





09/2323-1

McKENZIE GROUP CONSULTING (NSW) PTY, LTD. A.C.N. 093 211 995



# REFLECTED CEILING PLAN SCALE 1:50

01

^4	00.04.00	- 1	
01	06.04.09	revised layout	
02	22.04.09	revised layout	
03	22.04.09	revised layout	

title:	reflected ceiling plan
project:	Sunday rose pty. ltd 78m2
location:	shop 27- stockland balgowlah
client:	les winderbaum
drawing no:	0996-02

drawn by:	Andy Buckland
scale:	1:50 @ A3
date:	march 09

AS1288 & Part J off BCA

### LIGHTING/CEILING LEGEND

MATRIX MAP2/CDMR111 DOUBLE SLOTTER 2X35W METAL HALIDE (SILVER) BY TREND LIGHTING.

O 50W LOW VOLTAGE HALOGEN DOWN LIGHT - WHITE FINISH

PENDANT FIXTURE TBC WITH 2X28W - 3000K COMPACT FLOURO

1x21W T5 FLURO BATTEN WITH PRISMATIC DIFFUSER

1X21W T5 FLOURO CONCEALED ALCOVE LIGHTING

 SL7748 LED STRIP LIGHT - WARM WHITE - 9.8W/LM BY SUPERLIGHT ARCHITECTURAL LIGHTING

SQUARE LOUVRE FACED SUPPLY AIR GRILLE - WHITE PLASTIC

AC INTAKE DIFFUSER - WHITE

AC

ΑP

FLUSH MOUNTED FRAMELESS
ACCESS PANEL TO BE FINISHED TO
MATCH CEILING

SPRINKLER HEAD

E EMERGENCY LIGHTING

**EXIT** ILLUMINATED EXIT LUMINAIRE

NOTE: ALL NEW FIXTURES BY TREND LIGHTING & GREEN TOMORROW.

ALL BALLASTS TO BE ELECTRIC & ALL LAMPS @ 3000K UNLESS OTHERWISE SPECIFIED. SHOPFRONT LIGHTING & SIGNAGE TO BE ON A SEPARATE CURCUIT/TIMER TO CORE TRADING HOURS

SHOPFITTER TO OBTAIN ENSURE ENGINEERS CERTIFICATION FOR SIGNAGE & ANY CHANGES TO SHOPFRONT STRUCTURE.
SHOPFITTER TO OBTAIN ESSENTIAL SERVICES

CERTIFICATION FOR EMERGENCY LIGHTING &
FIRE SPRINKLERS

## J6 LIGHTING CALCULATIONS

MAP2/CDMR111	2X35W	22
FLOURO BATTENS	1X21W	04
PENDANT	2X21W	02
LED STRIP LIGHT	1X9.8W	21
TOTAL WATTS:	1913	.8W
TOTAL AREA:	76.7	M2
TOTAL WATTS/M2:	24.9\	N/M2
MOTE ALL BROSHOT BIARI	AV LIQUEDIO 3	

NOTE: ALL PRODUCT DISPLAY LIGHTING TO BE EXEMPT FROM PART J6 OF BCA


## Totem Design

24 Munro Street Baulkham Hills NSW 2153

Ph:(02) 96866500 Fax:(02) 96866511









## FLOORING LEGEND

- (F1) MALL TERAZZO TO BE SUPPLIED BY STOCKLAND
- READYFLOR AMERICAN OAK
  1-STRIP FLOATING TIMBER FLOOR
  WITH SATIN FINISH 2085X136X
  14MM BY PREMIUM FLOORS
- REEF RAIDER TORNADO BROAD LOOM CARPET BY AUTEX





NOTE: NO RAMPING PERMITTED. ALL FLOOR AREA TO BE TOPPED & FINISHED FLUSH WITH MALL TERRAZZO.

COMPLYING DEVELOPMENT

CERTIFICATE No.

09/2323-1

McKENZIE GROUF CONSULTING (NSW) PTY, LIG A.C.N. 093 211 965

		· ·	 	 
01	06.04.09	revised layout	 	 
02	22.04.09	revised layout & detail		 <u> </u>


title:	floor finishes plan
project:	Sunday rose pty. ltd 78m2
location:	shop 27- stockland balgowlah
client:	les winderbaum
drawing no:	0996-03


job no:	SUN-0309-099	
drawn by:	Andy Buckland	
scale:	1:50 @ A3	
date:	march 09	


Totem Design 24 Munro Street Baulkham Hills NSW 2153

Ph:(02) 96866500 Fax:(02) 96866511










job no:	SUN-0309-0996
drawn by:	Andy Buckland
scale:	nts @ A3
date:	march 09

Totem Design 24 Munro Street Baulkham Hills NSW 2153

Ph:(02) 96866500 Fax:(02) 96866511







title:	shopfront elevation
project:	Sunday rose pty. ltd 78m2
location:	shop 27- stockland balgowlah
client;	les winderbaum
drawing no:	0996-05

job no: SUN-0309-0996
drawn by: Andy Buckland
scale: nts @ A3
date: march 09


Totem Design 24 Munro Street

Baulkham Hills NSW 2153 Ph:(02) 96866500 Fax:(02) 96866511





FOR FINISHES LEGEND REFER TO FINISHES SCHEDULE PAGE.
CONTRACTOR TO CONFIRM ALL DIMENSIONS ON SITE PRIOR TO MANUFACTURE.
ENGINEERS CERTIFICATE REQUIRED TO VERIFY STRUCTURAL ADEQUACY.



ELEVATION C SCALE 1:50 DESTIFICATE No.

09/2323-1

McKENZIE GROUP CONSULTING (NSW) PTY, LTD. A.C.N. 093 211 995

01	06.04.09	revised layout			
02	22.04.09	revised ceiling height		,	

title:	elevation c	
project:	Sunday rose pty. ltd 78m2	
location:	shop 27- stockland balgowlah	
client:	les winderbaum	
drawing no:	0996-07	

job no:	SUN-0309-0996
drawn by:	Andy Buckland
scale:	1:50 @ A3
date:	march 09

Totem Design
24 Munro Street
Baulkham Hills NSW 2153
Ph:(02) 96866500
Fax:(02) 96866511





#### **FINISHES SCHEDULE**

#### **GENERAL LEGEND**

LEASE LINE

PLASTER SET INTERNAL PARTITION WALL

**BLOCK WALL OR COLUMN** 

AC

**FIXTURES** 

SQUARE LOUVRE FACED SUPPLY AIR GRILLE - WHITE PLASTIC

ΑP

FLUSH MOUNTED FRAMELESS ACCESS PANEL TO BE FINISHED TO MATCH CEILING

**S**(•)

SPRINKLER HEAD

**.**E

**EMERGENCY LIGHTING** 

EXIT

ILLUMINATED EXIT LUMINAIRE

Ch3600

**RELATIVE CEILING HEIGHT** 

∙⊖w

FLOOR WASTE



**COLD WATER POINT** 

## LAMINATE SCHEDULE

LAMINATE (L1)TYPE: FORMICA COLOUR: SNOW DRIFT (WHITE) FINISH: GLOSS

PRE-FINISHED MELAMINE BOARD (L3) TYPE: LAMINEX COLOUR: WHITE

LAMINATE (L4)TYPE: FORMICA COLOUR: DECOMETAL BRUSHED ALUMINIUM

NOTE: ALL SUBSTRATE TO BE LAMINEX GREEN VERTIBOARD OR SIMILAR WHERE POSSIBLE

#### FLOORING SCHEDULE

MALL TERAZZO TO BE SUPPLIED BY STOCKLAND (F1)

READYFLOR AMERICAN OAK 1-STRIP FLOATING TIMBER FLOOR WITH SATIN FINISH - 2085X136X 14MM BY PREMIUM FLOORS

REEF RAIDER TORNADO BROAD LOOM CARPET BY AUTEX - DIRECT STICK APPLICATION

#### PAINT SCHEDULE

PAINT - ENVIROTHANE (GLOSS) COLOUR: DULUX SPECIFIER NAME: VIVID WHITE CODE: PW1.H9 SPEC: LOW VOC GLOSS ENVIROTHANE CONTACT: A & I COATINGS - PH: 1800819585

PAINT - ENVIROTHANE (30% GLOSS) COLOUR: DULUX SPECIFIER NAME: RED LETTER - TBC CODE: P03.H8 SPEC: LOW VOC GLOSS ENVIROTHANE CONTACT: A & I COATINGS - PH: 1800819585

PAINT: DULUX DESIGNER SILK (P3) COLOUR: DULUX SPECIFIER NAME: LIGHT PINK CODE: TBA NOTE: ENSURE ALL PAINTS ARE LOW VOC

PAINT: DULUX DESIGNER SILK COLOUR: DULUX SPECIFIER NAME: VIVID WHITE CODE: PW1.H9 NOTE: ENSURE ALL PAINTS ARE LOW VOC

## **ELECTRICAL SCHEDULE**

(S) LIGHT SWITCH

DOUBLE GPO (2)

SINGLE POWER SUPPLY  $(\hat{P})$ (SEPARATE SWITCHES)

 $(\mathbf{k})$ SINGLE GPO AT KICK LEVEL

Æ

**DATA POINT EFTPOS** 

 $\triangle$ 

DATA POINT TELEPHONE

**TERMINATION POINT** 

Æ HIMIH DATA POINT FAX

CAT 6

PHONE DISTRIBUTION BOX CAT 6 COMPUTER CABLE



ELECTRICAL DISTRIBUTION BOX

NOTE: TENANCY POWER SUPPLIED IS 63 AMP SINGLE PHASE. SHOPFRONT SIGNAGE & LIGHTING TO BE ON A SEPARATE CIRCUIT & ON A TIMER TO CENTRES CORE TRADING HOURS.

SHOPFITTING CONTRACTOR TO ENSURE ALL **ELECTRICAL CERTIFICATION ON SITE.** 

#### LIGHTING SCHEDULE

MATRIX MAP2/CDMR111 DOUBLE SLOTTER 2X35W METAL HALIDE (SILVER) BY TREND

50W LOW VOLTAGE HALOGEN DOWN LIGHT  $\bigcirc$ - WHITE FINISH

PENDANT FIXTURE TBC WITH 2X28W - 3000K COMPACT FLOURO

1x21W T5 FLURO BATTEN WITH PRISMATIC DIFFUSER

1X21W T5 FLOURO CONCEALED ALCOVE

LIGHTING

SI7748 LED STRIP LIGHT - WARM WHITE -9.8W/LM BY SUPERLIGHT ARCHITECTURAL LIGHTING

NOTE: ALL NEW FIXTURES BY TREND LIGHTING & GREEN TOMORROW. ALL BALLASTS TO BE ELECTRIC & ALL LAMPS @

3000K UNLESS OTHERWISE SPECIFIED. SHOPFRONT LIGHTING & SIGNAGE TO BE ON A SEPARATE CURCUIT/TIMER TO CORE TRADING HOURS SHOPFITTER TO OBTAIN ENSURE ENGINEERS **CERTIFICATION FOR SIGNAGE & ANY CHANGES TO** SHOPFRONT STRUCTURE. SHOPFITTER TO OBTAIN ESSENTIAL SERVICES

**CERTIFICATION FOR EMERGENCY LIGHTING & FIRE SPRINKLERS** 

#### OTHER FINISHES

PRODUCT: IMM STAINLESS STEEL SHEET GRADE: 304 - NO.4 BRUSHED FINISH

PRODUCT: COMMERCIAL WALL PAPER (WP) COLLECTION: FLORAL COLLECTION NAME: TROPICAL FLORAL CODE: FBW/FL11 COLOUR: COPPER PEARL BACKING: TAN SILK SCRUB ROLL: 700MM ROLL X 10M

CONTACT: SIGNATURE PRINTS (02) 8338 8400 PRODUCT: SOLID TIMBER SPEC: TASMANIAN OAK

FINISH: SATIN CLEAR ENVIROTHANE PRODUCT: TIMBER VENEER SPEC: TO MATCH TASMANIAN OAK

FINISH: SATIN CLEAR ENVIROTHANE

### **GENERAL NOTES**

ALL FINISHES, MATERIALS AND CONSTRUCTION TO COMPLY WITH BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS, STATUTORY AND LOCAL AUTHORITY REQUIREMENTS.

ALL STRUCTURAL DETAILS TO MANUFACTURERS OR ENGINEERS SPECIFICATIONS.

CONTRACTOR TO PROVIDE CERTIFICATION TO VERIFY ALL FLOOR FINISHES INSTALLED AND COMPLY WITH ANY REQUIRED SLIP RESISTANCE REQUIREMENTS.

CONTRACTOR TO ENSURE CONSISTENCY BETWEEN SIMILAR MATERIALS IS MAINTAINED.

CONTRACTOR TO NOTIFY CLIENT OF ANY NECESSARY. VARIATIONS TO DESIGN PRIOR TO MANUFACTURE.

ALL FIXINGS AND SCREWS TO BE CONCEALED UNLESS HIDDEN FROM VIEW INSIDE JOINERY UNITS.

PREPARE AND MAKE GOOD ALL SURFACES AND PROVIDE REQUIRED SUBSTRATES TO RECIEVE NEW FINISHES AS PER MANUFACTURES SPECIFICATIONS.

ALL JUNCTIONS OF CHANGING ADJACENT FLOOR FINISHES ARE TO FINISH FLUSH WITH ONE ANOTHER. ALLOW BUILD UP OF FLOOR AS REQUIRED TO ACHIEVE FLUSH JUNCTIONS.

MECHANICAL LAYOUT BY LESSOR

ALL FIRE PROTECTION SERVICES LAYOUTS AND DEVICES BY LESSOR ..

CHECK LOCATION OF ALL EXISTING SERVICES ON

CHECK ALL DIMENSIONS ON SITE PRIOR TO CONSTRUCTION.

CONSTRUCTION JOINTS MUST BE MAINTAINED IN ALL INTERNAL FINISHES AND FIXTURES.

INTER-TENANCY WALLS MUST BE REINFORCED OF CERTIFIED BY A STRUCTURAL ENGINEER IF USED TO SUPPORT SHELVING OR DISPLAYS.

LESSOR TO INSTALL A POLISHED STAINLESS STEEL EDGE STRIP AT THE JUNCTION OF CONCOURSE TO TENANTS FLOOR.

> COMPLYING DEVELOPMENT CERTIFICATE No.

> > 09/2323-1

McKENZIE GROUP CONSULTING (NSW) PTY LTE A.C.N. 093 211 995

01	20.04.09	revised finishes & notes		 	
02	22.04.09	revised finishes & notes		 	 

title:	finishes schedule	job no:
project:	Sunday rose pty. ltd 78m2	drawn by
location:	shop 27- stockland balgowlah	scale:
client:	les winderbaum	date:
drawing no:	0996-17	revision:

SPEC: 19MM

96	Totem Design
ind	24 Munro Street Baulkham Hills NSW 2153
	Ph:(02) 96866500 Fax:(02) 96866511

SUN-0309-09 Andy Buckla

nts @ A3

march 09

