Sent:
 25/10/2017 2:07:24 PM

 Subject:
 Emailing - R16.1479.pdf

Attachments: R16.1479.pdf;

Dear Sir/Madam,

Please find attached a copy of response in relation to a DA.

Thank you Ruchi



Ruchi Bhandula | Administration Officer NSW RURAL FIRE SERVICE

g@01 Planning & Environment Services
CF7A5 42 Lamb Street Glendenning NSW 2761
4.85D Locked Bag 17 Granville NSW 2142

P 1300 679 737 **F** 02 8867 7958 **E** <u>ruchi.bhandula@rfs.nsw.gov.au</u>

www.rfs.nsw.gov.au www.facebook.com/nswrfs www.twitter.com/nswrfs

PREPARE. ACT. SURVIVE.

//// NSW RURAL FIRE SERVICE...... for our community

RFS Disclaimer:

This email message, and any files/links transmitted with it, is intended only for the addressee(s) and contains information which may be confidential. If you are not the intended recipient, please notify the sender and delete this email and any copies or links to this email completely and immediately from your system. Views expressed in this message are those of the individual sender, and are not necessarily the views of the NSW Rural Fire Service.





The General Manager Northern Beaches Council PO Box 882 Mona Vale NSW 1660

Your reference: Our reference: PP0002/16 R16/1479

DA17092809510 GB

25 October 2017

Attention: Sylvania Mok

Dear Sir/Madam,

PUBLIC EXHIBITION (STATUTORY) OF A PLANNING PROPOSAL FOR 9, 11, 12 & 13 FERN CREEK ROAD, WARRIEWOOD (PP0002/16)

Reference is made to Council's correspondence dated 26 September 2017 seeking comment in relation to the above Planning Proposal which seeks to rezone land, and make changes to dwelling yield and building height restrictions.

The New South Wales Rural Fire Service (NSW RFS) has previously provided comment on the Planning Proposal dated 28 September 2016 and 18 April 2017, which remain relevant. Any further comments are limited based on the information available. No indicative subdivision layout has been provided and the extent of re-vegetation of Fern Creek is uncertain.

In this regard it should be noted that while part of the site is currently mapped as bush fire prone land, re-vegetation of the creek has the potential to increase the bush fire risk, which should be considered in any future residential development of the site.

If you have any queries regarding this advice, please contact Garth Bladwell, Development Assessment and Planning Officer, on 1300 NSW RFS.

Yours sincerely.

Jason Maslen

Team Leader, Development Assessment and Planning

Planning and Environment Services (East)

Postal address

NSW Rural Fire Service Records Management Locked Bag 17 GRANVILLE NSW 2141 Street address

NSW Rural Fire Service Planning and Environment Services (East) 42 Lamb Street GLENDENNING NSW 2761 T 1300 NSW RFS F (02) 8741 5433 E csc@rfs.nsw.gov.au www.rfs.nsw.gov.au