
PROPOSED NEW DOUBLE STOREY DUAL OCCUPANCY DWELLING


LOT 34, NO.20 GRIMES PLACE, DAVIDSON, NSW 2085

MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY

SHEET LIST	SHEET LIST
01 COVER SHEET	17 ELECTRICAL PLAN
02 GENERAL NOTES AND SPECIFICATIONS	18 UNIT 1 - I.E KITCHEN
03 SITE PLAN	19 UNIT 1 - I.E W.I.P.
04 DEMOLITION PLAN	20 UNIT 1 - I.E LAUNDRY
05 SWEPT PATH ANALYSIS	21 UNIT 1 - I.E BATH 2
06 SEDIMENT & WASTE MANAGEMENT PLAN	22 UNIT 1 - I.E ENSUITE
07 SITE ANALYSIS PLAN	23 UNIT 1 - I.E BATH 1
08 SHADOW DIAGRAMS	25 UNIT 2 - I.E KITCHEN
09 PROPOSED STRATA SUBDIVISION PLAN	25 UNIT 2 - I.E W.I.P.
10 GROUND FLOOR PLAN	26 UNIT 2 - I.E LAUNDRY
11 FIRST FLOOR PLAN	27 UNIT 2 - I.E BATH 2
12 ROOF PLAN	28 UNIT 2 - I.E ENSUITE
13 ELEVATIONS A & B	29 UNIT 2 - I.E BATH 1
14 ELEVATIONS C & D	30 WINDOW / DOOR SCHEDULE
15 SECTION & BASIX / NatHERS REQUIREMENTS	31 COLOUR SCHEDULE
16 SLAB LAYOUT PLAN	



REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
К	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025



LOCATION PLAN

REV.	DESCRIPTION	DATE	
J	WORKING DRAWINGS	20/03/2025	
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025	
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025	
М	AMENDED PLANS - COUNCIL RFI	14/08/2025	
			٠
			ì

COVER SHEET

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR

TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,

MERIDIAN HOMES
Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 215

			-			
	CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
	MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
	ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
	LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
3	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
ne	DAVIDSON, NSW 2085	N/A	TN	SHEET: 01 OF	31	3081

General Notes

ctural drawings, and the documentation of othe tants. Notify any discrepancies between the ctural and/or other consultant's documentation or to proceeding with the works

ifications and Schedules

fer to and coordinate with applicable Specifications d Schedules. Notify any discrepancies between ments prior to proceeding with the works.

etail Drawings

vings at larger scales take precedence over rings at smaller scales, Notify any discrepan or to proceeding with the works

cution of the Works

he approved Development Application and in

rtificate consistent with the works. he current edition of the Building Code of Australia

s amended): and urrent editions of the relevant Australian and other

erials Handling and Storage

erial, fixtures and fittings are to be handled, stor installed in accordance with the manufacturer's

aining walls, framing, bracing, tie-down and other ctural elements are to be constructed in accordance th the Structural Engineer's details and specifications.

draulics

mwater drainage, waste water drainage, fresh ted in accordance with Local Authority and

ese plans are drawn for construction numose nd the owner must consider real-life viewing angles then interpreting the 2D elevations, roof angles, rapets and window visibility may differ based on the ving angle of your home

General Building Specifications 3. Owner's Obligations

This Specification forms part of the Contract documents

only. The extent of the works shall be governed by the approved plans and other requirements under the Contract Any works not fully detailed shall, where appropriate, be sufficiently performed if carried out in acconfance with the National Construction Code (NCC) Series, the relevant manufacturer's instructions or Engineer's Instructions.

1.2 Preliminary Use

This Specification forms part of the Contract and should be 3.3 Sanitation read in conjunction with the other contract documents

1.3 Prevailing Documents

Specification, this Specification shall take precedence. The **4. Plar**Builder must at all times maintain a legible copy of the plans
and this Specification bearing the approval of the relevant

4.1 Perm

Local Authority. d Otherwise to the extent of any conflict between documents, the order of precedence set out in the building contract shall builder shall lodge all necessary application notices, plans and details with the Local Authority for approval prior to Otherwise to the extent of any conflict between documents,

1.4 Size and Dimensions Unless otherwise stated, all dimensions given in this

specification are in millimetres and are nominal only

licable published standards relevant to the execution 1.5 Prime Cost and Provisional Sum Items

sional Sums Items are items that the Owner is to select after the contract has been entered into.

The prices listed are the Builder's reasonable estimate of the The Builder shall accurately set out the building works in "cost price" of those items including CST. The prices listed the decidence with the site plan and within the boundaries of the site of the contract the decidence of the contract the site. nits of Measurement do not include unquantifiable components inclu 'Builder's margin", cost of cartage and freight.

In this Specification the following definitions shall apply: • "NCC" Series includes NCC Series Volume 2 2022, "Building Code of Australia Class 1 and Class 10 Buildings and the ABCB Housing Provisions Standard 2022 (unless otherwise noted), NCC Series Volume 3 2022 Plumbing Code of Australia is also included.

"Engineer's Instruction" includes any soil classification

the local council, or other governing authority or private ABCB Housing Provisions Standard 2022 Part 3 certifier with statutory responsibility for the compliance of the Volume 2 H1D3, or any Engineer's Instructions.

NCC"shall mean the building Regulations and Codes mits, consents or approvals relating to the Contra • The "HIA Guide" means the HIA Guide to Materials & Workmanship for Residential Building Work.

the Standard referenced within Schedule 2 of the NCC version listed above, as modified by NCC Schedule 5 in NSW, or as referenced within the relevant legislation. Unless the context suggests otherwise, terms used in this Specification shall have the same meaning as in the HIA Building Contract between the Owner and the Builder

2. Statutory Requirements

2.1 The Building Works

he building works outlined in the Schedule of Works annexed to this Specification, shall be cons ordance with:

Regulations and in particular the Performance

 any conditions imposed by the relevant development consent or complying development certificate; and commitments outlined in the BASIX Certificate.

Where a performance solution is used in the building inste of an acceptable construction practice referenced within this specification, the solution is to be specified and documented

• Edge rebates in accordance with Part 4.2.9. accordance with Part A2G2 (4) of the NCC.

The Builder is to comply with the requirements of all legally constituted authorities having jurisdiction over the building works and the provisions of the Home Building Act.

re there is no existing building, the Builder is to make There uners a no existing outloing, the Bulloer is to make arrangements for any electrical power to be used in the construction of the bulliding works. The cost of providing and installing any poles, wiring, service risers or underground within the provisions of t wiring etc, as may be required by the electricity supply authority, shall be borne by the Owner.

2.5 Sanitary Accommodation toilet facilities exist on the site, the Builder shall provide temporary toilet accommodation for the use of site personnel. Where the Local Authority requires the tempor shall he horne by the Owner On compl

3.1 Engineer's Instructions

If the Contract indicates, the Owner, at their expense, shall provide the Builder with engineer's reports and specifications (including wind and soil classifications) for the foundation or footing requirements. In these circumstances, if the Builder instructs any party to provide such reports, the Builder does

3.2 Water Supply

all details for management of water providing clarity for the • Stiffened raft slabs on Class A, S and M sites in Owner and Builder regarding items such as rainwater tanks, accordance with Part 4.2.14 septic systems and the like.

Unless otherwise specified the Owner shall supply sewerage connection and pay the standard sewer connection fee to

4. Plans. Permits and Application

4.1 Permits and Fees Subject to a contrary requirement under the Contract, the

authority is to be consulted and any work carried out in accordance with the authority's requirements.

4.3 Setting Out

5 General Structural Provisions

The building shall be constructed in accordance with ABCB wall plat ions Standard 2022 Section 2, relevant ons of NCC Volume 2 H1D3 to H1D12 or any rovisions of NCC volume 2 H103 to H1012, or any ombination of these provisions. Specific requirements for uilding elements in accordance with NCC Volume 2 H103 b H1012 are outlined further below.

6. Excavations

Ignited is linearcount includes any sor unconstruction footings try preliminary footings report, construction footings try and any other report, recommendation, site or other cuction, calculations or plans prepared by an engineer in part of the site or to the boundaries of the site, whichever is and of the site or to the boundaries of the site, whichever is and of the site or to the boundaries of the site, whichever is and of the site or to the boundaries of the site, whichever is the site or to the boundaries of the site of of the sit or buildings and an area at least 1000mm wide around that 8. Retaining Walls respect of the works.

* Where the term "Local Authority" is mentioned it shall meanworks plan. Bulk earthworks shall be in accordance with

Where the Builder is requi

where referred to in this Specification, "Regulations" and ""

" - Lidden Regulations and Codes ""

" - Lidden Regulations and Codes ""

Excavations for all footings shall be in accordance with the Excavations for all Section 4.0 3 of the ABCB

NCC'snall mean the building Regulations and Louses (including the NCC, as amended) statutorily enforceable at the time application is made for a construction certificate or Housing Provisions Standard 2022 per NCC Volume 2

7. Foundations and Footings

Underfloor fill shall be in acc

Provisions Standards 2022 Part 4.2.4, per NCC Volume 2

7.2 Termite Risk Management

Termite treatment shall be carried out in accordance with Volume 2 H1D3.

7.3 Foundation and Slab Design Elements

relevant the following elements shall be in dance with the Engineer's Instructions. Per NCC ene 2 H1D4 these may reflect AS3600, AS2870, or the

 Site foundations for footings and slabs in accordance with Part 4.2.5

426

ad • Stepped footing in accordance with Part 4.2.7

7.4 Vapour Barrier The vapour barrier installed under slab-on-ground ction shall be installed in acc construction shall be installed in accordance with Apoco-housing Provisions Standard 2022 NSW 4.28 (state variation), Damp-proofing membrane (including AS2870 as referenced).

Surface water drainage shall be provid ARCR Housing Provisions Standard 27

position and avoid any undue displacement of reinforcement 10. Timber Framing

during the concrete placement 7.6 Concrete
Except where otherwise approved by an engineer, structural concrete shall be in accordance with ABCB Housing

All timber framing snail comply with recommendation of the H1D6(4), or alternative structural framing shall be to structural engineer's details and certification. These may 7.6 Concrete

virieus snail be in accordance with ABCB Housing rovisions Standard 2022 4.2.10. te-mixed concrete shall be manufactured to comply with \$3600 with delivery dockets kept on site or available for spection by the engineer, or the Local Authority. Concrete shall be placed and compacted in accordance with • Residential construction in non-cyclonic areas per good building practice (ABCB Housing Provisions Standard AS1684.2 or AS1684.4

7.7 Curing

All concrete slabs shall be cured in accordance with good practice (ABCB Housing Provisions Standard 2022 Part 4.2.10(c)).

7.8 Footings and Slabs on Ground Concrete slabs and footings shall not be placed unt

approval to do so is given by the engineer or the Local Unless otherwise specified bench and floor levels indicated on the site plan shall be regarded as nominal. on the stee plan shall be regulated as normal.

Footings and slabs on ground shall be in accordance with the Engineer's Instructions or the relevant provisions of ABCB Housing Provisions Standard 2022 per NCC Volume

risting building on the site, the Owner, at Where there is no existing unusurity or use site, use version, as vesional representations in accordance with Part 4.2.13 construction purposes. The contract documents must include solump footings in accordance with Part 4.2.13 construction purposes. The contract documents must include solump footings in accordance with Part 4.2.13 construction purposes. The contract documents must include solumn footings in accordance with Part 4.2.13 construction purposes.

 Strip footings on Class A, S and M sites in accordance with veneer lumber beams to manufacturer's specification and Part 4.2.15 • Footings for Class A sites in accordance with Part 4.2.16

. Footings for single leaf masonry, mixed, and earth wall construction in accordance with Part 4.2.17

• Footings for fireplaces on Class A and S sites in

accordance with Part 4.2.18 Shrinkage control in accordance with Part 4.2.19 Concentrated loads in accordance with Part 4.2.20

 Minimum edge beam dimensions in accordance with Part ssed areas of slabs in accordance with Part 4.2.22

7.9 Suspended Slahs

ground or properly compacted fill, shall be constructed as suspended slabs. These slabs shall be constructed in accordance with the Engineer's Instructions.

7.10 Foundation Walls

specified footings to the thickness indicated on the plans and of the ARCR Housing Provisions Standard 2022; or to the height of the underside of the floor bearer or bottom

7.11 Sub-Floor Ventilation

All sub floor spaces to suspended ground floors shall be provided with adequate ventilation in accordance with the es to suspendeu ground floors and be quate ventilation in accordance with the rovisions Standard 2022 Part 6.2 per NCC Roofs shall be pitched to the slope shown on plan

7.12 Sub-Floor Access Where required, access to suspended sub floor areas shall accepted building practices.

Where the Builder is required by the Schedule of Works ABCB Housing Provisions Standard 2022 Part 3.2 per NCC annexed to this Specification, the Builder shall construct e Volume 2 H1D3, or any Engineer's Instructions. retaining walls as shown on the approved plans. The design and construction of earth retaining structures shall be in ccordance with AS4678 as referenced in NCC Volume 2

Where a retaining wall is not included in the Schedule of Works, the construction of any retaining wall - b-"

9. Effluent Disposal/Drainage

In both sewered and unsewered areas

(a) any bath, wash basin, kitchen waste, wash tubs, pe pan and the floor grate to a shower recess shall be located in 11. Steel Framing the position shown on the plan (refer to Schedule of Work

ABCB Housing Provisions Standard 2022 Part 3.4. per NCC (b) waste pipes with traps shall be provided to the above fittings and connected to the drainage system. The whole of the work is to be performed in accordance with H1D6(3). This may reflect AS4100. AS/NZS4600 or the NCC Volume 3 and AS/NZS3500 series and requir the sewerage authority concerned.

The Builder will provide and install a septic system when

using Provisions Standard 2022 Part 3.3 and AS/ of NCC Volume 3. 9.3.1 Stormwater Drainage ater drainage shall be carried out in accordance with The Builder shall cover the roof of the dwelling with approved durability class shall be as defined in AS2699.3.

the ABCB Housing Provisions Standard 2022 Part 3.3.5. NCC Volume 3 and AS/N7S3500 3 The Builder will allow for the supplying and laying of water drains as shown on the site plan

Surface water drainage shall be provided in accordar ABCB Housing Provisions Standard 2022 Part 3.3.3.

reflect any of the following Timber structure design to AS1720.1 Nailnlated timber roof trusses per AS1720 5

 Installation of particleboard flooring per AS1860.2 downpipes and shall be compatible Timber Engineered products may be used provided their The work shall be carried out in a proper and tradesp like manner and shall be in accordance with recognised and

sidential construction in cyclonic areas per AS1684.3

10.1.1 Floor Framing

All floor framing is to be framed at the level shown on the

10.1.2 Wall Framing

conform with AS3700 or AS4773.1 and AS4773.2, or conform with ABCB Housing Provisions Standard 202

device or board shall be installed per ABCB Housing Wall framing is to be erected plumb and straight and securely fastened to the floor framing or floor slab. sions Standard 2022 Part 7.3.5 or AS2050. The interface between masonry veneer and wall framing will

10.1.3 Heads Over Opening (Lintels)

ated beams conforming to AS1328 or lamir 13. Masonry

data sheets may also be used.

10.1.4 Roof Trusses Where roof truss construction is used, trusses shall be designed in accordance with AS1720 and be erected, fixed and braced in accordance with the manufacturer's Volume 2 H1D5 and H1D4.

10.1.5 Bracing
Bracing units shall be determined and installed in accordance with the Engineer's Instructions or AS 1684 as appropriate for the design with velocity for the site. Bracing shall be evenly distributed throughout the building.

Strip and sheet timber floors shall be installed in accordance size may vary due to the manufacturing process. with the AS1684.

10.1.6 Flooring

Per NCC Volume 2 H4D2 and H4D3, the selection, installation and waterproofing of wet area floors shall The ABCB Housing Provisions Standard 2022 Part 10.2; or

Where specified, masonry foundation walls are to be built on • AS3740 and Clauses 10.2.1 to 10.2.6 and Clause 10.2.12 Autoclaved aerated concrete blocks shall be in accordance The manufacture installation guides when listed in the re specified in the Contract floors shall be sanded to

The work shall be carried out in a proper and tradesperso Metal fascias shall be installed in accordance with the manufacturer's instructions and shall meet the requirements bridged by any applied coatings, render or the like.

10.1.8 Timber Posts nless otherwise specified and where required by the NCC

9.2.3 and 9.2.9.

posts supporting carports, verandas and porches shall be timber suitable for external use. Cavities for masonry veneer shall be in accordance with the ABCB Housing Provisions Standard 2022 Part 5.7.2, or ABI metal brackets, facing plates and other associated fixings AS3700, or AS4773.1 and AS4773.2 used in structural timber joints and bracing must have corrosion protection appropriate to the site in accordance.

10.3 Hot Water Storage Units

designed to support all imposed loads.

11.1 Generally

Steel framing shall be installed in accordance with the manufacturer's recommendations and NCC Volume 2

11 2 Structural Steel Sections Structural steel shall be designed and constructed in accordance with the manufacturer's recommendations and NCC Volume 2 Part H1D6(5). This may reflect AS4100, AS NZS4600 or the ABCB Housing Provisions Standard 2022 Part 6.3 where allowed under H1D6(6).

ance with the ABCB 12. Roofing Claddings

All roof cladding is to comply with the relevant structural Fall 42.0 Find the 200 Find the be installed as per the manufacturer's specifications. 12.1 Tiled Roofing

titles as selected. The roof shall be fixed and waterproofed in 13.9 Masonry Piers accordance with AS2050 or the ABCB Housing Provisions Engaged piers in masonry Standard 2022 Part 7.3 per NCC Volume 2 H1D7(3). relevant provisions of ABC vooling adjacent to valleys should be fixed so as to eliminate 2022 Parts 5.2.6 (masonry later penetration.) Where roof files are made of actual valley should be fixed to as to eliminate 2022 Parts 5.2.6 (masonry later penetration.) tiles as selected. The roof shall be fixed and wat th products slight variation in colour is acceptable.

The Builder shall provide and install a metal roof together The Builder shall provide and install a metal roof together with accessories as determined in the contract documents in AS4773.2 or AS3700 as modified by NCC Volume 2 H1D5. accordance with AS1562.1 or the ABCB Housing Provisions 13.10 Cleaning Standard 2022 Part 7.2 per NCC 2022 H1D7(2), and the manufacturer's recommendations.

All exposed face brickwork shall be cleaned with an annufacturer's recommendations. manufacturer's recommendations.

Except where design prohibits, sheets shall be in single

damage brickwork or joints and other fittings. ngths from fascia to ridge. Fixing of sheets shall be in ccordance with the manufacturer's instructions as required

12.3 Gutters and Downpipes

ovisions Standard 2022 Part 7.4, per NCC Volume 2 H2D6 12.4 Corrosion Protection Materials used for flashings, fasteners, gutters and

12.5 Sarking 14. Cladding and Linings erings must comply with and be Sarking under tile roof cov fixed in accordance with ABCB Housing Provisions Standa fixed in accordance with ABCB Housing Provisions Standard Timber and composite external wall cladding shall be fixed in All internal wet areas are to be waterproofed in accordance 2022 Part 7.3.4 or AS2050. Where required an anti-ponding accordance with the manufacturer's recommendations and with NCC Volume 2 H4D2 and H4D3. Waterproofing shall any applicable special details or ABCB Housing Provisions Standard 2022 Part 7.5, per NCC Volume 2 H1D7(4).

Appropriate sealants shall be used where necessary and in line soffits at eaves, open verandas and norches in

Flashings shall comply with, and be installed in accordance with the ABCB Housing Provisions Standard 2022 Part 7.2.7 Parapet cappings shall comply with ABCB Housing Provisions Standard 2022 Part 7.3.3 or AS2050 for tiled roofs.

1. Macongress for advanced for advanced for a formular decarages for advanced for advanced for a formular decarages for advanced for advanc

· Autoclaved aerated concrete wall cladding shall be 13.1 Generally designed and constructed in accordance with AS5146. All masonry construction and shall comply with AS3700, or Metal wall cladding shall be in accordance with AS1562.1 AS4773.1 and AS4773.2, or ABCB Housing Provisions
Standard 2022 Parts 5.2 to 5.7 as relevant, per NCC 2022

Metal wall cladding shall be per NCC Volume 2 H1D7(5)

13.2 Bricks

14.2 Internal Wall and Ceilings Linings
Unless otherwise specified, internal linings to walls and ceilings in other than wet areas shall be of gypsum nry units shall comply with AS3700, or AS4733.1 and AS4773.2, or ABCB Housing Provisions Standard 2022 Part Plaste ces shall only be applied to the total me angles to walls are to be set from floor to ceiling. Where specified, suitable comice moulds shall be fixe

Concrete blocks are to be machine p

well cured and shall comply with NCC Volume 2 H1D5 and The ceiling access hole shall be of similar material to the H2D4. Concrete blockwork shall be constructed in accordance with NCC Volume 2 H1D5 and H2D4. with the manufacturer's product specification at the time the 15.1 General work is being carried out. Autoclaved aerated concrete wall ork is being carried out. ladding shall be in accordance with ABCB Housing Provisions Standard 2022 Part 7.5 or AS5146.1 per NCC

13.4 Damp Proof Courses

13.4 Damp Froot ocuses

All damp proof course materials and installations shall suitable to receive doors as specified in the control ocupy with ABCB Housing Provisions Standard 2022 Part accordance with the manufacturer's instructions. The damp proof membrane shall be visible in the external face of the masonry in which it is placed and shall not be

of ABCB Housing Provisions Standard 2022 Part 7.2, 9.2.1, 13.5 Cavity Ventilation (Weepholes) Where required open vertical joints (weepholes) must be 15.4 Windows and Sliding Door created in the course immediately above any Damn Proof Course or flashing at centres in accordance with ABCB ns Standard 2022 Part 5.7.5, or AS3700. o AS4773.1 and AS4773.2 masonry veneer shall be in accordance with the All glazing shall

13.6 Mortar and Joining Mortar mixes and joint tolerances shall comply with ABCB 15.5 Architraves and Skirting as populated Architraves and Skirting Architraves Archit Housing Provisions Standard 2022 Parts 5.6.3 and 5.6.4, or All Industries and Section of Works shall be installed in accordance

Where a hot water storage unit or solar panels are supported 13.7 Masonry Accessories by the roof structure the structure shall be specifically 15.6 Cupboards/ Kitchens/ Bathroom Masonry accessories shall comply with ABCB Housing Provisions Standard 2022 Part 5.6. Vertical articulated inints shall be constructed in accordance with ABCB Housing Provisions Standard 2022 Part 5.6.8. or AS3700 or AS4773 1 and AS4773 2 0, or AS4773.1 and AS4/73.2.

16.1 Plumbing

16.2 Plumbing

16.3 Plumbing

16.5 and ASINZS2699.1, or AS3700 or Volume 3 and the relevant supply authority. All work shall be a supply authority.

13.8 Lintels

shall comply with ABCB Housing Provisions Stanard 2022 Fittings, hot water systems and any rainwater harvestin Part 5.6.7, or AS3700 or AS4773.1 and AS4773.2, per NCC systems shall be appropriate to satisfy any commitment Volume 2 H1D5(1). Alternatively, lintels shall comply with ABCB Housing Provisions Standard 2022 Part 6.3.5 or outlined in the relevant BASIX Certificate AS4100 per NCC Volume 2 H1D6(3). Lintels are to be provided to each wall leaf and are to be are to be provided to each wall lear and are to to on protected to a degree appropriate for the site ment and location of the lintel within the structure ance with ABCB Housing Provisions Standard 2

uction shall comply with the 16.3 Gas Engaged piers in masonry construction shall comply with th relevant provisions of ABCB Housing Provisions Standard te2022 Parts 5.2.6 (masonry veneer) or 5.4.2 (unreinforced single leaf masonry), or AS3700, or AS4773.1 and AS4773.2. 17. Fire Safety Isolated masonry piers shall comply with ABCB Housing

Provisions Standard 2022 Part 5.5, or AS4773.1 and

17.1 Generally Where required for fire performance the selection of materials, design and installation shall comply with the provisions of ABCB Housing Provisions Standard 2022 Part requirements of the State Environmental Planning Policy 9, per NCC Volume 2 Part H3. (Sustainable Buildings) 2022 and any relevant savings and 9, per NCC Volume 2 Part H3. 17.2 Fire separation of external walls

nents of the relevant supply authority.

v with ABCB

Construction of separating walls and floors shall comply with

Smoke and heat alarms shall be installed in accordance with ABCB Housing Provisions Standard 2022 NSW Part 9.5.1, and Parts 9.5.2 to 9.5.4. tion lighting shall be installed in

18. Health and Amenity

s at eaves, open veranous a ne with ABCB Housing Provi

ABCB Housing Provisions Standard 2022 Part 7.5.7

the junction of all walls and ceilings. Alternatively the joint

Wet area linings are to be fixed in accordance with the

uitable to receive doors as specified in the contract

15.3 Doors and Doorsets

with accepted building practice.

Certificate.

specific manufacturer's instructions

installed in accordance with manufacturer's

Units shall be installed to manufacturer's recomm Bench tops shall be of a water resistant material.

documents. Manufactured door frames shall be installed in

All internal and external timber door and door sets shall be

s and doors shall be

work (metal and timber) shall be manufactured

may be set as required for vertical internal angles.

15. Joinery

18.1 Waterproofing

comply with:

• ABCB Housing Provisions Standard 2022 Part 10.2; or

Where required, the specified materials shall be used to AS3740 and Clauses 10.2.1 to 10.2.6 and Clause 10.2.12 of the ABCB Housing Provisions Standard 2022; or • the manufacture installation guides when listed in the visions Standard 2022

Schedule of Works.

External filed decks and balconies, and roofing systems outside the scope of NCC Volume 2 H1D7(2) and (3), where required are to be waterproofed in accordance with A24654.1 and A34654.2 and relevant manufacturer's specifications, per NCC Volume 2 2022 H2D8.

18.2 Room heights Room heights shall comply with ABCB Housing Provisions Standard 2022 Part 10.3, per NCC Volume 2 H4D4.

18.3 Facilities The building facilities shall be installed as indicated on the plan, or in accordance with ABCB Housing Provisions Standard 2022 Part 10.4, per NCC Volume 2 H4D5.

18.4 Lighting

tificial lighting chall be installed as indic ne plans, or in accordance with ABCB Housing Pro tandard 2022 Part 10.5, per NCC Volume 2 H4D6. 18.5 Ventilation

Ventilation shall be installed as indicated on the plans, and shall comply with ABCB Housing Provisions Standard 202: Part 10.6 or AS1668.2, per NCC Volume 2 H4D7. 18.6 Sound insulation Where required sound insulation shall comply with ABCB Housing Provisions Standard 2022 Part 10.7, per NCC

Volume 2 H4D8. 18.7 Condensation Management

18.7.1 Generally For construction approval applications submitted before 1 October 2023, condensation management shall be proving accordance with NCC Volume 2 2019 Amendment 1 conditions and to receive doors. Internal jamb linings shall b

struction approval applications submitted on or after 21.6 Flood hazard areas provided in accordance with ABCB Housing Provisions Standard 2022 Part 10.8, per NCC 2022 Volume 2 H4D9.

installed in accordance with accepted building practice and 18.7.2 Pliable Building membranes Where required a pliable building membrane shall comply with, and be installed in accordance with the following: NCC Volume 2 2019 Amendment 1 Part 3.8.7.2 (applications made prior to 1 October 2023); or ABCB Housing Provisions Standard 2022 Part 10.8.1

nade from 1 October 2023 All glazing shall comply with ABCB Housing Provisions Standard Part 8.2, AS2047 or AS1288, per NCC Volume 2 H108, and any commitments outlined in the relevant BASIX 18.7.3 Flow rate and discharge of exhaust systems Exhaust systems shall comply with, and be installed in

NCC Volume 2 2019 Amendment 1 Part 3.8.7.3 NCC Volume 2 2019 Amendment 1 Part 3.8.7.3 (applications made prior to 1 October 2023); or
 ABCB Housing Provisions Standard 2022 Part 10.8.2 (applications made from 1 October 2023).

When required a ventilated roof space shall be provided

NCC Volume 2 2019 Amendment 1 Part 3.8.7.4 (applications made prior to 1 October 2023); or ABCB Housing Provisions Standard 2022 Part 10.8.3 (applications made from 1 October 2023).

accordance with

*All plumbing shall comply with the requirements of NCC
Volume 3 and the relevant supply authority. All work shall be 19. Safe Movement and Access
carried out by a licensed plumber.
Fittings, as listed in the Schedule of Works, shall be supplied
and installed to manufacturer's specifications.
Fittings, hot water systems and any rainwater harvesting
systems shall be appropriate to satisfy any commitment
NCC Volume 2 H5D2.

23. Walls

24. Sale Movement and Access
Tiles are to be
material.

25. Comply with ABCB Provisions Standard 2022 Part 11.2, per

26. Walls

28. Walls

28. Walls

29. Walls

29. Walls

29. Walls

29. Walls

20. Wall

20. Walls

20. Walls

20. Wall

20. Wall

20. Wall

20. Wall

19.2 Barriers and handrails 16.2 Electrical Design and construction of barriers and handrails shall All electrical work is to be carried out by a licensed electrical comply with ABCB Housing Provisions Standard 2022 Part contractor to AS/NZS3000 Electrical installations (known as 11.3, per NCC Volume 2 H5D3. the Australian/New Zealand Wiring Rules) plus any other 19.3 Protection of openable

protected in accordance with ABCB Housing Provisions

19.3 Protection of openable v In bedrooms, openable windows shall be protected accordance with ABCB Housing Provisions Standard 2022 Part 11.3.7 In rooms other than bedrooms, openable windows shall be

20. Energy Efficiency

Standard 2022 Part 11 3 8

accordance with AS5601.1, the relevant regulations and the ilding works will comply with the BASIX com outlined within the relevant BASIX Certificate and any conditions of development consent. For projects where application for development consent is made on or after 1 October 2023 this will be in accordance with the

transitional provisions. 20.2 Thermal insulation

Where thermal insulation is used in the building fabric or services, such as air conditioning ducting or hot water systems, it shall be installed in accordance with

Otherwise, these measures will be provided and installed in any other no accordance with ABCB Housing Provisions Standard 2022 Part 13.2 Part 13.4 and Part 13.7 as varied by the NSW nce with ABCB Housing Provisions Standard 2022 Variations per NCC Volume 2 2022 NSW Part H6D2 or the

21.1 Swimming pools Where the Builder is required by the Schedule of Works annexed to this Specification, the Builder shall cons swimming pool as shown on the approved plans. When

21. Ancillary Features

Works, the construction of any swimming pool and associated safety barriers and recirculation systems shall to

Where a balcony or deck is attached to an external wall it

nexed to this Specification, the construction or ins

21.4 Alpine areas In alpine areas construction shall comply with ABCB Hou

21.5 Bushfire prone areas In bushfire prone areas construction shall comply with AS3959, or NASH Standard - Steel Framed Construction

22.1 Materials Tiles shall be as listed in the Schedule of Works or as selected by the Owner

with appropriate grout material as specified by the tile manufacturer or accepted building practice. As tiles are made of natural products a slight variation in colour is acceptable.

Wall surfaces shall be tiled with selected tiles and

cordance with ABCR Housing Pro

constructed a swimming pool shall be provided with safety barriers in accordance with AS1926.1 and AS1926.2, or DP+SPR Clause 9 of the Swimming Pools Regulation 2018 for spa pools, per NCC Volume 2 2022 NSW H7D2(1). The Where a swimming pool is not included in the Schedule of

shall comply with ABCB Housing Provisions Standard 202 Part 12.3, per NCC Volume 2 H1D11 or the engineered 21.3 Fireplaces, heating appliances, chimney

Where the Builder is required by the Schedule of Works

Provisions Standard 2022 Part 12.2, per NCC Volume 2 H7D3.

Rushfire Areas: except as amended by Planning for Bushf rotection and as modified by development consent ollowing consultation with the NSW Rural Fire Service, o pushfire safety authority for the purposes of integrated development, per NCC Volume 2 2022 NSW H7D4.

Areas, per NCC Volume 2 H1D10. 22. Tiling

Cement mortar and other adhesives shall comply with

22 2 Installation on of tiles shall be in accordance with AS3958.1 of

accordance with ABCB Housing Provisions Satindard 2022 Part 10.2 or AS3740, per NCC Volume 2 H4D2 and H4D3. Adequate falls shall be provided to floor wastes in accordance with ABCB Housing Provisions Standard 2022

All paint used shall be of a quality suitable for the purpos intended and the application shall be as per the manufacturer's specifications. The colours used shall be as listed in the Schedule of Works or other relevant contract

Tolerances

ABCB Housing Provisions Standard 2022 NSW Part 9.4. Certificate for NSVI.

Construction of any garage top dwelling in NSW shall comply 20.3 Other NCC requirements

point of reference for information on workursensings, in deciding there the application for construction approval is made prior and tolerances, and amongst other things, in deciding there the application for construction approval is made prior and tolerances, and amongst other things, in deciding the provided whether an alleged defect exists and/or whether the by BASIX will be installed in accordance with NCC Volume 2 materials used and/or workmanship is in accordance with the NSV Part 3.12.1, NSW Part 3.12.1, and plans and specifications.

appliance shall be the responsibility of the Owne RFF M/H C.S.D. L.O.H. FC OHC In flood hazard areas, construction shall comply with ABCB Standard for Construction of Buildings in Flood Hazard MGA RΙ

AS3958.1 or tile manufacturer's specification FCI FFI practices. Where practicable, spacing between tiles shoul

and regular.
Expansion joints shall be installed in accordance with AS3958.1 or the tile manufacturer's specifications All vertical and horizontal joints between walls and fixtures e.g. bench top, bath, etc. and wall/floor junctions shall be filled with flexible mould resistant sealant All joints in the body of tiled surfaces shall be neatly filled

accessories where indicated by the contract documents. Floors shall be tiled to areas where indicated by the contra documents with selected tiles. Tiles shall be laid in a sand and cement mortar or using an adhesive, where required

23. Painting

24.1 General

document. All surfaces to be painted shall be properly

24.1 General. These general specifications incorporate the nun output. agreeing to these specifications, the Owner agrees that he she has been provided with a copy and has had the I specifications incorporate the HIA Guide R

W W WASHING MACHINE PROVISION MICROWAVE PROVISION D/W DISHWASHER PROVISION REFRIGERATOR SHOWER MANHOLE CAVITY SLIDING DOOF LIFT OFF HINGES FIBRE CEMENT OVERHEAD CUPBOARD/S MAP GRID OF AUSTRALIA AUSTRALIAN HEIGHT DATUM REDUCED LEVEL F.R.L FINISHED RIDGE LEVEL FINISHED CEILING LEVEL FINISHED FLOOR LEVEL FINISHED GROUND LEVEL N.G.L. NATURAL GROUND LEVEL POWDER ROOM PD'R WALK IN ROBE W.I.R. WII WALK IN LINEN WALK IN PANTR PTRY PANTRY RATH **BATHROOM** ENS ENSUITE LIN LINEN W.C WATER CLOSET (TOILET) L'DRY LAUNDRY WINDOW NUMBER (D01) DOOR NUMBER

GARDEN TAP

AIR CONDITIONING VOID

DROPPER

EAVE VENT

ROOF VENT

 \bowtie

DRAWING LEGEND

AJ

ΠP

RWH

S.A.

GM

MB

HWS

RWT

A/C

ARTICULATION JOIN

DOWNPIPE

DOWNPIPE WITH SPREADER

RAINWATER HEAD

FLOOR WASTE

SMOKE ALARM

GAS METER

METER BOX

HOT WATER SYSTEM

RAINWATER TANK

AIR CONDITIONING UNIT

REV. DESCRIPTION DAT 20/03/202 AMENDED PLANS - TOWN PLANNER REVIEW AMENDED PLANS - TV-5, TV-6 & TV-12 M AMENDED PLANS - COUNCIL RFI 14/08/202

GENERAL NOTES AND **SPECIFICATIONS**


TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,

GENERAL NOTES: DO NOT SCALE DRAWINGS. USE FIGURED DIMENSIONS ONLY, CHECK AND VERIFY DIMENSIONS AND LEVELS PRIO

MERIDIAN HOMES Thice Tower Building E, Ground From Community Www.meridianhomes.net.au Fel: 1300 855 138 | ABN: 93 152 822 430 | www.meridianhomes.net.au This ideas and the concepts contain within all drawings and documents is the © COPYRIGHT The ideas and the conc

FACADE INCLUSIONS: HOUSE DESIGN MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY CUSTOM **ASTRID** CLASSIC REVISION: ADDRESS: DEPOSITED PLAN COUNCIL: LOT 34, NO.20 GRIMES PLACE. DP 251101 NOTHERN BEACHES COUNCIL JOB NUMBER: SUBURB SCALE: DRAWN DATE: 14/08/2025 DAVIDSON. NSW 2085 N/A 3081 TN SHEET: 02 OF 31





REV.	DESCRIPTION	DATE	
J	WORKING DRAWINGS	20/03/2025	
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025	
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025	
М	AMENDED PLANS - COUNCIL RFI	14/08/2025	
			G
			DC
			TC
			ME
			RE


DEV DESCRIPTION


GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VEXIST DIMEN



	CLIENT: MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	HOUSE DESIGN: CUSTOM			INCLUSIONS: CLASSIC	
	ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
	LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL			M
3	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
ne	DAVIDSON, NSW 2085	1:250 @ A3	TN	SHEET: 04 OF	31	3081





2

SWEPT PATHANALYSIS UNIT 2 1:200

REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

SWEPT PATHANALYSIS


GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

MERIDIAN HOMES (AUST) PTV. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.

}	MERIDIAN HOMES
	Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153 Tel: 1300 855 138 ABN: 93 152 822 430 www.meridianhomes.net.au © COPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) Pty. Ltd.

	CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS:	
	MR. M. DAYOUB, MR. M. DAYOUB, Mr. B. Gaffney & Mrs. N. Gaffney	CUSTOM	ASTRID		CLASSIC	
	ADDRESS:	DEPOSITED PLAN:	COUNCIL:	COUNCIL:		
	LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL			M
53	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
he	DAVIDSON, NSW 2085	1:200 @ A3	TN	SHEET: 05 OF	31	3081



EROSION CONTROL

TEMPORARY SEDIMENT AND EROSION CONTROL AND MEASURES ARE TO BE INSTALLED PRIOR TO COMMENCEMENT OF ANY WORKS ON THE SITE. THESE MEASURES MUST BE MAINTAINED IN WORKING ORDER DURING CONSTRUCTION WORKS UP TO COMPLETION. ALL SEDIMENT TRAPS MUST BE CLEARED ON A REGULAR BASIS AND AFTER MAJOR STORM AND/OR AS DIRECTED BY THE PRINCIPAL CERTIFYING AUTHORITY AND COUNCIL

PROOF OF EXISTENCE OF ALL SERVICES IS THE CONTRACTOR'S RESPONSIBILITY.

CURRENT "DIAL BEFORE YOU DIG" SERIVCES PLANS MUST BE OBTAINED PRIOR TO COMMENCING ANY EXCAVATION.



REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
M	AMENDED PLANS - COUNCIL RFI	14/08/2025

SEDIMENT & WASTE MANAGEMENT PLAN

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE. MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.



Coffice Tower Building E. Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153
Tel: 1300 855 138 | ABN: 93 152 822 430 | www.meridianhomes.net.au
SOPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) Pty. Ltd.

Sediment Trap						
CLIENT:			INCLUSIONS:			
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID CLASSIC			CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:	
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	NOTHERN BEACHES COUNCIL			
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:	
DAVIDSON, NSW 2085	1:250 @ A3	TN	SHEET: 06 OF	31	3081	

Temporary Construction Exit

Sediment Fence

Straw Bale Drop Inlet Sediment Trap.

Geotextile Filter Fabric Drop

Inlet Sediment Trap

Portable Gravel Kerb Inlet

with sediment.

Runoff wate

Buried fabric


XXXXXXXXX


Roll of wire mesh and geotextile filter fabric filled with 50-75mm Detail of overlap.

Undisturbed area

lap at corners

Drainage area 0.6ha. max. Slope gradient 1:2 max. Slope length 60m max.





REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

SITE ANALYSIS PLAN

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR

TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.

Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153

Tel: 1300 855 138 | ABN: 39 152 822 430 | www.meridianhomes.net.au

© COPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) Pty. Ltd.



	MP M DAVOUR MP M DAVOUR		INCLUSIONS CLASSIC	S:		
	ADDRESS: LOT 34, NO.20 GRIMES PLACE,	DEPOSITED PLAN: DP 251101	COUNCIL:	BEACHES CO	UNCIL	REVISION:
153	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
the	DAVIDSON, NSW 2085	1:250 @ A3	TN	SHEET: 07 OF	31	3081



MGA

J WORKING DRAWINGS

M AMENDED PLANS - COUNCIL RFI

AMENDED PLANS - TOWN PLANNER REVIEW AMENDED PLANS - TV-5, TV-6 & TV-12 20/03/2025

21/05/2025

14/08/2025

GENERAL NOTES:


SHADOW DIAGRAMS

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR

TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,

REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.



MERIDIAN HOMES

Office I ower routing E. Ground Floor, Unit E209 / 24-32 Exangion Drive, being visia Now 2 Tel: 1300 855 138 | ABN: §3 152 822 430 | www.meridiginhomes.net.au © COPYRIGHT The ideas and the concepts contain within all drawings and documents is sole property of Meridian Homes (AUST) Py. Ltd. CLIENT:
MR. M. DAYOUB, MR. M. DAYOUB,
MR. B. GAFFNEY & MRS. N. GAFFNEY

LOT 34, NO.20 GRIMES PLACE,

DAVIDSON, NSW 2085

ADDRESS:

SUBURB:

HOUSE DESIGN

DEPOSITED PLAN:

CUSTOM

DP 251101

1:300 @ A3

SCALE:

FACADE:

ASTRID

COUNCIL:

DRAWN:

TN

NOTHERN BEACHES COUNCIL

SHEET: 08 OF 31

DATE:

INCLUSIONS:


REVISION:

3081

14/08/2025 JOB NUMBER:

CLASSIC

SIR THOMAS MITCHELL DRIVE



REV.	DESCRIPTION	DATE	
J	WORKING DRAWINGS	20/03/2025	
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025	
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025	
M	AMENDED PLANS - COUNCIL RFI	14/08/2025	
			(
			D
			T
			Ν
			R

PROPOSED STRATA SUBDIVISION PLAN


GENERAL NOTES:


DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VEKIFY DIMENSIONS AND LEVELS FROM
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.


Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153
Tel: 1300 855 138 | ABN: 93 152 822 430 | www.meridianhomes.net.au
COPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) Pty. Ltd.

MERIDIAN HOMES

		-			
CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL		M	
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:200 @ A3	TN SHEET: 09 OF 31		3081	







REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

ROOF PLAN

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.



	_
14121(101) (14 11 0 14 12 0	Г.
Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153	l S
Tel: 1300 855 138 ABN: 93 152 822 430 www.meridianhomes.net.au	
© COPYRIGHT The ideas and the concepts contain within all drawings and documents is the	I C
sole property of Meridian Homes (AUST) Pty. Ltd.	ľ

CLIENT: MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY HOUSE DESIGN: CUSTOM FACADE: ASTRID CLASSIC		S:			
ADDRESS:	DEPOSITED PLAN:	COUNCIL:	COUNCIL:		REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	NOTHERN BEACHES COUNCIL		M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:100 @ A3	TN	SHEET: 12 OF	31	3081





REV.	DESCRIPTION	DATI
J	WORKING DRAWINGS	20/03/202
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/202
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/202
М	AMENDED PLANS - COUNCIL RFI	14/08/202

ELEVATIONS A & B


GENERAL NOTES:


DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE. MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.



ole property of Meridian Homes (AUST) Ptv. Ltd.

		* = · = · · · ·	HOUSE DESIGN:	FACADE:		INCLUSION	S:
		MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
		ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
R	MERIDIAN HOMES	LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
Ε.	Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
Ε,	Tel: 1300 855 138 ABN: 93 152 822 430 www.meridianhomes.net.au	DAVIDSON, NSW 2085	1:100 @ A3	TN	SHEET: 13 OF	31	3081





REV.	DESCRIPTION	DAT
J	WORKING DRAWINGS	20/03/202
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/202
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/202
М	AMENDED PLANS - COUNCIL RFI	14/08/202

ELEVATIONS C & D


GENERAL NOTES:


DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE. MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, EPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.

₹	MERIDIAN HOMES

MERIDIAN HOMES	Ľ	_
Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 21	153	s
© COPYRIGHT The ideas and the concepts contain within all drawings and documents is sole property of Meridian Homes (AUST) Pty. Ltd.	the	U

CLIENT:	HOUSE DESIGN:	FACADE: INCLUSIONS		INCLUSIONS	3:
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID CLASSIC		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL			M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:100 @ A3	TN	SHEET: 14 OF	31	3081





WATER					
Fixtures	All Shower Heads	All toilet flushing systems	All kitchen taps	All bathroom taps	
	3 star (> 7.5 but <= 9 L/min)	4 star	4 star	4 star	
Alternative	Individual rainwater tank to co	ollect run off from at least 80sqr	n of roof area - Tank size min 2	,000 litres	
Water Source	The applicant must connect th	e rainwater tank to:			
	Outdoor tap connection	Toilet connection	Laundry connection	Pool top up	
	Yes	Yes	Yes	N/A	
ENERGY	Hot water system: Gas Instant	aneous with a performance of 6	stars		
	Bathroom ventilation system:	Individual fan, ducted to façade	or roof; interlocked to light w	ith timer off	
	Kitchen ventilation system: Inc	dividual fan, ducted to façade o	r roof; manual switch on/off		
	Laundry ventilation system: In	dividual fan, ducted to façade o	or roof; manual switch on/off		
	Cooling system: 3 Phase air-co	nditioning EER 3.0-3.5 in at leas	t 1 Living/bed area (zoned)		
	Heating system: 3 Phase air-co	nditioning EER 3.5-4.0 in at leas	t 1 Living/bed area (zoned)		
	Natural lighting: As per BASIX				
	Artificial lighting: As per BASIX	[
	Must install a gas cooktop and	l electric oven.			
Must install a fixed outdoor clothes drying line as part of the development					

Nathers - Thermal Comfort Summary						
Address: 20 Grimes Place, Da	avidson NSW					
Building Elements	Material	Detail				
External walls	Brick Veneer - as per colour schedule	R2.7 bulk insulation (excluding Garage)				
	Lightweight Cladding - as per clour schedule	R2.7 bulk insulation				
Internal walls Plasterboard on studs		R2.5 bulk insulation to Garage internal walls (Unit 2)				
Ceiling (Open over)	Pasterboard	R6.0 bulk insulation (reduce to R3.0 within 450mm of roof/wall pitching points)				
Ceiling Fans	≥ 1200mm diameter	To Family, throughout First Floor Bedrooms and Family (Unit 1)				
	≥ 1400mm diameter	To Dining/Living (Both Dwellings)				
Floors	Concrete - Ground Floor	Waffle Pod Slab (310mm) M Class Slab				
	Timber Bearers/Joists - First Floor	R3.5 bulk insulation (Unit 2)				
Roof	Roof Tiles - as per colour schedule	Sarking under tiled roof				
Windows/Glazed Doors	<u>Sliding windows</u> - W01, W09, W08, W11, W05 and W10	≤ U Value 6.38, SHGC 0.70 - 0.78				
	Aluminium Frame, Single glazed					
	Stacker sliding doors - D03	≤ U Value 4.33, SHGC 0.57 - 0.63				
	Aluminium Frame, Single glazed (6.38mm Comfortplus)					
	Fixed windows - W02	≤ U Value 5.87, SHGC 0.69 - 0.77				
	Aluminium Frame, Single glazed					
	Double hung windows - W06 and W07	≤ U Value 6.23, SHGC 0.69 - 0.77				
	Aluminium Frame, Single glazed					
	Stacker sliding doors - D04 and D05	≤ U Value 3.16, SHGC 0.37 - 0.41				
	Aluminium Frame, Double glazed (638CPNtl/8Ar/4mm)					
	Sliding windows - W03, W04, W13, W14, W15, W16 and W12	≤ U Value 3.15, SHGC 0.50 - 0.56				
	Aluminium Frame, Double glazed (4ET/12Ar/4mm)					
<u>Lighting:</u> This dwelling has been ra	ted with non-ventilated LED downlights as per Electrical Plan.					
Note: Insulation specified must be	installed in accordance with Part 3.12.1.1 of the BCA.					
Note: In some climate zones, insula	ation should be installed with due consideration of condensation and associat	ed interaction with adjoining building materials.				
Note: Self-closing damper to all ex	haust fans					
Note: Additional insulation may be required to meet acoustic requirements						

REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

SECTION & BASIX / NatHERS REQUIREMENTS


GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.



MD M DAVOUD MD M DAVOUD	HOUSE DESIGN: CUSTOM			INCLUSIONS CLASSIC	S:
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL		M	
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:100 @ A3	TN SHEET: 15 OF 31		3081	



J WORKING DRAWINGS 20/03/2025 K AMENDED PLANS - TOWN PLANNER REVIEW 12/05/2025 L AMENDED PLANS - TV-5, TV-6 & TV-12 21/05/2025 M AMENDED PLANS - COUNCIL RFI 14/08/2025

SLAB LAYOUT PLAN

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

MERIDIAN HOMES (AUST) PTV. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.



ole property of Meridian Homes (AUST) Ptv. Ltd.

	CLIENT:	HOUSE DESIGN:	FACADE: INCLUSIO		INCLUSIONS	3:
	MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID CLA		CLASSIC	
	ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
	LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
3	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
ne	DAVIDSON, NSW 2085	1:100 @ A3	TN	SHEET: 16 OF	31	3081

PROVIDE 3 PHASE ELECTRIC CONNECTION

PROVIDE THE FOLLOWING ADDITIONAL ITEMS

UNIT 1

* SINGLE GPOS: COOKTOP, RANGEHOOD, DISHWASHER, REFRIGERATOR, MICROWAVE, GARAGE DOOR *WEATHER PROOF GPOS: HOT WATER UNIT, RAINWATER TANK UNIT 2


* SINGLE GPOS: COOKTOP, RANGEHOOD, DISHWASHER, REFRIGERATOR, MICROWAVE, GARAGE DOOR *WEATHER PROOF GPOS: HOT WATER UNIT, RAINWATER TANK


23

GENERAL ELECTRICAL NOTES

- A/C DUCT POSITION NOMINATED TO FIRST FLOOR IS SUBJECT TO CONFIRMATION FROM A/C INSTALLER AT ALL TIMES.
- A/C VENT POSITION NOMINATED TO GROUND FLOOR IS SUBJECT TO CONFIRMATION FROM A/C INSTALLER AT ALL TIMES.
- ALL ELECTRICAL POINTS (POWER POINTS, LIGHT SWITCHES ETC) POSITIONING IS APPROXIMATE ONLY AND IS SUBJECT TO CONFIRMATION BY AN ELECTRICIAN AND BUILDER.







ELECTRICAL PLAN - GROUND FLOOR 1:125

ELECTRICAL PLAN - FIRST FLOOR

1:125

SYMBOL	DESCRIPTION	TOTAL
00	3-IN-1 (LIGHT/FAN/HEATER)	6
(I)	CEILING FAN WITH LIGHT (1200mm DIAM.)	5
	CEILING FAN WITHOUT LIGHT (1400mm DIAM.)	2
0	CEILING LIGHT	5
Δp	DATA POINT	2
DGPO	DOUBLE GENERAL POWER OUTLET	24
DGPO	DOUBLE GENERAL POWER OUTLET (EXTERNAL)	2
DGPO	DOUBLE GENERAL POWER OUTLET (W/-USB OUTLET)	3
•	EXHAUST FAN	3
	EXTERNAL BUNKER LIGHT	2
\boxtimes	FIBRE-OPTIC PROVISION	2
GAS	GAS BAYONET	4
\boxtimes	LED DOWNLIGHT	30
P	PENDANT LIGHT	4
∇P	PHONE POINT	2
c:=::=::	SINGLE FLURESCENT LIGHT	2
	SMOKE ALARM	4
@ ^	SWITCH POINT - DOUBLE	6
φ^	SWITCH POINT - SINGLE	25
3 ^	SWITCH POINT - TRIPLE	3
P	SWITCH POINT (2-WAY) - DOUBLE	2
,ø^	SWITCH POINT (2-WAY) - SINGLE	10
Ţτν	TV POINT	4
	UP/DOWN LIGHT @1900 AFFL (U.N.O.)	4
$\stackrel{\smile}{\sim}$	WALL MOUNTED LIGHT @1900mm AFFL (U.N.O.)	2

ELECTRICAL LEGEND

 REV.
 DESCRIPTION
 DATE

 J
 WORKING DRAWINGS
 20/03/2025

 K
 AMENDED PLANS - TOWN PLANNER REVIEW
 12/05/2025

 L
 AMENDED PLANS - TV-5, TV-6 & TV-12
 21/05/2025

 M
 AMENDED PLANS - COUNCIL RFI
 14/08/2025

22

ELECTRICAL PLAN

GENERAL NOTES:


DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.





sole property of Meridian Homes (AUST) Pty. Ltd.


CLIENT: MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID CLASSIC		S:	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:		REVISION:	
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL			M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:125 @ A3	TN	SHEET: 17 OF	31	3081











REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

24

UNIT 1 - I.E. - KITCHEN

1:50

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.


MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.


MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.

MERIDIAN HOMES


	CLIENT: Mr. M. Dayoub, Mr. M. Dayoub, Mr. B. Gaffney & Mrs. N. Gaffney	HOUSE DESIGN: CUSTOM	FACADE: ASTRID		CLASSIC	S:
	ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
	LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL			M
53	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
he	DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 18 OF	31	3081








29 W.I.P. PLAN 1:50





REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
M	AMENDED PLANS - COUNCIL RFI	14/08/2025

UNIT 1 - I.E. - W.I.P.

GENERAL NOTES:
DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE. TO THE COMMENCEMENT OF ANY WORK ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153

MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.


Sole property of Meridian Homes (AUST) Pty. Ltd.

2	MERIDIAN HOMES
	Office Tower Building E. Cround Floor Unit E204 / 24 22 Levinston Drive Bolla Vieta NSW 2:


CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	3:
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 19 OF	31	3081









36 ELEVATION B 1:50



34 LAUNDRY PLAN 1:50







REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/202
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/202
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/202
М	AMENDED PLANS - COUNCIL RFI	14/08/202

UNIT 1 - I.E. - LAUNDRY

GENERAL NOTES:


DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

MERIDIAN HOMES (AUST) PTV. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.


MERIDIAN HOMES


	г
Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153	ŀ
Tel: 1300 855 138 ABN: 93 152 822 430 www.meridianhomes.net.au	ı
© COPYRIGHT The ideas and the concepts contain within all drawings and documents is the	ı
sole property of Meridian Homes (AUST) Pty. Ltd.	ı


	CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
	MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
	ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
	LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
153	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
the	DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 20 OF	31	3081





BATH 2 PLAN ³⁹ 1:50











REV.	DESCRIPTION	DAT
J	WORKING DRAWINGS	20/03/202
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/202
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/202
М	AMENDED PLANS - COUNCIL RFI	14/08/202

UNIT 1 - I.E. - BATH 2

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
Office Tower Building E. Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153
MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.


SOIL PROPRIED TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
Office Tower Building E. Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153
THE 1300 S85 138 | ABN: 93 152 822 430 | www.meridianhomes.net auxiliance of the concepts of Meridian Homes (AUST) Pty. Ltd.


DISCREPANCIES TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


OFFICE TOWER BUILDING TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO THE COMMENCEMENT OF ANY WORK. AND THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO THE COMMENCEMENT OF ANY WORK. DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR





CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 21 OF	31	3081











48

ELEVATION D


1:50

— FULL HEIGHT TILING 400 NICHE NICHE

44



300 400 NICHE




1:50




1,950 SHOWER SCREEN

FULL HEIGHT TILING -









1:50

ELEVATION K 53 1:50



ELEVATION L 54 1:50



65	ELEVATION N	/
(33)	1:5	\overline{C}


REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

UNIT 1 - I.E. - ENSUITE


GENERAL NOTES:
DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE
MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE
REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.

2	MERIDIAN HOMES
Ξ,	Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153 Tel: 1300 855 138 ABN: 93 152 822 430 www.meridianhomes.net.au © COPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) Pty. Ltd.


	CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
	MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
	ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
	LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
3	SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
е	DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 22 OF	31	3081








ELEVATION B 58 1:50



BATH 1 PLAN 56 1:50



50	ELEVATION C
29	1:50

	1,050 TRH 450 ROSE ¢	¢	FULL HEIGHT TILING	
***	9			
SHOWER SCREEN 1,800 ROSE		•	DOOR	700 TRH
* *	1,450 WC	Ę.	Ç <u>† 5</u> 1 BA	00 ATH
60			ELEVA	TION D 1:50

REV.	DESCRIPTION	DATI
J	WORKING DRAWINGS	20/03/202
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/202
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/202
М	AMENDED PLANS - COUNCIL RFI	14/08/202

UNIT 1 - I.E. - BATH 1

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIVE
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


MERIDIAN HOMES (AUST) PTV. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE.

PERPONICTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.


D. Office Tower Building E. Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153
SCOPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) Pty. Ltd. DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR





CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
RESS: DEPOSITED PLAN: COUNCIL:		REVISION:			
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL		M	
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 23 OF	31	3081














REV.	DESCRIPTION	DATI
J	WORKING DRAWINGS	20/03/202
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/202
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/202
М	AMENDED PLANS - COUNCIL RFI	14/08/202

UNIT 2 - I.E. - KITCHEN

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.

MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.


TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
Office Tower Building E. Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153

SUBJECT:
OFFICE:
Office Tower Building E. Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153


SUBJECT:
OFFICE:
OF


MERIDIAN HOMES


CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
MR. M. DAYOUB, MR. M. DAYOUB, Mr. B. Gaffney & Mrs. N. Gaffney	CUSTOM	ASTRID		CLASSIC	
DRESS: DEPOSITED PLAN: COUNCIL:		REVISION:			
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL		M	
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 25 OF	31	3081














REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025


UNIT 2 - I.E. - W.I.P.

GENERAL NOTES:
DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE. MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.




R	I IVIEIKIDI/ KI V I I O IVIEO
Ξ.	Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153
	Tel: 1300 855 138 ABN: 93 152 822 430 www.meridianhomes.net.au
,	© COPYRIGHT The ideas and the concepts contain within all drawings and documents is the
	sole property of Meridian Homes (ALIST) Ptv 1 td


CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:	<u>.</u> :		REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL		M	
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 25 OF	31	3081




71 LAUNDRY PLAN 1:50







ELEVATION A 72 1:50



ELEVATION D 74 1:50

REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

UNIT 2 - I.E. - LAUNDRY


GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIVE TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, COPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) PTY. Ltd. DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR





CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
MR. M. DAYOUB, MR. M. DAYOUB, Mr. B. Gaffney & Mrs. N. Gaffney	CUSTOM	ASTRID		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 26 OF	31	3081
















70	ELEVATION D
19	1:50

REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

UNIT 2 - I.E. - BATH 2

GENERAL NOTES:


DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.


MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.




r Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153	VIERIDIAN HOIVIES L	
y of Meridian Homes (AUST) Pty. Ltd.	r Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153 is 138 ABN: 93 152 822 430 www.merldianhomes.net.au SMT The ideas and the concepts contain within all drawings and documents is the	SI D

CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 27 OF	31	3081







ELEVATION A 1:50



ELEVATION C 83 1:50





REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

UNIT 2 - I.E. - ENSUITE


GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VENIET DIMENSIONS AND LEVELS FROM
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.


SITUATION OF ADAPTATION OF ADAP





CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	S:
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN	BEACHES CO	UNCIL	M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 28 OF	31	3081














REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

UNIT 2 - I.E. - BATH 1

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS FRIOR
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
DEPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.

SUBJECT: 100 875 138 1 ABN: 93 152 822 430 1 www.meridianhomes.net.au
COPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) Pty. Ltd. DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR



CLIENT:	HOUSE DESIGN:	FACADE: INCL		INCLUSIONS:	
MR. M. DAYOUB, MR. M. DAYOUB, MR. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID C		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
LOT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL			M
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	1:50 @ A3	TN	SHEET: 29 OF	31	3081

BRADNAM'S WINDOW SCHEDULE									
WINDOW NO.			WINDOW SIZE HEIGHT WIDTH		WINDOW		OPENING TYPE	PREVIEW	
SKY01	14 - 06	1,400mm	550mm	AREA	FIXED	П			
W01	21 - 18	2,060mm	1,810mm	3.73 m²	SLIDING	→			
W02	06 - 27	600mm	2,650mm	1.59 m²	FIXED				
W03	10 - 18	1,030mm	1,810mm	1.86 m²	SLIDING	→			
W04	18 - 09	1,800mm	850mm	1.53 m²	SLIDING	П			
W05	15 - 27	1,460mm	2,650mm	3.87 m²	SLIDING				
W06	10 - 09	1,030mm	850mm	0.88 m²	DOUBLE HUNG				
W07	10 - 09	1,030mm	850mm	0.88 m²	DOUBLE HUNG				
W08	10 - 18	1,030mm	1,810mm	1.86 m²	SLIDING				
W09	10 - 18	1,030mm	1,810mm	1.86 m²	SLIDING				
W10	10 - 18	1,030mm	1,810mm	1.86 m²	SLIDING				
W11	10 - 18	1,030mm	1,810mm	1.86 m²	SLIDING				
W12	12 - 27	1,200mm	2,650mm	3.18 m²	SLIDING				
W13	10 - 16	1,030mm	1,570mm	1.62 m²	SLIDING				
W14	10 - 18	1,030mm	1,810mm	1.86 m²	SLIDING				
W15	15 - 27	1,460mm	2,650mm	3.87 m²	SLIDING				
W16	15 - 18	1,460mm	1,810mm	2.64 m²	SLIDING				

DOOR SCHEDULE								
DOOD	DOOD	DOOF	RSIZE	TOTAL				
DOOR NO.	DOOR CODE	HEIGHT	WIDTH	DOOR AREA	PREVIEW	QTY.		
D01	23 - 10	2,340mm	1,020mm	2.39 m²		1		
D02	20 - 08	2,040mm	820mm	1.67 m²		1		
D03	24 - 53	2,400mm	5,346mm	12.83 m²	< < > >	1		
D04	24 - 53	2,400mm	5,346mm	12.83 m²	< < → →	1		
D05	24 - 27	2,400mm	2,688mm	6.45 m²	→ →	1		
D06	23 - 10	2,340mm	1,020mm	2.39 m²		1		
INT-D01	23 - 07	2,340mm	720mm	1.68 m²		3		
INT-D02	23 - 08	2,340mm	820mm	1.92 m²		9		
INT-D03	20 - 07	2,040mm	720mm	1.47 m²		2		
INT-D04	20 - 08	2,040mm	820mm	1.67 m²		12		
INT-D05	20 - 08	2,040mm	820mm	1.67 m²		1		
INT-D06	20 - 16	2,040mm	1,640mm	3.35 m²		1		
						34		

REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

WINDOW / DOOR SCHEDULE

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR
TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE.
MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE,
REPRODUCTION OR ADAPTATIONIS FORBIDDEN AND WILL BE PROSECUTED.




R	I IVIEIKIDI/ KI V I I O IVIEO
	Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153
:	Tel: 1300 855 138 ABN: 93 152 822 430 www.meridianhomes.net.au COPYRIGHT The ideas and the concepts contain within all drawings and documents is the
	sole property of Meridian Homes (ALIST) Ptv 1 td


CLIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS:	
MR. M. DAYOUB, MR. M. DAYOUB, Mr. B. Gaffney & Mrs. N. Gaffney	CUSTOM	ASTRID		CLASSIC	
ADDRESS:	DEPOSITED PLAN:	COUNCIL:	L:		REVISION:
LOT 34, NO.20 GRIMES PLACE,	34, NO.20 GRIMES PLACE, DP 251101 NOTHERN BEACHES COUNCIL		UNCIL	M	
SUBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
DAVIDSON, NSW 2085	N/A TN SHEET: 30 OF 31		3081		

Docusign Envelope ID: 1279CAF0-B911-4167-A609-0FF7B0E09910

EXTERNAL COLOUR PLAN









AUSTRAL BRICKS
Metallix, Quartz
Off White Mortar, Iron joint



BRISTILE ROOFINGDesigner, Cool smoke



WATTYL, DOVER WHITE
All Cladding to First Floor Areas



COLORBOND, MONUMENT Gutter, Fascia, Parapet Capping & Water Tank



WATTYL, SURFMIST Render to Porch Projections for Both Units



GARAGE DOOR Slimline, Monument



WATTYL, MONUMENT Front Doors, Render to Dividing Pier, Downpipes & Meter Box




WINDOWSWideline, Monument



DocuSigned by:

9FE09F3D1E2740D...

05-Mar-2025





REV.	DESCRIPTION	DATE
J	WORKING DRAWINGS	20/03/2025
K	AMENDED PLANS - TOWN PLANNER REVIEW	12/05/2025
L	AMENDED PLANS - TV-5, TV-6 & TV-12	21/05/2025
М	AMENDED PLANS - COUNCIL RFI	14/08/2025

COLOUR SCHEDULE

GENERAL NOTES:

DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY. CHECK AND VERIFY DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE REPORTED TO THE DRAFTING OFFICE. MERIDIAN HOMES (AUST) PTY. LTD. OWNS THE COPYRIGHT IN THE DRAWING. UNAUTHORISED USE, REPRODUCTION OR ADAPTATION IS FORBIDDEN AND WILL BE PROSECUTED.



	MERIDIAN HOMES	L(
	Office Tower Building E, Ground Floor, Unit E204 / 24-32 Lexington Drive, Bella Vista NSW 2153	SI
١	Tel: 1300 855 138 ABN: 93 152 822 430 www.meridianhomes.net.au © COPYRIGHT The ideas and the concepts contain within all drawings and documents is the sole property of Meridian Homes (AUST) Pty. Ltd.	

LIENT:	HOUSE DESIGN:	FACADE:		INCLUSIONS	3:
R. M. DAYOUB, MR. M. DAYOUB, R. B. GAFFNEY & MRS. N. GAFFNEY	CUSTOM	ASTRID		CLASSIC	
DDRESS:	DEPOSITED PLAN:	COUNCIL:			REVISION:
OT 34, NO.20 GRIMES PLACE,	DP 251101	NOTHERN BEACHES COUNCIL		M	
UBURB:	SCALE:	DRAWN:	DATE:	14/08/2025	JOB NUMBER:
AVIDSON, NSW 2085	N/A	TN	SHEET: 31 OF	31	3081