

FIRE SAFETY SCHEDULE

DA No: 6000/6840

Shop Number/Name: 421A - PASTA E BASTA

Property Address: 145 Old Pittwater Road, BROOKVALE NSW 2100

Description of Development: Retail Tenancy Fitout

| Essential fire safe | ety measure | Standard o | f performance | | |
|---|---------------------------------------|-------------------------------------|------------------------|--|--|
| | | Australian Standard | BCA Clause(s) | | |
| Access panels, doors & hopp | pers to fire resisting shafts | AS 1905.1 - 1997 | C3.13 | | |
| EXISTING | EXISTING PROPOSED | | | | |
| Γ. | Γ. | | | | |
| Automatic fail safe devices | | - | C3.8, D2.21, Spec C3.4 | | |
| EXISTING | EXISTING PROPOSED | | | | |
| , П | . | | | | |
| Automatic fire detection & ala | arm systems (EWIS) | AS 1670 – 1995; | Spec E2.2a | | |
| EXISTING | PROPOSED | AS 1603 | | | |
| × | × | | | | |
| Automatic fire suppression s | ystems (Sprinklers) | AS 2118.1 – 1999 | Spec E1.5 | | |
| EXISTING | PROPOSED | | | | |
| × | X | | | | |
| Emergency lighting | | AS/NZS 2293.1 - 1998 | E4.4 | | |
| EXISTING | PROPOSED | | | | |
| X | X | | | | |
| Emergency warning and inte | rcommunication systems | AS 2220.1 & 2 – 1989 | E4.9, Spec G3.8 | | |
| EXISTING | EXISTING PROPOSED | | | | |
| Γ | Г | | | | |
| Exit signs | | AS/NZS 2293.1 - 1998 | E4.8 | | |
| EXISTING | EXISTING PROPOSED | | | | |
| X | × | | | | |
| Fire dampers | · · · · · · · · · · · · · · · · · · · | AS 1668, AS 1682 | <u> </u> | | |
| EXISTING | PROPOSED | 7 | | | |
| | | | | | |
| Fire doors | . : | AS/NZS 1905.1 – 1997 | Spec C3.4 | | |
| EXISTING | PROPOSED | | · | | |
| T. | <u>r</u> | | | | |
| Fire hydrant systems | Fire hydrant systems | | E1.3 | | |
| EXISTING | PROPOSED | | | | |
| Д. | П | | | | |
| Fire seals protecting openings in fire resisting components | | AS 4072.1, AS 1530.4; AS 1038.15 | Spec C3.15 | | |
| EXISTING | . | | | | |
| T. | | | | | |
| Hose reel systems | | AS 2441 – 1988 | E1.4 | | |
| EXISTING | PROPOSED | | | | |

| | <u> </u> | | | | | |
|-------------------------------|-------------------------|----------------------|-----------------------|--|--|--|
| Г | | | | | | |
| Lightweight construction | | - | C1.8, Spec C1.8 | | | |
| EXISTING | | | | | | |
| r, | - | | | | | |
| Mechanical air handling syst | tems (air conditioning) | AS 1668.1 & 2 – 1991 | F4.5, F4.11, F4.12 | | | |
| EXISTING | PROPOSED | | | | | |
| X | × | | | | | |
| Portable fire extinguishers & | fire blankets | AS 2444 – 1995 | E1.6 | | | |
| EXISTING | PROPOSED | | | | | |
| X | × | | | | | |
| Smoke and heat vents | | AS 2665 – 1983 | Spec E2.2c, Spec G3.8 | | | |
| EXISTING | PROPOSED | | & NSW H101.22 | | | |
| | | · | | | | |
| Smoke dampers | | AS 1668.1 & 2 | - | | | |
| EXISTING | PROPOSED | | | | | |
| Γ., | <u> </u> | | | | | |
| Smoke detectors & heat dete | ectors | AS 1670 – 1995 | Spec E2.2a | | | |
| EXISTING | PROPOSED | | | | | |
| D. | E3 | | | | | |
| Smoke doors | | - | Spec C3.4 | | | |
| EXISTING | PROPOSED | | | | | |
| | Г | | | | | |
| Solid core doors | | - | C3.11,NSWC3.11(d)(ii) | | | |
| EXISTING PROPOSED | | | | | | |
| | | | | | | |
| Warning and operational sig | ns | - | C3.6, E3.3, D2.23 & | | | |
| EXISTING | PROPOSED | | Spec E1.8 | | | |
| | | | · | | | |
| Required (Automatic) Exit De | oors | AS 1670.1 – 1995 | Clause D2.19 | | | |
| EXISTING | PROPOSED | | | | | |
| | | | | | | |
| Sliding Fire Doors | <u></u> | - | Clause C3.6 | | | |
| EXISTING | EXISTING PROPOSED | | | | | |
| . | | | | | | |
| Constant Control | <u> </u> | AS/NZS 1668.1 - 1998 | Spec. E2.2a, E2.2b | | | |
| Smoke Control System | | AS/NZS 1000.1 - 1990 | Spec. E2.2a, E2.2b | | | |
| EXISTING | PROPOSED | A5/N25 1000.1 - 1998 | Spec. Ez.za, Ez.zu | | | |

£.

| | f | | | | | <u> </u> | | | |
|---------|-----|-----|---|---|---|--------------|------|---|--|
| 200 | 2/1 | 201 | | • | | | | • | |
| Dated: | 0 | | | | | | | | |
| | | | | | • | | | | |
| Signed: | 100 | 10 | | | | | | | |
| | | | , | | | | | | |