Job No: 2008/985

Thursday, 12 February 2009

Manly Council PO Box 82. Manly NSW 1655

Attention: General Manager

JEC 7 3 FEB 2009 Distribution 1)Scanned -MICHAEL GIDD

RE:

Complying Development Certificate No. 08/985/01

Flight Centre - Shop 28, 197-215 Condamine Street, Balgowlah

Please find attached a copy of Complying Development Certificate 08/985/01 and required attachments issued by Steve Watson & Partners for the above mentioned development in accordance with Section 85, 85A of the Environmental Planning and Assessment Act 1979.

Please also find attached a cheque for \$30.00 for the registration of the Complying Development Certificate.

Can you please forward SWP a receipt for the acknowledgment of the lodgement cheque.

If you have any queries please do not hesitate to contact me on (02) 9283 6555.

Regards

Michael Hatzinikolis

Steve Watson & Partners

WAR: 1101856

PAR: 1004553

AUTH CDEV.



### COMPLYING DEVELOPMENT CERTIFICATE

LEVEL 5, 432 KENT STREET, SYDNEY NSW 2000 TEL +61 2 9283 6555 | FAX +61 2 9283 8500 sydney@swpartners.com.au www.swparlners.com.au A8N 48 102 366 576

Issued under the Environmental Planning and Assessment Act 1979 Section 85, 85A

### Complying Development Certificate No. 08/985/01

I, Steve Watson, certify that the proposed development is complying development and that if carried out in accordance with the approved plans and specifications will comply with all development standards, any standards in a DCP and all requirements of the Regulation under the Environmental Planning and Assessment Act 1979.

**Applicant** 

Name: Flight Centre Ltd

Address: Level 13, 33 Berry Street

Suburb: North Sydney

State:

Postcode:

2060

Location of the Property

Address: Shop 28, 197-215 Condamine Street

Real Property Description: Lot 7001 DP1124091

Suburb: Balgowlah

State:

NSW

Postcode:

2093

**Proposed Complying** 

Development

Type: Carrying out of work

Description: Internal fitout works

Proposed Use: Retail

Building Code of Australia Classification: Class 6

**Date of Receipt** 

Date Received:

21st January 2009

Determination

Approved

Date of Determination: 12th February 2009

Date of Lapse

12th February 2014

**Environmental Planning Instrument Decision Made Under** 

Manly Local Environment Plan 1988

**Schedule 9 Complying Development** 

Prior to commencement of work s 86 (1) and (2) of the Environmental Planning and Assessment Act 1979 must be satisfied

### **Attachments**

- 1. Plans and specifications endorsed by this certificate
- 2. Fire safety schedule
- Conditions of consent to be satisfied by applicant

08/985/01-Complying Development Certificate Steve Walson dog # 6980432

Steve Watson

Accreditation Body: BPB

Accreditation no: BPB0432

Date of Endorsement: Thursday, 12 February 2009

### Design documentation approved for Complying Development Certificate 08/985/01 for Flight Centre - Shop 28, 197-215 Condamine Street, Balgowlah

Drawing No.	Drawing Title	Revision	Date	Drawn by
A03	Floor Plan	С	24.11.08	Flight Centre Fitout .
A08	Elevations	С	24.11.08	Flight Centre Fitout

### Documentation relied upon to issue Complying Development Certificate 08/985/01 for Flight Centre - Shop 28, 197-215 Condamine Street, Balgowiah

Item No	Description	Date
1	Mandatory inspection record (deferred)	12.02.09
2	Application for Construction Certificate	21.01.09
3	Notice of Commencement Form	21.01.09
4	Existing and proposed fire safety schedule	-
5	Design certificate for lighting energy efficiency	04.02.09
6	Evidence of Long Service Levy Payment	-



### APPLICATION FOR COMPLYING DEVELOPMENT CERTIFICATE



BUILDING REGULA CONCIDENCIA TO AND CERT HERE LARGED AND THE THE TEN

LEVEL 5, 432 CENT STREET, SYDNEY NSW 2000 1EL +61 2 9283 6595 FAX +61 2 9283 8590 sydney@waaartners.com.au www.swaartners.com.au ABN 48 102 366 375

PART 1 Application	n and Site Details
Applicant	Mr Mrs Miss Ms Other .
It is important that we are able to contact you if we need more information.	Surname (or Company): Flight Centre Ltd.  Given names (or ABN): 25 003 377 188
Please give us as much detail as possible.	Address: Level 13, 33 Rerry Street North Sydney.  State: NSW Post Code: 2060
	Phone: (02) 8918 0244 Fax: (02) 9923 8564
	Mobile: 0411 120 085 E-mail: michelle bulloch@flight(entre. con
	Please ensure you sign the declaration in Part 3 of this application
Owner's Consent	Surname (or Company): see atlached documentations
Every owner of the land must sign this form.	Given names (or ABN):
If the owner is a company, an authorised director must sign the form.	Address: Post Code:
Where the works are being carried out in a strata titled building the consent of the Body Corporate must be provided.	Phone: (
	As owner of the land to which this application relates, I consent to this application. I also consent for SWP staff to enter the land to carry out inspections relating to this application.
	Signature(s): Date:/
	Without the owner's consent, we will not accept the application. This is a very strict requirement for all applications. If you are signing on the owner's behalf as the owner's legal representative, you must state the nature of your legal authority and attach documentary evidence (eg. Power of attorney, executor, trustee, company director, etc)
Location of the Property	Address: shop 28, stackland Balgowlah. Car Sydney Rd & candamines
We need this to correctly identify the land.	
Y =	Real Property Description: LOT 7001 DP 1/240 9 1
(3) M. L. P.	(eg. Lot/DP, etc)
RECEIVED Y	The real property description is mandatory, these details are shown on your rate notices, property deeds etc
STEVE WATSON	<del></del>

PART 2 Work desci	ription
Proposed Complying Development	Use of land/building  Erection of a building  Subdivision of land/building  Carrying out of work  Demolition  Other  description(eg dwelling house):  /// TERNAL WOLKS TO CENTRE  proposed use:
Estimated cost of work (inclusive of GST)	\$ 35 000
Principal Contractors Details	Name: ROTHAN CROUP  Address: 3-5 Bayard St, Martlarke
Required for all projects	Address: 3-5 Bayard St, Martlake
	Contact Number: 9739 686 ©
PART 3 Declaration	
ALL THE DETAILS SOUGHT IN THE THE COMPLETED CHECKLIST MUS STANDARD WILL RESULT IN YOUR	T BE SUBMITTED WITH THIS APPLICATION. FAILURE TO PROVIDE THE REQUIRED DOCUMENTATION OF AN ACCEPTABLE
Declaration	I apply for approval to carry out the development or works described in this application. I declare that all the information in the application and checklist is, to the best of my knowledge, true and correct.
If the applicant is a company or strata title body corporate, a director or authorised delegate must sign this declaration.	I also understand that if the information is incomplete the application may be delayed or rejected or more information may be requested. I acknowledge that if the information provided is misleading any approval granted 'may be void'.
PECELVED 21 JAN 20	Signature:
STEVE WATSON	/ <sup>2</sup> / <sub>2</sub>

Where relevant, have you provide	ed/completed th	e following:				Y	/es_	Not Rel	evant
4 copies of plans, elevations	and sections					Ī	<u> </u>		
4 copies of specifications						[	<b>₫</b> ,		
<ul> <li>List of any existing and prop</li> </ul>	osed fire safety	measures (Refer to th	e Fire Safety So	chedule)		Ī	<u> </u>		]_
Evidence of Home Building					er st	[		V	
Evidence that Long Service	- 60					ſ	1	Ī	10
ABS schedule is completed		, , , , , , , , , , , , , , , , , , , ,				 ]		-	
Owners consent					roller i Sem	 1	<b>1</b>	•	998
Applicants signature		, ,, ,				<u>-</u> -	₹		-
PART 5 Schedule t	o Applica	ation for a Co	nstructio	on Certifica	ate				
Please complete this sched	5 17/					200			- 500 1
All new buildings	idio, Tito Allouni								
Please complete the following	owina:		Alu						
		inderground floors)	10/17						
<ul> <li>Gross floor area</li> </ul>		ig (iii")							-
Gross site area	(m²)				L				
Residential buildings	only								
Please complete the following	owing details c	n residential structure	es: $N$ /C	4	····	- 1 - 22 - 120			
Number of dwell	llings to be con	structed						70 00 00	
Number of pre-	existing dwellin	igs on site							
s:		3)=3				**********	F 6 WWW.WW.WW.WW		
Number of dwe					Yes $\square$	No	П		
		ached to other new b					<u>-</u>		
Will the new bu	ilding(s) be atta	ached to existing build	dings?		Yes 📙	No			
Does the site of (NB dual occup		ccupancy? ellings on the same s	ite)		Yes 🗌	No			
Materials – residenti	al buildings		NA	7					
Please indicate the materia	als to be used in	the construction of the	new building(s):				· · · · · · · · · · · · · · · · · · ·		
Walls	Code	Roof	Code	Floor		Code	Frame	C	ode
Brick (double)		Tiles	☐ 10 ☐ 20	Concrete or sla Timber	ite 📙	20 40	Timber Steel		40 60
Brick (veneer) Concrete or stone	☐ 12 · ☐ 20	Concrete or slate Fibre cement	☐ 20 ☐ 30	Other		80	Aluminium	П	70
Fibre cement	30	Steel	☐ 60	Not specified		90	Other		80
Timber	<u> </u>	Aluminium		1 1			Not specified		90
Curtain glass		Other	☐ 80	4	20				
Steel	□ 60	Not specified	☐ <b>/90</b>		22				
Aluminium	<b>70</b>		1-9						
Other	□ 80		(0.7)		*				
Not specified	90			71 JAN 2	5. s				
			(0)	M STEVE OF	<b>5</b> 2	14			
				· · · · · · · · · · · · · · · · · · ·	English				
			/	(7) You				Ŝ	ı
				V 9'1'	Ä			S	

### PART 6 Notes for Completing Application for a Complying Development

- 1. A description of the land to be developed can be given in the form of a map which contains details of the lot number, DP/MPS, vol/fol etc.
- 2. A plan of the land must indicate:
  - a) location, boundary dimensions, site area and north point of the land
  - b) existing vegetation and trees on the land
  - c) location and uses of existing buildings on the land
  - d) existing levels of the land in relation to buildings and roads
  - e) location and uses of buildings on sites adjoining the land
- 3. Plans or drawings describing the proposed development must indicate (where relevant):
  - a) the location of proposed new buildings or works (including extensions or additions to existing buildings or works) in relation to the land's boundaries and adjoining development
  - b) floor plans of proposed buildings showing layout, partitioning, room sizes and intended uses of each part of the building
  - c) elevations and sections showing proposed external finishes and heights
  - d) proposed finished levels of the land in relation to buildings and roads
  - e) building perspectives, where necessary to illustrate the proposed building
  - f) proposed parking arrangements, entry and exit points for vehicles, and provision for movement of vehicles within the site (including dimensions where appropriate)
  - g) proposed landscaping and treatment of the land (indicating plant types and their height and maturity)
  - proposed methods of draining the land.
- The following information must also accompany a Complying Development Certificate application for building work and change of building use:
   Building Work

In the case of an application for a Complying Development Certificate for building work:

- a) copies of compliance certificates relied upon
- b) four (4) copies of detailed plans and specifications

The plan for the building must be drawn to a suitable scale and consist of a general plan and a block plan. The general plan of the building is to:

- · show a plan of each floor section
- · show a plan of each elevation of the building
- . show the levels of the lowest floor and of any yard or unbuilt on area belonging to that floor and the levels of the adjacent ground
- · indicate the height, design, construction and provision for fire safety and fire resistance (if any).

Where the proposed building work involves any alteration or addition to, or rebuilding or, an existing building the general plan is to be coloured or otherwise marked to the satisfaction of the certifying authority to adequately distinguish the proposed alteration, addition or rebuilding.

Where the proposed building work involves a modification to previously approved plans and specifications the general plans must be coloured or otherwise marked to the satisfaction of the certifying authority to adequately distinguish the modification.

The specification is:

- to describe the construction and materials of which the building is to be built and the method of drainage, sewerage and water supply
- state whether the materials proposed to be used are new or second hand and give particulars of any second hand materials used
- c) where the application involves an alternative solution to meet the performance requirements of the BCA, the application must also be accompanied by:
  - details of the performance requirements that the alternative solution is intended to meet, and
  - details of the assessment methods used to establish compliance with those performance requirements
- d) if relevant, evidence of any accredited component, process or design sought to be relied upon

NB if an EPI provides that complying development must comply with the deemed to satisfy provisions of the BCA a CDC cannot authorise compliance with alternative solutions to the performance requirements corresponding to those deemed-to-satisfy provisions

- e) except in the case of a class 1a or dass 10 building:
  - a list of any fire safety measures that are proposed to be implemented in the building or on the land on which the building is situated, and
  - if the application relates to a proposal to carry out any alteration or rebuilding of, or addition to, an existing building, a separate list of such of
    those measures as are currently implemented in the building or on the land on which the building is situated.

The list must describe the extent, capability and basis of design of each of the measures concerned.

Change of Building Use

In the case of an application for a Complying Development Certificate for a change of building use (except for an application that, if granted, would authorise the building concerned being used as a class 1a or class 10 building):

- a list of any fire safety measures that are proposed to be implemented in the building or on the land on which the building is situated in connection with the proposed change of building use.
- a separate list of such of those measures as are currently implemented in the building or on the land on which the building is situated.

The list must describe the extent, capability and basis of design of each of those measures concerned.

- Other information must indicate (where relevant):
  - a) in the case of shops, offices, commercial or industrial development:
    - · details of hours of operation
    - · plant and machinery to be installed
    - type, size and quantity of goods to be made, stored or transported, loading and unloading facilities
  - b) in the case of demolition:
    - details of age and condition of buildings or works to be demolished
  - c) in the case of advertisements:
    - details of the size, type, colour, materials and position of the sign board or structure on which the proposed advertisement is to be displayed
  - d) in the case of development relating to an existing use:
    - details of the existing use
  - e) in the case of a development involving the erection of a building, work or demolition:
    - details of the methods of securing the site during the course of construction.

Home Building Act Requirements

In the case of an application for a Complying Development Certificate for residential building work (within the meaning of the *Home Building Act 1989*) attach the following:

(a) in the case of work by a licensee under that Act:

- (i) a statement detailing the licensee's name and contractor licence number (If a licensed builder is carrying out the work provide a copy of the builder's Licence), and
- (ii) documentary evidence that the licensee has complied with the applicable requirements of the Act \*(a copy of the Certificate of Insurance for the project if the value of work is greater than \$5,000), or

(b) in the case of work done by any other person:

- a statement detailing the person's name and owner-builder permit number, (If the work is to be done by any other person provide a copy of the Owner Builders Permit) or
- (ii) a declaration signed by the owner of the land, to the effect that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of **owner-builder work** in section 29 of that Act. (If the building work is less than \$12,000 provide a statement that states the proposed work is less than \$12,000)
- \* A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 to the effect that a person is the holder of an insurance contract issued for the purposes of that Part, is sufficient evidence that the person has complied with the requirements of that Part.

### 7 Long Service Levy

Under s 85A (10A) of the *Environmental Planning and Assessment Act 1979* a Complying Development Certificate cannot be issued until any long service levy payable under section 34 of the *Building and Construction Industry Long Service Payments Act 1986* (or where such a levy is payable by instalments, the first instalment of the levy) has been paid. The local council may be authorised to accept payment.

### **PART 7 Privacy Policy**

The information you provide in this application will enable your application to be assessed by certifying authority under the *Environmental Planning and Assessment Act 1979*. If the information is not provided, your application may not be accepted. The application can potentially be viewed by members of the public. Please contact the Council if the information you have provided in your application is incorrect or changes.

### Stockland Retail

Level 25, 133 Castlereagh St Sydney NSW 2000

T 02 90352000 F 02 89882000

www.stockland.com.au



**GPO Box 998** Sydney NSW 2001

25 November 2008

Attn: Michelle Bulloch - Team Leader Property

Flight Centre Ltd Room 10, Level 13 33 Berry St North Sydney NSW 2060

Dear Michelle

Re:

Complying Development Certificate for fitout works for the

below premises

Property:

Stockland Balgowlah, 197-215 Condamine St, Balgowlah NSW

Premises:

Shop 28 Flight Centre - Stockland Balgowlah

This consent is to be read in conjunction with the attached Stockland stamped design approved drawings dated 25 November 08. We refer to the attached application.

As owners of the above property, we consent to this Application and provide consent for authorised Council officers to enter the land to carry out inspections relating to this Application.

Executed on behalf of Trust Company of Australia Limited (ACN 004 027 749) in its capacity as custodian by

WILL SMITH

for Stockland Trust Management Limited (ACN 001 900 741) under Power of Attorney Book 4362 No. 863 in the

presence of:

Occupation of witness

Level 25, 133 Castlereagh Street Sydney NSW 2000

By executing this document the attorney states that the attorney has received no notice of revocation of the power of attornev

### Stockland Retail

133 Castlereagh Street SYDNEY NSW 2000 GPO Box 998 Sydney NSW 1041 T (02) 9035 3192

F (02) 8988 3192

www.stockland.com.au



### **Email**

Date

25 November 08

To

Michelle Bulloch Doug Charters

**Email** 

doug-charters@tpg.com.au

michelle\_bulloch@flightcentre.com

From

Sarah Buchhorn

Subject

FINAL DESIGN REVIEW - APPROVAL (with Conditions)

Stockland Balgowlah - Premises 28 Flight Centre

Caution this message may contain privileged and confidential information intended only for the use of the addressee. If you are not the Intended recipient of this message you are notified that any use, dissemination, distribution or reproduction of this message or the attachments is prohibited.

Any confidentiality or privilege is not walved or lost because the facsimile was sent to you in error. If you have received this message in error please notify Stockland immediately, delete it from your systems and destroy any copies.

### Dear Michelle

We attach a copy of the Final Design Approval and stamped drawings with comments for your action.

Please ensure copies of these drawings along with the Design Review are issued to your shopfitter prior to commencing fitout works on site.

Note: Any changes to the final design approved drawings must be submitted for additional approval prior to commencing fitout.

Any deviations from the final design approved drawings observed on site shall be considered a defect for rectification.

Should you have any further questions please do not hesitate to contact the undersigned.

Momente

Yours sincerely

Sarah Buchhorn

Retail Design Manager

mobile: 0409 450 565 or tel: 02 9035 3192 email: sarah.buchhorn@stockland.com.au

### FIRE SAFETY SCHEDULE



Flight Centre - Shop 28, 197-215 Condamine Street, Balgowlah

CDC No. 08/985/01

### **Existing Fire Safety Schedule**


FIRE SAFETY MEASURES	PROPOSED STANDARD OF PERFORMANCE
Access Panels, doors and hoppers to fire resisting shaft	BCA 2006 C3.13 & AS1905.1-2005, AS1905.2-2005
Automatic activation and manual controls for retail systems	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Automatic fail safe devices	BCA 2006 Part C3 & D2.21
Automatic fire detection and alarm system,	BCA 2006 E2.2, Spec E2.2a & AS1670.1-2004,
including mimic panels + red strobe light	AS3786-1993 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Automatic fire suppression system (sprinkler)	BCA 2006 E1.5, Spec E1.5 & AS2118.1-1999 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Automatic sliding door operation at mall entries/exits	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Carpark & retail smoke detection –	Alternative Solution Report prepared by Defire
connection to approved monitoring to a fire station dispatch centre	Ref. 20050098 Rev1.5 dated 19.06.07
Carpark travel distances	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Building occupant warning system	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Egress door for after hours staff	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Egress path marking on floor of back of	Alternative Solution Report prepared by Defire
house + storage areas and loading dock	Ref. 20050098 Rev1.5 dated 19.06.07
Emergency lighting	BCA 2006 E4.2, E4.4 & AS/NZS2293.1-2005
Emergency Lifts, including lift F1 and	BCA 2006 E3.4 & AS1735.2-1997 &
Building G Lift	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Emergency Management Plan and Fire Safety Management in use Plan	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Emergency warning and	BCA 2006 E4.9 & AS1670.4-2004, AS4428.4-
intercommunication system	2004 as varied by Alternative Solution Report
	prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Exit signs	BCA 2006 E4.5, E4.6, E4.8 & AS/NZS2293.1- 2005 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire Control Centres and access to sprinkle valve and pump room	BCA 2006 E1.8 & Spec E1.8
Fire dampers	BCA 2006 C3.12, C3.15 & AS/NZS1668.1-1998, AS1668.2-1991, AS1682.1-1990, AS1682.2-1990 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire doors	Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 Spec C3.4 & AS 1905: 1-2005: R&  Alternative Solution Report prepared by Defire  Ref. 20050098 Rev1.5 dated 19.07.07 R 5 / 1 1 -
Fire hydrant systems	BCA 2006 E1.3 & AS2419.1-2005 & Alternative Solution Report prepared by Define or United
	Steve Watson Reg # EP8043

	D-4 00000000 D-44 F J-4- 1 40 00 07
Plant and the state of the stat	Ref. 20050098 Rev1.5 dated 19.06.07
Fire seals protecting openings in fire	BCA 2006 C3.12, C3.15 & Spec C3.15 &
resisting components of the building	Alternative Solution Report prepared by Defire
	Ref. 20050098 Rev1.5 dated 19.06.07
Fire separation of equipment	Alternative Solution Report prepared by Defire
	Ref. 20050098 Rev1.5 dated 19.06.07
Fire Separation of tower B & D together	Alternative Solution Report prepared by Defire
with basement carpark + podium level from	Ref. 20050098 Rev1.5 dated 19.06.07
buildings C, E, F, G, H + L	
- Horizontal fire separations	9
- Vertical fire separations	
- Lift doors	
- Smoke guard containment system	
- External wall separation and protection of	
openings	
Gates within security fence in carpark	Alternative Solution Report prepared by Defire
A DE SECRETARIO SECURIO SECURI	Ref. 20050098 Rev1.5 dated 19.06.07
Hose reel system	BCA 2006 E1.4 & AS2441-2005 &
3 3 3 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	Alternative Solution Report prepared by Defire
	Ref. 20050098 Rev1.5 dated 19.06.07
Lightweight construction	BCA 2006 C1.8 & Spec C1.8
Major stores (>1,000 m2) ventilation	Alternative Solution Report prepared by Defire
systems	Ref. 20050098 Rev1.5 dated 19.06.07
Make up air for retail smoke exhaust	Alternative Solution Report prepared by Defire
	Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distance to single exit or	BCA 2006 Section D as varied by Alternative
point of choice	Solution Report prepared by Defire Ref. 20050098
	Rev1.5 dated 19.06.07
Maximum travel distances in retail mall &	Alternative Solution Report prepared by Defire
major tenancies (>1,000 m2)	Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual	Alternative Solution Report prepared by Defire
Maximum travel distances for individual smaller tenancies (<1,000 m2)	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 BCA 2006 E2.2,
Maximum travel distances for individual smaller tenancies (<1,000 m2)	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution
Maximum travel distances for individual smaller tenancies (<1,000 m2)	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 BCA 2006 E1.6 & AS2444-2004
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07 Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004 Alternative Solution Report prepared by Defire
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops  Smoke baffles to Coles tenancy	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops  Smoke baffles to Coles tenancy  Smoke baffles to mini major	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops  Smoke baffles to Coles tenancy	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops  Smoke baffles to Coles tenancy  Smoke baffles to mini major	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops  Smoke baffles to Coles tenancy  Smoke baffles to mini major	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops  Smoke baffles to Coles tenancy  Smoke baffles to mini major	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops  Smoke baffles to Coles tenancy  Smoke baffles to mini major  Smoke control System	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, Spec E2.2b & STEVE WATSON Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2
Maximum travel distances for individual smaller tenancies (<1,000 m2)  Mechanical air handling system  Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area  Portable fire extinguishers  Population + Exit widths  Power supply for retail smoke exhaust  Retail ceiling heights  Separation of escalators & lifts shops connecting carpark levels + retail levels  Smoke baffles between retail mall and specialty shops  Smoke baffles to Coles tenancy  Smoke baffles to mini major	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  BCA 2006 E1.6 & AS2444-2004  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07  Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07

	prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke doors	BCA 2006 Spec C3.4
Smoke exhaust for major tenancies	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke exhaust system for retail	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke seals + doors	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke separation of retail tenancies smaller than 1,000 m2	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Stair pressurisation including stair F1 + Building G stair	BCA 2006 E2.3, AS1668.1-2004 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Supply air shut down in retail	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Vertical separation of openings in external walls Towers A, C, E, F, G & H	BCA2006 C2.6 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Wall wetting sprinkler and drencher systems	BCA 2006 C3.4 & D1.7
Warning and operational signs	EPA Regulation (reg 183), BCA 2006 E3.3 (lifts), D2.23 Signs on exit doors
Zone smoke control system	BCA E2.2 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07

### **Proposed Fire Safety Schedule**

Unit No.	Measure	Standard of Performance
1.	Automatic fire suppression systems (Sprinklers)	BCA2008 Specification E1.5 and AS 2118.1 – 1999
2.	Emergency Lighting	BCA2008 Clause E4.2, E4.4 and AS/NZS 2293.1 – 2005



08/985/01-

Complying Development Certificate Steve Watson Reg # BPB0432




See reverse of form for instructions

### LEVY PAYMENT FORM

OFFICE USE ONLY

PARTIAL-OPPAIRS OF REISO	y co		ĬΪ	Ø.		G						iZ)		W.		PLE	ASE	PRIN	IT AL	L DE	TAIL	S US	ING	CAP	ITAL	S
Surname (if person) or Company/Organisation name	F	L	1	q	н	+		c	E	N	٢	R	E		L	T	٥									
Given names (if person)																										
ABN (if applicable)	2	5	0	0	3	3	][7			]	8	8														
POSTAL ADDRESS No. and street or PO Box	L	E	<b>V</b>	٤	L			3	,	[3]	3		В	E	R	R	Ч		2	7	R	E	E	Τ		
Town/suburb	7	0	R	T	Н		8	У	D	7	E	Y														
State	2	S	W	Po	stcc	de	2	0	6	Ò					pho		Ö	2	8	9	ì	8	0	2	4	4
elling and Karen	M				ALC:									(BE)	(6-79-1-	TALES.	5 (2) K-5	- 2/50/2	4702		67 (F. A.3):	Subsect	Salat-10		9 Se 1997	1505A
Number and street	S	Н	0	Р		_,]		1	2	r	٥	c	Κ	L	A	N	D	<u></u>								
	В	A		G	0	ω	L	A	Н								][								][	
Town/suburb	В	A	L	G	0	w	L	A	Н	<u> </u>	<u></u>				][	][		i	<u></u>			]	][	<u> </u>	][	
State	N	S	W	P	osto	ode	. [3	2 (		7][3	3						r.,	ــاار.	<b>a</b>		1(	า -	r <del>. 1</del>	ر۱		
Estimated start date	0	1	М	0	, <b>ا</b> و	Y _	2 0	2 2	2	7	Est	imat	ed f	finis	h da	ite	D L	<b>5</b>	M	I U	3	Mark A	2	٥	TI COL	LZI
				je je		, O																			J C	3
Local Council Area	M	A	7	L	Ā		C	0		<u> </u>				<u> </u>		1	][				 	]	<u>                                     </u>	] <u> </u>		] ] ]
DA/CC/CDC)No.	0	8		9	8	5	4	0	1			<u> </u>		<u> </u>	 	<u>]</u>	][	<u>.                                    </u>			II					
Estimated value of work (see note on back)	\$ _	_],[			,[		3	5	0					<u>}</u>	Levy paya	able	\$	_],l			_],		2	2	<u>                                     </u>	
¹ If you have provided a CC abo	ve, pl	ease	e pro	vide	DA	nur	nber	<u>k</u> he	re [	ا ا		7			_		_][_		_  _ 	_	_]	-1	ſ	1	1¢	3[
Signature of Officer/Private Cert		/ /		14		4		_								ate	D		2	MC		길 <sub>Y</sub>	2	0		12
Name of Officer/Private Certifie	r <u>M</u>	che	a		43	(h)	la	li)	r Bus		В	usin	ess	houi	s ph	ione	0	2	9	12 Market	<u> </u>  8	][3	6 (MERO			15
																			] ]	٦٢	-JI	76	71		-1t	٦٢
Department/Authority	L		][	<u> </u>								ontr	] act	][ _	][_ _]			] <u> </u> =7 ;				<u> </u>			]L.	JL_ -1(
Contract/DA No (circle which)											9 8000	mot		\$ [		][_	_][_	],				,		L	J:L_	
Levy payable	\$ L	_],		][			]	][	J:L_		:]						_	٦(-	1		٦٢-	חר	1	٦٢	7	- ال
Contact person (Print)				-22 - 23.0E	2								ΡÌ	none	nur	nbe	r   !	][_ !	<u>ال</u> —	<u> </u> 	_ L 			] <u> </u> 7[	JL_ 7F	الــا ا_ار
Contact person (Signature)	<u> </u>			STITE				/WW		7624	in the			類似	en en	Date	17.30	  - - - - - - - - - - - - - - - - -		мL		۱ لــ چرچ				
Any false or misleading information	ation	prov	vided	d on	this	for	m n	nav	resu	lt ir	ı pro	sec	utio	n ur	ider	Sect	tion	58A			E49		ed AG	2000 2000	dias.	11.19C
I hereby declare that the inform	natio	n pr	ovid	Lancard Brown	11.	C		2 - 1				rect	4- 4	1	+22	of r	nyk ∐	now	ledg	e		5-T E	,	10.7	10 N	9
Name Michelle Bulloc	h WWW	Weg in	23.99°C	MARK	Sign	atu	re			が複数	DAILO	WARK T	ane.	acani	24314	Date xeca	. <b>D</b> [	\$ 20,6	<u>/</u>	M L	······································	Y	12	dľ <u>.</u> skery	91 <u>°</u>	14. 1
William Michael Ralloc																		1		8		yt	נו	/	U	
<b>Exemption Approval Certificate</b>	No.								_									1	Con	iplyi	ing	Devi	dap	mer	nt C	ertific



STEVE WATSON

08/985/01-

Complying Development Certificate Steve Watson Reg # BPB0432

# Maximum Illumination Power Density by Area

BCA part J6.2b

This report prepared by:

Lighting Engineer No. IES260 D G Farmer

Project Name:-FC Balgowlah

Shop 43 Stockland Balgowlah Cnr Sydney Rd & Condamine St Balgowlah NSW Location:-

Drawing No.:- Dwg A4

4/02/2009

Compliance Design load 14.45 Weighting Allowable load factor 0.5 0.6382979 Room index Workplane 동 Ε Width E Length Ε AREA sq. m per 36.2b Max IPD Storage Usage Back Room Area Date:-

YES

## Average artificial light source efficacy

BCA Part 36 requires an average lamp efficacy of >40 lumens/watt for shops under 100 square meters.

Per 16.2 (b) (i) (B)

Project Name:-FC Balgowlah

Location:- Shop 43 Stockland Balgowlah Cnr Sydney Rd & Condamine St Balgowlah NSW

Drawing No.:- Dwg A4

Date:-	4/02/2009											
		Area	Fitting	Lamp	Lamp	Circuit	Lamp	Total	Total		Average	
Area	Usage	sq. meters	Type No.	Source	Qty	Load	Lumens	load	lumens	Efficacy	Efficacy	Efficacy Compliance
Retai	Shop	39.18	4	35w IRC	2	35	1116	70	2232	31.88571		
	_		м	18w PLC	6	41	2400	369	21600	58.53659	00000	
			7	35w MH	7	39	3300	273	23100	84.61538	200	
			ın	70w MH	2	78	6300	156	12600	80.76923		
60		•	H	35w IRC	2	38	1136	76	2272	29.89474		
-			_	35w T5	7	40.4	3300	80.8	0099	81.68317		
								1024.8	68404	٠	66.74863	YES
								-				

	စ္ခ
į	Complying Development Confilicate Stew, Watson Reg & BPB3432
Come	등장
<u></u>	450 450 450
The State of the S	_ } <u>`</u>
(S)	6
CO	ng Davelo
(J)	名質
	E 5
$\infty$	mpolying ( Steves Wa
	- 質易
	3

18 watt PLC (CH218 fitting)

35 watt MH (MEM fitting)

35 watt IRC (MTR90)

**Fitting Types** 

35 watt IRC (BMF fitting)

26450

70 watt MH (MM70SF) 26 watt PLC (CH226)

A PARTEE

35 watt T5 (Hawko 60 sq.)
28 watt T5 (Hawko 60sq. Alternative option)
20 watt MH (MSQ100MH)
36 watt T8 Fluorescent(for all T-Bar and surface batten options)
20 watt IRC (whenever used)
50 watt IRC (whenever used) 7 8 9 10 11 11 12

Signed:

IES260 D G Farmer MIES Lighting Engineer No.

STEVE WATSON

Complying Development Certificate Stave Walson Reg # BP80432

-10/586/80

### Manly Local Environmental Plan 1988

Current version for 3 October 2008 to date (accessed 23 December 2008 at 10:48) Schedule 10

<< page >>

### Schedule 10 Conditions of complying development certificates

(Clause 10A (4))

### General conditions applying to all complying development

### Compliance

1 Notification of all affected persons is required, in accordance with council's Notification DCP adopted 28/6/99, on the date of receipt of the Complying Development Certificate application.

### **Before Commencement**

- **2** Form 7 of the regulation (notice of commencement of work and appointment of Principal Certifying Officer, ie the PCA) must be submitted to Council 2 days prior of any work commencing.
- 3 Notify Council 2 days prior to that work commencing.

### Additional conditions applying to specific types of complying development

Category	Condition No	Condition	Type of complying development to which the condition applies (being a type identified by the following number in the Table to Schedule 9)
Access	4	Where a construction of a vehicular footpath Crossing is required, the design and construction shall be in accordance with Council's Policy. The crossing must be completed prior to issue of the Occupation Certificate.	1, 4, 6, 7, 8
	5	The existing surplus vehicular crossing and/or kerb layback shall be removed and the kerb and nature strip reinstated prior to issue of the Occupation Certificate.	1, 4, 6, 7, 8
	6	Any driveway within the property cannot exceed 5% slope at any point.	1, 4, 6, 7, 8
Building Construction	7	Any retaining walls must be constructed in accordance with a structural engineer's details. Certification of compliance with the structural detail during construction must be submitted to the Principal Certifying Authority.	1, 4, 6, 13

8	All construction shall be strictly in accordance with the Reduced Levels (RLs) as shown on the certified plans. Certificates of compliance prepared by a registered surveyor, showing compliance with ground and finished ridge levels, must be submitted to the Principal Certifying Authority.	1, 4, 6
9	A Certificate of Adequacy signed by a practising Structural Engineer must be submitted to the Principal Certifying Authority in respect of the load carrying capabilities of the existing structure to support the proposed additions.	1, 2, 4, 7
10	The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material, properly graded and drained and waterproofed. Certification is to be provided to the Principal Certifying Authority from a licensed applicator prior to the fixing of any wall or floor tiles	1, 2, 4, 7, 8, 13
	All materials and finishes of the proposed additions are to match, as closely as possible the material and finish of the existing building.	1 "
12	A suitable sub-surface drainage system must be provided adjacent to all excavated areas and such drains must be connected to an approved disposal system.	1, 4, 6, 10
13	Prior to excavation applicants must contact Sydney One Call Service to ascertain which utility services are underground in the proposed excavation.	1, 4, 6, 10
14	An adequate security fence, must be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence must be maintained in a state of good repair and condition until completion of the building project.	1, 4, 6, 13
15	All plumbing and drainage, including sewerage drainage stacks, ventilation stacks and water service pipes must be concealed within the building. Plumbing other than stormwater downpipes must not be attached to the external surfaces of the building.	1, 2, 4, 7
16	An approved water interceptor must be provided across the driveway at the street boundary and all stormwater must be conveyed by underground pipe to Council's street gutter.	4, 6
17	Roofwater and surface stormwater from paved areas must be conveyed by pipeline to Council's street gutter.	
18	The width of inter-allotment drainage easements is no less than: (a) 1.0m for pipes up to 150mm, or	1, 4, 6

Building Materials

Car Parking

Drainage and Stormwater

(b) 2.5m for pipes larger than	150mm
--------------------------------	-------

		The easements must be free of encroachments and contain only a single pipeline.	
	19	Where a concrete floor of any habitable room is laid directly on the ground, the floor must be adequately damp-proofed to prevent moisture entering the building.	1, 2, 4, 7, 8
Fencing	20	The details of the materials, size, height and design of all fences, including front, side and rear fences must be submitted to the Principal Certifying Authority prior to that stage of work being commenced.	4, 5, 6
Trees	21	A barrier or temporary fence must be erected around the existing street trees in front of the subject property to protect them from damage during construction.	1, 4, 6
	22	No existing street trees may be removed without Council approval. Where such approval is granted, the trees must be replaced at full cost by the applicant with super advanced trees of a species nominated by Council's relevant officer.	1, 3, 4, 9, 13
Road Reserve	23	Where the driveway construction necessitates the removal of street planting, a replacement tree of the same species must be planted elsewhere on the lot frontage. Details must be provided with the application for a Construction Certificate	4, 6
Lighting	24	Any ancillary light fittings fitted to the exterior of the building must be shielded or mounted in a position to minimise glare to adjoining properties.	1, 3, 4, 6, 7, 8, 9, 13
Miscellaneous	25	Prior to the commencement of works on the land including demolition and site preparation, silt control fences must be provided. A Sediment/Erosion Control detail must be submitted to the Principal Certifying Authority.	1, 4, 6, 10
	26	All materials on site or being delivered to the site must be contained wholly within the site.	1, 2, 3, 4, 6, 7, 8, 13
	27	All site waters during excavation and construction must be contained on site to avoid pollutants entering into the Harbour or Council's stormwater drainage system.	1, 4, 6
	28	All demolition and excess construction materials are to be recycled wherever practicable.	1, 4
Noise/Nuisance	29	Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public	1, 4, 6

Holidays and Sundays.

30

No sandwich boards or the like are to be 8 placed on Council's footpath.

Termite Control	31	A durable termite protection notice must be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".	1
Traffic/Parking	32	Written consent from Council shall be obtained and shall be in hand prior to any track-equipped plant being taken in or onto any roadway, kerb and gutter, footway, naturestrip, or other property under Council's control.	1, 4, 6, 13
	33	All construction vehicles associated with the development must obtain a permit on a daily basis, for any access onto The Corso and Sydney Road Plazas.	1, 8
i.	34 .	Delivery vehicles associated with the completed development are only permitted to drive, stand or park on The Corso and Sydney Road Plazas between the hours of 5am-11am Mondays to Fridays. Such access cannot be obtained on weekends or Public Holidays.	8

Top of page





Job No: 2008/985

Thursday, 12 February 2009

Manly Council PO Box 82, Manly NSW 1655

Attention: General Manager

RE:

**Notice of Commencement** 

Flight Centre - Shop 28, 197-215 Condamine Street, Balgowlah

CDC: 08/985/01

Description of work: Internal fitout works for use by Flight Centre

Please find enclosed a Notice of Commencement form in accordance with either Section 81(A) 2(a)(ii) and 2(c), or Section 86 (1) of the Environmental Planning and Assessment Act 1979, as applicable.

Please note that the following inspections are required under Clause 162A of the Environmental Planning and Assessment Regulation. These inspections are required to be carried out by an accredited certifier and we are unable to accept inspection records form engineers who do not hold the appropriate accreditation. SWP requires 48 hours notice of these inspections and work cannot continue to its subsequent stage until these inspections are carried out.

	Class 6 Inspections	Action by
1.	At the Commencement of the building work (The commencement inspection may be deferred to the next staged inspection in accordance with Section 162A(7) of the Environmental Planning and Assessment Regs)	Deferred by SWP
2.	After the building work has been completed and prior to any occupation certificate being issued in relation to the building	SWP

Should you have any queries, please contact myself on (02) 9283 6555.

Regards

Michael Hatzinikolis

Steve Watson and Partners Pty Ltd



### NOTICE OF COMMENCEMENT

B. OF GREEN AND ALLESS HERE WE SAFER TO THE SECOND STREET

LEVEL 5, 402 CENT STREET, SYDNEY NSW 2000 TEL +61 2 7285 6585 FAX +61 2 7285 8500 Sydney@swoortners.com.au www.swoortners.com.au ABN 46 102 366 576

Notice of Commencement of building or subdivision work and appointment of Principal Certifying Authority under Environmental Planning and Assessment Act 1979 Sections 81A (2) (b) (ii) and (c), 86 (1)

PART 1 Developr	nent Details		
Applicant Details	Applicant's name: Flight Centre Ltd.         Address: Level 13, 33 Barry Street.         Suburb: NOCTA Sychey       State: NSW Post Code: 2000         Phone: (02) 8918 0244       Fax: (02) 9923 8564         Mobile: 0411 120 085       E-mail: michelle_bulloch@ flightcentre.com		
Details of the Land to be Developed	Address: Shap 28 Stockland Bowgowtan on Sydney Rd & Condamine S  Suburb: Bowgowiah State: NSW Post Code: 2093  Lot no: 7001 DP No./Section: 17601		
Description of Work	Type of work: Building Work Description:		
PART 2 Details of	Development Approval		
Development Consent or CDC	Development Consent/Complying Development No:		
Construction Certificate	Construction Certificate No:  Date of Determination:		
PART 3 Appointme	ent of Principal Certifying Authority		
Details of Principal Certifying Authority Please note in the absence of any prior agreement we reserve the right to nominate the most	Certifying Authority: Steve Watson & Partners Pty Ltd  Accreditation Body: QPB  Accreditation Number: 0432  Contact number: (02) 9283 6555		
ppropriate member of our staff is the PCA.	Address: Level 5, 432 Kent Street, Sydney NSW 2000 RECEIVED		

PART 4 Date of Co	mmencement and compliance with conditions
Compliance with Development	Have all conditions required to be satisfied prior to the commencement of work been satisfied?  o - no
Consent/Complying Development	(conditions may include payment of security, s 94 contributions, endorsement of building work plans by water supply authority)
Home Building Act 1989 Requirements	Note: Only fill in this section if you are constructing a house, other dwelling or undertaking alterations or additions to a dwelling.  1. Are you an owner-builder?     o - yes, Owner-builder permit number?     or  2. Will the work be carried out by some one licensed to do so?     o - yes
4	Name of the builder: Contractor License no
	Attach one of the following documents to this notice:
	(a) Evidence that the licensed person is insured to carry out this type of work; or
ı.	(b) a declaration (signed by each owner of the land) that the reasonable market cost of the labour and materials to be used is less than \$12000?
Principal Contractors Details	Name: NATHAN IZCI (ROTHAN GROUP)  Address: 3-5 Bayard St, Mantlake
Required for all projects	Address: 3-5 Bayard St, Mantlake
Troquitor for an projecto	Contact Number: 9739 6860
Date Work is to Commence	Date: 16/02/09
PART 5 Signatures	S
Driverinal Contifiero	The Principal certifying authority must sign the notice
Principal Certifiers Declaration	I acknowledge that I have been appointed by the applicant to carry out the role of the Principal certifying authority for this development.
	I acknowledge that I have seen evidence that the builder is licensed and insured, or that I have seen evidence that the building works are to be undertaken by a person with an owner-builder permit where required by the Home Building Act.
	Signature:
	Name: Steve Watson Date: 12 / 02 / 09
Applicants Declaration	The applicant, or the applicant's agent must sign the notice  Signature:
	In what capacity are you signing if not the applicant:
PART 6 Privacy P	olicy
RECEIVED	The information you provide in this notice is required under the Environmental Planning and Assessment Act 1979 if you are going to erect a building or carry out subdivision work. If you do not provide the information to the consent authority, you cannot commence the work. The information will be held by the consent authority and by
21 JAN 2009	the council (if the council is not the consent authority). Please contact the council if the information you have provided in this notice is incorrect or changes.
STEVE WATSON A PARTNERS	
7 3 1	