

Job No: 2009/247

Monday, 20 April 2009

Manly Council PO Box 82, Manly NSW 1655

Attention: General Manager

### RE: Complying Development Certificate No. 09/247/01 Okaidi Kids – Shop 008, 197-215 Condamine Street, Balgowlah

Please find attached a copy of Complying Development Certificate 09/247/01 and required attachments issued by Steve Watson & Partners for the above mentioned development in accordance with Section 85, 85A of the Environmental Planning and Assessment Act 1979.

Please also find attached a cheque for \$30.00 for the registration of the Complying Development Certificate.

Can you please forward SWP a receipt for the acknowledgment of the lodgement cheque.

If you have any queries please do not hesitate to contact me on (02) 9283 6555.

Regards, Inan atson & Partners

BUILDING REGULATIONS CONSULTANTS AND CERTIFIERS FIRE SAFETY ENGINEERS LEVEL 5, 432 KENT STREET, SYDNEY NSW 2000 TEL +61 2 9283 6555 | FAX +61 2 9283 8500 www.swpartners.com.au ABN 48 102 366 576



BUILDING REGULATIONS CONSULTANTS AND CERTIFIERS FIRE SAFETY ENGINEERS

LEVEL 5, 432 KENT STREET, SYDNEY NSW 2000 TEL +61 2 9283 8555 FAX +61 2 9283 8500 sydney@swpartners.com.au www.swpartners.com.au ABN 48 102 368 576

Issued under the Environmental Planning and Assessment Act 1979 Section 85, 85A

### Complying Development Certificate No. 09/247/01

COMPLYING

CERTIFICATE

DEVELOPMENT

I, Steve Watson, certify that the proposed development is complying development and that if carried out in accordance with the approved plans and specifications will comply with all development standards, any standards in a DCP and all requirements of the Regulation under the *Environmental Planning and Assessment Act* 1979.

Applicant	Name: Down South Group Pty Ltd Address: 1/13 Stennett Road				
	Suburb: Ingleburn State: NSW Postcode: 2565				
Location of the Property	Address: Shop 008, 197-215 Condamine Street				
	Suburb: Balgowiah State: NSW Postcode: 2093				
	Real Property Description: 101/1012617				
Proposed Complying	Type: Carrying out of work				
Development	Description: Internal retial fitout to shop 008 for Okaidi Kids				
	Proposed Use: Retail				
	Building Code of Australia Classification: Class 6				
Date of Receipt	Date Received: 6th April 2009				
Determination	Approved				
	Date of Determination: 20th April 2009				
Date of Lapse	20th April 2014				
Environmental Planning	Manly Local Environmental Plan 1988				
Instrument Decision Made Under	Schedule 9 - Complying development				

Prior to commencement of work s 86 (1) and (2) of the Environmental Planning and Assessment Act 1979 must be satisfied

STEVE WATSON PARTNERS 09, Complying Development Certificate Steve Watson Reg # BPB0432

Steve Watson Accreditation Body: BPB

Accreditation no: BPB0432

Date of Endorsement: Monday, 20 April 2009

Design documentation approved for Complying Development Certificate 09/247/01 for Okaidi Kids – Shop 008, Stocklands, 197-215 Condamine Street, Balgowiah

Drawing	No: Drawing Title	Revisio	n Date	Drawniby
01	Proposed Floor Plan	B	04.02.09	Horizon Design Studio
03	Elevation A	A	26.01.09	Horizon Design Studio
04	Section A	В	04.02.09	Horizon Design Studio

Documentation relied upon to issue Complying Development Certificate 09/247/01 for Okaidi Kids – Shop 008, Stocklands, 197-215 Condamine Street, Balgowlah

Description	Date
Mandatory inspection record (Prior to the issue of the Complying Development Certificate)	03.03.09
Application for Construction Certificate	06.03.09
Existing and proposed fire safety schedule	
Design Certificate – Energy Efficiency (Artificial lighting and power)	02.04.09
Evidence of Long Service Levy Payment	16.04.09
Documentation required to satisfy relevant DA conditions as per attached DA checklist	-
	Mandatory inspection record (Prior to the issue of the Complying Development Certificate) Application for Construction Certificate Existing and proposed fire safety schedule Design Certificate – Energy Efficiency (Artificial lighting and power) Evidence of Long Service Levy Payment





BUILDING REGULATIONS CONSULTANTS AND CERTIFIERS FIRE SAFETY ENGINEERS

LEVEL 5, 432 KENT STREET, SYDNEY NSW 2000 TEL +61 2 9283 6555 FAX +61 2 9283 8500 sydney@swpartners.com.au www.swpartners.com.au ABN 48 102 366 576

# CI143B Site Inspection Record

Project Address	Okaidi Kids, Shop 008, 197-215 Condamine Street, Balgowlah	Inspection record #	2009/247C
Inspector	Steve Watson	Accreditation #	BPB 0432
DA ref	Not Applicable	Date	13th March 2009
CDC no.	09/203/01	Туре	PRE-COMPLYING DEVELOPMENT CERTIFICATE

Checklist

Annual Fire Safety Statement Provided?	No – Building is under construction. Fire Safety Schedule has been provided	Are the proposed plans/specs consistent with the existing condition of the building?	Yes
Have works associated with proposed CC commenced?	No		

### Issues/Rectification works required

#	Issue	Comment/ requirement	Action by
1.			
2.			

Was the Inspection

Satisfactory	of the issues identified above
Unsatisfactory	
Signed Alas	<u>(3.3.09</u> Date

Page 1 of 1

FIRE SAFETY SCHEDULE



Complying Development Certificate 09/247/01 for Okaidi Kids – Shop 008, Stocklands, 197-215 Condamine Street, Balgowlah

### **Existing Fire Safety Schedule**

FIRE SAFETY MEASURES	STANDARD OF PERFORMANCE
Access Panels, doors and hoppers to fire	BCA 2006 C3.13 &
resisting shaft	AS1905.1-2005, AS1905.2-2005
Automatic activation and manual controls	Alternative Solution Report prepared by Defire
for retail systems	Ref. 20050098 Rev1.5 dated 19.06.07
Automatic fail safe devices	BCA 2006 Part C3 & D2.21
Automatic fire detection and alarm system,	BCA 2006 E2.2, Spec E2.2a & AS1670.1-2004,
including mimic panels + red strobe light	AS3786-1993 as varied by Alternative Solution
	Report prepared by Defire Ref. 20050098 Rev1.5
A 1	dated 19.06.07
Automatic fire suppression system	BCA 2006 E1.5, Spec E1.5 & AS2118.1-1999 as
(sprinkler)	varied by Alternative Solution Report prepared by
	Defire Ref. 20050098 Rev1.5 dated 19.06.07
Automatic sliding door operation at mall	Alternative Solution Report prepared by Defire
entries/exits	Ref. 20050098 Rev1.5 dated 19.06.07
Carpark & retail smoke detection –	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
connection to approved monitoring to a fire	Ref. 20050096 Rev 1.5 dated 19.00.07
station dispatch centre Carpark travel distances	Alternative Solution Report prepared by Defire
Galpark travel distances	Ref. 20050098 Rev1.5 dated 19.06.07
Building occupant warning system	Alternative Solution Report prepared by Defire
building occupant warning system	Ref. 20050098 Rev1.5 dated 19.06.07
Egress door for after hours staff	Alternative Solution Report prepared by Defire
Egress door for and hours blan	Ref. 20050098 Rev1.5 dated 19.06.07
Egress path marking on floor of back of	Alternative Solution Report prepared by Defire
house + storage areas and loading dock	Ref. 20050098 Rev1.5 dated 19.06.07
Emergency lighting	BCA 2006 E4.2, E4.4 & AS/NZS2293.1-2005
Emergency Lifts, including lift F1 and	BCA 2006 E3.4 & AS1735.2-1997 &
Building G Lift	Alternative Solution Report prepared by Defire
-	Ref. 20050098 Rev1.5 dated 19.06.07
Emergency Management Plan and Fire	Alternative Solution Report prepared by Defire
Safety Management in use Plan	Ref. 20050098 Rev1.5 dated 19.06.07
Emergency warning and	BCA 2006 E4.9 & AS1670.4-2004, AS4428.4-
intercommunication system	2004 as varied by Alternative Solution Report
	prepared by Defire Ref. 20050098 Rev1.5 dated
	19.06.07
Exit signs	BCA 2006 E4.5, E4.6, E4.8 & AS/NZS2293.1-
	2005 & Alternative Solution Report prepared by
	Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire Control Centres and access to sprinkle	BCA 2006 E1.8 & Spec E1.8
valve and pump room	DCA 2006 C2 12 C2 15 9 AS/NI761660 4 4000
Fire dampers	BCA 2006 C3.12, C3.15 & AS/NZS1668.1-1998, AS1689.2 1001 AS1682.1 1000 AS1682.2 1000
	AS1668.2-1991, AS1682.1-1990, AS1682.2-1990
	& Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire doors	BCA 2006 Spec C3.4 & AS1905.1-2005 &
FILE UDOIS	UUM 2000 SPEC 00.4 & A01800.1-2000 &

	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire hydrant systems	BCA 2006 E1.3 & AS2419.1-2005 &
	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire seals protecting openings in fire	BCA 2006 C3.12, C3.15 & Spec C3.15 &
resisting components of the building	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire separation of equipment	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Fire Separation of tower B & D together ith basement carpark + podium level from buildings C, E, F, G, H + L - Horizontal fire separations - Vertical fire separations - Lift doors - Smoke guard containment system	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
External wall separation and protection of openings	
Gates within security fence in carpark	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Hose reel system	BCA 2006 E1.4 & AS2441-2005 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Lightweight construction	BCA 2006 C1.8 & Spec C1.8
Major stores (>1,000 m2) ventilation systems	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Make up air for retail smoke exhaust	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distance to single exit or point of choice	BCA 2006 Section D as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances in retail mall & major tenancies (>1,000 m2)	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Maximum travel distances for individual smaller tenancies (<1,000 m2)	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Mechanical air handling system	BCA 2006 E2.2, AS/NZS1668.1-1998 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Operation of louvers and doors within the rooflight/pavilion over the escalators to the plaza level and provision of an exit door within this area	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Portable fire extinguishers	BCA 2006 E1.6 & AS2444-2004
Population + Exit widths	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Power supply for retail smoke exhaust	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Retail ceiling heights	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Separation of escalators & lifts shops connecting carpark levels + retail levels	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
Smoke baffles between retail mall and	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07

.

Smoke baffles to Coles tenancy	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Smoke baffles to mini major	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Smoke control System	BCA 2006 E2.2, Spec E2.2b & AS1668.1 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Smoke dampers	BCA 2006 E2.2		
Smoke detectors and heat detectors	BCA 2006 E2.2, Spec E2.2a & AS1670.1-2004, AS3786-1993 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Smoke doors	BCA 2006 Spec C3.4		
Smoke exhaust for major tenancies	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Smoke exhaust system for retail	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Smoke seals + doors	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Smoke separation of retail tenancies	Alternative Solution Report prepared by Defire		
smaller than 1,000 m2	Ref. 20050098 Rev1.5 dated 19.06.07		
Stair pressurisation including stair F1 +	BCA 2006 E2.3, AS1668.1-2004 & Alternative		
Building G stair	Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Supply air shut down in retail	Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Vertical separation of openings in external	BCA2006 C2.6 & Alternative Solution Report		
walls Towers A, C, E, F, G & H	prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
Wall wetting sprinkler and drencher systems	BCA 2006 C3.4 & D1.7		
Warning and operational signs	EPA Regulation (reg 183), BCA 2006 E3.3 (lifts), D2.23 Signs on exit doors		
Zone smoke control system	BCA E2.2 & Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07		
	09/247/01-		

?

Complying Development Certificate Steve Watson Reg # BPB0432

### Proposed Fire Safety Schedule

1

ltem No.	Proposed Measure	Standard of performance.
1.	Automatic fire suppression systems (Sprinklers)	BCA2006 Specification E1.5 and AS 2118.1 – 1999 as varied by Alternative Solution Report prepared by Defire Ref. 20050098 Rev1.5 dated 19.06.07
2.	Emergency Lighting	BCA2008 Clause E4.2, E4.4 and AS 2293.1 - 2005
3.	Exit Signs	BCA2008 Clause E4.5, NSW E4.6, E4.8 and AS 2293.1 - 2005
4.	Fire seals protecting opening in fire resisting components of the building	BCA2008 Clause C3.15, Specification C3.15 and AS 1530.4 – 2005 and AS 4072.1 – 2005 and installed in accordance with the tested prototype.

		LEVY PAYMENT FORM
See reverse of form for instruction	Hore	FORM NO. OFFICE USE ONLY
		PLEASE PRINT ALL DETAILS USING CAPITALS
Surname (if person) or Company/Organisation name	DOWNSOUTHGROUP	PZ
Given names (if person)		
ABN (if applicable)	67124331657	
POSTAL ADDRESS No. and street or PO Box	1/13	
a) Al	STENNETT RO.	
Town/suburb	INGLEBURN	
State	NSW Postcode 2565 Bus. hours phot	ne 0296182811
PART B - ADDRESS OF BUIL	DING/CONSTRUCTION WORK	
Number and street	197-215	
	CONDAMINE ST.	
Town/suburb	BALGOWLAH	
State	NSW Postcode 2093	
Estimated start date	DCCMCYY2CCH Estimated finish dat	-
PART C - DETAILS OF WORK	- To be completed by consenting/certifying authority with w	hom plans lodged for approval
Local Council Area		
<sup>•</sup> DA/CC/CDC)No. Estimated value		
of work (see note on back)	\$,15,000.00 paya	
<sup>1</sup> If you have provided a CC abo	ve, please provide DA number here	
Signature of Officer/Private Cer		
Name of Officer/Private Certifie		
	completed by Dept/Authority where applicable – see	
Department/Authority		
Contract/DA No (circle which)		
Levy payable	s,,,, [0]0	
Contact person (Print)	Phone run	mailying Development warniton Steve Watson Reg # BPB0432
Contact person (Signature)		
	o be signed by person liable to pay levy or authorise ation provided on this form may result in prosecution under S	
I hereby declare that the infor	mation provided on this form is true and correct to the best	of my knowledge
Name ROLEN KOBE		ate D O Z M O Y Z D O 9
ana pendara denina desiranya mina dana dana dana kanya k	WHERE APPLICABLE - SECREVERSE	
Exemption Approval Certificate	No.	

Building and Construction Industry Long Service Payments Corporation, Locked Bag 3000, Central Coast MC NSW 2252 Tel: 13 14 41 Fax: (02) 9287 5685 Email: levy@lspc.nsw.gov.au www.lspc.nsw.gov.au ABN 93 646 090 808



Secura-CHEQUE 3 - SEE REVERSE

ł

2,00122109

### ENERGY EFFICIENCY (ARTIFICIAL LIGHTING AND POWER) - DESIGN CERTIFICATE

Project Name	Okaidi Kids
Project Address	Stockland - 197-215 Condamine Street, Balgowlah
Part of Building to be certified	Shop 08
	9. 204000

I hereby certify that:

a) the drawings and specifications have been designed in accordance with the nominated Standards of Performance.

Standards of Performance	
BCA2008 Part J6 and Specification J6	

#### 1. Total Wattage of all interior lighting

Note: Do not include display lighting. (See point 4)

Type of light (Fluorescent, halogen, incandescent)	Watts per light	Number of lights	Adjustment factor	Total Watts per light type
RECESSED HALOGEN	35	22		770
" HALOGEN	35	24		840
RAEL HOLOGEN	35	13		455
i( 11	70	4		280
Yr H	70	2		140
*	 	Total Watta	ge of all lighting	2485 W

Total floor area

110 m<sup>2</sup>

2. Please calculate the illumination power load for you fitout:

Total Wattage of all lighting	= illumination power load		
Total tenancy floor area	- Actual day induced and the anticidation induced and the actual of the	22.59	W/m²
Note! Your illumination power	load should not exceed 25W/m².		

3. Please nominate the type of lighting control device proposed in accordance with Clause J6.3 of the BCA:

Type of Device	Illumination power density adjustment factor	Tick applicable
Time switch (complying with Specification J6)	N/A	
Occupant sensing device (complying with Specification J6)	0.9	

If interior decorative or display lighting is to be utilised please specify the total Wattage: 4.

Total display lighting Wattage	12

20 13	250	W

Yes/No Please confirm display lighting is to be controlled separately from other artificial lighting

NO

Note If the display lighting Wattage exceeds 7000W then the display lighting must be controlled by a time switch complying with Specification J6.

b) I am a property qualified person and have a good working knowledge of the relevant codes and standards referenced above. (My qualifications and accreditations are listed below)

Relevant qualification	s and accre	ditations: Po	DOECT N	ANALER	+ TENAN	icy
Coonswa						,
	:					4
	10	141			90.	3
		in the second se	•			

The information contained in this statement is true and accurate to the best of my knowledge. C)

Name: LOBERT KOBECK	۵ 
COMPANY DOWN SOUTH CONSTRUCTION	S PTY LTD
Address: UNIT 2, 13 STE NINETT ROAD,	INKLEGUEN
Phone No. 96182811	Fax No

Keh

Signature

Date

# APPLICATION FOR COMPLYING DEVELOPMENT CERTIFICATE

 $\overline{}$ 

# **STEVE WATSON** & PARTNERS

BUILDING REGULATIONS CONSULTANTS AND CERTIFIERS FIRE SAFETY ENG NEERS

> LEVEL 5, 452 (EVT STREET, SYDNEY NSW 2000 TEL +6': 2 7283 6555 FAX +6': 2 7283 8500 Sydney@swpartners.con\*.au www.swpartners.con\*.au A8N 48 102 366 576

#### **PART 1** Application and Site Details Mr Mrs Miss Ms Other [ Applicant Plu BROUD Down Sould It is important that we are able to Surname (or Company): contact you if we need more Given names (or ABN): information. 1/13 STENNETT RD. Please give us as much detail as Address: possible. NSW INGLEBURN 2565 State: Post Code: 9618-2311 9618-2855 02 Fax: (02) Phone: ( 0417439919 E-mail: roger@ down South net au Mobile: Please ensure you sign the declaration in Part 3 of this application **Owner's Consent** Sumame (or Company): STOCKLANDS Every owner of the land must sign Given names (or ABN): this form. Address: If the owner is a company, an authorised director must sign the Post Code:\_\_\_\_\_ State: form. Phone: ( Fax: Where the works are being carried out in a strata titled building the E-mail: Mobile: consent of the Body Corporate must be provided. As owner of the land to which this application relates, I consent to this application. I also consent for SWP staff to enter the land to carry out inspections relating to this application. Signature(s): TACHED. Date: Without the owner's consent, we will not accept the application. This is a very strict requirement for all applications. If you are signing on the owner's behalf as the owner's legal representative, you must state the nature of your legal authority and attach documentary evidence (eg. Power of attorney, executor, trustee, company director, etc) Location of the Property SHUP DOB Address: CONDAMINE We need this to correctly identify the Ralgow lah 2093 State: Post Code: land. Real Property Description: 1DI 1102617 12 (eg. Lot/DP, etc) RECEIVED The real property description is mandatory, these details are shown on your rate notices, property deeds etc 0 6 APR 2009 STEVE WATSON

PART 2 Work description					
Proposed Complying Development	Use of land/building $\Box$ Erection of a building $\Box$ Subdivision of land/building $\Box$ Carrying out of work $\Box$ Demolition $\Box$ Other $\Box$ description(eg dwelling house): <u>ktralt - lakenal</u> <u>jutaut of</u> <u>Skup ODS for OKAIDI KIOS</u> .				
Estimated cost of work (inclusive of GST) Principal Contractors Details Required for all projects	s_115,000 Name: HENRY WOLF Address: 3 KAYLEE PL. GLENHAVEN NSW 2156 Contact Number: 0417-803-800				

### PART 3 Declaration

ALL THE DETAILS SOUGHT IN THE CHECKLIST MUST BE PROVIDED.

THE COMPLETED CHECKLIST MUST BE SUBMITTED WITH THIS APPLICATION. FAILURE TO PROVIDE THE REQUIRED DOCUMENTATION OF AN ACCEPTABLE STANDARD WILL RESULT IN YOUR APPLICATION BEING RETURNED.

Declaration	I apply for approval to carry out the development or works described in this application. I declare that all the information in the application and checklist is, to the best of my knowledge, true and correct.			
If the applicant is a company or strata title body corporate, a director or authorised delegate must sign this declaration.	I also understand that if the information is incomplete the application may be delayed or rejected or more information may be requested. I acknowledge that if the information provided is misleading any approval granted 'may be void'.			
STATED T	Signature: Reg. 16h Date: 2,4,09			
RECEIVED F				
STEVE WATSON				

### **PART 4 Checklist**

Where relevant, have you provided/completed the following:		Yes	Not Relevant
•	4 copies of plans, elevations and sections	I	
•	4 copies of specifications		2
•	List of any existing and proposed fire safety measures (Refer to the Fire Safety Schedule)	E	
•	Evidence of Home Building Act requirements satisfied		9
	Evidence that Long Service Levy has been paid	Ľ	
•	ABS schedule is completed		-
•	Owners consent	Ŀ,	-
•	Applicants signature	Ľ	-

### PART 5 Schedule to Application for a Construction Certificate

Please complete this schedule. The information will be sent to the Australian Bureau of Statistics.

#### All new buildings

Please complete the following:

- Number of storeys (including underground floors)
- Gross floor area of new building (m<sup>2</sup>)
- Gross site area (m<sup>2</sup>)

#### **Residential buildings only**

Please complete the following details on residential structures:

- Number of dwellings to be constructed
- Number of pre-existing dwellings on site
- Number of dwellings to be demolished
- Will the new dwelling(s) be attached to other new buildings?
- Will the new building(s) be attached to existing buildings?
- Does the site contain a dual occupancy? (NB dual occupancy = two dwellings on the same site)

#### Materials - residential buildings

Please indicate the materials to be used in the construction of the new building(s):

Walls	Code	Roof	2	Code	Floor	(	Code	Frame	C	ode
Brick (double)	11	Tiles		10	Concrete or slate		20	Timber		40
Brick (veneer)	12	Concrete or slate		20	Timber		40	Steel		60
Concrete or stone	20	Fibre cement		30	Other		80	Aluminium		70
Fibre cement	30	Steel		60	Not specified	$\Box$	90	Other		80
Timber	<u> </u>	Aluminium		70	i nite	12 .	1	Not specified		90
Curtain glass	50	Other		80	1 View	6		N.		
Steel	60	Not specified		90	No in a second	k ( / 1 L In −673	n v	$\mathcal{L}^{(1)}$		
Aluminium	70				AFCI			1-1		
Other	80				06 A	PR 2	009	μω		
Not specified	90	í			-1 n					
					CO SP	ARTN	ERS			

NP Yes 🗋 No  $\Box$ Yes 🗌 No Yes 🗌 No 

-NA-

### PART 6 Notes for Completing Application for a Complying Development

1. A description of the land to be developed can be given in the form of a map which contains details of the lot number, DP/MPS, vol/fol etc.

#### 2. A plan of the land must indicate:

- a) location, boundary dimensions, site area and north point of the land
- b) existing vegetation and trees on the land
- c) location and uses of existing buildings on the land
- d) existing levels of the land in relation to buildings and roads
- e) location and uses of buildings on sites adjoining the land
- 3. Plans or drawings describing the proposed development must indicate (where relevant):
  - a) the location of proposed new buildings or works (including extensions or additions to existing buildings or works) in relation to the land's boundaries and adjoining development
  - b) floor plans of proposed buildings showing layout, partitioning, room sizes and intended uses of each part of the building
  - c) elevations and sections showing proposed external finishes and heights
  - d) proposed finished levels of the land in relation to buildings and roads
  - e) building perspectives, where necessary to illustrate the proposed building
  - f) proposed parking arrangements, entry and exit points for vehicles, and provision for movement of vehicles within the site (including dimensions where appropriate)
  - g) proposed landscaping and treatment of the land (indicating plant types and their height and maturity)
  - h) proposed methods of draining the land.

#### 4. The following information must also accompany a Complying Development Certificate application for building work and change of building use. Building Work

In the case of an application for a Complying Development Certificate for building work.

- a) copies of compliance certificates relied upon
- b) four (4) copies of detailed plans and specifications
  - The plan for the building must be drawn to a suitable scale and consist of a general plan and a block plan. The general plan of the building is to:
  - show a plan of each floor section
  - · show a plan of each elevation of the building
  - · show the levels of the lowest floor and of any yard or unbuilt on area belonging to that floor and the levels of the adjacent ground
  - indicate the height, design, construction and provision for fire safety and fire resistance (if any).

Where the proposed building work involves any alteration or addition to, or rebuilding or, an existing building the general plan is to be coloured or otherwise marked to the satisfaction of the certifying authority to adequately distinguish the proposed alteration, addition or rebuilding. Where the proposed building work involves a modification to previously approved plans and specifications the general plans must be coloured or otherwise marked to the satisfaction of the certifying authority to adequately distinguish the modifications the general plans must be coloured or otherwise marked to the satisfaction of the certifying authority to adequately distinguish the modification. The specification is:

- to describe the construction and materials of which the building is to be built and the method of drainage, sewerage and water supply
- state whether the materials proposed to be used are new or second hand and give particulars of any second hand materials used
- c) where the application involves an alternative solution to meet the performance requirements of the BCA, the application must also be accompanied by:
  - details of the performance requirements that the alternative solution is intended to meet, and
  - details of the assessment methods used to establish compliance with those performance requirements
- d) if relevant, evidence of any accredited component, process or design sought to be relied upon

NB if an EPI provides that complying development must comply with the deemed to satisfy provisions of the BCA a CDC cannot authorise compliance with alternative solutions to the performance requirements corresponding to those deemed-to-satisfy provisions

- e) except in the case of a class 1a or class 10 building:
  - a list of any fire safety measures that are proposed to be implemented in the building or on the land on which the building is situated, and
  - if the application relates to a proposal to carry out any alteration or rebuilding of, or addition to, an existing building, a separate list of such of
    those measures as are currently implemented in the building or on the land on which the building is situated.
- The list must describe the extent, capability and basis of design of each of the measures concerned.

#### Change of Building Use

In the case of an application for a Complying Development Certificate for a change of building use (except for an application that, if granted, would authorise the building concerned being used as a class 1a or class 10 building):

- a list of any fire safety measures that are proposed to be implemented in the building or on the land on which the building is situated in connection with the proposed change of building use.
- a separate list of such of those measures as are currently implemented in the building or on the land on which the building is situated.

The list must describe the extent, capability and basis of design of each of those measures concerned.

- 5. Other information must indicate (where relevant):
  - a) in the case of shops, offices, commercial or industrial development:
    - details of hours of operation
    - plant and machinery to be installed
    - type, size and quantity of goods to be made, stored or transported, loading and unloading facilities
    - b) in the case of demolition:

c)

e)

- details of age and condition of buildings or works to be demolished
- in the case of advertisements:
  - details of the size, type, colour, materials and position of the sign board or structure on which the proposed advertisement is to be displayed
- d) in the case of development relating to an existing use:
  - details of the existing use
  - in the case of a development involving the erection of a building, work or demolition:
    - details of the methods of securing the site during the course of construction.

#### 6. Home Building Act Requirements

In the case of an application for a Complying Development Certificate for residential building work (within the meaning of the Home Building Act 1989) attach the following:

(a) in the case of work by a licensee under that Act:

- (i) a statement detailing the licensee's name and contractor licence number (If a licensed builder is carrying out the work provide a copy of the builder's Licence), and
- (ii) documentary evidence that the licensee has complied with the applicable requirements of the Act \*(a copy of the Certificate of Insurance for the project if the value of work is greater than \$5,000), or
- (b) in the case of work done by any other person:
- (i) a statement detailing the person's name and owner-builder permit number, (If the work is to be done by any other person provide a copy of the Owner Builders Permit) or
- (ii) a declaration signed by the owner of the land, to the effect that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act. (If the building work is less than \$12,000 provide a statement that states the proposed work is less than \$12,000)

\* A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 to the effect that a person is the holder of an insurance contract issued for the purposes of that Part, is sufficient evidence that the person has complied with the requirements of that Part.

#### 7. Long Service Levy

Under s 85A (10A) of the Environmental Planning and Assessment Act 1979 a Complying Development Certificate cannot be issued until any long service levy payable under section 34 of the Building and Construction Industry Long Service Payments Act 1986 (or where such a levy is payable by instalments, the first instalment of the levy) has been paid. The local council may be authorised to accept payment.

### PART 7 Privacy Policy

The information you provide in this application will enable your application to be assessed by certifying authority under the *Environmental Planning and* Assessment Act 1979. If the information is not provided, your application may not be accepted. The application can potentially be viewed by members of the public. Please contact the Council if the information you have provided in your application is incorrect or changes.

#### Stockland Retail

Level 25, 133 Castlereagh St Sydney NSW 2000

T 02 90352000 F 02 89882000

www.stockland.com.au



28/01/08

GPO Box 998 Sydney NSW 2001

Attn: Pacific leisure (Australia) Pty Ltd

Unit 3/ 44 Atkinson Road Taren Point NSW 2229

Re:Development Application and Construction Certificate for fitout<br/>works for the below premisesProperty:Stockland Balgowlah, 197-215 Condamine St, Balgowlah NSW<br/>Premises:Premises:Shop 8 Okaidi

This consent is to be read in conjunction with the attached Stockland stamped DA design approved drawings dated 23/1/09.

We refer to the attached application.

As owners of the above property, we consent to this Application and provide consent for authorised Council officers to enter the land to carry out inspections relating to this Application.

Executed on behalf of Trust Company of Australia Limited (ACN 004 027 749) in its capacity as custodian by WILL SMITH

for Stockland Trust Management Limited (ACN 001 900 741) under Power of Attorney Book 4429 No. 43 in the presence of:

Signature of witness Joel neveu-Collins

Name of witness Retail Design Manager

Occupation of witness

Level 25, 133 Castlereagh Street Sydney NSW 2000



By executing this document the attorney states that the attorney has received no notice of revocation of the power of attorney

1

Stockland Trust Management Ltd ABN 86 001 900 741, AFSL No. 241190.

As Responsible Entity for Stockland Trust (ARSN 092 897 348) and Macquarie Trust (ARSN 116 396 804).

Whole title | Parent Act | Historical versions | Historical notes | Search title

### Manly Local Environmental Plan 1988

Current version for 15 December 2008 to date (accessed 20 April 2009 at 14:39) Schedule 10 

### Schedule 10 Conditions of complying development certificates

(Clause 10A (4))

<< page >>

### General conditions applying to all complying development

### Compliance

1 Notification of all affected persons is required, in accordance with council's Notification DCP adopted 28/6/99, on the date of receipt of the Complying Development Certificate application.

### **Before Commencement**

- 2 Form 7 of the regulation (notice of commencement of work and appointment of Principal Certifying Officer, ie the PCA) must be submitted to Council 2 days prior of any work commencing.
- 3 Notify Council 2 days prior to that work commencing.

### Additional conditions applying to specific types of complying development

Category	Condition No	Condition	Type of complying development to which the condition applies (being a type identified by the following number in the Table to Schedule 9)
Access	4	Where a construction of a vehicular footpath Crossing is required, the design and construction shall be in accordance with Council's Policy. The crossing mus be completed prior to issue of the Occupation Certificate.	
	5	The existing surplus vehicular crossing and/or kerb layback shall be removed and the kerb and nature strip reinstated prior to issue of the Occupation Certificate.	1, 4, 6, 7, 8
	6	Any driveway within the property canno exceed 5% slope at any point.	t 1, 4, 6, 7, 8
Building Construction	7	Any retaining walls must be constructed in accordance with a structural engineer's details. Certification of compliance with the structural detail during construction must be submitted to the Principal Certifying Authority.	STEVE WATSON & PARTNERS

		All construction shall be strictly in accordance with the Reduced Levels (RLs) as shown on the certified plans. Certificates of compliance prepared by a registered surveyor, showing compliance with ground and finished ridge levels, must be submitted to the Principal Certifying Authority.	l, 4, 6	
	9		1, 2, 4, 7	
x	10	The floor surfaces of bathrooms, shower rooms, laundries and WC compartments are to be of an approved impervious material, properly graded and drained and waterproofed. Certification is to be provided to the Principal Certifying Authority from a licensed applicator prior to the fixing of any wall or floor tiles	1, 2, 4, 7, 8, 13	
	11	All materials and finishes of the proposed additions are to match, as closely as possible the material and finish of the existing building.	1	
	12	A suitable sub-surface drainage system must be provided adjacent to all excavated areas and such drains must be connected to an approved disposal system.	1, 4, 6, 10	
	13	Prior to excavation applicants must contact Sydney One Call Service to ascertain which utility services are underground in the proposed excavation.	1, 4, 6, 10	
	14	An adequate security fence, must be erected around the perimeter of the site prior to commencement of any excavation or construction works, and this fence must be maintained in a state of good repair and condition until completion of the building project.	1, 4, 6, 13	
Building Materials	15	All plumbing and drainage, including sewerage drainage stacks, ventilation stacks and water service pipes must be concealed within the building. Plumbing other than stormwater downpipes must not be attached to the external surfaces of the building.	1, 2, 4, 7	
Car Parking	16	An approved water interceptor must be provided across the driveway at the street boundary and all stormwater must be conveyed by underground pipe to Council's street gutter.	4, 6	
Drainage and Stormwater	17	Roofwater and surface stormwater from paved areas must be conveyed by pipeline to Council's street gutter.	1, 4, 6, 13	
	18	The width of inter-allotment drainage easements is no less than: (a) 1.0m for pipes up to 150mm, or	e 1, 4, 6	

•

-

-

-

.

.

L

-

			(b) 2.5m for pipes larger than 150mm	
			The easements must be free of encroachments and contain only a single pipeline.	
12		19	Where a concrete floor of any habitable room is laid directly on the ground, the floor must be adequately damp-proofed to prevent moisture entering the building.	1, 2, 4, 7, 8
]	Fencing	20	The details of the materials, size, height and design of all fences, including front, side and rear fences must be submitted to the Principal Certifying Authority prior to that stage of work being commenced.	4, 5, 6
2	Trees	21	A barrier or temporary fence must be erected around the existing street trees in front of the subject property to protect them from damage during construction.	1, 4, 6
		22	No existing street trees may be removed without Council approval. Where such approval is granted, the trees must be replaced at full cost by the applicant with super advanced trees of a species nominated by Council's relevant officer.	1, 3, 4, 9, 13
	Road Reserve	23	Where the driveway construction necessitates the removal of street planting, a replacement tree of the same species must be planted elsewhere on the lot frontage. Details must be provided with the application for a Construction	4, 6
	Lighting	24	Certificate Any ancillary light fittings fitted to the exterior of the building must be shielded or mounted in a position to minimise glare to adjoining properties.	1, 3, 4, 6, 7, 8, 9, 13
	Miscellaneous	25	Prior to the commencement of works on the land including demolition and site preparation, silt control fences must be provided. A Sediment/Erosion Control detail must be submitted to the Principal Certifying Authority.	1, 4, 6, 10
		26	All materials on site or being delivered to the site must be contained wholly within the site.	1, 2, 3, 4, 6, 7, 8, 13
		27	All site waters during excavation and construction must be contained on site to avoid pollutants entering into the Harbour or Council's stormwater drainage system.	1, 4, 6
		28	All demolition and excess construction materials are to be recycled wherever practicable.	1, 4
	Noise/Nuisance	29	Building or construction work must be confined to the hours between 7.00am to 6.00pm, Monday to Friday and 7.00am to 1.00pm, Saturday, with a total exclusion of such work on Public Holidays and Sundays.	1, 4, 6
		30	No sandwich boards or the like are to be placed on Council's footpath.	8

.

-

-

-

.

~

31	A durable termite protection notice must be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".	4
32	Written consent from Council shall be obtained and shall be in hand prior to any track-equipped plant being taken in or onto any roadway, kerb and gutter, footway, naturestrip, or other property under Council's control.	1, 4, 6, 13
33	All construction vehicles associated with the development must obtain a permit on a daily basis, for any access onto The Corso and Sydney Road Plazas.	1, 8
34	Delivery vehicles associated with the completed development are only permitted to drive, stand or park on The Corso and Sydney Road Plazas between the hours of 5am–11am Mondays to Fridays. Such access cannot be obtained on weekends or Public Holidays.	8
	32 33	<ul> <li>be permanently fixed to the building in a prominent location detailing the form of termite protection which has been used in accordance with Council's Code for the "Protection of Buildings Against Termite Attack".</li> <li>32 Written consent from Council shall be obtained and shall be in hand prior to any track-equipped plant being taken in or onto any roadway, kerb and gutter, footway, naturestrip, or other property under Council's control.</li> <li>33 All construction vehicles associated with the development must obtain a permit on a daily basis, for any access onto The Corso and Sydney Road Plazas.</li> <li>34 Delivery vehicles associated with the completed development are only permitted to drive, stand or park on The Corso and Sydney Road Plazas between the hours of 5am-1 1am Mondays to Fridays. Such access cannot be obtained</li> </ul>

•

----r-----u

U

~

.

Top of page