BASIX[™]Certificate

Building Sustainability Index www.planningportal.nsw.gov.au/development-and-assessment/basix

Multi Dwelling

Certificate number: 1376303M_05

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.planningportal.nsw.gov.au/definitions

This certificate is a revision of certificate number 1376303M_03 submitted to the consent authority or certifier on 16 December 2023 with application PAN-399693.

It is the responsibility of the applicant to verify with the consent authority that the original, or any revised certificate, complies with the requirements of Schedule 1 Clause 2A, 4A or 6A of the Environment Planning and Assessment Regulation 2000

Secretary

Date of issue: Thursday, 19 June 2025

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



When submitting this BASIX certificate with a development application or complying development certificate application, it must be accompanied by NatHERS certificate ZCDCDPH0JG.

Project summary				
Project name	54-60 BEACONSFIELD STREET_()5		
Street address	54 BEACONSFIELD STREET NEW	/PORT 2106		
Local Government Area	NORTHERN BEACHES			
Plan type and plan number	Deposited Plan 162021			
Lot No.	7B			
Section no.	-			
No. of residential flat buildings	1			
Residential flat buildings: no. of dwellings	13			
Multi-dwelling housing: no. of dwellings	0			
No. of single dwelling houses	0			
Project score				
Water	40	Target 40		
Thermal Performance	V Pass	Target Pass		
Energy	67	Target 67		
Materials	-100	Target n/a		

Certificate Prepared by			
Name / Company Name: E-LAB Consulting			
ABN (if applicable):			

page 1/19

Description of project

Project address

Project name	54-60 BEACONSFIELD STREET_05
Street address	54 BEACONSFIELD STREET NEWPORT 2106
Local Government Area	NORTHERN BEACHES
Plan type and plan number	Deposited Plan 162021
Lot No.	7B
Section no.	-
Project type	
No. of residential flat buildings	1
Residential flat buildings: no. of dwellings	13
Multi-dwelling housing: no. of dwellings	0
No. of single dwelling houses	0
Site details	
Site area (m²)	2115
Roof area (m ²)	460
Non-residential floor area (m ²)	0
Residential car spaces	26
Non-residential car spaces	4

Common area landscape 390.86 Common area lawn (m²) Common area garden (m²) 0 Area of indigenous or low water use 0 species (m²) Assessor details and thermal loads 20/1972 Assessor number ZCDCDPH0JG Certificate number Climate zone 56 **Project score** Water 40 Target 40 **Thermal Performance** Target Pass 4 Pass Energy 67 Target 67 Materials -100 Target n/a

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - Building, 13 dwellings, 3 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)		Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor
101	3	131	0	58.97	0		102	3	132	0	87.76	0	103	3	154	0
105	3	161	0	46.38	0		201	3	131	0	1.3	0	202	3	128	0
204	3	159	0	9	0		205	3	161	0	9	0	G01	3	144	0
G03	3	138	0	27.21	0]										

BASIX	Department of Planning, Housing and	www.basix.nsw.gov.au	Version: 4.03 / EUCALYPTUS_03_01_0	Certificate No.: 1376303M_05	Thursday, 19 June 2025	page 3/19
	Infrastructure					

ecies

Indigenous spe (min area m²)

conditioned floor ഃa (m²)

0

0

0

onditioned floor ea (m²)

S

3 162

3 154

3 150

No. of bedrooms

Dwelling no.

104

203

G02

rea of garden & wn (m²)

24.79 0

55.27 0

0

1.3

Indigenous species (min area m²)

0

0

0

। of garden & । (m²)

8.52

1.3

58.97

ea (m²)

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - Building

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Gym	50.88	Fire Pump room	29.12	Garbage rooms (Baulk and General)	6.91
Fire Stairs - Residential	12.87	Storage Rooms	151.62		

Common areas of the development (non-building specific)

Common area	Floor area (m²)	Common area	Floor area (m²)
Undercover car park area	1046.7	Fire Stairs - Basement	22.85

Schedule of BASIX commitments

1. Commitments for Residential flat buildings - Building

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(a) Buildings 'Other'

(i) Materials

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - Building

(a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			>
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		>	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			~

Floor types					
Floor type	Area (m2)	Insulation	Low emissions option		
suspended floor above enclosed subfloor, frame: suspended concrete slab	2000	fibreglass batts or roll	none		
concrete slab on ground, frame:	1054	-	none		

External wall types					
External wall type	Construction type	Area (m2)	Low emissions option	Insulation	
External wall type 1	concrete block/ plasterboard,frame:light steel frame	600	none	fibreglass batts or roll	
External wall type 2	framed (metal clad),frame:light steel frame	1400	-	fibreglass batts or roll	

Internal wall types					
Internal wall type	Construction type	Area (m2)	Insulation		
Internal wall type 1	plasterboard, frame:light steel frame	1764	-		
Internal wall type 2	plasterboard, frame:light steel frame	380	fibreglass batts or roll		

Reinforcement concrete frames/columns				
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option		
-	-	-		

	Ceiling and roof types						
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation				
concrete - plasterboard internal, frame: no frame	740	foil/sarking	fibreglass batts or roll				

Glazing types			Frame types					
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)	
490	0	0	490	0	0	0	0	

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		~	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	>	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	>	v	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

			Fixture	es		Appli	ances		Indivi	dual pool		I	ndividual spa	a
Dwelling no.	All shower- heads	All toilet flushing systems	kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	4 star (> 4.5 but <= 6 L/min)	4 star	6 star	6 star	-	not specified	4.5 star	-	-	-	-	-	-	-

BASIX Department of Planning, Housing and Infrastructure

			Altern	ative water sou	irce					
Owelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		undry onnection	Pool top- up	Spa top-up
ll dwellings	dwellingsCentral water tank (No. 1)See central systemsSee central systemsyesnono								no	no
ii) Energy							Show o DA plar		w on CC/CDC s & specs	Certifier check
b) The applica supplied by	ant must install each hot wat / that system. If the table spe	er system specifie ecifies a central h	below in carrying out the developme ed for the dwelling in the table below ot water system for the dwelling, the water is supplied by that central sys	v, so that the dw	elling's hot wate	er is	>		~	~
 (c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table. 									v	~
headings o cooling or l such areas	of the "Cooling" and "Heating heating system is specified in	" columns in the t n the table for "Liv	n/s specified for the dwelling under able below, in/for at least 1 living/be ving areas" or "Bedroom areas", the conditioning system, then the syste	edroom area of t n no systems ma	he dwelling. If n ay be installed i	o n any			~	~
the table be lighting" for specified fo	elow (but only to the extent s r each such room in the dwe	specified for that r lling is fluorescen then the light fittir	elling which is referred to in a head oom or area). The applicant must e t lighting or light emitting diode (LEI ligs in that room or area must only b	nsure that the "p D) lighting. If the	orimary type of a term "dedicated	artificial d" is			~	~
the table b			elling which is referred to in a headin oom or area). The applicant must e				~		×	~
g) This comm	itment applies if the applicar	nt installs a water	heating system for the dwelling's po	ol or spa. The a	applicant must:					
			dividual Pool" column of the table b ant must install a timer, to control th			nstall			~	
			dividual Spa" column of the table be ant must install a timer to control the		vely must not in	stall			~	
h) The applica	ant must install in the dwellin	g:						Ì		
	e kitchen cook-top and oven	appaified for that	ducalling in the "Applicance 8 other			the				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		~	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		~	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	electric instantaneous	individual fan, ducted to façade or roof	<u> </u>	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	interlocked to light	

	Coc	bling	Hea	ting	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
All dwellings	1-phase airconditioning - ducted / EER 3.0 - 3.5	1-phase airconditioning - ducted / EER 3.0 - 3.5	1-phase airconditioning - ducted / EER 3.5 - 4.0	1-phase airconditioning - ducted / EER 3.5 - 4.0	0	no	

	Individual pool		Individual sp	Da	Appliances other efficiency measures					
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-		gas cooktop & electric oven	4.5 star	7.5 star	no	no

page 10/19

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	~	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

	Thermal loads						
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)				
101	29.1	8.6	37.700				
102	6.6	8.1	14.700				
103	19.7	8.3	28.000				
104	13.1	6.2	19.300				

		Thermal loads							
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)						
105	15.1	10.1	25.200						
201	28.5	17.9	46.400						
202	9.9	16.7	26.600						
203	21.2	17.1	38.300						
204	19.4	15	34.400						
205	16.4	20.4	36.800						
G01	23.1	7.4	30.500						
G02	21.3	3.7	25.000						
All other dwellings	28.3	9.3	37.600						

(c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	>	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	•	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		>	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	no common facility	no common facility	no common laundry facility
areas				

Central systems	Size	Configuration	Connection (to allow for)
Central water tank - rainwater or stormwater (No. 1)	10000	To collect run-off from at least: - 460 square metres of roof area of buildings in the development - 0 square metres of impervious area in the development - 0 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	 irrigation of 390 square metres of common landscaped area on the site car washing in 1 car washing bays on the site
Fire sprinkler system (No. 1)	-	So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.	-
Fire sprinkler system (No. 2)	-	So that fire sprinkler test water is contained within the fire sprinkler system for re-use, rather than disposed.	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	~

	Common area	entilation system	Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS
Lift bank (No. 1)	-	-	light-emitting diode	connected to lift call button	no
Lift bank (No. 2)	-	-	light-emitting diode	connected to lift call button	no
Gym	air conditioning system	time clock or BMS controlled	light-emitting diode	manual on / manual off	no
Fire Pump room	ventilation supply only	thermostatically controlled	light-emitting diode	motion sensors	no
Garbage rooms (Baulk and General)	ventilation exhaust only	-	light-emitting diode	motion sensors	no
Fire Stairs - Residential	no mechanical ventilation	-	light-emitting diode	motion sensors	no
Storage Rooms	no mechanical ventilation	-	light-emitting diode	motion sensors	no
Hallway/lobby Areas	no mechanical ventilation	-	light-emitting diode	zoned switching with motion sensor	no

Central energy systems	Туре	Specification
Lift bank (No. 1)	gearless traction with V V V F motor and regenerative drive	Number of levels (including basement): 3 number of levels from the bottom of the lift shaft to the top of the lift shaft: 5 number of lifts: 1 lift load capacity: >= 1001 kg but <= 1500kg
Lift bank (No. 2)	gearless traction with V V V F motor and regenerative drive	Number of levels (including basement): 3 number of levels from the bottom of the lift shaft to the top of the lift shaft: 5 number of lifts: 1 lift load capacity: >= 1001 kg but <= 1500kg

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(a) Buildings 'Other'

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			~
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		~	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			~

Floor types					
Floor type	Area (m2)	Insulation	Low emissions option		
garage floor, frame: concrete slab on ground	1069.55	-	-		

External wall types						
External wall type	Construction type	Area (m2)	Low emissions option	Insulation		
External wall type 1	concrete block/ plasterboard,frame:light steel frame	1000	-	-		

	Internal wall types						
	Internal wall type Construction type Area (m2) Insulation						
	-	-		-		-	
Reinforcement concrete frames/columns							
	Building has reinforced concrete frame/columns? Volume (m ³)				Low emissio	ns option	
					-		

Department of Planning, Housing and BASIX Infrastructure

page 15/19

Ceiling and roof types					
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation		
-	-	-			

Glazing types			Frame types				
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m ²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)
-	-	-	-	-	-	-	-

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		<	~
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	•	>	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	•	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	>
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	>
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	>	~	>

	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS
Undercover car park area	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	light-emitting diode	zoned switching with motion sensor	no
Fire Stairs - Basement	no mechanical ventilation	-	light-emitting diode	motion sensors	no

Central energy systems	Туре	Specification
Alternative energy supply	Photovoltaic system	Rated electrical output (min): 20 peak kW
Other	-	-

Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

- 1. Commitments identified with a " 🕊 " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a "V" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).