



FLOOD RISK MANAGEMENT PLAN

15 October 2025

23 Bennett Street
Curl Curl

Tertiary text if needed to explain copyright or legals.
© 2023 ACN: 1234567 ABN: 1234567 Lic. No

We acknowledge the Guringai people of the land of the Garigal, upon those ancestral lands we work & live. We acknowledge the Traditional Custodians as the first place makers on this land. We pay our respects to Elders past and present, acknowledging them as the Traditional Custodians of knowledge of these lands, waterways and Country.



CONTENTS

1.0 INTRODUCTION	4
2.0 SITE DESCRIPTION	4
2.1 PROPOSED WORKS	5
3.0 FLOOD EVENTS	5
3.1 FORECASTS AND WARNINGS	5
3.2 FLOOD DATA FOR THE SITE	5
3.3 FLOOD BEHAVIOUR	6
4.0 EMERGENCY RESPONSE	6
4.1 THE EMERGENCY TRIGGER	6
4.2 TIME NEEDED TO RESPOND	6
4.3 THE EMERGENCY ASSEMBLY POINT	7
5.0 OWNER RESPONSIBILITIES	7
5.1 BEFORE THE FLOOD	7
5.2 WHEN A FLOOD IS LIKELY	7
5.3 DURING A FLOOD	8
5.4 AFTER A FLOOD	8
6.0 FLOOD COMPLIANCE	9
6.1 SPECIFIC CONTROLS	9
7.0 SUMMARY	16

APPENDICES

Appendix A:	Locality Map
Appendix B:	Site Survey & Architectural Details
Appendix C:	Council Flood Information and Map
Appendix D:	Flood Sign
Appendix E:	Flood Actions Checklist
Appendix F:	Emergency Contacts List
Appendix G:	Flood Compatible Materials and Building Components

1.0 INTRODUCTION

23 Bennett Street, Curl Curl is identified by Northern Beaches Council as being flood affected for the 1 in 100 year and Probable Maximum Precipitation (PMP) storm events. This document details the measures to be taken to ensure that the risks to both the proposed dwelling and occupants are managed and minimised in accordance with Part E11 of the Warringah Development Control Plan 2011.

It is the intention of the author that copies of this plan are kept on site by The Owner where it can be produced for action in case of a significant storm event.

It is also intended that the emergency response signage be fixed to a wall in a clearly visible location. The Owner will ultimately be responsible for the implementation of this plan. The Owner will also be responsible for ensuring tasks are undertaken (or the delegation of those tasks) for major flood events.

The technical data referred to in this Section is drawn from the Greendale Creek Flood Study 2023, WMAwater

2.0 SITE DESCRIPTION

The site is located in the suburb of Curl Curl and is situated approximately 300m to the south of the Greendale Creek foreshore. A site locality map is included in Appendix A.

The site covers 557.2m² in area which grades very slightly from the (front) southern to the (rear) northern boundaries. The site currently contains an existing double storey dwelling. The original section of the existing dwelling is constructed in masonry and timber framing and is thought to be approximately 50 years of age.

2.1 PROPOSED WORKS

The proposed works could be summarised as:

- Alterations to the ground floor layout
- Alteration to the existing first floor layout
- Additions to the existing first floor level
- A new carport

Architectural plans for the proposed works are attached in Appendix B as is a detailed survey plan of the site.

3.0 FLOOD EVENTS

The site is identified as being flood affected for the 1 in 100 year and Probable Maximum Precipitation (PMP) storm events and maps illustrating subsequent flood hazard extents for the site are contained within Appendix C.

3.1 FORECASTS AND WARNINGS

There are usually no specific warnings issued by the Bureau of Meteorology for Curl Curl and as such the monitoring of general warnings for the Sydney metropolitan area with respect to severe weather warnings will be critical in the process of managing risks to the site.

The Bureau of Meteorology website (www.bom.gov.au) has rainfall forecast maps and also any warnings for predicted severe weather events.

The Owner should have their mobile phone number added to the SES contact list for the issue of SMS alerts for severe weather warnings.

3.2 FLOOD DATA FOR THE SITE

The site is categorised by the Greendale Creek Flood Study 2023 as being affected by the 1 in 100 year and Probable Maximum Flood (PMF) events. A summary of Council flood information for the site is as follows:

- Flood Risk Precinct: Low - Medium
- 1 in 100 year Flood Level: 5.25 m A.H.D.
- Maximum Flood Planning Level (FPL): 5.75m A.H.D.

- Existing dwelling ground floor level: 5.71m A.H.D.
- Probable Maximum Flood level (PMF): 5.73m A.H.D.

Note that the Council issued flood data for the site is contained within Appendix C.

3.3 FLOOD BEHAVIOUR

In a major flood event, the site can expect to experience inundation at the northern (rear) boundary from overflow of the Greendale Creek, Curl Curl lagoon.

It is expected that a major flood event would typically be an event where flood waters of relatively low velocity would rise and fall over in the dwelling.

4.0 EMERGENCY RESPONSE

This Flood Risk Management Plan recognises that protection of life is of primary importance, followed by a secondary philosophy of attempting to minimise damage to the proposed dwellings on the site.

The emergency response to a potential flood event will be initiated upon the occurrence of certain 'trigger' threshold, upon which the emergency response plan will be actioned.

4.1 THE EMERGENCY TRIGGER

It is critical to the success of this plan that during extremely heavy and intense rainfall events The Owners are able to closely monitor the drainage conditions in Greendale Creek, Curl Curl Lagoon and also the northern portion of the site.

The initial trigger for commencement of the emergency response plan follows the observation of stormwater beginning to inundate the Curl Curl lagoon or stormwater beginning to pond behind the northern boundary of the dwelling following extremely heavy and intense rainfall events.

Upon the visual confirmation of this trigger event the emergency responses described in Section 5 are to be enacted.

4.2 TIME NEEDED TO RESPOND

It is considered that a total period of 15 minutes would be required for The Owner to turn off the relevant mains, services and ensure that all persons within the premises have been notified and are located to the nominated emergency assembly point.

4.3 THE EMERGENCY ASSEMBLY POINT

The emergency response to a flood event is to evacuate the site to a safe pre-determined location.

An emergency response sign illustrating the emergency procedure for the site in a significant flood event is provided in Appendix D.

5.0 OWNER RESPONSIBILITIES

The following section describes the on-going responsibilities of The Owner with respect to flood risk management.

5.1 BEFORE THE FLOOD

Trigger For Action: Always

- The Owner will ultimately be responsible for the implementation of this plan. The Owner will be responsible for ensuring tasks are undertaken or delegating those tasks;
- Through a systematic induction process, all occupants are to be made aware of the possibility of flooding and the procedures to be followed if a flood were to occur;
- A copy of this plan is to be provided to all occupants, together with an Actions Checklist (Appendix E) and a single page notice (Appendix D);
- The Owner should continue to develop detailed procedures to support the actions required by this plan. Procedures will include clear responsibilities in the event of a flood, and back up resources should key persons not be present;

5.2 WHEN A FLOOD IS LIKELY

Trigger for action: When the forecasts predict severe weather or significant amounts of rainfall (land is saturated) are observed

- The Owner will monitor weather forecasts and warnings; and
- The Owner to enact the emergency response plan
- The Owner should prepare for the emergency assembly to the nominated point.

5.3 DURING A FLOOD

Trigger for action: When floodwater has inundated the Greendale Creek, Curl Curl Lagoon &/or the northern portion of the site:

- The phases of the emergency response shall be:
- ☐ The Owner is to request all occupants to evacuate to the emergency assembly area in the upper levels of the primary dwelling.
- ☐ Follow direction of emergency services including state emergency service.
- ☐ All occupants should be at the emergency assembly area by the time the flood waters start to significantly inundate the site.
- ☐ The Owner is to sweep the premises following emergency response to ensure that all occupants have sought refuge to the emergency assembly area.
- ☐ The Owner is to turn off all power and water and other relevant services.
- ☐ The Owner is to retreat to the emergency assembly area.
- ☐ Emergency services to be notified by The Owner of the situation at the site (Appendix F).

5.4 AFTER A FLOOD

Trigger for action: When emergency services give the all clear to return:

- No occupants should be allowed to leave the site while flooding is occurring or has recently occurred;
- Occupants can enter the site only after the all clear has been given by emergency services or Council;
- Where necessary, the site is to be checked by professionals before any re-use of the site;
- Where possible the Owner are to organise the safe removal of any flood debris from the site;
- The Owner is to arrange an inspection of the sub-floor area under the building and remove any flood debris if required.

- A de-brief is to be held between the occupants and The Owner and may involve emergency services and/or council staff. The flood event and response procedures, including the use of this plan, are to be reviewed; and
- Changes may be made to the plan and the requirements for future emergency evacuations should be reviewed and identify any improvements which may be necessary.

6.0 FLOOD COMPLIANCE

It is proposed to develop the site such that the objectives of Council's Flood Risk Management Policy are met.

6.1 SPECIFIC CONTROLS

Part E11 of the Warringah DCP 2011 controls are to be applied to the proposed development:

Medium Flood Risk Matrix – Residential Category

		Medium Flood Risk Precinct				
		Vulnerable & Critical Use	Residential Use	Business & Industrial Use	Recreational & Environmental Use	Subdivision & Civil Works
A	Flood effects caused by Development	A1 A2	A1 A2	A1 A2	A1 A2	A1 A2
B	Building Components & Structural	B1 B2 B3	B1 B2 B3	B1 B2 B3	B1 B2 B3	
C	Floor Levels	C2 C3	C1 C3 C4 C6	C1 C3 C4 C6 C7	C3	C5
D	Car Parking	D1 D2 D3 D4 D7	D1 D2 D3 D4 D5 D6	D1 D2 D3 D4 D5 D6	D1 D2 D3 D4 D5 D6	D1
E	Emergency Response	E1 E2	E1	E1	E1	E3
F	Fencing	F1	F1	F1	F1	F1
G	Storage of Goods	G1	G1	G1	G1	
H	Pools	H1	H1	H1	H1	H1

Flood Effects Caused By Development

A1 – Development shall not be approved unless it can be demonstrated in a Flood Management Report that it has been designed and can be constructed so that in all events up to the 1% AEP event:

- (a) There are no adverse impacts on flood levels or velocities caused by alterations to the flood conveyance; and**
- (b) There are no adverse impacts on surrounding properties; and**
- (c) It is sited to minimise exposure to flood hazard.**

Major developments and developments likely to have a significant impact on the PMF flood regime will need to demonstrate that there are no adverse impacts in the Probable Maximum Flood.

Outcome – The provisions of this Flood Risk Management Report demonstrate that the flood risks have been adequately addressed in accordance with the provisions of the *Flood Prone Land Design Standard*.

A2 – Development shall not be approved unless it can be demonstrated in a Flood Management Report that in all events up to the 1% AEP event there is no net loss of flood storage.

Consideration may be given for exempting the volume of standard piers from flood storage calculations.

If Compensatory Works are proposed to balance the loss of flood storage from the development, the Flood Management Report shall include detailed calculations to demonstrate how this is achieved.

Outcome – There are no significant ground level works external to the existing dwelling that will reduce the site's flood storage.

The proposed carport will be constructed outside the 1% AEP flood extents, so it will not reduce the site's flood storage.

Building Components and Structural Soundness

B1 - All buildings shall be designed and constructed with flood compatible materials in accordance with “Reducing Vulnerability of Buildings to Flood Damage: Guidance on Building in Flood Prone Areas”, Hawkesbury-Nepean Floodplain Management Steering Committee (2006).

Outcome – All new building elements below the Flood Planning Level of R.L. 5.75 m A.H.D. shall be constructed from flood compatible materials.

A table of equivalent flood compatible materials is contained within Appendix G.

B2 – All new development must be designed and constructed to ensure structural integrity up to the Flood Planning Level, taking into account the forces of floodwater, wave action, flowing water with debris, buoyancy and immersion. Where shelter-in-place refuge is required, the structural integrity for the refuge is to be up to the Probable Maximum Flood level. Structural certification shall be provided confirming the above.

Outcome – All new building elements are to be designed, constructed and/or modified to ensure structural integrity or immersion and impact of velocity and debris up to the level of the Maximum Flood Planning Level of R.L. 5.75 m A.H.D.

B3 – All new electrical equipment, power points, wiring, fuel lines, sewerage systems or any other service pipes and connections must be waterproofed and/or located above the Flood Planning Level.

All existing electrical equipment and power points located below the Flood Planning Level must have residual current devices installed that turn off all electricity supply to the property when flood waters are detected.

Outcome – All new electrical equipment, wiring, fuel lines and any other service pipes and connections are to be waterproofed to the Flood Planning Level.

All existing electrical equipment and power points located below the Flood Planning Level will have residual current devices installed that turn off all electricity supply to the property when flood waters are detected.

Floor Levels

C1 – New floor levels within the development shall be at or above the Flood Planning Level.

Outcome – Complies as no new habitable floor levels are proposed under this development, with the new habitable floor areas being an extension of the existing ground floor dwelling and further in locations outside of the 1% AEP flood event.

All works associated with the proposed alterations will be in accordance with Council's requirements for 'Building Components and Structural Soundness' as previously described in this report.

C3 – All new development must be designed and constructed so as not to impede the floodway or flood conveyance on the site, as well as ensuring no net loss of flood storage in all events up to the 1% AEP event.

For suspended pier/pile footings:

- a) The underfloor area of the dwelling below the 1% AEP flood level is to be designed and constructed to allow clear passage of floodwaters, taking into account the potential for small openings to block; and***
- b) At least 50% of the perimeter of the underfloor area is of an open design from the natural ground level up to the 1% AEP flood level; and***
- c) No solid areas of the perimeter of the underfloor area would be permitted in a floodway***

Outcome – The proposed works are not situated in an existing flood conveyance area and hence the existing flow regime will not be affected.

C4 – A one-off addition or alteration below the Flood Planning Level of less than 30 square metres (in total, including walls) may be considered only where:

- a) it is an extension to an existing room; and***
- b) the Flood Planning Level is incompatible with the floor levels of the existing room; and***
- c) out of the 30 square metres, not more than 10 square metres is below the 1% AEP flood level.***

This control will not be permitted if this provision has previously been utilised since the making of this Plan.

The structure must be floodproofed to the Flood Planning Level, and the Flood Management Report must demonstrate that there is no net loss of flood storage in all events up to the 1% AEP event.

Outcome – Complies as the ground floor addition area of 30m² is outside of the 1% AEP flood event.

All new building elements below the FPL of R.L. 5.75m A.H.D. shall be constructed from flood compatible materials.

All new works are to be in accordance with Council's requirements for 'Building Components and Structural Soundness' as previously described in this report.

There is no net loss of flood storage in all events up to the 1% AEP event.

C6 – Consideration may be given to the retention of an existing floor level below the Flood Planning Level when undertaking a first floor addition provided that:

- a) it is not located within a floodway; and**
- b) the original foundations are sufficient to support the proposed final structure above them. The Flood Management Report must include photos and the structural certification required as per Control B2 must consider whether the existing foundations are adequate or should be replaced; and**
- c) none of the structural supports/framing of existing external walls of are to be removed unless the building is to be extended in that location; and**
- d) the ground floor is floodproofed.**

Outcome – The proposed works will not be located within a floodway. There will be no increase in building footprint below the Flood Planning Level. The existing dwelling is to be flood proofed to the Flood Planning Level.

Car Parking

D1 - Open carpark areas and carports shall not be located within a floodway.

Outcome – Complies as the new carport is to be located in an area which is not considered to be a floodway.

D2 – The lowest floor level of open car parks and carports shall be constructed no lower than the natural ground levels, unless it can be shown that the car park or carport is free draining with a grade greater than 1% and that flood depths are not increased.

Outcome – Complies as the new carport is to be constructed at the existing ground level and further outside of the 1% AEP flood event.

D3 – Carports must be of open design, with at least 2 sides completely open such that flow is not obstructed up to the 1% AEP flood level. Otherwise, it will be considered to be enclosed.

When undertaking a like-for-like replacement and the existing garage/carport is located on the street boundary and ramping is infeasible, consideration may be given for dry floodproofing up to the 1% AEP flood level.

Outcome – Complies as the new carport is outside of the 1% AEP flood event.

D4 – Where there is more than 300mm depth of flooding in a car park or carport during a 1% AEP flood event, vehicle barriers or restraints are to be provided to prevent floating vehicles leaving the site. Protection must be provided for all events up to the 1% AEP flood event

Outcome – Complies as the new carport is outside of the 1% AEP flood event.

D5 - Enclosed Garages must be located at or above the 1% AEP level

Outcome – Complies as no enclosed garage is proposed.

D6 - All enclosed car parks (including basement car parks) must be protected from inundation up to the Flood Planning Level. All access, ventilation, driveway crests and any other potential water entry points to any enclosed car parking shall be above the Flood Planning Level.

Where a driveway is required to be raised it must be demonstrated that there is no net loss to available flood storage in any event up to the 1% AEP flood event and no impact on flood conveyance through the site.

Council will not accept any options that rely on electrical, mechanical or manual exclusion of the floodwaters from entering the enclosed car park

Outcome – Complies as the new carport is outside of the 1% AEP flood event.

All new works are to be in accordance with Council's requirements for 'Building Components and Structural Soundness' as previously described in this report.

There is no net loss of flood storage in all events up to the 1% AEP event.

Flood Emergency Response

E1 – If the property is affected by a Flood Life Hazard Category of H3 or higher, then Control E1 applies and a Flood Emergency Assessment must be included in the Flood Management Report.

If the property is affected by a Flood Life Hazard Category of H6, then development is not permitted unless it can be demonstrated to the satisfaction of the consent authority that the risk level on the property is or can be reduced to a level below H6 or its equivalent.

If the property is flood affected but the Flood Life Hazard Category has not been mapped by Council, then calculations for its determination must be shown in the Flood Management Report, in accordance with the "Technical Flood Risk Management Guideline: Flood Hazard", Australian Institute for Disaster Resilience (2012).

Where flood-free evacuation above the Probable Maximum Flood level is not possible, new development must provide a shelter-in-place refuge where:

a) The floor level is at or above the Probable Maximum Flood level; and

- b) The floor space provides at least 2m² per person where the flood duration is long (6 or more hours) in the Probable Maximum Flood event, or 1m² per person for less than 6 hours;**
- c) It is intrinsically accessible to all people on the site, plainly evident, and self-directing, with sufficient capacity of access routes for all occupants without reliance on an elevator; and**
- d) It must contain as a minimum: sufficient clean water for all occupants; portable radio with spare batteries; torch with spare batteries; and a first aid kit**

Class 10 classified buildings and structures (as defined in the Building Codes of Australia) are excluded from this control.

In the case of change of use or internal alterations to an existing building, a variation to this control may be considered if justified appropriately by a suitably qualified professional.

Note that in the event of a flood, occupants would be required to evacuate if ordered by Emergency Services personnel regardless of the availability of a shelter-in-place refuge.

Outcome – It is proposed that if the site experiences a 1 in 100-year event the occupants are to evacuate the site out through the carport to the south for the duration of significant flood events, following the direction of Emergency Services. Refer to Appendix D for evacuation of the site.

Fencing

F1 - Fencing, (including pool fencing, boundary fencing, balcony balustrades and accessway balustrades) shall be designed so as not to impede the flow of flood waters and not to increase flood affectation on surrounding land. At least 50% of the fence must be of an open design from the natural ground level up to the 1% AEP flood level. Less than 50% of the perimeter fence would be permitted to be solid. Openings should be a minimum of 75 mm x 75mm.

Outcome – No new fence elements are proposed.

Storage of Goods

G1 – Hazardous or potentially polluting materials shall not be stored below the Flood Planning Level unless adequately protected from floodwaters in accordance with industry standards.

Outcome – The Owner is to ensure storage of toxic or potentially polluting goods, materials or other products, which may be hazardous or pollute floodwaters, will not be permitted below the Flood Planning Level.

Pools

H1 - Pools located within the 1% AEP flood extent are to be in-ground, with coping flush with natural ground level. Where it is not possible to have pool coping flush with natural ground level, it must be demonstrated that the development will result in no net loss of flood storage and no impact on flood conveyance on or from the site.

All electrical equipment associated with the pool (including pool pumps) is to be waterproofed and/or located at or above the Flood Planning Level.

All chemicals associated with the pool are to be stored at or above the Flood Planning Level.

Outcome – No new pool is proposed

7.0 SUMMARY

This report is a plan for the site for major flood events to be incorporated by The Owner into the ongoing management protocols for the site to manage the flood risks.

The report contains procedural information to ensure the safety of occupants during flood events and also to ensure the satisfactory performance of any new building elements.

The recommendations and strategies within this report ensure compliance with Warringah DCP Section Part E11 Flood Prone Land.

Should you have any questions or queries please do not hesitate to contact the undersigned.

TAYLOR CONSULTING



D M SCHAEFER - Director

B.E. Civil (Hons) M.I.E. Aust. N.E.R.



Appendix A



Locality Map - 23 Bennett Street, Curl Curl


Appendix B

Approx. True North
Magnetic North (PLAN)

BENNETT STREET
(BITUMEN FORMATION)

LEGEND:

BLD = EXTERNAL BUILDING
BS = BOTTOM OF STEP
BW = BOTTOM WALL
CL = CENTRELINE
CON = CONCRETE
DK = DECK
DS = DOOR SILL LEVEL
FCE = FENCE
FL = FLOOR LEVEL
GAFL = GARAGE FLOOR LEVEL
GDN = GARDEN
GM = GAS METER
GRT = GRATE
IL = INVERT LEVEL
NS = NATURAL SURFACE
PAT = PATIO
PAY = PAVING
RR = ROOF RIDGE
SIP = SEWER INSPECTION PIT
STR = STAIRS
TFCE = TOP OF FENCE
TIL = TILE
TKB = TOP OF KERB
TPIT = TELSTRA PIT
TR = TREE
VC = VEHICLE CROSSING
WM = WATER METER
E0 = ELECTRICITY OVERHEAD
S = SEWER UNDERGROUND



TITLE INDICATES THAT LOT 3 IN D.P.226412 IS SUBJECT TO:
- RESERVATIONS AND CONDITIONS IN THE CROWN GRANT(S)
- K520095 COVENANT (NOT INVESTIGATED)

NOTES

- BOUNDARY IDENTIFICATION HAS BEEN UNDERTAKEN.
- WALL TO BOUNDARY DIMENSIONS SHOWN HEREON MUST NOT BE USED FOR CONSTRUCTION.
- IF CONSTRUCTION IS INTENDED TO BE UNDERTAKEN ON OR ADJACENT TO PROPERTY BOUNDARIES THE BOUNDARIES OF THE LAND MUST BE MARKED OR THE BUILDING SETOUT.
- THIS SURVEY IS FOR DESIGN PURPOSES OF THE SUBJECT LAND ONLY. THIS PLAN MUST NOT BE USED FOR ANY OTHER MATTER, PURPOSE OR CONSTRUCTION SETOUT.
- TREE SIZES ARE ESTIMATES ONLY.
- THIS PLAN HAS BEEN PREPARED FOR THE EXCLUSIVE USE OF WAYNE & LOUISE HALL.
- RELATIONSHIP OF IMPROVEMENTS TO BOUNDARIES IS DIAGRAMMATIC ONLY. WHERE OFF-SETS ARE CRITICAL THEY SHOULD BE CONFIRMED BY FURTHER SURVEY.
- EXCEPT WHERE SHOWN BY DIMENSION LOCATION OF DETAIL WITH RESPECT TO BOUNDARIES IS INDICATIVE ONLY.
- ONLY VISIBLE SERVICES HAVE BEEN LOCATED. UNDERGROUND SERVICES HAVE NOT BEEN LOCATED. DIAL BEFORE YOU DIG SERVICES (ph 1100) SHOULD BE USED AND A FULL UTILITY INVESTIGATION, INCLUDING A UTILITY LOCATION SURVEY, SHOULD BE UNDERTAKEN BEFORE CARRYING OUT ANY CONSTRUCTION ACTIVITY IN OR NEAR THE SURVEYED AREA.
- SEWER MAIN PLOTTED FROM SYDNEY WATER SEWER DIAGRAM. LOCATION SHOULD BE MARKED ON SITE IF CRITICAL.
- CRITICAL SPOT LEVELS SHOULD BE CONFIRMED WITH SURVEYOR.
- CONTOURS SHOWN DEPICT THE TOPOGRAPHY. THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. ONLY SPOT LEVELS SHOULD BE USED FOR CALCULATIONS OF QUANTITIES WITH CAUTION.
- CONTOUR INTERVAL - 0.25 metre. - SPOT LEVELS SHOULD BE ADOPTED.
- POSITION OF RIDGE LINES ARE DIAGRAMMATIC ONLY (NOT TO SCALE).
- THE INFORMATION IS ONLY TO BE USED AT A SCALE ACCURACY OF 1:100.
- DO NOT SCALE OFF THIS PLAN / FIGURED DIMENSIONS TO BE TAKEN IN PREFERENCE TO SCALED READINGS.
- COPYRIGHT © CMS SURVEYORS 2022.
- NO PART OF THIS SURVEY MAY BE REPRODUCED, STORED IN A RETRIEVAL SYSTEM OR TRANSMITTED IN ANY FORM, WITHOUT THE WRITTEN PERMISSION OF THE COPYRIGHT OWNER EXCEPT AS PERMITTED BY THE COPYRIGHT ACT 1968.
- ANY PERMITTED DOWNLOADING, ELECTRONIC STORAGE, DISPLAY, PRINT, COPY OR REPRODUCTION OF THIS SURVEY SHOULD CONTAIN NO ALTERATION OR ADDITION TO THE ORIGINAL SURVEY.
- THIS NOTICE MUST NOT BE ERASED.

cbcm
STEPHEN EMERY
REGISTERED SURVEYOR BOSSI NUMBER 1605

HORIZONTAL DATUM:
CO-ORDINATE SYSTEM: ASSUMED

VERTICAL DATUM:
DATUM: AUSTRALIAN HEIGHT DATUM (AHD)
B.M. ADOPTED: PM 2003
R.L. 8.400 (ORDER L2)
SOURCE: S.C.I.M.S. (07/12/17)

1 FIRST ISSUE 11/05/2022

CLIENT:
WAYNE & LOUISE HALL
23 BENNETT STREET
CURL CURL NSW 2096

**BOUNDARY IDENTIFICATION
AND DETAIL & LEVEL SURVEY
OVER LOT 3 IN D.P.226412**
23 BENNETT STREET
CURL CURL NSW 2096

**C.M.S. Surveyors
Pty Limited**

ACN: 096 240 201

PO Box 463 Dee Why
NSW 2099
2/99A South Creek Road,
Dee Why NSW 2099
Telephone: (02) 9971 4802
Facsimile: (02) 9971 4822
E-mail: info@cmsurveyors.com.au

LGA: NORTHERN BEACHES SHEET 1 OF 1

SURVEYED HC/LJ DRAWN RN/LJ CHECKED HC/LJ APPROVED DR/LJ

SURVEY INSTRUCTION 17457A SCALE 1:100 DATE OF SURVEY 10/05/2022

DRAWING NAME
17457Adetail
CAD FILE
17457Adetail.l.dwg

ISSUE
1

BENNETT STREET
(BITUMEN FORMATION)

3

Site and Roof Plan

1:200

List of Modifications
A- Roof shape to 2 skillions
B-Window changes



Streetfront View

BASIX COMMITMENTS

Fixtures and System

Lighting - 40% of all new or altered lights shall be LED lamps, compact fluorescent, or fluorescent.

Fixtures -
Showerheads, flow rate < 9Ltrs/min, 3 Star rating
Toilets, flow rate < 4Ltrs/flush, 3 Star rating
Taps, flow rate < 9Ltrs/min, 3 Star rating

Construction

Floor - suspended floor with open subfloor - R0.8,R1.5 including construction
Walls - Brick veneer wall - R1.16,R1.7 including construction
Roof - Medium Colour SA-0.475-0.7

Raked ceiling skillion roof - 55mm foil backed blanket + R2.24 (R3.0)
Flat ceiling Flat roof - 55mm foil backed blanket + R2.08 (R3.0)

Shiralee Hogan B.Sc (Arch) B (Arch)
0415 954 635 02 99793434
www.sitespecificdesigns.com.au

Site Specific Designs

C- DA Modification 23.09.25
B- DA Amendment 03.03.23
A- Development Application 16.06.22

The builder shall check and verify all dimensions and verify all errors and omissions to the Architect. Do not scale the drawings. Drawings shall not be used for construction purposes until issued by the Architect for construction.


Client
Wayne and Louise Hall
Project Name
Hall Residence
23 Bennett St Curl Curl
2096
Shiralee Hogan B.Sc(Arch) B(Arch) U.Syd

Drawing Title:
Plans Ground - Site and Roof Plan
Site and Roof Plan, Streetfront View

Scale: as noted
Status: DA-Mod
Project No:
2021 04

Date: 23.09.25
Checked By: SH
Drawing No.:
DA01 C

Plot Date: 23/09/2025



List of Modifications
A- Roof shape to 2 skillions
B-Window changes

Ground Floor Plan

1:100

BASIS COMMITMENTS

Fixtures and System

Lighting - 40% of all new or altered lights shall be LED lamps, compact fluorescent, or fluorescent.

Fixtures -
Showerheads, flow rate < 9Ltrs/min, 3 Star rating
Toilets, flow rate < 4Ltrs/flush, 3 Star rating
Taps, flow rate < 9Ltrs/min, 3 Star rating

Construction

Floor - suspended floor with open subfloor - R0.8,R1.5 including construction
Walls - Brick veneer wall - R1.16,R1.7 including construction
Roof - Medium Colour SA-0.475-0.7

Raked ceiling skillion roof - 55mm foil backed blanket + R2.24 (R3.0)
Flat ceiling Flat roof - 55mm foil backed blanket + R2.08 (R3.0)

C- DA Modification 23.09.25
B- DA Amendment 03.03.23
A- Development Application 16.06.22

The builder shall check and verify all dimensions and verify all errors and omissions to the Architect. Do not scale the drawings. Drawings shall not be used for construction purposes until issued by the Architect for construction.

Client
Wayne and Louise Hall
Project Name
Hall Residence
23 Bennett St Curl Curl
2096
Sheralee Hogan B.Sc(Arch) B(Arch) U.Syd


Drawing Title:
Plans Ground - Ground Floor Plan
Ground Floor Plan

Scale: as noted Date: 23.09.25

Status: DA-Mod Checked By: SH

Project No:
2021 04
Drawing No.:
DA02 C

Plot Date: 23/09/2025



List of Modifications
A- Roof shape to 2 skillions
B-Window changes

BASIX COMMITMENTS

Fixtures and System

Lighting - 40% of all new or altered lights shall be LED lamps, compact fluorescent, or fluorescent.

Fixtures -
Showerheads, flow rate < 9Ltrs/min, 3 Star rating
Toilets, flow rate < 4Ltrs/flush, 3 Star rating
Taps, flow rate < 9Ltrs/min, 3 Star rating

Construction

Floor - suspended floor with open subfloor - R0.8,R1.5 including construction
Walls - Brick veneer wall - R1.16,R1.7 including construction
Roof - Medium Colour SA-0.475-0.7

Raked ceiling skillion roof - 55mm foil backed blanket + R2.24 (R3.0)
Flat ceiling Flat roof - 55mm foil backed blanket + R2.08 (R3.0)

C- DA Modification 23.09.25
B- DA Amendment 03.03.23
A- Development Application 16.06.22

The builder shall check and verify all dimensions and verify all errors and omissions to the Architect. Do not scale the drawings. Drawings shall not be used for construction purposes until issued by the Architect for construction.

Client
Wayne and Louise Hall
Project Name
Hall Residence
23 Bennett St Curl Curl
2096

Sheralee Hogan B.Sc(Arch) B(Arch) U.Syd

Drawing Title:
Plans Ground - First Floor Plan
First Floor Plan

Scale: as noted Date: 23.09.25


Status: DA-Mod Checked By: SH

Project No: Drawing No.:

2021 04 DA03 C

Plot Date: 23/09/2025

List of Modifications
A- Roof shape to 2 skillions
B-Window changes



BASIX COMMITMENTS

Fixtures and System

Lighting - 40% of all new or altered lights shall be LED lamps, compact fluorescent, or fluorescent.

Fixtures -
Showerheads, flow rate < 9Ltrs/min, 3 Star rating
Toilets, flow rate < 4Ltrs/flush, 3 Star rating
Taps, flow rate < 9Ltrs/min, 3 Star rating

Construction

Floor - suspended floor with open subfloor - R0.8,R1.5 including construction

Walls - Brick veneer wall - R1.16,R1.7 including construction

Roof -
Medium Colour SA-0.475-0.7

Raked ceiling skillion roof - 55mm foil backed blanket + R2.24 (R3.0)
Flat ceiling Flat roof - 55mm foil backed blanket + R2.08 (R3.0)


Skylight-

S1 - No shading, 0.88m2, U 2.5 SHGC 0.456

Glazing

Aluminium Framed External Doors and Windows

W01-W04, 900mm eave, Single Low E glass U. 5.7 SHGC. 0.47
W05-W06, 450mm eave, Single Toned glass U. 7.57 SHGC. 0.57
W07-W08, 900mm eave, Single Low E glass U. 5.7 SHGC. 0.47
W09,W10,W16, 900mm eave, Single clear glass U. 7.63 SHGC. 0.75
W11, 750mm eave, Single clear glass U. 7.63 SHGC. 0.75
W12-W13, 450mm eave, Single Toned glass U. 7.57 SHGC. 0.57
W14, 900mm eave, Single Toned glass U. 7.57 SHGC. 0.57
W15,W17, 900mm eave, Single Low E glass U. 5.7 SHGC. 0.47
W18, 600mm eave, Single Low E glass U. 5.7 SHGC. 0.47
W19,W20, 900mm eave, Single Toned glass U. 7.57 SHGC. 0.57
W21,W22, 900mm eave, Single Low E glass U. 5.7 SHGC. 0.47
W23-25, 600mm eave, Single Low E glass U. 4.48 SHGC. 0.46
W26, W27, 600mm eave, Single Low E glass U. 5.7 SHGC. 0.47
W28-32, 900mm eave, Single clear glass U. 7.63 SHGC. 0.75



C- DA Modification 23.09.25
B- DA Amendment 03.03.23
A- Development Application 16.06.22

The builder shall check and verify all dimensions and verify all errors and omissions to the Architect. Do not scale the drawings. Drawings shall not be used for construction purposes until issued by the Architect for construction.

Client
Wayne and Louise Hall
Project Name
Hall Residence
23 Bennett St Curl Curl
2096
Sheralee Hogan B.Sc(Arch) B(Arch) U.Syd

Drawing Title:
Sections - Sections and Basix
Section 1, Driveway Section

Scale: as noted Date: 23.09.25

Status: DA-Mod Checked By: SH

Project No: 2021 04 Drawing No.: DA04 C

Plot Date: 23/09/2025



1:100



1:100

Plot Date: 23/09/2025



List of Modifications
A- Roof shape to 2 skillions
B-Window changes

Construction

Floor - suspended floor with open subfloor - R0.8,R1.5 including construction

Walls - Brick veneer wall - R1.16,R1.7 including construction

Roof -
Medium Colour SA-0.475-0.7

Raked ceiling skillion roof - 55mm foil backed blanket + R2.24 (R3.0)
Flat ceiling Flat roof - 55mm foil backed blanket + R2.08 (R3.0)

Skylight-

S1 - No shading, 0.88m2, U 2.5 SHGC 0.456

Glazing

Aluminium Framed External Doors and Windows

W01-W04, 900mm eave, Single Low E glass U. 5.7 SHGC. 0.47

W05-W06, 450mm eave, Single Toned glass U. 7.57 SHGC. 0.57

W07-W08, 900mm eave, Single Low E glass U. 5.7 SHGC. 0.47

W09,W10,W16, 900mm eave, Single clear glass U. 7.63 SHGC. 0.75

W11, 750mm eave, Single clear glass U. 7.63 SHGC. 0.75

W12-W13, 450mm eave, Single Toned glass U. 7.57 SHGC. 0.57

W14, 900mm eave, Single Toned glass U. 7.57 SHGC. 0.57

W15,W17, 900mm eave, Single Low E glass U. 5.7 SHGC. 0.47

W18, 600mm eave, Single Low E glass U. 5.7 SHGC. 0.47

W19,W20, 900mm eave, Single Toned glass U. 7.57 SHGC. 0.57

W21,W22, 900mm eave, Single Low E glass U. 5.7 SHGC. 0.47

W23-25, 600mm eave, Single Low E glass U. 4.48 SHGC. 0.46

W26, W27, 600mm eave, Single Low E glass U. 5.7 SHGC. 0.47

W28-32, 900mm eave, Single clear glass U. 7.63 SHGC. 0.75

Client
Wayne and Louise Hall
Project Name
Hall Residence
23 Bennett St Curl Curl
2096

Sheralee Hogan B.Sc(Arch) B(Arch) U.Syd

Drawing Title:
Elevations - Elevations
East Elevation, North Elevation

Scale: as noted Date: 23.09.25
Status: DA-Mod Checked By: SH
Project No: 2021 04 Drawing No.: DA06 C
Plot Date: 23/09/2025



The builder shall check and verify all dimensions and verify all errors and omissions to the Architect. Do not scale the drawings. Drawings shall not be used for construction purposes until issued by the Architect for construction.

Client
Wayne and Louise Hall
Project Name
Hall Residence
23 Bennett St Curl Curl
2096

Drawing Title:
Sunstudy - Winter Shadow Diagrams
Winter Solstice Shadow Diagram, Shadow cert

Scale: as noted	Date: 23.09.25
Status: DA-Mod	Checked By: SH

Project No:	Drawing No.:
2021 04	DA07 C

Plot Date:	23/09/2025
------------	------------

Appendix C



COMPREHENSIVE FLOOD INFORMATION REPORT

Property: 23 Bennett Street CURL CURL NSW 2096

Lot DP: Lot 3 DP 226412

Issue Date: 22/05/2024

Flood Study Reference: Greendale Creek Flood Study 2023, WMAwater

Flood Information¹:

Map A - Flood Risk Precincts

Maximum Flood Planning Level (FPL) ^{2, 3, 4}: 5.75m AHD

Map B - 1% AEP Flood & Key Points

1% AEP Maximum Water Level ^{2, 3}: 5.25m AHD

1% AEP Maximum Depth from natural ground level³: 0.30m

1% AEP Maximum Velocity: 0.86m/s

Map C - 1% AEP Hydraulic Categorisation

1% AEP Hydraulic Categorisation: Flood Storage – Flood Fringe

Map D - Probable Maximum Flood

PMF Maximum Water Level (PMF) ⁴: 5.73m AHD

PMF Maximum Depth from natural ground level: 0.98m

Map E - Flooding with Climate Change

1% AEP Maximum Water Level with Climate change ³: 5.30m AHD

1% AEP Maximum Depth with Climate Change³: 0.32m

Map F - Flood Life Hazard Category in PMF

H1 – H6

Map G - Indicative Ground Surface Spot Heights


- (1) The provided flood information does not account for any local overland flow issues nor private stormwater drainage systems.
- (2) Overland flow/mainstream water levels may vary across a sloping site, resulting in variable minimum floor/ flood planning levels across the site. The maximum Flood Planning Level may be in a different location to the maximum 1% AEP flood level.
- (3) Intensification of development in the former Pittwater LGA requires the consideration of climate change impacts which may result in higher minimum floor levels.
- (4) Vulnerable/critical developments require higher minimum floor levels using the higher of the PMF or FPL

Notes

General

- All levels are based on Australian Height Datum (AHD) unless otherwise noted.
- This is currently the best available information on flooding; it may be subject to change in the future.
- Council recommends that you obtain a detailed survey of the above property and surrounds to AHD by a registered surveyor to determine any features that may influence the predicted extent or frequency of flooding. It is recommended you compare the flood level to the ground and floor levels to determine the level of risk the property may experience should flooding occur.
- Development approval is dependent on a range of issues, including compliance with all relevant provisions of Northern Beaches Council's Local Environmental Plans and Development Control Plans.
- Please note that the information contained within this letter is general advice only as a detail survey of the property as well as other information is not available. Council recommends that you engage a suitably experienced consultant to provide site specific flooding advice prior to making any decisions relating to the purchase or development of this property.
- The Flood Studies on which Council's flood information is based are available on Council's online [Flood Study Reports](#) webpage.
- If the FPL is higher than the PMF level, then the FPL should still be used as the FPL, as it includes freeboard which the PMF does not.
- If the property is affected by an Estuarine Planning Level (EPL) which is higher than the FPL, then the EPL should be used as the FPL.
- Areas affected by an EPL in the former Pittwater LGA are mapped on Council's online [Estuarine Hazard Map](#). Note that areas in the former Manly LGA affected by an EPL have been identified and will be soon added to this map.
- Council's drainage infrastructure is mapped on Council's [Stormwater Map](#). Note that locations are indicative only and may not be exactly as shown.


MAP A: FLOOD RISK PRECINCTS



Notes:

- **Low Flood Risk precinct** means all flood prone land not identified within the High or Medium flood risk precincts.
- **Medium Flood Risk precinct** means all flood prone land that is (a) within the 1% AEP Flood Planning Area; and (b) is not within the high flood risk precinct.
- **High Flood Risk precinct** means all flood prone land (a) within the 1% AEP Flood Planning Area; and (b) is either subject to a high hydraulic hazard, within the floodway or subject to significant evacuation difficulties (H5 or H6 Life Hazard Classification).
- The **Flood Planning Area** extent is equivalent to the Medium Flood Risk Precinct extent and includes the High Flood Risk Precinct within it. The mapped extent represents the 1% annual Exceedance Probability (AEP) flood event + freeboard.
- None of these mapped extents include climate change.
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source: Dee Why and Curl Curl Lagoons Floodplain Risk Management Study 2005, Lyall & Associates) and aerial photography (Source: NearMap 2014) are indicative only.

MAP B: FLOODING - 1% AEP EXTENT & KEY POINTS



Notes:

- Extent represents the 1% Annual Exceedance Probability (AEP) flood event.
- Flood events exceeding the 1% AEP can occur on this site.
- Extent does not include climate change.
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source: Dee Why and Curl Curl Lagoons Floodplain Risk Management Study 2005, Lyall & Associates) and aerial photography (Source Near Map 2014) are indicative only.

Flood Levels

ID	1% AEP Max WL (m AHD)	1% AEP Max Depth (m)	1% AEP Max Velocity (m/s)	Flood Planning Level (m)	PMF Max WL (m AHD)	PMF Max Depth (m)
1	4.68	0.16	0.07	5.18	5.50	0.96
2	5.05	0.27	0.79	5.55	5.51	0.72
3	5.20	0.30	0.40	5.70	5.73	0.83
4	5.25	0.17	0.56	5.75	5.73	0.64

Climate Change Flood Levels (30% Rainfall intensity and 0.9m Sea Level Rise)

ID	CC 1% AEP Max WL (m AHD)	CC1 % AEP Max Depth (m)
1	4.71	0.18
2	5.04	0.29
3	5.22	0.32
4	5.27	0.18

WL – Water Level

PMF – Probable Maximum Flood

N/A - No Peak Water Level/Depth/Velocity Available.

Notes:

- The flood planning levels above are calculated by adding a 0.5m freeboard to the 1% AEP water level. However, if the depth of flow is less than 0.3m and a Velocity X Depth product is less than 0.3m²/s, a freeboard of 0.3m may be able to be justified for development.


MAP C: 1% AEP FLOOD HYDRAULIC CATEGORY EXTENT MAP



Notes:

- Extent represents the 1% Annual Exceedance Probability (AEP) flood event
- Extent does not include climate change
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source: Dee Why and Curl Curl Lagoons Floodplain Risk Management Study 2005, Lyall & Associates) and aerial photography (Source: NearMap 2014) are indicative only

MAP D: PMF EXTENT MAP



Notes:

- Extent represents the Probable Maximum Flood (PMF) flood event
- Extent does not include climate change
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source: Dee Why and Curl Curl Lagoons Floodplain Risk Management Study 2005, Lyall & Associates) and aerial photography (Source: NearMap 2014) are indicative only


MAP E: FLOODING – 1% AEP EXTENT PLUS CLIMATE CHANGE



Notes:

- Extent represents the 1% annual Exceedance Probability (AEP) flood event including 30% rainfall intensity and 0.9m Sea Level Rise climate change scenario
- Flood events exceeding the 1% AEP can occur on this site.
- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source: Dee Why and Curl Curl Lagoons Floodplain Risk Management Study 2005, Lyall & Associates) and aerial photography (Source: NearMap 2014) are indicative only

MAP F: FLOOD LIFE HAZARD CATEGORY IN PMF



Notes:

- Cadastre Lines (Source: NSW Government Land and Property Information), flood levels/extents (Source: Dee Why and Curl Curl Lagoons Floodplain Risk Management Study 2005, Lyall & Associates) and aerial photography (Source Near Map 2014) are indicative only.

MAP G: INDICATIVE GROUND SURFACE SPOT HEIGHTS



Notes:

- The surface spot heights shown on this map were derived from Airborne Laser Survey and are indicative only.
- Accuracy is generally within $\pm 0.2\text{m}$ vertically and $\pm 0.15\text{m}$ horizontally, and Northern Beaches Council does not warrant that the data does not contain errors.
- If accuracy is required, then survey should be undertaken by a registered surveyor.

Preparation of a Flood Management Report

Introduction

These guidelines are intended to provide advice to applicants on how to determine what rules apply on flood prone land, and how to prepare a Flood Management Report. The purpose of a Flood Management Report is to demonstrate how a proposed development will comply with flood related planning requirements.

Planning Requirements for Flood Prone Land

Development must comply with the requirements for developing flood prone land set out in the relevant Local Environment Plan (LEP) and Development Control Plan (DCP). There are separate LEPs and DCPs for each of the former Local Government Areas (LGAs), although preparation of a LGA-wide LEP and DCP is currently under way.

The clauses specific to flooding in the LEPs and DCPs are as follows:

LEP Clauses	DCP Clauses
Manly LEP (2013) – 5.21 Flood Planning Manly LEP (2013) – 5.22 Special Flood Considerations	Manly DCP (2013) – 5.4.3 Flood Prone Land
Warringah LEP (2011) – 5.21 Flood Planning Warringah LEP (2011) – 5.22 Special Flood Considerations Warringah LEP (2000) – 47 Flood Affected Land *	Warringah DCP (2011) – E11 Flood Prone Land
Pittwater LEP (2014) – 5.21 Flood Planning Pittwater LEP (2014) – 5.22 Special Flood Considerations	Pittwater 21 DCP (2014) – B3.11 Flood Prone Land Pittwater 21 DCP (2014) – B3.12 Climate Change

* The Warringah LEP (2000) is relevant only for the “deferred lands” which affects only a very small number of properties, mostly in the Oxford Falls area.

Development on flood prone land must also comply with Council's Water Management for Development Policy, and if it is in the Warriewood Release Area, with the Warriewood Valley Water Management Specification and Clause C6.1 of the Pittwater 21 DCP (2014). Guidelines for Flood Emergency Response Planning are available for addressing emergency response requirements in the DCP. These documents can be found on Council's website on the [Flooding page](#).

Note that if the property is affected by estuarine flooding or other coastal issues, these need to be addressed separately under the relevant DCP clauses.

When is a Flood Management Report required?

A Flood Management Report must be submitted with any Development Application on flood prone land (with exceptions noted below), for Council to consider the potential flood impacts and applicable controls. For Residential or Commercial development, it is required for development on land identified within the Medium or High Flood Risk Precinct. For Vulnerable or Critical development, it is required if it is within any Flood Risk Precinct.

There are some circumstances where a formal Flood Management Report undertaken by a professional engineer may not be required. However the relevant parts of the DCP and LEP would still need to be addressed, so as to demonstrate compliance. Examples where this may apply include:

- If all proposed works are located outside the relevant Flood Risk Precinct extent
- First floor addition only, where the existing ground floor level is above the FPL
- Internal works only, where habitable floor areas below the FPL are not being increased

Note that development on flood prone land will still be assessed for compliance with the relevant DCP and LEP, and may still be subject to flood related development controls.

What is the purpose of a Flood Management Report?

The purpose of a Flood Management Report is to demonstrate how a proposed development will comply with flood planning requirements, particularly the development controls outlined in the relevant LEP and DCP clauses. The report must detail the design, measures and controls needed to achieve compliance, following the steps outlined below.

A Flood Management Report should reflect the size, type and location of the development, proportionate to the scope of the works proposed, and considering its relationship to surrounding development. The report should also assess the flood risk to life and property.

Preparation of a Flood Management Report

The technical requirements for a Flood Management Report include (where relevant):

1. Description of development

- Outline of the proposed development, with plans if necessary for clarity
- Use of the building, hours of operation, proposed traffic usage or movement
- Type of use, eg vulnerable, critical, residential, business, industrial, subdivision, etc

2. Flood analysis

- 1% AEP flood level
- Flood Planning Level (FPL)
- Probable Maximum Flood (PMF) level
- Flood Risk Precinct, ie High, Medium or Low
- Flood Life Hazard Category
- Mapping of relevant extents
- Flood characteristics for the site, eg depth, velocity, hazard and hydraulic category, and the relevance to the proposed development

If the property is affected by an Estuarine Planning Level (EPL) which is higher than the FPL, then the EPL should be used as the FPL. If the FPL is higher than the PMF level, then the FPL should still be used as the FPL, as it includes freeboard which the PMF does not.

3. Assessment of impacts

- Summary of compliance for each category of the DCP, as per the table below.

	Compliance		
	N/A	Yes	No
A) Flood effects caused by Development			
B) Building Components & Structural Soundness			
C) Floor Levels			
D) Car parking			
E) Emergency Response			
F) Fencing			
G) Storage of Goods			
H) Pools			

- Demonstration of how the development complies with any relevant flood planning requirements from the DCP, LEP, Water Management for Development Policy, and if it is in the Warriewood Valley Urban Land Release Area, with the Warriewood Valley Water Management Specification (2001)
- For any non-compliance, a justification for why the development should still be considered.
- Calculations of available flood storage if compensatory flood storage is proposed
- Plan of the proposed development site showing the predicted 1% AEP and PMF flood extents, as well as any high hazard or floodway affectation
- Development recommendations and construction methodologies
- Qualifications of author - Council requires that the Flood Management Report be prepared by a suitably qualified Engineer with experience in flood design / management who has, or is eligible for, membership to the Institution of Engineers Australia
- Any flood advice provided by Council
- Any other details which may be relevant

Further information and guidelines for development are available on Council's website at:

<https://www.northernbeaches.nsw.gov.au/planning-and-development/building-and-renovations/development-applications/guidelines-development-flood-prone-land>

Council's Flood Team may be contacted on 1300 434 434 or at floodplain@northernbeaches.nsw.gov.au .

Appendix D



EMERGENCY FLOOD RESPONSE PROCEDURE

Flood waters can rise very rapidly on this site

Once a warning is received for a possible flood or floodwaters start to inundate the Greendale Creek, Curl Curl Lagoon and/or the northern portion of the site:

1. All residents should be at the assembly point by the time the flood waters are observed to have inundated the *northern portion of the site*.
2. The Owner is to turn off all power, water and other relevant services.
3. Nominated occupants to sweep the promises to ensure that all occupants have sought refuge at the emergency assembly point.
4. Emergency services to be notified by The Owner of the situation at site.

THIS SITE CAN FLOOD
NEVER DRIVE, WALK OR RIDE THROUGH FLOODWATERS

When emergency services give the all clear to leave:

The site will only be opened for Occupants to leave once floodwaters have subsided and the emergency services have given the all clear.

Appendix E



Flood Checklists

BEFORE A FLOOD

Trigger for action: Always

Action	Status
• All Occupants to be made aware of site flooding potential	
• Develop detailed emergency procedures, responsibilities and resources	
• Provide all Occupants with an emergency response plan and advise of their responsibilities and delegations	
• Maintain an emergency contacts list	
• Update emergency response procedures annually	

WHEN A FLOOD IS LIKELY

Trigger for action: When the forecasts predict severe weather or significant amounts of rainfall are observed:

Action	Status
• Monitor the severe weather forecasts and predictions	
• The Owner to monitor conditions at the rear of the site	
• The Owner to notify Occupants to proceed to the emergency response area	
• The Owner to shut off nominated services	



DURING A FLOOD

Trigger for action: When water is sighted ponding across the rear of the site:

Action	Status
● Emergency response to be undertaken in an orderly fashion	
● The phases of the emergency response shall be:	
➤ The Owner to request all occupants to proceed to the emergency assembly point.	
➤ All occupants should be at the assembly point by the time the flood waters reach the rear boundary of the site.	
➤ The Owner to sweep premises for remaining persons	
➤ The Owner to retreat to the emergency assembly area.	
● Emergency services to be notified by The Owner of the situation at site.	



Appendix F



Emergency Contacts

Organisation	Role	Contact
Emergency Services	Fire/ambulance/police	000
Northern Beaches Council	Disaster Coordination Centre	9970 1111
State Emergency Service	SES Local Controller	132 500
Northern Beaches Hospital		02 9105 5000

Appendix G



Flood Compatible Materials and Building Components for New Works

BUILDING COMPONENT	FLOOD COMPATIBLE MATERIAL	BUILDING COMPONENT	FLOOD COMPATIBLE MATERIAL
Flooring and Sub-floor Structure	<ul style="list-style-type: none"> ▪ concrete slab-on ground monolith construction ▪ suspended reinforced concrete slab 	Doors	<ul style="list-style-type: none"> ▪ solid panel with water proof adhesives ▪ flush door with marine ply filled with closed cell foam ▪ painted metal construction ▪ aluminium or galvanised steel frame
Floor Covering	<ul style="list-style-type: none"> ▪ clay tiles ▪ concrete, precast or in situ ▪ concrete tiles ▪ epoxy, form-in-place ▪ mastic flooring, formed in-place ▪ rubber sheets or tiles with chemical-set adhesives ▪ silicone floors formed in-place ▪ vinyl sheets or tiles with 	Wall and Ceiling Linings	<ul style="list-style-type: none"> ▪ fibro-cement board ▪ brick, face or glazed ▪ clay tile glazed in waterproof mortar ▪ concrete ▪ concrete block ▪ steel with waterproof applications ▪ stone, natural solid or veneer, waterproof grout ▪ glass blocks ▪ glass



	chemical-set adhesive <ul style="list-style-type: none"> ▪ ceramic tiles, fixed with mortar or chemical-set adhesive ▪ asphalt tiles, fixed with water resistant adhesive ▪ linoleum 		<ul style="list-style-type: none"> ▪ plastic sheeting or wall with waterproof adhesive
Wall Structure	<ul style="list-style-type: none"> ▪ solid brickwork, blockwork, reinforced, concrete or mass concrete 	Insulation Windows	<ul style="list-style-type: none"> ▪ foam (closed cell types) ▪ aluminium frame with stainless steel ▪ rollers or similar corrosion and water resistant material
Roofing Structure (for Situations where the Relevant Flood Level is Above the Ceiling)	<ul style="list-style-type: none"> ▪ reinforced concrete construction ▪ galvanised metal construction 	Nails, Bolts, Hinges and Fittings	<ul style="list-style-type: none"> ▪ brass, nylon or stainless steel ▪ removable pin hinges ▪ hot dipped galvanised steel wire, nails or similar.



<p>Electrical and Mechanical Equipment</p> <p>For buildings constructed on land to which this Plan applies, the electrical and mechanical materials, equipment and Installation should conform to the following requirements.</p>	<p>Heating and Air Conditioning Systems</p> <p>Heating and air conditioning systems should, to the maximum extent possible, be installed in areas and spaces of the building above the relevant flood level. When this is not feasible every precaution should be taken to minimise the damage caused by submersion according to the following guidelines.</p>
<p>Main power supply</p> <p>Subject to the approval of the relevant authority the incoming main commercial power service equipment including all metering equipment, shall be located above the relevant flood level. Means shall be available to easily disconnect the building from the main power supply.</p>	<p>Fuel</p> <p>Heating systems using gas or oil as a fuel should have a manually operated valve located in the fuel supply line to enable fuel cut-off.</p>
<p>Wiring</p> <p>All wiring, power outlets, switches, etc, should to the maximum extent possible, be located above the relevant flood level. All electrical wiring installed below the relevant flood level should be suitable for continuous submergence in water and should contain no fibrous</p>	<p>Installation</p> <p>The heating equipment and fuel storage tanks should be mounted on and securely anchored to a foundation pad of sufficient mass to overcome buoyancy and prevent movement that could damage the</p>



<p>components. Earth core linkage systems (or safety switches) are to be installed. Only submersible-type splices should be used below the relevant flood level. All conducts located below the relevant designated flood level should be so installed that they will be self draining if subjected to flooding.</p>	<p>fuel supply line. All storage tanks should be vented to the FPL.</p>
<p>Equipment</p> <p>All equipment installed below or partially below the relevant flood level should be capable of disconnection by a single plug and socket assembly.</p>	<p>Ducting</p> <p>All ductwork located below the relevant flood level should be provided with openings for drainage and cleaning. Self draining may be achieved by constructing the ductwork on a suitable grade. Where ductwork must pass through a water-tight wall or floor below the relevant flood level, the ductwork should be protected by a closure assembly operated from above relevant flood level.</p>
<p>Reconnection</p> <p>Should any electrical device and/or part of the wiring be flooded it should be thoroughly cleaned or replaced and checked by an approved electrical contractor before reconnection.</p>	<p>Ancillary Structures (steps, pergolas, etc)</p> <p>Suitable water tolerant materials should be used such as reinforced concrete, masonry, sealed hardwood and corrosive resistant metals. Copper Chrome Arsenate (CCA) treated timber is not a suitable material.</p>

