

# **Statement of Environmental Effects**

**House 1**

**34 Nullaburra Road**

**Newport NSW 2106**

**Construction of a New two storey Dwelling and swimming pool**

**January 2020**

## **TABLE OF CONTENTS**

1. SUMMARY	3
2. SITE DESCRIPTION AND LOCALITY	4
3. THE DEVELOPMENT PROPOSAL	6
4. ZONING AND DEVELOPMENT CONTROLS	8
5. EP&a ACT – SECTION 79C	9
6. CONCLUSION	10

## **1. SUMMARY**

### **1.1 Purpose**

This Statement of Environment Effects (Statement) supports the development application for the demolition and construction of a new dwelling on Lot 2, DP 219815, which is known as House 1, 34 Nullaburra Rd, Newport NSW 2106. (Subject Site).

### **1.2 Materials relied on**

In preparation of this Statement, consideration has been given to the following:

- Environmental Planning and Assessment Act 1979
- Warringah Local Environmental Plan 2011
- Warringah Development Control Plan 2011
- Other Various State Planning Policies

The following details and documents have been relied upon in the preparation of the Statement:

- Survey Plan prepared by Donovan Associates;
- Architectural Plan prepared by Accurate Design & Drafting;
- BASIX Certificate by Abeaut Design Pty Ltd t/as Accurate Design and Drafting; and
- Hydraulic Plan by VNK Consulting.
- Flood Risk Management Report.
- Marine Risk.

### **1.3 Contents**

The Statement sets out:

- A description of the Subject Site and the surrounding area;
- The relevant planning controls and policies relating to the site and the proposed development; and
- An assessment of the proposed development against the heads of consideration as set out in section 79C(1) of the Environmental Planning and Assessment Act 1979.

### **1.4 Assessment**

It is considered that the development of the Subject Site in the manner proposed is acceptable and is worthy of the support of the Council.

## 2. SITE DESCRIPTION AND LOCALITY

### 2.1 Location and Size

The subject site is identified as Lot 2, DP 219815 which is known as 34 Nullaburra Road, Newport NSW 2106. The site is located on the Western side of Nullaburra Road.

The site is a rectangle shaped parcel of land, having a frontage of 17.110m to Nullaburra Road, a rear boundary of 17.110m, and eastern side boundary of 13.720m and western side boundary of 13.720m.

The site has an area of 1061.40m<sup>2</sup>. The locality is depicted in the following maps:





### 2.2 Existing Dwelling

The Subject Site currently has a single storey residential dwelling.

The Subject Site does not comprise any significant vegetation nor any vegetation occupied by Council's Tree Preservation Order.





### 3. THE DEVELOPMENT PROPOSAL

The Statement supports the Development Application seeking approval for the construction of a new two storey dwelling including a Swimming Pool

#### 3.1 External Structures and Positions

The Proposed Development is to be constructed of Axon Smooth Cladding with Colorbond roof.

The Proposed Development is provided with a setback of:

- 4.650m frontage;
- 7.000m to the rear boundary;
- 1.800m to the Northern side boundary and 2.900m to the upper floor; and
- 1.800m to the Southern side boundary and 2.900m to upper floor.

The Proposed Development provides for one driveway to be constructed on the south eastern side of the site.

The Proposed Development provides stormwater management works in accordance with Council controls. Stormwater disposal is in accordance with the Stormwater Concept Plan and provides for all collected stormwater to discharge to street gutter via a rainwater reuse tank and in accordance with the design by VNK Consulting.

The landscaped area of the Proposed Development will be 717.00m<sup>2</sup> or 60.93% of the Subject Site.

#### 3.2 Internal Features

The proposed dwelling will comprise of the following:

- **Ground Floor:** Front porch, entry foyer, family and meals, kitchen/ Butlers, laundry, powder room, Guest room, Rumpus Room, alfresco area and garage.
- **First Floor:** Four bedrooms, two bathrooms (one of which is an ensuite) and walk in robe to main bedroom, sitting room.

#### 3.3 Surrounding Properties

Neighbouring houses vary significantly in style, size and configuration. The topography of the area has allowed for quite a diverse mix of architectural styles and heights of the neighbouring houses. The existing surrounding development is depicted in the aerial photograph above.

#### **4. ZONING AND DEVELOPMENT CONTROLS**

The Proposed Development is identified as a development requiring the consent of the Council under the provisions of the Environmental Planning and Assessment Act 1979, as amended. The following is an assessment of the proposal against the relevant provisions of the Act and all of the relevant planning instruments and policies of Northern Beaches Council.

##### **4.1 Planning for Bushfire Protection 2006**

The Subject Site is not identified as bushfire prone land on Council's Bushfire Prone Land Map and therefore the provisions of Planning for Bushfire Protection 2006 do not apply.

##### **4.2 Flood Information – Basic**

The Subject Site is identified as a flood risk precinct.

The proposed sub-division works undertaken by the developer (owner), have ensured that the building footprints and platforms will be finished to a level that is compliance with the 1 in 100 year requirements. Icon Homes will also ensure that final finished floor levels will also be in compliance with this classification and ensure that the finished floor level is 500mm above the AEP flood levels.

Building materials nominated by Icon Homes will also be in compliance with flood requirements for the subject block. All building materials for the dwelling is permissible due to the fact that the building platform is above the required 500mm level.

##### **Landslip Risk - Area A**

The Subject Site is identified as landslip risk – Area A land on Council's Landslip Map and therefore does not require any assessment or report.

##### **4.3 Warringah Local Environmental 2011**

The Warringah Local Environmental Plan 2011 (LEP 2011) came into effect on Friday 9 December 2011.

##### **4.5 Marine Environment**

The Subject Site is identified as severe marine.

The Subject site will be built as per BCA requirements including the following:

Exposed steel – hot dipped galvanised.

Brick ties and expansion ties – 316 stainless steel.

Exposure grade bricks only and ironed joint to mortar only.

Mortar mix 1 cement, 0.5 lime, 4.5 sand.

The Subject Site is zoned R2 Low Density Residential. Development for the purposes of a dwelling house is permissible in this zone with the consent of Council.

##### Objectives of the zone:

- To provide for the housing needs of the community within a low density residential environment.
- To enable other land uses that provide facilities or services to meet the day to day needs of residents.
- To ensure that low density residential environments are characterised by landscaped settings that are in harmony with the natural environment of Warringah.

The following provisions of the LEP are relevant to the proposed development:

Clause	Development Standard	Proposal	Compliance
4.3 Height	8.5m	8.022m	Yes

#### 4.4 Warringah Development Control Plan 2011

The following table provides a summary of the relevant controls of the DCP:

Clause	Proposed	Complies
B1 Wall Height Max 7.2m to upper most ceiling	Proposed max wall height 5.54m from Natural ground to highest point	Yes
B2 Number of Stories	Two	Yes
B3 Side Boundary Envelope 4.0m high with a 45 projecting plane	The clause permits variations to the side boundary envelope for fascia's gutters and downpipes up to 675mm from the boundary. The relevant side boundary envelopes have been shown on the accompanying plans, this shows compliance	Yes
B4 Site Coverage	Not identified on the maps	NA
B5 Side Setbacks 0.9m	Proposed east side setback of 0.965m Proposed west side setback of 0.950m	Yes
B7 Front Setbacks R2 6.5m	Proposed front setback 4.650m seeking a variation	Yes
B9 Rear Building Setback R2 6m	Rear setback proposed 7m	Yes
C3 Parking Facilities	Double garage proposed	Yes
C4 Stormwater Must not cause downstream flooding and must have minimal impact on and receiving stormwater infrastructure. Stormwater runoff is to discharge to a drainage system approved by council	Refer to plans prepared by VNK Consulting.	Yes
C5 Erosion and Sedimentation Erosion and sedimentation measures must be installed, any erosion is to be managed at the source	Sediment control fences shown and rubble access point	Yes
C6 Building Over or Adjacent to council drainage Easements	The subject site is free of any easements.	Yes
C7 Excavation and Fill	All excavation will be contained within the building footprint	Yes
D1 Landscaped Open Space and Bushland Setting, 40% required free of driveways, paved areas and a min width of 2.0m	Proposed landscape area being 717m2	Yes
D2 Private Open Space min 60sqm and 5.0m width	574.8m2 with a width of over 4.0m	Yes
D6 Access to Sunlight	All Private open space is south facing	Yes
D7 Views Provide reasonable sharing of Views	The proposed dwelling will not block any views	Yes



D8 Privacy Addresses privacy and requires all development to be designed to optimise privacy within the site and for adjoining properties	The proposed dwelling living areas are south east. The dwelling to the north is orientated to the north also so there are not any privacy issues.	Yes
D9 Building Bulk, increased setbacks avoid large continuous wall planes	The design of the proposal satisfies all of the requirements.	Yes
D10 Building Colour and Materials- Addresses colours and materials which blend into the natural environment	The selected colours schedule are appropriate to the area	Yes
D11 Roofs	The roof style is simple and consistent with the surrounding area	Yes
D13 Front fences and walls	No front fence proposed.	Yes
D14 Site Facilities	The plans show the location of the required facilities	Yes
D15 Side and Rear Fences	Existing	Yes
D20 Safety and Security	The proposed dwelling provides for an improved overlook of the street the entrance is off Nullaburra Road the design has taken into consideration the principals of 'Safer by Design'	Yes

## **5. EP & A Act – Section 79C**

### **5.1 The Provisions of any Environmental Planning Instruments**

The proposal is subject to the provisions of the Warringah Local Environmental Plan 2011.

The site is zoned R2 Low Density Residential under the provisions of the LEP. Construction of a new dwelling house is permissible with the consent of Council in this zone. It is considered that the provisions of this document have been satisfactorily addressed within this report and that the proposal complies with the relevant provisions.

There are no other environmental planning instruments applying to this site.

### **5.2 The Likely Impacts of the Development**

It is considered that the development will provide for a new dwelling without any detrimental impact on the environment, social and economic status of the locality. On the contrary, the development will improve the overall area both economically and visually.

### **5.3 The Suitability of the Site for the Development**

The Subject Site is zoned R2 Low Density Residential and the construction of a new dwelling house in this zone is permissible with the consent of Council. The resultant dwelling is of a bulk and scale that is consistent with the existing surrounding developments.

For these reasons, it is considered that the site is suitable for the proposed development.

### **5.4 The Public Interest**

It is considered that the proposal is in the public interest in that it will provide a new single dwelling that is consistent with other developments in this locality without negatively impacting the amenity of the adjoining properties or the public domain.

## **6. CONCLUSION**

This application seeks approval for the construction of a new dwelling and associated works. As demonstrated in this report the proposal is consistent with the aims and objectives of the Warringah Local Environmental Plan 2011. The proposed dwelling does not have any detrimental impact on the amenity of the adjoining properties or the character of the locality.

It is therefore considered that the proposed construction of a new dwelling at Lot 2, 34 Nullaburra Road, Newport NSW 2106 is worthy of the consent of Council.