






DOOR-WINDOW SCHEDULE				DOOR-WINDOW SCHEDULE			DOOR-WINDOW SCHEDULE			DOOR SCHEDULE			DOOR SCHEDULE			DOOR SCHEDULE			DOOR SCHEDULE			
WINDOW / DOOR NAME	WIDTH	HEIGHT		WINDOW / DOOR NAME	WIDTH	HEIGHT		WINDOW / DOOR NAME	WIDTH	HEIGHT		WINDOW / DOOR NAME	WIDTH	HEIGHT		WINDOW / DOOR NAME	WIDTH	HEIGHT		WINDOW / DOOR NAME	WIDTH	HEIGHT
W01	2820	1700		W10	2950	2700		W20	1800	2500		D01	900	2400		D13	800	2400		D17	860	2100
W02	700	2400		W11	1800	3185		W21	1800	2500		D02	900	2400		D14	700	2100		D18	900	2400
W03	600	1400		W12a	650	3185		W22	4250	2500		D03	850	2400		D15	800	2400		D19	1150	2400
W04	600	1400		W12b	4300	3185		W23	5120	2500		D04	1350	2400		D16	3000	2400		D20	800	2400
W05	3380	2100		W12c	650	3185		W24	800	2500		D05	1400	2400						D21	800	2400
W06a	2150	2000		W13	1500	2700		W25	1650	2500		D06	900	2400						D22	800	2400
W06b	1180	2000		W14	4900	2700		W26	480	2400		D07	900	2400						D23	800	2400
W06c	5500	2000		W15	1200	2200		W27	5800	600		D08	900	2400						D24	2200	2000
W06d	1180	2000		W16	700	1500		W28	2050	600		D09	1000	2400						D25	2200	2000
W07	1000	2100		W17	800	2500		SK01	1400	780		D10	1000	2400								
W08	700	2700		W18	700	1600		SK02	665	970		D11	800	2400								
W09	1800	600		W19	3150	2600						D12	800	2400								

The drawing shows a side elevation of a building with a complex roofline. On the left, a vertical section of the wall features a series of windows labeled W01 through W09. To the right of this section, the roofline slopes down and then up again, with a series of windows labeled W10 through W28. Below the roofline, a series of gardens are indicated by hatched lines. The drawing is oriented horizontally, with the building facade on the left and the gardens on the right.



DOOR-WINDOW SCHEDULE			DOOR-WINDOW SCHEDULE			DOOR-WINDOW SCHEDULE			DOOR SCHEDULE			DOOR SCHEDULE			DOOR SCHEDULE			DOOR SCHEDULE		
WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT
W01	2820	1700	W10	2950	2700	W20	1800	2500	D01	900	2400	D13	800	2400	D17	860	2100	D21	800	2400
W02	700	2400	W11	1800	3185	W21	1800	2500	D02	900	2400	D14	700	2100	D18	900	2400	D22	800	2400
W03	600	1400	W12a	650	3185	W22	4250	2500	D03	850	2400	D15	800	2400	D19	1150	2400	D23	800	2400
W04	600	1400	W12b	4300	3185	W23	5120	2500	D04	1350	2400	D16	3000	2400	D20	800	2400	D24	2200	2000
W05	3380	2100	W12c	650	3185	W24	800	2500	D05	1400	2400				D25	2200	2000			
W06a	2150	2000	W13	1500	2700	W25	1650	2500	D06	900	2400									
W06b	1180	2000	W14	4900	2700	W26	480	2400	D07	900	2400									
W06c	5500	2000	W15	1200	2200	W27	5800	600	D08	900	2400									
W06d	1180	2000	W16	700	1500	W28	2050	600	D09	1000	2400									
W07	1000	2100	W17	800	2500	SK01	1400	780	D10	1000	2400									
W08	700	2700	W18	700	1600	SK02	665	970	D11	800	2400									
W09	1800	600	W19	3150	2600				D12	800	2400									



MASTER SET FOR AUTHORITY APPROVAL

GENERAL NOTE:
RED CLOUDING - RELATES TO DA 2020 / 0014.
PURPLE CLOUDING - CHANGES MARKED FOR THE
BOATSHED - RELATES TO DA 2022/1506.


LEVEL 1 PLAN

client Andrew Bursill & Georgie Torrens
project Residence
project address 1772 Pittwater Road, Bayview

date 003/02/23
scale 1 : 100@A1

A03

DOOR-WINDOW SCHEDULE			DOOR-WINDOW SCHEDULE			DOOR-WINDOW SCHEDULE			DOOR SCHEDULE			DOOR SCHEDULE			DOOR SCHEDULE		
WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT
W01	2820	1700	W10	2950	2700	W20	1800	2500	D01	900	2400	D13	800	2400	D21	800	2400
W02	700	2400	W11	1800	3185	W21	1800	2500	D02	900	2400	D14	700	2100	D22	800	2400
W03	600	1400	W12a	650	3185	W22	4250	2500	D03	850	2400	D15	800	2400	D23	800	2400
W04	600	1400	W12b	4300	3185	W23	5120	2500	D04	1350	2400	D16	3000	2400	D24	2200	2000
W05	3380	2100	W12c	650	3185	W24	800	2500	D05	1400	2400	D17	860	2100	D25	2200	2000
W06a	2150	2000	W13	1500	2700	W25	1650	2500	D06	900	2400	D18	900	2400			
W06b	1180	2000	W14	4900	2700	W26	480	2400	D07	900	2400	D19	1150	2400			
W06c	5500	2000	W15	1200	2200	W27	5800	600	D08	900	2400	D20	800	2400			
W06d	1180	2000	W16	700	1500	W28	2050	600	D09	1000	2400						
W07	1000	2100	W17	800	2500	W01	1400	780	D10	1000	2400						
W08	700	2700	W18	700	1600	W02	665	970	D11	800	2400						
W09	1800	600	W19	3150	2600				D12	800	2400						




LEVEL 2 PLAN

client Andrew Bursill & Georgie Torrens
project Residence
project address 1772 Pittwater Road, Bayview


date 03/02/23
scale 1 : 100@A1

A04



client Andrew Bursill & Georgie Torrens
project Residence
project address 1772 Pittwater Road, Bayview

date 03/02/23
scale 1 : 100@A1



MASTER SET FOR AUTHORITY APPROVAL

GENERAL NOTE:
RED CLOUDING - RELATES TO DA 2020 / 0014.
PURPLE CLOUDING - CHANGES MARKED FOR THE BOATSHED - RELATES TO DA 2022/1506.

LIGHTING LEGEND		
SYMBOL	SUPPLIER	DESCRIPTION
		RECESSED LED DOWNLIGHT
		SURFACE MOUNTED 'CAN' LIGHT
		SUSPENDED PENDANT LIGHT
		'UP/DOWN' WALL LIGHT
		WALL LIGHT
		EXTERNALLY RATED WALL LIGHT
		IN GROUND UP-LIGHT
		SPOTLIGHT WALL MOUNTED
		POOL LIGHT
		LED STRIP LIGHTING
		LIGHT SWITCH (1,000 mm ABOVE FFL UNO).
		TWO-WAY LIGHT SWITCH (1,000 mm ABOVE FFL).
		THREE-WAY LIGHT SWITCH (1,000 mm ABOVE FFL).
		DIMMER
		GARDEN SPIKE
	AEROTRON (WHITE)	FANLIGHT
		SPOT LIGHT DIRECTED ACROSS CEILING
		UPLIGHTER MOUNTED IN FLOOR, PAVING OR GARDEN BED
		BOLLARD GARDEN LIGHT
		1200 SURFACE MOUNTED FLUORESCENT FITTING
		RECESSED LED PIN DOWNLIGHT

POWER & COMMS LEGEND	
	DOUBLE GPO (300 mm ABOVE FFL UNO). TO MATCH LIGHT SWITCH. REFER DETAIL JOINERY DRAWINGS FOR GPOs TO KITCHEN, BATHROOMS & LAUNDRY. LOCATE 150-300 ABOVE BENCH LEVEL. GPOs TO KITCHEN ISLAND BENCH ARE TO BE BUILT INTO JOINERY REFER TO SELECTION SCHEDULES FOR APPLIANCES. LOCATE APPLIANCE GPOs IN SUITABLE DISCREET LOCATION AS REQUIRED. SWITCH PLATES TO BE "CLIPSAL ICONIC"
	WATERPROOF POWER OUTLET
	DOUBLE TELEPHONE & DATA OUTLET MOUNTED AT 300 ABOVE FFL. CONNECTED BY CAT 5 WIRING. PROVIDE CONNECTION TO TELEPHONE FOR BROADBAND. RANGE TO MATCH LIGHT SWITCH
	COMBINED TELEVISION & CABLE TV OUTLETS MOUNTED 300 ABOVE FFL. CONNECT TO ROOF MOUNTED AERIAL AND CABLE SATELLITE DISH. PLATE RANGE TO MATCH LIGHT SWITCH.
	UNDERFLOOR HEATING TO ALL BATHROOMS
	SEPARATELY SWITCHED ADDITIONAL CIRCUITS SWITCHED FROM INTERIOR OF HOUSE FOR FUTURE LIGHT SERVICES. FEED TO BE RUN TO OUTSIDE FACE OF HOUSE & TERMINATED AT UNDERGROUND JUNCTION BOX
	SPEAKER OUTLETS. CONCEALED HARDWIRED CEILING MOUNTED OUTLETS CONNECTED BACK TO TV POINTS. WIRE INDEPENDENTLY TO PROVIDE SEPARATE LEFT & RIGHT SPEAKER & FRONT & BACK FACILITY AS NOTED.


SECURITY LEGEND	
	SMOKE ALARM HPM 645/1SB. INSTALL TO BCA REQUIREMENTS
	PROVIDE INTERCOM AT GROUND FLOOR ENTRY CONNECTED TO LOCATIONS WITHIN HOUSE AS SHOWN - REFER PC SUMS
	KEYPAD LOCK TO DOOR. MANUAL KEY OVERRIDE
	MOVEMENT DETECTOR. LIGHT FITTING TO ALSO BE PROVIDED WITH WALL MOUNTED MANUAL SWITCH OVERRIDE

MECHANICAL LEGEND	
	INLINE EXHAUST FAN DUCTED TO OUTSIDE OF BUILDING
	150 DIA RIGID METAL DUCT TO OUTSIDE OF BUILDING WITH POWDERCOATED EXTERNAL METAL GRILLE. LOCATE INLINE FAN UNIT NEAR INTAKE GRILLE.
	AIR-CONDITIONING SUPPLY GRILLE - IN BULKHEAD.
	AIR CONDITIONING CONDENSER LOCATION
	FAN COIL / MULTI SPLIT UNIT
	RINNAI 26 OR 32 INSTANTANEOUS GAS HOT WATER SERVICE WALL MOUNTED IN RECESSED BOX WITH COVER TO CONCEAL PIPEWORK.

SERVICES LEGEND	
	GAS COCK CONNECTION
	HOSE COCK CONNECTION

GROUND FLOOR RCP

client	Andrew Bursill & Georgie Torrens	date	03/02/23	A06
project	Residence	scale	1 : 100@A1	
project address	1772 Pittwater Road, Bayview			



MASTER SET FOR AUTHORITY APPROVAL

GENERAL NOTE:
RED CLOUDING - RELATES TO DA 2020 / 0014.
PURPLE CLOUDING - CHANGES MARKED FOR THE BOATSHED - RELATES TO DA 2022/1506.

LIGHTING LEGEND		
SYMBOL	SUPPLIER	DESCRIPTION
		RECESSED LED DOWNLIGHT
		SURFACE MOUNTED 'CAN' LIGHT
		SUSPENDED PENDANT LIGHT
		'UP/DOWN' WALL LIGHT
		WALL LIGHT
		EXTERNALLY RATED WALL LIGHT
		IN GROUND UP-LIGHT
		SPOTLIGHT WALL MOUNTED
		POOL LIGHT
		LED STRIP LIGHTING
		LIGHT SWITCH (1,000 mm ABOVE FFL UNO).
		TWO-WAY LIGHT SWITCH (1,000 mm ABOVE FFL).
		THREE-WAY LIGHT SWITCH (1,000 mm ABOVE FFL).
		DIMMER
		GARDEN SPIKE
	AEROTRON (WHITE)	FANLIGHT
		SPOT LIGHT DIRECTED ACROSS CEILING
		UPLIGHTER MOUNTED IN FLOOR, PAVING OR GARDEN BED
		BOLLARD GARDEN LIGHT
		1200 SURFACE MOUNTED FLUORESCENT FITTING
		RECESSED LED PIN DOWNLIGHT

POWER & COMMS LEGEND	
	DOUBLE GPO (300 mm ABOVE FFL UNO). TO MATCH LIGHT SWITCH. REFER DETAIL JOINERY DRAWINGS FOR GPOs TO KITCHEN, BATHROOMS & LAUNDRY. LOCATE 150-300 ABOVE BENCH LEVEL. GPOs TO KITCHEN ISLAND AND BENCH ARE TO BE BUILT INTO JOINERY. REFER TO SELECTION SCHEDULES FOR APPLIANCES. LOCATE APPLIANCE GPOs IN SUITABLE DISCREET LOCATION AS REQUIRED. SWITCH PLATES TO BE "CLIPSAL ICONIC"
	WATERPROOF POWER OUTLET
	DOUBLE TELEPHONE & DATA OUTLET MOUNTED AT 300 ABOVE FFL CONNECTED BY CAT 5 WIRING. PROVIDE CONNECTION TO TELEPHONE FOR BROADBAND. RANGE TO MATCH LIGHT SWITCH
	COMBINED TELEVISION & CABLE TV OUTLETS MOUNTED 300 ABOVE FFL. CONNECT TO ROOF MOUNTED AERIAL AND CABLE SATELLITE DISH. PLATE RANGE TO MATCH LIGHT SWITCH.
	UNDERFLOOR HEATING TO ALL BATHROOMS
	SEPARATELY SWITCHED ADDITIONAL CIRCUITS SWITCHED FROM INTERIOR OF HOUSE FOR FUTURE LIGHT SERVICES. FEED TO BE RUN TO OUTSIDE FACE OF HOUSE & TERMINATED AT UNDERGROUND JUNCTION BOX
	SPEAKER OUTLETS. CONCEALED HARDWIRED CEILING MOUNTED OUTLETS CONNECTED BACK TO TV POINTS. WIRE INDEPENDENTLY TO PROVIDE SEPARATE LEFT & RIGHT SPEAKER & FRONT & BACK FACILITY AS NOTED.


SECURITY LEGEND	
	SMOKE ALARM HPM 645/1SB. INSTALL TO BCA REQUIREMENTS
	PROVIDE INTERCOM AT GROUND FLOOR ENTRY CONNECTED TO LOCATIONS WITHIN HOUSE AS SHOWN - REFER PC SUMS
	KEYPAD LOCK TO DOOR. MANUAL KEY OVERRIDE
	MOVEMENT DETECTOR. LIGHT FITTING TO ALSO BE PROVIDED WITH WALL MOUNTED MANUAL SWITCH OVERRIDE

MECHANICAL LEGEND	
	INLINE EXHAUST FAN DUCTED TO OUTSIDE OF BUILDING
	150 DIA RIGID METAL DUCT TO OUTSIDE OF BUILDING WITH POWDERCOATED EXTERNAL METAL GRILLE. LOCATE INLINE FAN UNIT NEAR INTAKE GRILLE.
	AIR-CONDITIONING SUPPLY GRILLE - IN BULKHEAD.
	AIR CONDITIONING CONDENSER LOCATION
	FAN COIL / MULTI SPLIT UNIT
	RINNAI 26 OR 32 INSTANTANEOUS GAS HOT WATER SERVICE WALL MOUNTED IN RECESSED BOX WITH COVER TO CONCEAL PIPEWORK.

SERVICES LEGEND	
	GAS COCK CONNECTION
	HOSE COCK CONNECTION

LEVEL 1 RCP

client	Andrew Bursill & Georgie Torrens	date	03/02/23		A07
project	Residence	scale	1 : 100@A1		
project address	1772 Pittwater Road, Bayview				



LIGHTING LEGEND		
SYMBOL	SUPPLIER	DESCRIPTION
		RECESSED LED DOWNLIGHT
		SURFACE MOUNTED 'CAN' LIGHT
		SUSPENDED PENDANT LIGHT
		'UP/DOWN' WALL LIGHT
		WALL LIGHT
		EXTERNALLY RATED WALL LIGHT
		IN GROUND UP-LIGHT
		SPOTLIGHT WALL MOUNTED
		POOL LIGHT
		LED STRIP LIGHTING
		LIGHT SWITCH (1,000 mm ABOVE FFL UNO).
		TWO-WAY LIGHT SWITCH (1,000 mm ABOVE FFL).
		THREE-WAY LIGHT SWITCH (1,000 mm ABOVE FFL).
		DIMMER
		GARDEN SPIKE
	AEROTRON (WHITE)	FANLIGHT
		SPOT LIGHT DIRECTED ACROSS CEILING
		UPLIGHTER MOUNTED IN FLOOR, PAVING OR GARDEN BED
		BOLLARD GARDEN LIGHT
		1200 SURFACE MOUNTED FLUORESCENT FITTING
		RECESSED LED PIN DOWNLIGHT

POWER & COMMS LEGEND	
	DOUBLE GPO (300 mm ABOVE FFL UNO). TO MATCH LIGHT SWITCH. REFER DETAIL JOINERY DRAWINGS FOR GPOs TO KITCHEN, BATHROOMS & LAUNDRY. LOCATE 150-300 ABOVE BENCH LEVEL. GPOs TO KITCHEN ISLAND BENCH ARE TO BE BUILT INTO JOINERY. REFER TO SELECTION SCHEDULES FOR APPLIANCES. LOCATE APPLIANCE GPOs IN SUITABLE DISCREET LOCATION AS REQUIRED. SWITCH PLATES TO BE "CLIPSAL ICONIC"
	WATERPROOF POWER OUTLET
	DOUBLE TELEPHONE & DATA OUTLET MOUNTED AT 300 ABOVE FFL CONNECTED BY CAT 5 WIRING. PROVIDE CONNECTION TO TELEPHONE FOR BROADBAND. RANGE TO MATCH LIGHT SWITCH
	COMBINED TELEVISION & CABLE TV OUTLETS MOUNTED 300 ABOVE FFL. CONNECT TO ROOF MOUNTED AERIAL AND CABLE SATELLITE DISH. PLATE RANGE TO MATCH LIGHT SWITCH.
	UNDERFLOOR HEATING TO ALL BATHROOMS
	SEPARATELY SWITCHED ADDITIONAL CIRCUITS SWITCHED FROM INTERIOR OF HOUSE FOR FUTURE LIGHT SERVICES. FEED TO BE RUN TO OUTSIDE FACE OF HOUSE & TERMINATED AT UNDERGROUND JUNCTION BOX
	SPEAKER OUTLETS. CONCEALED HARDWIRED CEILING MOUNTED OUTLETS CONNECTED BACK TO TV POINTS. WIRE INDEPENDENTLY TO PROVIDE SEPARATE LEFT & RIGHT SPEAKER & FRONT & BACK FACILITY AS NOTED.

SECURITY LEGEND	
	SMOKE ALARM HPM 645/1SB. INSTALL TO BCA REQUIREMENTS
	PROVIDE INTERCOM AT GROUND FLOOR ENTRY CONNECTED TO LOCATIONS WITHIN HOUSE AS SHOWN - REFER PC SUMS
	KEYPAD LOCK TO DOOR. MANUAL KEY OVERRIDE
	MOVEMENT DETECTOR. LIGHT FITTING TO ALSO BE PROVIDED WITH WALL MOUNTED MANUAL SWITCH OVERRIDE

MECHANICAL LEGEND	
	INLINE EXHAUST FAN DUCTED TO OUTSIDE OF BUILDING
	150 DIA RIGID METAL DUCT TO OUTSIDE OF BUILDING WITH POWDERCOATED EXTERNAL METAL GRILLE. LOCATE INLINE FAN UNIT NEAR INTAKE GRILLE.
	AIR-CONDITIONING SUPPLY GRILLE - IN BULKHEAD.
	AIR CONDITIONING CONDENSER LOCATION
	FAN COIL / MULTI SPLIT UNIT
	RINNAI 28 OR 32 INSTANTANEOUS GAS HOT WATER SERVICE WALL MOUNTED IN RECESSED BOX WITH COVER TO CONCEAL PIPEWORK.

SERVICES LEGEND	
	GAS COCK CONNECTION
	HOSE COCK CONNECTION

MASTER SET FOR AUTHORITY APPROVAL


GENERAL NOTE:
RED CLOUDING - RELATES TO DA 2020 / 0014.
PURPLE CLOUDING - CHANGES MARKED FOR THE BOATSHED - RELATES TO DA 2022/1506.

LEVEL 2 RCP


client Andrew Bursill & Georgie Torrens
project Residence
project address 1772 Pittwater Road, Bayview

date 03/02/23
scale 1 : 100@A1

A08



DOOR-WINDOW SCHEDULE			DOOR SCHEDULE		
WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT
W01	2820	1700	D01	900	2400
W02	700	2400	D02	900	2400
W03	600	1400	D03	850	2400
W04	600	1400	D04	1350	2400
W05	3380	2100	D05	1400	2400
W06a	2150	2000	D06	900	2400
W06b	1180	2000	D07	900	2400
W06c	5500	2000	D08	900	2400
W06d	1180	2000	D09	1000	2400
W07	1000	2100	D10	1000	2400
W08	700	2700	D11	800	2400
W09	1800	600	D12	800	2400
W10	2950	2700	D13	800	2400
W11	1800	3185	D14	700	2100
W12a	650	3185	D15	800	2400
W12b	4300	3185	D16	3000	2400
W12c	650	3185	D17	860	2100
W13	1500	2700	D18	900	2400
W14	4900	2700	D19	1150	2400
W15	1200	2200	D20	800	2400
W16	700	1500	D21	800	2400
W17	800	2500	D22	800	2400
W18	700	1600	D23	800	2400
W19	3150	2600	D24	2200	2000
W20	1800	2500	D25	2200	2000
W21	1800	2500			
W22	4250	2500			
W23	5120	2500			
W24	800	2500			
W25	1650	2500			
W26	480	2400			
W27	5800	600			
W28	2050	600			
SK01	1400	780			
SK02	665	970			




MASTER SET FOR AUTHORITY APPROVAL

GENERAL NOTE:

RED CLOUDING - RELATES TO DA 2020 / 0014.

PURPLE CLOUDING - CHANGES MARKED FOR THE
BOATSHED - RELATES TO DA 2022/1506.



1 NORTH ELEVATION
1 : 50

MASTER SET FOR AUTHORITY APPROVAL

GENERAL NOTE:


RED CLOUDING - RELATES TO DA 2020 / 0014.

PURPLE CLOUDING - CHANGES MARKED FOR THE BOATSHED - RELATES TO DA 2022/1506.

DOOR-WINDOW SCHEDULE			DOOR SCHEDULE		
WINDOW / DOOR NAME	WIDTH	HEIGHT	WINDOW / DOOR NAME	WIDTH	HEIGHT
W01	2820	1700	D01	900	2400
W02	700	2400	D02	900	2400
W03	600	1400	D03	850	2400
W04	600	1400	D04	1350	2400
W05	3380	2100	D05	1400	2400
W06a	2150	2000	D06	900	2400
W06b	1180	2000	D07	900	2400
W06c	5500	2000	D08	900	2400
W06d	1180	2000	D09	1000	2400
W07	1000	2100	D10	1000	2400
W08	700	2700	D11	800	2400
W09	1800	600	D12	800	2400
W10	2950	2700	D13	800	2400
W11	1800	3185	D14	700	2100
W12a	650	3185	D15	800	2400
W12b	4300	3185	D16	3000	2400
W12c	650	3185	D17	860	2100
W13	1500	2700	D18	900	2400
W14	4900	2700	D19	1150	2400
W15	1200	2200	D20	800	2400
W16	700	1500	D21	800	2400
W17	800	2500	D22	800	2400
W18	700	1600	D23	800	2400
W19	3150	2600	D24	2200	2000
W20	1800	2500	D25	2200	2000
W21	1800	2500			
W22	4250	2500			
W23	5120	2500			
W24	800	2500			
W25	1650	2500			
W26	480	2400			
W27	5800	600			
W28	2050	600			
SK01	1400	780			
SK02	665	970			

ELEVATIONS


client Andrew Bursill & Georgie Torrens
project Residence
project address 1772 Pittwater Road, Bayview



date 03/02/23
scale 1 : 50@A1

A203





1 SECTION C
1 : 50

MASTER SET FOR AUTHORITY APPROVAL


GENERAL NOTE:

RED CLOUDING - RELATES TO DA 2020 / 0014.

PURPLE CLOUDING - CHANGES MARKED FOR THE BOATSHED - RELATES TO DA 2022/1506.


SECTIONS

client Andrew Bursill & Georgie Torrens
project Residence
project address 1772 Pittwater Road, Bayview



date 03/02/23
scale 1 : 50@A1

A302




1 DRIVEWAY SECTION
1 : 20

MASTER SET FOR AUTHORITY APPROVAL

GENERAL NOTE:
RED CLOUDING - RELATES TO DA 2020 / 0014.
PURPLE CLOUDING - CHANGES MARKED FOR THE BOATSHED - RELATES TO DA 2022/1506.

SECTIONS

client Andrew Bursill & Georgie Torrens
project Residence
project address 1772 Pittwater Road, Bayview



date 03/02/23
scale 1 : 20@A1

A303