# DEVELOPMENT PROPOSAL

ADDRESS: 30 RYAN PLACE, BEACON HILL, NSW 2100.

PROPOSED WORKS: NEW FRONT PORCH, NEW ROOF OVER EXSTING BALCONY AND RETAINING WALLS AT FRONT OF PROPERTY. BALCONY TO BE REPLACED. D.P:215972 LOT: 152.



WAY


**BALCONY TO BE** REPLACED



**NEW RETAINING** WALL

WALL

NOTE: IMAGES ARE FOR VISUALISATION PURPOSES ONLY. REFER TO DRAWINGS FOR ACTUAL DETAILS.



THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION, THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE, ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR.

R

## **BASIX**<sup>°</sup>Certificate

Building Sustainability Index www.basix.nsw.gov.au

### Alterations and Additions

Certificate number: A460845

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary Date of issue: Wednesday, 25, May 2022

To be valid, this certificate must be lodged within 3 months of the date of issue.



Project address		
Project name	30 Ryan Place Beacon Hill	
Street address	30 Ryan Place Beacon Hill 2100	
Local Government Area	Warringah Council	
Plan type and number	Deposited Plan 215972	
Lot number	152	
Section number		
Project type		
Dwelling type	Separate dwelling house	
Type of alteration and addition	I want a BASIX Certificate for optional compliance. This means I won't have to comply with any existing Council energy and water efficiency provisions.	
	Project name Street address Local Government Area Plan type and number Lot number Section number Project type Dwelling type Type of alteration and	

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: tim woods

ABN (if applicable): N/A

1. Brickwork shall comply with AS 3700. All brickwork shall be solidly bonded and laid on a full bed of 10mm. mortar with all joints filled. Wall ties spaced at 460mm. cts horizontally and 610mm. cts vertically or vice-versa and within 300mm of articulation joints, to comply with 40 comp

- with AS 2699. 2. Subfloor ventilation; 150mm. min. bearer to ground clearance for strip flooring. 200mm min. bearer to ground clearance for sheet flooring - Minimum 7500mm²/Metre of external masonry veneer wall
- Minimum 22000mm<sup>2</sup>/Metre of internal dwarf walls. Weep holes at max. 1200mm. centres to comply with AS 3700.

3. Damp-proof courses to be an approved waterproof cement mortar or bituminous paper placed 75mm. below floor level. A second course to be laid 1 or 2 brick courses higher.

Firebox inserts shall be installed in accordance with manufacturers specifications and in accordance with AS 2918.

Top soil and all organic matter to be removed from under where a concrete slab-on-ground is to be poured.

6. Structural steel and concrete to comply with the Structural Engineer's design and computations and shall take precedence over instructions on this plan.

7. Reinforced concrete to be min. 25MPa. complying with AS 2870 - 1996, (unless directed otherwise by structural Engineer) and; Trench mesh for concrete footings to be lapped a min. 500mm. and have a top and/or bottom cover of min. 50mm, unless directed otherwise by Engineer.
 Fabric mesh to be lapped a minimum of 225mm, and have a minimum top and/or bottom cover of 25mm, unless directed otherwise by Engineer.

Excavation of trenches for footings, drainage, sewerage, etc., to be in accordance with the requirements of the local Controlling Authorities.

9. Smoke detectors to comply with AS 3786 and must also comply with the BCA 3.7.2.

10. Safety switches to be installed to the requirements of the local Controlling Authority.

11. All glazing to comply with AS 1288-2006.

12. From information provided, the design wind speed is N3 (41m/s).

13. No part of any building to encroach Site or Title boundaries

14 Provide Bush fire preventative measures where required by local Council.

- 15.Stair design - Risers 190mm, Maximum
  - 115mm. Minimum 355mm. Maximum
- Treads 240mm, Minimum
- Risers and Treads to be constant in size throughout the flight.
   Ensure gap between treads does not exceed 125mm. or provide infills to block access if large - Min. 2000mm. vertical head clearance when measured from the nosing of the

tread. - Stair to be min, 750mm, wide when measured clear of all obstructions. - Statistic de manufacture de la constant minimastred clear of an obstractions, - Handrail to be a constant minimum 865mm high above the nosing of treads and minimum 1000mm, high above all landings, balconies and the like that exceed 1000mm, above the finished adjacent ground or floor level - Balusters and rails, etc., to have max, spacing of 125mm. - Wire balustrading to comply with Table 3.9.2.1 of the BCA.

16. Figured dimensions shall always take precedence over scale.

17. Termite prevention works must be in accordance with AS 3660.1 - 2000

18. For buildings in close proximity to the sea, ensure that all steelwork, brick cavity ties, steel lintels, etc. that are embedded or fixed into masonry, be protected in accordance with AS 1650 or AS 3700-1988 Table 2.2, hot dipped galvanised iron, stainless steel or cadmium coated

19. The Builder to take all measures necessary to ensure the stability of new and/or existing structures during construction and generally ensure the watertightness of all works during construction.

20. These plans have been prepared for the exclusive use of the customer and only for the purpose expressly notified to the author. Any other person who uses or relies on these plans without the written consent of Avalon Granny Flats does so at their own risk and no responsibility is accepted by Avalon Granny Flats for such use and/or reliance.

21. DO NOT SCALE OFF DRAWINGS.

The Owner/Builder and/or subcontractor to confirm all dimensions, setbacks and levels prior to commencing construction, ordering materials or preparing shop drawings and shall be responsible for ensuring that all building works conform to the Building Code of Australia, AS codes (current editions) Building regulations, local by-laws and Town Planning requirements. All discrepancies must be referred to this office for clarification.

22. COPYRIGHT WARNING. This plan is the exclusive property of Avalon Granny Flats and must not be used, reproduced or copied, wholly or in part. Any infringement of the Copyright will result in legal action being taken against both the Owner and/or Builder.

23. These notes are neither exhaustive nor a substitute for regulations, statuton requirements, building practice or contractual obligations and unless expressly stated otherwise, are provided only as a guide. No responsibility is accepted for their use.

NATIONAL CONSTRUCTION CODE, AUSTRALIAN STANDARDS, COUNCIL REQUIREMENTS & OTHERCODES: ALL BUILDING WORK TO BE IN ACCORDANCE WITHNCC, COUNCIL CODES AND ALL

RELEVANT AUSTRALIAN STANDARDS INCLUDING, BUT NOT LIMITED TO : - AS 1684 - RESIDENTIAL TIMBER FRAMEDCONSTRUCTION

AS 2047:2014 - WINDOWS AND EXTERNAL GLAZEDDOORS IN BUILDINGS - AS 2870:2011 - RESIDENTIAL SLABS ANDFOOTINGS

- AS/NZS 3000:2007 - WIRING RULES

- AS/NZS 3500.5:2000 - NATIONAL PLUMBING ANDDRAINAGE

- AS 3660.1:2014 - TERMITE MANAGEMENT

- AS 3700-2011 - MASONRY STRUCTURES


- AS 3740-2010 - WATERPROOFING OF DOMESTICWET AREAS

- AS/NZS 2918-2018 DOMESTIC SOLID FUELBURNING APPLIANCES

- AS 4100-1998 - STEEL STRUCTURES

- NORTHERN BEACHES COUNCIL DRIVEWAYSPECIFICATIONS
- SYDNEY WATER TECHNICAL GUIDELINES: BUILDING OVER AND ADJACENT TO PIPE ASSETS





NOTE THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

1:100

1:200

oroudly bear apportir cottage THESE DRAWINGS ARE SUBJECT TO COPYRIGHT AND MAY NOT BE COPIED, USED OR REPRODUCED IN ANY WAY WITHOUT THE EXPRESS PERMISSION OF [DRAFTING HEIP]. ALL DIMENSIONS AND AREAS INDICATED ON DRAWINGS ARE APPROXIMATE ONLY AND ARE SUBJECT TO SURVEY CONFIRMATION. THE DESIGN IS SUBJECT AUTORITY APPROVALS AND IS NOT INTENDED TO BE USED FOR CONSTRUCTION PURPOSES. Project ADDITONS AND ALTERATIONS SP 13/12/2021 Scale DP No. 215972 LOT No. 152 ISSUED FOR DA No. Revision/Issue 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Addres EVERLY WYSS 30 RYAN PL **BEACON HILL** NSW 2100

heet

XXXX

Date

ARCHITECTURAL DRAFTING

3D VISUALISATION

DEVELOPMENT APPLICATION

ASSISTANCE


COUNCIL COMPLIANT PLANS


EXISTING BUILDING OUTLINE

General Notes


PROPOSED WORK

LEGEND:







THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.




USER

REVD/





NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.




NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

LEGEND:	
EXISTING BUILDING OUTINE	

ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION ASSISTANCE COUNCIL COMPLIANT PLANS EXISTING BUILDING OUTLINE PROPOSED WORK General Notes proudly bear upporting cottage THESE DRAWINGS ARE SUBJECT TO COPYRIGHT AND MAY NOT BE COPIED, USED OR REPRODUCED IN ANY WAY WITHOUT THE EXPRESS PREMISSION OF [DRAFTING HELP]. ALL DIMENSIONS AND AREAS INDICATED ON DRAWINGS ARE APPROXIMATE ONLY AND ARE SUBJECT TO SURVEY COMFIRMATION. THE DESIGN IS SUBJECT AUTHORITY APPROVALS AND IS NOT INTENDED TO BE USED FOR CONSTRUCTION PURPOSES. Project ADDITONS AND ALTERATIONS Shee Date 13/12/2021 Scale 4 1:100 DP No. 215972 LOT No. 152 A | ISSUED FOR DA XXXX No. Revision/Issue Date 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Address EVERLY WYSS 30 RYAN PL **BEACON HILL** NSW 2100







NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. DRAFTING HELP WILL BE HELD HARMLESS. DRAFTING HELP WILL BE HELD HARMLESS. DRAFTING HELP MILL BE HELD HARMLESS. DRAFTING HELP MILL BE HELD HARMLESS. DRAFTING HELP MILL BE HELD HARMLESS. DRAFTING HELP WILL BE HELD HARMLESS. DRAFTING HELP WILL BE HELD HARMLESS. DRAFTING HELP MILL BE HELD HARMLESS


E B

USER

DATF

R

FNAMF








ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION ASSISTANCE COUNCIL COMPLIANT PLANS





NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

REVDATE

#### NOTES:

### PRELIMINARIES

All work to comply with the Building Code of Australia, current editions of the relevant Australian Standards, and industry codes of practice.


Select, store, handle and install proprietry products or systems in accordance with the published recommendations of the manufacturer or supplier.


#### Dimensions and Setout


Do not scale from drawings. Take figured dimensions in preference to scale. Verify all dimensions on site before commencing work. The site foreman shall be responsible for verifying all dimensions and levels prior to the commencement of the Works. In the event of discrepancies in the setout of the Works, the builder should refer to the Project Designer for clarification before proceeding.

#### CONCRETE CONSTRUCTION

Concrete structures generally to AS3600. Ground slabs and footings to AS2870. Ready-mixed concrete to A\$1379. All reinforcement to be in accordance with Engineer's drawings and specification. Place all concrete uniformly over the width of the slab to achieve a level face. Provide construction joints as required. Compaction, curing and formwork stripping to comply with Aust. Stds and codes of practice.







THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.



ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION BEARERS AND JOISTS: SPAN AND SPACING OF BEARERS AND JOISTS IS TO CONFORM TO AS1684 SERIES ASSISTANCE COUNCIL COMPLIANT PLANS WITH SUP; PORTING SUPPLEMENTS LEGEND EXISTING BUILDING OUTLINE PROPOSED WORK General Notes proudly bear pporti cottage THESE DRAWINGS ARE SUBJECT TO COFTMAN MAY NOT BE COPIED, USED OR REPRODUCE WAY WITHOUT THE EXPRESS PERMISSION (DRAFTING HELP). ALL DIMENSIONS AND / Project ADDITONS AND ALTERATIONS 13/12/2021 Scale 1:100 DP No. 215972 LOT No. 152 A ISSUED FOR DA XXXX No. Revision/Issue Date 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Address

> EVERLY WYSS 30 RYAN PL

**BEACON HILL** NSW 2100

OF STANDARDS IN CONJUCTION

RELEVANT TOT HE APPLCABLE WIND CLASSIFICATION AND

ALL TIMBER GENERALLY SHALL BE OF THE DURABILITY AND STRESS GRADE SPECIFIED

AND OR COMPLY WITH AS1720

ROOF BRACING IN ACCORDANCE WITH TRUSS MANUFACTURERS DETAIL AND

WALL FRAMING: WALL FRAME, SIZES AND SPACING SHALL BE IN ACCORDANCE WITH AS1684


SECTION 8 OF AS 1684.

OR AS SPECIFIED BY A


PRACTISING ENGINEER,

STRESS.


AND AS1684.











NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

USER



ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION ASSISTANCE COUNCIL COMPLIANT PLANS				
LEGEND: EXISTING BUILDING OUT	INE			
PROPOSED WORK	LINE			
General Notes				
	° 🐎			
proudly supporting bear	kids .			
COLLA ***********************************	ge I e Vindersed			
THESE DRAWINGS ARE SUBJECT TO COPYRIGH MAY NOT BE COPIED, USED OR REPRODUCED J				
WAY NOT BE COPIED, USED OK REPRODUCED I WAY WITHOUT THE EXPRESS PERMISSION OF [DRAFTING HELP]. ALL DIMENSIONS AND AREA	T AND			
INDICATED ON DRAWINGS ARE APPROXIMATE	IN ANY AS ONLY			
[DRAF1ING HELP], ALL DIMENSIONS AND AND INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCTI PURPOSES.	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCTI PURPOSES. Project Sheet	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCTI PURPOSES. Project ADDITONS AND ALTERATIONS Date	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCTI PURPOSES. Project ADDITONS AND ALTERATIONS	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCTI PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP No. 215972	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCTI PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP No. 215972	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP No. 215972	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP No. 215972	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP No. 215972 LOT No. 152 A ISSUED FOR DA	IN ANY AS ONLY I. THE ND IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCTI PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP No. 215972 LOT No. 152	IN ANY IS ONLY I. THE IS ON IS IS IS IS IS IS IS IS IS IS IS IS IS			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP No. 215972 LOT No. 152 A ISSUED FOR DA No. Revision/Issue	N ANY S ONLY I. THE DOLS ON S ON S ON S ON S ON S ON S ON S O			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 131/12/2021 Scale 1:100 DP No. 215972 LOT No. 152 A ISSUED FOR DA No. Revision/Issue	N ANY S ONLY I. THE DOLS ON S ON S ON S ON S ON S ON S ON S O			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP No. 215972 LOT No. 152 A ISSUED FOR DA No. Revision/Issue	N ANY S ONLY I. THE DOLS ON S ON S ON S ON S ON S ON S ON S O			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP NO. 215972 LOT NO. 152 A ISSUED FOR DA NO. Revision/Issue A ISSUED FOR DA NO. Revision/Issue S/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Address	N ANY S ONLY I. THE DOLS ON S ON S ON S ON S ON S ON S ON S O			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/12/2021 Scale 1:100 DP NO. 215972 LOT NO. 152 A ISSUED FOR DA NO. Revision/Issue A ISSUED FOR DA NO. Revision/Issue S/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Address EVERLY WYSS 30 RYAN PL	N ANY S ONLY I. THE DOLS ON S ON S ON S ON S ON S ON S ON S O			
INDICATED ON DRAWINGS ARE APPROXIMATE AND ARE SUBJECT TO SURVEY CONFIRMATION DESIGN IS SUBJECT AUTHORITY APPROVALS A NOT INTENDED TO BE USED FOR CONSTRUCT PURPOSES. Project ADDITONS AND ALTERATIONS Date 13/13/2021 Scale 1:100 DP NO. 215972 LOT NO. 152 A ISSUED FOR DA NO. Revision/Issue A ISSUED FOR DA NO. Revision/Issue S/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 0/2 87763474 Project Name and Address EVERLY WYSS	N ANY S ONLY I. THE DOLS ON S ON S ON S ON S ON S ON S ON S O			

#### NOTES: TIMBER AND STEEL CONSTRUCTION


All timber framing and flooring to A\$1684, A\$1720.1 where relevant. Structural steelwork to AS4100. Preparation of metal surfaces to AS1627. Flashing and damp-proof courses to AS2904.

### **TERMITE PROTECTION**

Termite protection to AS3660.1. Use a physical barrier system installed by licensed installers to manufacturer's specification. Obtain all relevant certification from licensed installers to the effect that these works have been executed in accordance with the BCA, Aust. Stds and relevant codes of practice.

### Decking


Timber deck in accordance with A\$1684. Allow to fix select grade hardwood decking as supplied by Proprietor. All handling, storage, installation and finishing as recommended by the manufacturer. Allow for sufficient acclimatization prior to installation. New timber decking to AS2796.




DRAINAGE: SHALL BE UNDERTAKEN IN ACCORDANCE WITH LOCAL PCA AND REQUIREMENTS OF **REGULATORY AUTHORITY. TO** BE CARRIED OUT BY APPROPRIATLEY QUALIFIED PERSON.







THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.




ARCHITECTURAL DRAFTING


NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

/DATF

R







NOTE:

THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

FNA

REVDATE



90 #


4980

90 #


5160

\_\_\_\_\_

B








THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.


REVDATE

FNZ

USER








**BEACON HILL** 

NSW 2100





THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

USER

REVDATE

FNAME






5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474

EVERLY WYSS 30 RYAN PL

**BEACON HILL** 

NSW 2100

Project Name and Address




THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

REVDATE

**SCALE 1:200** 

## **NOTIFICATION PLAN**



NOTE

•CONNECT DP'S TO EXISTING STORMWATER SYSTEM. ALL STRUCTURAL DETAILS TO ENGINEERS SPECIFICATIONS

1:200


THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

1:100


m

JSE










THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY TE USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE ALL DRAWINGS. PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITEST, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS AND SPECIFICATIO










SEDIMENT & EROSION CONTROL - ADDITIONAL DETAILS TO BE FOLLOWED BY SITE MANAGER / CONSTRUCTION WORKERS




THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.





SPACING & DRAIN LINING SUBJECT TO DRAIN GRADE



FILTER FABRIC

#### GEOTEXTILE STORMWATER INLET FILTER

#### CONTROLLING CONTAMINATION ON SITE

Avoid contamination of stormwater with sediment. Use diversion devices to reduce the volume of stormwater reaching the disturbed area. On compact urban sites avoid overland flow through the work area by installing the final stormwater drainage system as early as possible in the construction process. Before installation of the final stormwater system, install an up-slope perimeter bank and catch drain connected to a temporary drop pipe, to take uncontaminated stormwater directly to the stormwater system. On steep sites, line catch drains with turf or geotextile fabric.

Uncontaminated stormwater from the channel should discharge to the stormwater system. In some cases discharge onto non-erodable areas of land is permissible. Check with your local council. Do not allow discharge into neighbouring properties. Roof drainage must discharge to the stormwater system, unless rainwater is being harvested. Complete the final stormwater drainage system before the roof is installed. Connect using either temporary or permanent downpipes

#### POST-CONSTRUCTION AND EROSION CONTROL

Stabilise the site as soon as possible after construction, or while the last trades are finishing, to minimise the potential for ongoing soil erosion. Turf lawns are commonly used to stabilise soil but their high water consumption can be an environmental burden. Native ground cover plants do the same thing with considerably lower water use. Avoid replacing native vegetation with turf.

Mulch (straw or other material) can be used on open garden beds to protect soil and support plant growth. Mulch spread to a depth of 75-100mm minimises soil and water loss and controls weed growth. Mulch may be less suitable on steep sites and in high wind areas. Temporary, quick germinating grasses such as rye and oats can be used to stabilise soil until slower growing plants can be established. This method is only effective after the grass seeds have germinated and established a root structure.

Semi permeable paving can be used to stabilise areas of the site. Avoid excessive use of hard surfaces that prevent stormwater being absorbed. Biodegradable erosion control mats are useful when revegetating steep slopes.

Integrate landscaping strategy with sediment control. For example, diversion channels and trenches that filter sediment can be used with rubble in the base to create a deep root planting opportunity.



ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION ASSISTANCE COUNCIL COMPLIANT PLANS

EXISTING BUILDING OUTLINE


General Notes

PROPOSED WORK

LEGEND:



THESE DRAWINGS ARE SUBJECT TO COPYRIGHT AND MAY NOT BE COPIED, USED OR REPRODUCED IN ANY WAY WITHOUT THE EXPRESS PREMISSION OF [DRAFTING HELP]. ALL DIMENSIONS AND AREAS INDICATED ON DRAWINGS ARE APPROXIMATE ONLY AND ARE SUBJECT TO SURVEY COMFIRMATION. THE DESIGN IS SUBJECT AUTHORITY APPROVALS AND IS NOT INTENDED TO BE USED FOR CONSTRUCTION PIRPOSES.



DP No. 215972


LOT No. 152


ISSUED FOR DA XXXX Α No. Revision/Issue Date

### 5/470 Sydney Rd Balgowlah 2093 NSW


www.draftinghelp.com.au 02 87763474 Project Name and Address EVERLY WYSS 30 RYAN PL

BEACON HILL NSW 2100





THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.



## Construction Notes

 $\mathbf{v}$ 

 $\mathbf{v}$ 

 $\mathbf{v}$ 

 $\mathbf{v}$ 

 $\mathbf{v}$ 

 $\mathbf{v}$ 

1. Construct sediment fences as close as possible to being parallel to the contours of the site, but with small returns as shown in the drawing to limit the catchment area of any one section. The catchment area should be small enough to limit water flow if concentrated at one point to 50 litres per second in the design storm event, usually the 10-year event. 2. Cut a 150-mm deep trench along the upslope line of the fence for the bottom of the fabric to


be entrenched. 3. Drive 1.5 metre long star pickets into ground at 2.5 metre intervals (max) at the downslope edge of the trench. Ensure any star pickets are fitted with safety caps.

4. Fix self-supporting geotextile to the upslope side of the posts ensuring it goes to the base of the trench. Fix the geotextile with wire ties or as recommended by the manufacturer. Only use geotextile specifically produced for sediment fencing. The use of shade cloth for this purpose is not satisfactory.

5. Join sections of fabric at a support post with a 150-mm overlap. 6. Backfill the trench over the base of the fabric and compact it thoroughly over the geotextile.







NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.



#### PRELIMINARIES

All work to comply with the Building Code of Australia, current editions of the relevant Australian Standards, and industry codes of practice.

Select, store, handle and install proprietry products or systems in accordance with the published recommendations of the manufacturer or supplier

#### Dimensions and Setout

Do not scale from drawings. Take figured dimensions in preference to scale. Verify all dimensions on site before commencing work. The site foreman shall be responsible for verifying all dimensions and levels prior to the commencement of the Works. In the event of discrepancies in the setout of the Works, the builder should refer to the Project Designer for clarification before proceeding.

#### TERMITE PROTECTION

rmite protection to AS3660.1. Use a physical barrier system installed by licensed installers to manufacturer's specification. Obtain all relevant certification from licensed installers to the effect that these works have been executed in accordance with the BCA, Aust. Stds and relevant codes of practice.

#### SITE PREPARATION

Groundworks for slabs and footings to AS2870.

Demolition to AS2601. Avoid erosion, contamination and sedimentation of the site, surrounding areas and drainage systems. Limit clearing of the Site to areas to be occupied by the Works, paving and landscaping. Grub out or grind stumps of all trees to be removed from the site.

#### EXCAVATION

Excavate to give the levels and profiles required for construction, site services, paving and landscaping. Allow for compaction and settlement. Confirm bearing capacity for foundations is adequate. Provide even bearing surfaces for load-bearing elements including footings. Grade to ground surface externally to drain ground or surface water away from the buildings without ponding. Remove all loose material, debris and organic matter prior to placing fill, ground slabs and load-bearing elements. Compact the ground to achieve required density.

#### VAPOUR BARRIERS

All vapour barriers to AS2870. Provide vapour barriers below all around concrete slabs (if required) on sand blind surface sufficient to cover hard projections. Barriers to be minimum 0.2mm thick impact resistant polyethylene film. Provide ant-caps between any brick or stone piers and sub walls and timber bearers.

#### SERVICE TRENCHES

Excavate trenches as required to bring all services to the Works. Trenches to be straight between manholes, inspection points and junctions where practicable, of minimum depth required to adequately accommodate relevant service. Obtain inspection approvals where relevant prior to backfilling. Backfilling to be compacted to prevent subsidence.

#### CONCRETE CONSTRUCTION

Concrete structures generally to AS3600. Ground slabs and footings to AS2870. Ready-mixed concrete to A\$1379. All reinforcement to be in accordance with Engineer's drawings and specification. Place all concrete uniformly over the width of the slab to achieve a level face. Provide construction joints as required. Compaction, curing and formwork stripping to comply with Aust. Stds and codes of practice.

#### TIMBER AND STEEL CONSTRUCTION

All timber framing and flooring to A\$1684, A\$1720.1 where relevant. Structural steelwork to A\$4100. Preparation of metal surfaces to A\$1627. Flashing and damp-proof courses to AS2904

#### DOORS AND WINDOWS

All doors and windows generally to AS2047.1 as per door and window schedule. To match existing upvc system throughout. Reuse existing doors and windows as

denoted on the drawings

Install flashings, weather-bars, drips, storm moulds etc. to prevent water entering building between frames and the building structure. Install all door and window sets plumb, level, straight and true, adequately anchored and free of building loads and structural deflection.

#### LININGS

All plasterboard linings to A\$2588, 13mm thick sheets to ceilings, 10mm thick sheets to walls. Moisture resistant plasterboard to be used in all wet areas All fibre cement linings to AS2908.2, walls - 9mm-thick sheets, suspended soffits -9mm-thick sheets, floors - 18mm thick sheets. All installation to A\$2589.1. Linings to be fixed to framing at recommended

spacing. Ensure all linings are level, plumb, straight and true as applicable. Provide recessed edge sheets and finish flush with perforated reinforcing tape. Provide flashings, trim and sealants to effectively waterproof wet areas. Provide timber trim as detailed and where necessary to make neat junctions between components and finishes. Provide Rondo stopping bead profile to ceiling planes.

#### WATERPROOFING AND WET AREAS

All waterproofing to A\$3740. All liquid and sheet membrane systems to be specific for their intended purpose, installed to manufacturer's specification, properly and effectively terminated at perimeters and drainage outlets. Provide certification by a credited certifier for waterproofing works prior to executing subsequent stages of Works. Provide a written guarantee for all waterproofing membranes of not less than 12 years

#### TILING

All tiles to be cut to fit neatly around fixtures and fittings and at perimeters. Drill holes with damaging tile faces. Return tiles into sills, reveals, and opening. Butt up to returns, frames, fittings and other finishes. Distribute variations in hue, colour and pattern uniformly by mixing tiles or tile batches before laying. Allow beddings to set and attain working strength before opening areas to traffic. Set out tiles from the centre of floors and walls. Align joints between floors and walls where possible Grade floor tiling even falls to floor wastes. Ensure level junctions to walls. Achieve minimum falls of 1 in 100 generally and 1 in 60 in shower wastes. Junctions between tiled floors and other materials to be finished with corrosion-resistant metal dividing strip fixed to the substrate. Do not compromise waterproof membrane. Bath cavities to be ventilated with min. 2 ventilation points..


#### FLOOR COATINGS AND COVERINGS

Polished concrete slab to be helicoptered burnish finish to Proprietor's specification.

Timber Floor coating to be 2 - 3 coats of Bona Mega (Silk Matt), applied using a Bona Roller or applicator. A coverage rate of 8 10m<sup>2</sup> / litre should be observed. Application to manufacturers specification.

#### PAINTING

All painting AS2311 and paint manufacturer's specifications. Clean off marks, paint spots and stains progressively. Touch up damaged paintwork with original paint batch where possible. Refer to finishes schedule for details of painted finishes.



THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR

#### Steelwork

Fabricate and erect all structural steelwork in accordance with Structural Engineer's drawings and specifications. Submit shop drawings to Designer and Engineer for approval before commencing fabrication. All welds to be free of slag. Remove all swarf from steelwork and surrounds immediately after it is deposited. All proprietry fixings to be compatible with steelwork finish. Obtain certification from Structural Engineer to the effect that these works have been executed satisfactorily.

#### Flooring and Decking Strip flooring to AS1684.

strip- and sheet-flooring.

Particleboard sheet flooring to A\$1859.1, installed to A\$1860.

Fibre-cement flooring to AS2908.2. New timber decking to AS2796. Ensure building is sufficiently protected from weather prior to installing all

#### Decking

Timber deck in accordance with AS1684. Allow to fix select grade hardwood decking as supplied by Proprietor. All handling, storage, installation and finishing as recommended by the manufacturer. Allow for sufficient acclimatization prior to installation.

#### Wall framing All framing to A\$1684.

Provide additional noggings etc. where required to fix linings, cladding, hardware, fixtures, fittings and accessories.

Provide damp proof courses under bottom plate of external clad-frame walls on slabs or dwarf masonry walls. Provide flashings to all external openings sufficient to prevent entry of moisture and wind-driven rain and other precipitation.

#### MASONRY CONSTRUCTION

Masonry generally to A\$3700 and masonry units to A\$4455. Provide ant-caps between any brick or stone piers sub walls and timber bearers.

### INSULATION AND SARKING

vide flexible membrane material normally used for waterproofing, vapour retarding or thermal reflective insulation.

All bulk insulation to AS3742, installed to AS3999. All sarking material to A\$4200.1.

Fit all batts tightly between framing members, and support securely. Provide vapour-permeable sarking under cladding which does not provide a permanent weatherproof seal, including boards or planks fixed in exposed locations where wind-driven rain can penetrate the joints. Apply to the outer face of external studs from top plate down over bottom plate and flashing. Run across studs and lap min. 150mm at joints. Provide roof sarking as part of roof insulation. Finish sarking at

#### ROOFING GUTTERING DOWNPIPES

least 50mm clear of ridges.

new 150mm half-round guttering throughout with matching support brackets as selected

#### new 90mm dia downpipes as shown new roof tiles (as required to rear extended roof only) to match existing

installed in acc with manufacturers specifications existing roof tiles to be carefully removed for reuse to front extended roof

#### ROOF PLUMBING

All roof plumbing to AS2179.1 and AS2180. All fasteners and mechanically fastened joints to be sealed with silicone sealant. Flashing projections above and through roofing with 2-part apron flashing and over-flashing, min. 100mm overlap. Allow for independent movement between roofing and projection. All cover and under-flashing materials to be electrolytically compatible with roof sheeting and rainwater goods. Provide minimum 0.48 BMT sheet steel cappings and fascias pre-formed to profiles indicated on details prior to delivery. All cappings and flashings to be in single, continuous lengths. All accessories and fixings as per sheet metal fabricator's

recommendation. All guttering and roof sheeting to achieve minimum falls as per Aust. Stds and sheet metal manufacturer's recommendation

#### CABINETRY

Allow to build in and fit off all sinks and tubs, and other plumbing fixtures to be supplied by Proprietor Allow to co-ordinate between electrical and plumbing trades during installation of all cabinetry.

#### ARCHITECTURAL METALWORK

All metalwork strictly to Structural Engineers specification where applicable and to Designer's details. Confirm all measurements on site before fabrication. Prefabricate components off-site where possible for on-site fixing. All work to be set into position truly plumb, square and level and secured to suit loadings in vertical and horizontal alignment.

#### PLUMBING DRAINAGE AND GAS INSTALLATIONS

All plumbing and drainage work strictly in accordance with AS3500. All gas installations to AS5601. Install piping in straight lines and to minimum uniform grades where required. Ensure all piping is installed to prevent vibration and

water-hammer whilst permitting thermal movement. Prevent direct contact with incompatible metals. Lines in sub-floor spaces to be min. 150mm clear of ground level. Ensure adequate access for inspection and maintenance where required.

#### Stormwater and Wastewater

Use temporary covers during construction to openings and keep system free of debris. Flush system clean upon completion. Connect subsoil drains to groundwater drainage system. Laundry tub, washing machine and kitchen sink to be plumbed directly into drainage lines via dedicated charged waste. Do not plumb through floor waste.

#### Rainwater Storage

All plumbing and drainage work strictly in accordance with A\$1273 / AS2179 / AS3500. First flush devices to be fitted to all downpipes. All inlets and outlets to be protected with suitable mosquito barrier.

Gas supply to be installed to Local Authority Requirements.On completion of installation and testing, turn on isolation and control valves and purge and charge the installation.

#### DOMESTIC ELECTRICAL AND MECHANICAL INSTALLATIONS All domestic electrical works to AS3018.

All mechanical installations to A\$1668.

All telecommunications installations to A\$1501.8. Provide switches, outlets and plates generally in accordance with wiring diagrams. Provide control switchgear, circuit breakers and earth leakage protection devices as required. Provide for installation of exhaust fans where required, appropriate to the use and size of the rooms to be ventilated. Connect and duct ceiling grilles to suitable, rainproof exterior outlets. Install smoke alarms as required by Aust. Stds and BCA. Test all electrical installations, smoke alarms and mechanical

ventilation prior to completion.


#### 3D VISUALISATION DEVELOPMENT APPLICATION ASSISTANCE COUNCIL COMPLIANT PLANS

ARCHITECTURAL DRAFTING



General Notes





## 

5/470 Sydney Rd Balgowlah 2093 NS www.draftinghelp.com.au 02 87763474

Project Name and Address **EVERLY WYSS** 30 RYAN PL **BEACON HILL** NSW 2100

#### Dra**f**ting Help Terms and Conditions

In these terms and conditions (Terms), Drafting Help means Drafting Help ACN: 621 017 007 and You means the person listed in the  $\mathbf{Q}$ uote (being the quote to which this document is attached) as the client of Drafting Help (and Your has a similar meaning).

You agree to, and will be bound by, these Terms upon the earlier of Your written or oral confirmation to Drafting Help to commence the Services (being the services specifically set out in the Quote, subject to any exclusions or assumptions in the Quote); and You making any payment to Drafting Help in connection with the Services. You agree that you have been given the opportunity to read and understand these Terms.

- 1. You have engaged Drafting Help to perform the Services and agree to pay Drafting Help the Fee (being the fee set out in, or calculated in accordance with, the **Q**uote and these Terms) in accordance with these Terms. If, at any time, You seek to end or cancel these Terms prior to the f. Drafting Help is entitled to include limitation and disclaimer wording in all of the Deliverables to completion of the Services, without limiting Drafting Help's rights, Drafting Help may suspend the performance of the Services, and You must pay Drafting Help the balance of the Fee, immediately.
- 2. Subject to these Terms, Drafting Help will perform the Services with due care and skill.
- 3. You will pay the Fee in the manner, and at the times, set out in the Quote. If You do not comply with this paragraph, Drafting Help may immediately suspend the performance of the Services until such time as You have complied with this paragraph.
- 4. You will pay a default interest rate on any overdue payments at the rate of 18% per annum (calculated and compounding daily). This paragraph 4 survives termination of these Terms.
- 5. You will provide Drafting Help with all assistance, documentation, information and instructions requested by Drafting Help to enable Drafting Help to perform the Services (Input). If You do not comply with this paragraph, Drafting Help may itself carry out those activities at Your cost (calculated in accordance with the rates and prices set out in the  $\mathbf{Q}$ uote).
- 6. Drafting Help will not be held responsible for any error, defect, omission, fault, inconsistency, discrepancy or ambiguity in or between the designs or documents prepared by or on behalfof Drafting Help in (or incidental to) the performance of the Services (Deliverables), to the extent caused by Your failure to comply with, or any Input provided by or on behalf of You for the purpose of, paragraph 5. This paragraph 6 survives termination of these Terms.
- 7. If Drafting Help is asked to, or is required to perform:
- a. services or activities which are different, or in addition, to the Services, You will pay Drafting Help for those services and activities; and
- b. the Services in an order or sequence, or within a period of time, which is different to what Drafting Help had originally planned to perform those Services, You will pay Drafting Help the additional costs it suffers or incurs as a result of complying with the revised order, sequence or timing,
- in accordance with the rates and prices set out in the Quote (or, where those rates or prices are not applicable, in accordance with reasonable rates and prices determined by Drafting Help).
- 8. You acknowledge and agree that the Fee is subject to change (and may be increased) where any fee, contribution, charge or third party cost increases (or a new fee, contribution, charge or third party cost is introduced) after the date Drafting Help issued the Quote.
- 9. Despite anything to the contrary (to the maximum extent permitted by law):
- a. Drafting Help excludes all terms implied by statute, in fact, at law or on any other basis;
- b. You acknowledge and agree that Drafting Help and its employees and consultants are not registered architects, engineers or surveyors;
- c. You acknowledge and agree that the Services are performed solely for Your benefit, and that no 14. The Quote and these Terms constitute the entire agreement between Drafting Help and You in

these Terms.

11. I f

15. These Terms are governed by the law in New South Wales, and each party irrevocably submits to the non-exclusive jurisdiction of courts exercising jurisdiction in New South Wales.


GENERAL NOTES •BUILDER TO CONFIRM ALL LEVELS AND DIMENSIONS ON SITE BEFORE WORK BEGINS 10 0 25 ALL WORK TO BE IN ACCORDANCE WITH LOCAL AUTHORITIES 0 REQUIREMENTS AND B C A REQUIREMENTS • CONNECT DP'S TO EXISTING STORMWATER SYSTEM. ALL STRUCTURAL DETAILS TO ENGINEERS SPECIFICATIONS 1:200 1:100

THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION, THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE, ALL DRAWINGS, PLANS, SKETCHES ETC., ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

third party will be permitted to use or rely upon the Deliverables, and Drafting Help will not be liable or responsible for any use, reliance or adaptation of the Deliverables;

- d. You acknowledge and agree that the Services and the Deliverables are subject to inherent limitations having regard to the nature and the scope of the Services, and the circumstances in which they have been commissioned and are to be delivered (and, specifically, the Deliverables are not, and are not intended to be, plans or drawings for construction and should not be used or relied upon for this purpose);
- e. You acknowledge and agree that Drafting Help is not liable or responsible for any work or services carried out or performed by any third party, including in relation to any survey, report, plan or drawing which Drafting Help relied upon, used, adopted or modified (directly or indirectly) in the performance of the Services;
- the foregoing effect;
- g, in no event will Drafting Help be liable or responsible for any claim (or cost, expense, liability, loss or damage) caused or contributed to by any act or omission of You or any third party;
- h. in no event will Drafting Help be liable or responsible for economic loss, loss of contract or goodwill, loss of profit or revenue, loss of business opportunity, loss of use, loss of reputation, loss of data, loss of production or production stoppage, financing or holding costs, increased expenses of operation or any indirect or consequential loss; and
- i. Drafting Help's total liability arising out of or in connection with the Quote, these Terms, the Services and the Deliverables will not exceed the Fee (in aggregate),
- and these limitations and exclusions will apply whether the claim is based on breach of contract, tort (including negligence), under any warranty, under any indemnity, under statute, in equity or otherwise. This paragraph 9 survives termination of these Terms.
- 10. Drafting Help will retain ownership in all intellectual property rights (including moral rights and copyright) in or arising from the Services and the Deliverables, and You (and any of Your contractors or consultants) must not do anything which may infringe any of those intellectual property rights or the intellectual property rights of third parties (and, if any infringement does arise, You will indemnify Drafting Help for any loss or liability it suffers or incurs as a result). This paragraph 10 survives termination of these Terms.
- a. You are in breach of these Terms, and You fail to rectify the breach within 14 days after being notified by Drafting Help; or
- b. the Services are not completed by [insert date] as a result or consequence of (directly or indirectly) any event or circumstance which is beyond Drafting Help's reasonable control,
- Drafting Help may (without limiting its rights at law) terminate these Terms and You will be obliged to pay the balance of the Fee to Drafting Help immediately. This paragraph 11 survives termination of
- 12. If You have any issue or concern in relation to the Services or Deliverables, You must raise those issues or concerns to Drafting Help in writing within 7 days of first becoming aware of the issue or concern. If You do not comply with this paragraph, to the maximum extent permitted by law, You will have no claim against Drafting Help (and You release and discharge Drafting Help from any such claim). This paragraph 12 survives termination of these Terms.
- 13. No provision of these Terms will be construed adversely to Drafting Help because Drafting Help was responsible for the preparation of these Terms.
- connection with the Services and the Deliverables, and prevail over and supersede all other communications or documentation entered into or exchanged between the parties.





NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION ASSISTANCE COUNCIL COMPLIANT PLANS				
LEGEND: EXISTING BUILDING OUTLIN PROPOSED WORK General Notes	NE			
proudly supporting bear cottag	Sec.			
THESE DRAWIINGS ARE SUBJECT TO COPYRIGHT MAY NOT BE COPIED, USED OR REPRODUCED IN WAY WITHOUT THE EXPRESS PRIMISSION OF [DRAFTING HE!P], ALL DIMENSIONS AND AREAS INDICATED ON DRAWIINGS ARE APPROXIMATE O AND ARE SUBJECT TO SURVEY CONFIRMATION. DESIGN IS SUBJECT AUTHORITY APPROVALS AND NOT INTENDED TO BE USED FOR CONSTRUCTION PURPOSES.	ANY NLY THE D IS			
Project ADDITONS AND ALTERATIONS Date 13/12/2021	4			
13/12/2021 Scale NTS				
DP No. 215972				
LOT No. 152				
	V			
A ISSUED FOR DA No. Revision/Issue	XXXX Date			
Architectureal Dearting A Design Services S/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474				
Project Name and Address EVERLY WYSS 30 RYAN PL BEACON HILL NSW 2100				