



## NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION

**Development Application No:** DA 2004/1652

### *DEVELOPMENT APPLICATION DETAILS*

**Applicant Name:** Humel Architects P/L

**Applicant Address:** 2A/32 Fisher Road Dee Why NSW 2099

**Land to be developed (Address):** Lot 2611 DP 752038, Lot 1 DP 774980, Lot 1 DP 803645, and Lot 573 DP 752038, Veterans Parade Wheeler Heights

**Proposed Development:** Conversion of 83 Bed-sitter Units contained in 20 separate buildings to 49 dwelling Units.

### *DETERMINATION*

**Made on (Date):** 22 November 2005

**Consent to operate from (Date):** 22 November 2005

**Consent to lapse on (Date):** 22 November 2010

### **Details of Conditions – (including Section 94 conditions)**

*The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.*

### **NOTE:**

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

## GENERAL CONDITIONS

### CONDITIONS THAT IDENTIFY APPROVED PLANS

#### 1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated
Architectural Plans DA1 to DA4	December 2004
Survey contour plans 2599Hume Sheets 1 to 4	1 October 2003

Document	Dated
Statement of Environmental Effects – Humel Architects	23 December 2004

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

**Note:** Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

**Reason:** *To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]*

#### 2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

**Reason:** *To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. [A2]*

#### 3. Demolition of Extra Fabric

Alterations to, and demolition of the existing building shall be limited to that shown on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is shown to be retained.

**Reason:** To ensure compliance with the approved development. [A3]

## CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE

### 4. Security Bond Schedule

All fees and security bonds in accordance with the schedule below must be paid or in place prior to the issue of the required Construction Certificate:

SECURITY BOND & FEE SCHEDULE	
RSL Retirement Village, Veterans Parade	
DEVELOPMENT APPLICATION NUMBER 2004/1652	
SECURITY BONDS	AMOUNT (\$)
Builders Road/Kerb Security Bond	Nil
Others	
<b>TOTAL BONDS</b>	<b>\$Nil</b>
FEES	
Kerb Security Inspection Fee	\$200.00
Section 94 contribution	Nil
Long Service Levy	\$3576.40
Others	
<b>TOTAL FEES</b>	<b>\$3776.40</b>

**Reason:** Compliance with the development consent. [C71]

## CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

### 5. Check for Services

Prior to finalising commencement to begin work for the proposed development, the applicant should check all existing public service utilities within and adjacent to the site and ensure that where necessary appropriate arrangements are made for the relocation and/or adjustment of any services at the applicant's expense. (C96)

**Reason:** To prevent accidental disruption to service lines and infrastructure

### 6. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation &



Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

***Reason:*** *To avoid siltation to adjoining properties and waterways. [D1]*

## **7. Construction Certificate**

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

***Reason:*** *Legislative requirements. [D3]*

## **8. Notice of Commencement**

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

***Reason:*** *Legislative requirement for the naming of the PCA. [D4]*

## **9. WorkCover**

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

***Reason:*** *Statutory requirement. [D5]*

## **10. Trees**

During the construction period the applicant is responsible for ensuring all protected trees are maintained in a healthy and vigorous condition. This is to be done by ensuring that all identified tree protection measures are adhered to. In this regard all protected trees on this site shall not exhibit:

- (a) A general decline in health and vigour.
- (b) Damaged, crushed or dying roots due to poor pruning techniques.
- (c) More than 10% loss or dieback of roots, branches and foliage.
- (d) Mechanical damage or bruising of bark and timber of roots, trunk and branches.
- (e) Yellowing of foliage or a thinning of the canopy untypical of its species.
- (f) An increase in the amount of deadwood not associated with normal growth.
- (g) An increase in kino or gum exudation.
- (h) Inappropriate increases in epicormic growth that may indicate that the trees are in a stressed condition.
- (i) Branch drop, torn branches and stripped bark not associated with natural climatic conditions.

The presence of any of these symptoms or signs may be considered by Council as a



breach of the Conditions of Development Approval.

**Reason:** *Protection of trees. [D12]*

#### **11. Excavation/Building Works**

No excavation or building works shall be carried out until a Construction Certificate has been issued.

**Reason:** *To ensure compliance with statutory provisions. [D13]*

#### **12. Inspection Fees**

Where Council is acting as the Principal Certifying Authority and where an inspection of building, civil or landscape work is required by these conditions, inspection fees and component certification fees must be paid to Council before Council will undertake any inspections. These fees may be paid at the time of submission of the required Notice of Commencement of works. This condition applies regardless of whether a Certification fee is also payable.

Note: The submission of a Notice of Commencement of works form to Council at least two (2) days prior commencing works is a statutory requirement.

**Reason:** *Statutory requirement and information. [D14]*

#### **13. Cigarette Butt Receptacle - Residential**

A cigarette butt receptacle is to be provided on the site during periods of demolition/construction, for convenient use of site workers.

**Reason:** *To ensure adequate provision is made for builders' waste. [D16]*

### **CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK**

#### **14. Notification of Inspections**

If Council is the Principal Certifying Authority, Council's Development Engineer is to be given 48 hours notice when the works reach the following stages:

- (a) Installation of Silt and Sediment control devices
- (b) Prior to backfilling of pipelines
- (c) Prior to pouring of stormwater gully pits
- (d) Prior to pouring of kerb and gutter
- (e) Subgrade level/basecourse level
- (f) Sealing road pavement



NOTE: Any inspections carried out by Council do not imply Council approval or acceptance of the work, and do not relieve the developer/applicant from the requirement to provide an engineer's certification as conditioned above. Council approval or acceptance of any stage of the work must be obtained in writing, and will only be issued after completion of the work to the satisfaction of Council and receipt of the required certification.

***Reason:*** *Appropriate notice for works to be carried out. [E1]*

#### **15. Progress Inspections- (Class 2, 3 and 4 Buildings)**

The Principal Certifying Authority (PCA) SHALL BE given a minimum of two (2) working days notice for inspection of the following, where applicable:

- (a) At the commencement of the building work.
- (b) Prior to covering of waterproofing in any wet areas, for a minimum of 10% of rooms with wet areas within the building.
- (c) Prior to covering any stormwater drainage connections.
- (d) After the building work has been completed and prior any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephoning Council on 9942 2111 and requesting the relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be



demolished, or delays experienced in obtaining final certification and occupation of the development in order to resolve issues.

***Reason:*** Prescribed mandatory inspections under legislation. [E8]

## **16. Dust Emission and Air Quality**

Materials must not be burnt on the site.

Vehicles entering and leaving the site with soil or fill material must be covered.

Dust suppression measures must be carried out to minimise wind-borne emissions in accordance with the NSW Department of Housing's 1998 guidelines - Managing Urban Stormwater: Soils and Construction. Odour suppression measures must be carried out so as to prevent nuisance occurring at adjoining properties. This Condition must be complied with during demolition and building work.

***Reason:*** To ensure residential amenity is maintained in the immediate vicinity. [E18]

## **17. Replacement of Principal Certifying Authority**

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

***Reason:*** Statutory requirement. [E11]

## **18. Construction Hours**

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place



adjoining the site.

**Reason:** *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E26]*

## **19. Out of Hours Work Permits**

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk. Any further variation shall require the lodgement and favourable determination of a modification application pursuant to Section 96 of the Environmental Planning and Assessment Act 1979.

(Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.)

**Reason:** *To ensure that works do not interfere with reasonable amenity expectations of residents and the community. [E27]*

## **20. Installation and Maintenance of Sediment Control**

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

**Reason:** *To protect the environment from the effects of sedimentation and erosion from development sites. [E28]*

## **21. Health and Safety**

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that; warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at [www.WorkCover.nsw.gov.au](http://www.WorkCover.nsw.gov.au).

**Reason:** *To ensure the health and safety of the community and workers on the site.*



[E30]

## 22. Aboriginal Heritage

If in undertaking excavations or works, any Aboriginal site or relic is, or is thought to have been found, all works are to cease immediately and the applicant is to contact Aboriginal Heritage Officer for Warringah Council, and the National Parks and Wildlife Service (NPWS). Any work to a site that is discovered to be the location of an Aboriginal relic, within the meaning of the National Parks and Wildlife Act, requires a permit from the Director of the NPWS.

**Reason:** *Aboriginal Heritage Protection. [E34]*

## 23. Compliance Certificate

Within seven (7) days of completion of the building works and prior to occupation for each Unit upgrade or the issue of an Interim/Final Occupation Certificate, a Certificate of Compliance under Section 109C (1) (a) of the Environmental Planning and Assessment Act 1979 must be provided by the Principal Certifying Authority. This Compliance Certificate must certify that the completed work complies with the relevant plans and specifications and with the following conditions of this development consent: 2004/1652

**Reason:** *To ensure compliance with the terms of this development consent. [E13]*

## 24. Noxious Plants

All lantana, privet, rubber trees, parateria, and other declared noxious plants in the vicinity of the northern Units, and shall be eradicated before the commencement of landscape replacement planting works.

**Reason:** *To ensure that plants identified as weed species are not allowed to proliferate or degrade adjacent remnant bushland. [E25]*

## 25. Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

**Reason:** *To ensure public safety and amenity on public land. [E36]*

## 26. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

*Reason: Prescribed - Statutory. [F1]*

## 27. Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
  - (a) in the case of work to be done by a licensee under that Act:
    - (i) has been informed in writing of the licensee's name and contractor licence number, and
    - (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
  - (b) in the case of work to be done by any other person:
    - (i) has been informed in writing of the person's name and owner-builder permit number, or
    - (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the



Council written notice of the updated information.

***Reason: Prescribed - Statutory. [F2]***

**Note:** Evidence of insurance required PRIOR to commencement of work.

## **28. Sydney Water**

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained where required. Application must be made through an authorised Water Servicing Co-ordinator, for details see the Sydney Water web site [www.sydneywater.com.au](http://www.sydneywater.com.au), or telephone 13 20 92.

Following application, a 'Notice of Requirements' will be forwarded detailing water and sewer extensions to be built and charges to be paid. Please make early contact with the coordinator since building of water/sewer extensions can be time consuming and may impact on other services and building, driveway or landscape design. Details of any requirements of Sydney Water are to be provided with the Construction Certificate documentation.

The final Section 73 Certificate must be submitted to the Council / Accredited Certifier prior to release of any linen plan for subdivision or prior to occupation of the development. Alternatively, if Sydney Water advises that a Section 73 Certificate is not required for the proposed development, written confirmation of this advice is to be provided.

***Reason: To ensure compliance with the statutory requirements of Sydney Water. [F3]***

## **29. Demolition**

Demolition work must be undertaken in accordance with the provisions of AS2601-Demolition of Structures.

***Reason: To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. [F6]***

## **30. Protection of Public Places**

- (1) If the work involved in the erection or demolition of a building:
  - (a) is likely to cause pedestrian or vehicular traffic in a public place to be obstructed or rendered inconvenient; or
  - (b) building involves the enclosure of a public place,  
  
a hoarding and site fencing must be erected between the work site and the public place.



- (2) If necessary, an awning is to be erected, sufficient to prevent any substance from, or in connection with, the work falling into the public place.
- (3) The work site must be kept lit between sunset and sunrise if it is likely to be hazardous to persons in the public place.
- (4) Any such hoarding, fence or awning is to be removed when the work has been completed.
- (5) No access across public reserves or parks is permitted.

**Note:** Prior to the erection of any temporary fence or hoarding over property owned or managed by Council, written approval must be obtained. Any application needs to be accompanied by plans indicating the type of hoarding and its layout.

Fees are assessed and will form part of any approval given. These fees must be paid prior to the approval being given.

Approval for hoardings will generally only be given in association with approved building works, maintenance or to ensure protection of the public. An application form for a Hoarding Permit can be downloaded from Council's website.

***Reason:*** *To ensure public safety and the proper management of public land. [F8]*

### **31. Bushfire Protection**

All external new construction to Units 26-45 and 55-85 shall comply with AS 3959 – 1999 level 3 “Construction of buildings in Bushfire Prone Areas”. All other Units shall comply with level 2.

***Reason:*** *Protection from bushfire and safety under the Rural Fires Act 1997*

### **32. Site Sign**

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
  - (a) stating that unauthorised entry to the work site is prohibited;
  - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
  - (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while to building work or demolition work is being carried out, but must be removed when the work has been completed.



- (3) This condition does not apply to building works being carried out inside an existing building.

***Reason: Statutory requirement. [F9]***

### **33. Toilets**

- (1) Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.
- (2) Each toilet provided:
- (a) must be a standard flushing toilet, and
  - (b) must be connected:
    - (i) to a public sewer; or
    - (ii) if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
    - (iii) if connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
- (3) The provision of toilet facilities in accordance with this clause must be completed before any other work is commenced.
- (4) In this clause:

**accredited sewage management facility** means a sewage management facility to which Division 4A of Part 3 of the Local Government (Approvals) Regulation 1993 applies, being a sewage management facility that is installed or constructed to a design or plan the subject of a certificate of accreditation referred to in clause 95B of the Regulation.

**approved by the Council** means the subject of an approval in force under Division 1 of Part 3 of the Local Government (Approvals) Regulation 1993.

**public sewer** has the same meaning as it has in the Local Government (Approvals) Regulation 1993.

**sewage management facility** has the same meaning as it has in the Local Government (Approvals) Regulation 1993.

***Reason: To ensure adequate facilities are provided for workers on the site. [F10]***

### **34. Long Service Levy**

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation. This payment is not required where the value of the works is less than \$25,000.

The Long Service Levy is calculated on 0.2% of the building and construction work.

*Reason: Prescribed - Statutory. [F12]*

## **CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE**

### **35. Occupation Certificate Required**

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

*Reason: To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]*

### **36. Fire Safety Certificate**

To ensure the safety of occupants of the building a “Fire Safety Certificate” which identifies the schedule of “Fire Safety Measures” that have been completed to satisfactory standard shall be provided to the Principal Certifying Authority prior to the issue of an “Occupation Certificate” as required in the “Environmental Planning and Assessment Act & Regulation.

*Reason: To ensure an adequate level of fire safety is provided within the premises for the life safety of building occupants. [G3]*

### **37. Annual Fire Safety Statement for the building**

In accordance with the EPA Act & Regulation the owner of a building is to provide Council with an Annual Fire Safety Statement for the building.

*Reason: To ensure an adequate level of fire safety is provided within the premises for the life safety of building occupants. [G4]*

### **38. Conservation of Water & Energy**

Compliance with Clause 68 “Conservation of Energy and Water” of Warringah Local Environmental Plan 2000 with respect to appliances. Details to be submitted with the



Occupation Certificate.

**Reason:** *Provision of energy requirements. [G5]*

### **39. Termite Control**

- (1) Termite control measures being installed in accordance with AS 3660.1-2000 "Termite Management: New Building Work."

**Reason:** *Termite control. [G6 (1)]*

- (2) A durable notice is to be permanently fixed to the building in a prominent location, such as the meter box or the like, indicating: The method of termite protection; date of installation; life expectancy of chemical barrier (if used); and installer's or manufacturer's recommendations for the scope and frequency of future inspections for termite activity.

**Reason:** *Termite control. [G6 (2)]*

## **SCHEDULE 1: SENIORS LIVING**

### **40. Age Criteria**

The housing is to be occupied by seniors (55 years and older) or people with a disability and people who live with them in, accordance with SEPP Seniors Living.

**Reason:** *Statutory requirements. [S1 (1)]*

### **41. Accessible Entry**

Where site constraints permit, every entry (whether a front entry or not):

- (a) must not have a slope that exceeds 1:40, and
- (b) must comply with clauses 4.3.1 and 4.3.2 of AS 4299, and
- (c) must have an entry door handle and other hardware that complies with AS 1428.

Details to be provided prior to Occupation.

**Reason:** *Safety and convenience. [S1 (5)]*

### **42. External Door**

All external doors to any one dwelling must be keyed alike.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (6)]***

#### **43. Internal Door**

Where site constraints permit:

- (a) Internal doors must have a clearance of at least 820 millimetres.
- (b) Internal corridors must have a width of at least 1,000 millimetres.
- (c) The width at internal door approaches must be at least 1,200 millimetres.

Details to be provided prior to Occupation.

***Reason: Access and safety. [S1 (7)]***

#### **44. Living room and dining room**

- (a) where site constraints permit, a circulation space:
  - (i) of at least 2,250 millimetres in diameter, and
  - (ii) as set out in clause 4.7 of AS 4299, and
- (b) a telephone adjacent to a general power outlet.
- (c) A living room and dining room must have a potential illumination level of at least 300 lux.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (8)]***

#### **45. Kitchen**

Where site constraints permit, a kitchen in a self-contained dwelling must have:

- (a) a width of at least 2.7 metres and a clear space between benches of at least 1,450 millimetres, and
- (b) a width at door approaches of at least 1,200 millimetres, and
- (c) benches that include at least one work surface:
  - (i) that is at least 800 millimetres in length, and
  - (ii) the height of which can be adjusted from 750 millimetres to 850 millimetres, and
- (d) a tap set:
  - (i) that is located within 300 millimetres of the front of the sink, and
  - (ii) that is a capstan tap set or that comprises lever handles or a lever mixer, and
- (e) a thermostatic mixing valve for the hot water outlet, and
- (f) cook tops:
  - (i) with either front or side controls, and
  - (ii) with controls that have raised cross bars for ease of grip, and
  - (iii) that include an isolating switch, and
- (g) a work surface adjacent to the cook top and at the same height and that is at least 800 millimetres in length, and





Warringah Council

- (h) an oven that is located adjacent to a work surface the height of which can be adjusted, and
- (i) “D” pull cupboard handles that are located towards the top of below-bench cupboards and towards the bottom of overhead cupboards, and
- (j) general power outlets:
  - (i) at least one of which is a double general power outlet within 300 millimetres of the front of a work surface, and
  - (ii) one of which is provided for a refrigerator in such a position as to be easily accessible after the refrigerator is installed.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (9)]***

#### **46. Main Bedroom**

Where site constraints permit, at least one bedroom within a self-contained dwelling must have:

- (a) an area sufficient to accommodate a wardrobe and a queen-size bed with a clear area at least 1,200 millimetres wide at the foot of the bed, and
- (b) 2 double general power outlets on the wall where the head of the bed is likely to be, and
- (c) at least one general power outlet on the wall opposite the wall where the head of the bed is likely to be, and
- (d) a telephone outlet next to the bed on the side closest to the door and a general power outlet beside the telephone outlet, and
- (e) a potential illumination level of at least 300 lux.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (10)]***

#### **47. Bathroom**

Where site constraints permit, a bathroom must have:

- (a) an area that complies with AS 1428, and
- (b) a slip-resistant floor surface, and
- (c) a shower:
  - (i) the recess of which is at least 1,160 millimetres x 1,100 millimetres, or that complies with AS 1428, or that complies with clause 4.4.4 and Figures 4.6 and 4.7 of AS 4299, and
  - (ii) the recess of which does not have a hob, and
  - (iii) that is waterproofed in accordance with AS 3740, and
  - (iv) the floor of which falls to a floor waste, and
  - (v) that can accommodate a grab rail that complies with Figure 4.6 of AS 4299 and AS 1428, and

- (vi) that has a tap set that is a capstan tap set or that comprises lever handles and that has a single outlet, and
- (vii) that has the tap set positioned so as to be easily reached from the entry to the shower, and
- (viii) that can accommodate an adjustable, detachable hand-held shower rose mounted on a slider grab rail or a fixed hook, and
- (ix) that can accommodate a folding seat that complies with Figure 4.6 of AS 4299, and
- (d) thermostatic mixing valves for all hot water outlets, and
- (e) a washbasin with clearances that comply with Figure 4.4 of AS 4299, and
- (f) a wall cabinet that is sufficiently illuminated to be able to read the labels of items stored in it, and
- (g) a mirror, and
- (h) a double general power outlet beside the mirror.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (11)]***

#### **48. Toilet**

Where site constraints permit, each residence must have a toilet:

- (a) that is a visitable toilet within the meaning of clause 1.4.12 of AS 4299, and
- (b) that is installed in compliance with AS 1428, and
- (c) that has a slip-resistant floor surface, and
- (d) the WC pan of which is located from fixed walls in accordance with AS 1428, and
- (e) that can accommodate a grab rail that complies with Figure 4.5 of AS 4299 and AS 1428.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (12)]***

#### **49. Laundry**

Where site constraints permit, a self-contained dwelling must have a laundry:

- (a) that has provision for the installation of an automatic washing machine, and
- (b) that has provision for the installation of a clothes dryer, and
- (c) that has a clear space in front of appliances of at least 1,300 millimetres, and
- (d) that has thermostatic mixing valves for all hot water outlets, and
- (e) that has a slip-resistant floor surface, and
- (f) that has an accessible path of travel to any clothesline provided in relation to the dwelling.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (13)]***

## **50. Storage**

Where site constraints permit, a self-contained dwelling must be provided with a linen cupboard:

- (a) that is at least 600 millimetres wide, and
- (b) that has adjustable shelving.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (14)]***

## **51. Doors**

Door hardware provided as the means for opening doors must be:

- (a) able to be operated with one hand, and
- (b) located between 900 millimetres and 1,100 millimetres above floor level.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (15)]***

## **52. Surface Finishes**

Balconies and external paved areas must have slip-resistant surfaces.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (16)]***

## **53. Ancillary Items**

Switches must be located between 900 millimetres and 1,100 millimetres above floor level.

General-purpose outlets must be located at least 600 millimetres above floor level.

Details to be provided prior to Occupation.

***Reason: Safety and convenience. [S1 (17)]***

## **54. Access for People with Disabilities**

Notwithstanding previous conditions provision shall be made for access to not less than 25 Units of the 49 Units on the site for persons with a disability in accordance with the



provisions of AS 1428 prior to occupation of each upgraded Unit. In this regard three (3) of these dwellings must be nominated and made fully compliant with AS 1428 in accordance with Schedule One of the Warringah LEP 2000. Particular attention should be given to tactile ground surface indicators for the orientation of people with vision impairment (AS 1428.4).

Details to be provided prior to Occupation.

***Reason:*** *Equitable access for people with a disability and the minimum standards of WLEP 2000. [S1 (18)]*

### **Right to Review by the Council**

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

*NOTE: A fee will apply for any request to review the determination.*

### **Right of Appeal**

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

**Signed**                      on behalf of the consent authority

Signature \_\_\_\_\_  
Name