





















ABBREVIATIONS

DB #	DOOR AT BASEMENT LEVEL
VB #	WINDOW AT BASEMENT LEVEL
KB #	SKYLIGHT IN BASEMENT ABOVE BASEMENT
DG #	DOOR AT GF LEVEL
DGB #	SKYLIGHT ABOVE DOORS AT GF LEVEL
WG #	WINDOW AT GF LEVEL
WGB #	SKYLIGHT ABOVE WINDOWS AT GF LEVEL
KG #	SKYLIGHT ABOVE GF LEVEL
DT #	DOOR AT FF LEVEL
W1 #	WINDOW AT FF LEVEL
KF #	SKYLIGHT ABOVE FF LEVEL
RL	RELATIVE LEVEL
FL	FINISHED FLOOR LEVEL
CL	FINISHED CEILING LEVEL
W.	FIXED WINDOW
ID	HINGED DOOR
D	PIVOT DOOR
W	PIVOT WINDOW
D	SLIDING DOOR
SD	CAVITY SLIDING DOOR
W	SLIDING WINDOW


SYMBOLS KEY	
	EXISTING WALLS
	CAVITY BRICK WALLS
	TIMBER STUD WALLS
	OFF-FORM CONCRETE WALLS
	JOINERY
	TIMBER FLOORBOARDS
	TIMBER DECK
	TILED FLOORS
	GLAZING
	METAL ROOF
	TIMBER FACADE
	STEEL IN PLAN & ELEVATION
	STEEL IN SECTION
	CONCRETE IN PLAN & ELEVATION
	BRICK FACADE
	OUTDOOR PAVERS
	GREEN ROOF
	CONCRETE ROOF
	DEMOLITION
	DEMOLITION IN SECTION

REFER TO WRITTEN DIMENSIONS ONLY. DO NOT SCALE FROM DRAWINGS.
REFER TO ARCHITECTS SPECIFICATION AND SCHEDULES IN RELATION TO THESE DRAWINGS.
REFER ALL DISCREPANCIES TO THE ARCHITECT IMMEDIATELY BEFORE PROCEEDING.
REFER TO ALL CONSULTANTS DRAWINGS AND SPECIFICATIONS FOR ALL SPECIALIST INFORMATION AND DETAILS.
REFER TO SURVEY DRAWING FOR ALL EXISTING GROUND LEVELS.



amendments:		
DATE	REV	DESCRIPTION
16/03/2022 17/03/2023	A	SECTION 4.55 ISSUE: FF'S FACADE MATERIAL UPDATED. LOWER SECTION OF KITCHEN'S SOUTHERN FACADE UPDATED.
	B	SECTION 4.55

PROJECT	DATE	REVISION NUMBER
41 & 43 BEACH ROAD COLLAROY LO1 1 DP300846 AND LOT 2 SEC 7 DP7391	17/03/2023	B
DRAWING TITLE	SCALE	DRAWING NO.
SITE & ROOF PLAN PROPOSED	1:100 at A1	s4.55 100




AREA CALCULATIONS	PROPOSED	ALLOWED	COMPLIES
SITE AREA	1536.5 sqm		
BASEMENT GFA	64 sqm		YES
GROUND FLOOR GFA	385 sqm		YES
FIRST FLOOR GFA	208 sqm		YES
TOTAL ABOVE GROUND GFA	593 sqm		YES
TOTAL ABOVE GROUND FSR	0.39:1	0.5:1	YES
TOTAL GFA (including basement)	657 sqm		
TOTAL FSR (including basement)	0.43:1	0.5:1	YES
LANDSCAPE OPEN SPACE	612 sqm= 40%	MIN. 40%	YES
SITE COVERAGE	437 sqm= 28.4%	MAX. 33.3%	YES



GENERAL NOTE:
COMPLIANCE
NCC: ALL WORK TO COMPLY WITH THE BCA AND AS REQUIREMENTS AS APPROPRIATE.
BASIX: ALL WORK TO COMPLY WITH BASIX CERTIFICATE.
REFERRALS
SURVEY: REFER TO THE SURVEY PLAN FOR ALL EXISTING GROUND LEVELS.
HYDRAULIC: REFER TO THE HYDRAULIC ENGINEER'S DRAWINGS FOR ALL HYDRAULICS WORK.
LANDSCAPE: REFER TO THE LANDSCAPE DRAWINGS FOR ALL PROPOSED LANDSCAPING DETAILS. DO NOT SCALE FROM THESE DRAWINGS. WORK TO WRITTEN DIMENSIONS ONLY.

ABBREVIATIONS	
(DB.#)	DOOR AT BASEMENT LEVEL
(WB.#)	WINDOW AT BASEMENT LEVEL
(SKB.#)	SKYLIGHT IN LANDSCAPE ABOVE BASEMENT
(DG.#)	DOOR AT GF LEVEL
(SKDG.#)	SKYLIGHT ABOVE DOORS AT GF LEVEL
(WG.#)	WINDOW AT GF LEVEL
(SKWG.#)	SKYLIGHT ABOVE WINDOWS AT GF LEVEL
(SKG.#)	SKYLIGHT ABOVE GF LEVEL
(DT.#)	DOOR AT FF LEVEL
(WT.#)	WINDOW AT FF LEVEL
(SKF.#)	SKYLIGHT ABOVE FF LEVEL
RL	RELATIVE LEVEL
FFL	FINISHED FLOOR LEVEL
FCL	FINISHED CEILING LEVEL
FW	FIXED WINDOW
HD	HINGED DOOR
PD	PIVOT DOOR
PW	PIVOT WINDOW
SD	SLIDING DOOR
CSD	CAVITY SLIDING DOOR
SW	SLIDING WINDOW

SYMBOLS KEY	
[Symbol]	EXISTING WALLS
[Symbol]	CAVITY BRICK WALLS
[Symbol]	TIMBER STUD WALLS
[Symbol]	OFF-FORM CONCRETE WALLS
[Symbol]	JOINERY
[Symbol]	TIMBER FLOORBOARDS
[Symbol]	TIMBER DECK
[Symbol]	TILED FLOORS
[Symbol]	GLAZING
[Symbol]	METAL ROOF
[Symbol]	TIMBER FACADE
[Symbol]	STEEL IN PLAN & ELEVATION
[Symbol]	STEEL IN SECTION
[Symbol]	CONCRETE IN PLAN & ELEVATION
[Symbol]	BRICK FACADE
[Symbol]	OUTDOOR PAVERS
[Symbol]	GREEN ROOF
[Symbol]	CONCRETE ROOF
[Symbol]	DEMOLITION
[Symbol]	DEMOLITION IN SECTION



AREA CALCULATIONS	PROPOSED	ALLOWED	COMPLIES
SITE AREA	1536.5 sqm		
BASEMENT GFA	64 sqm		YES
GROUND FLOOR GFA	385 sqm		YES
FIRST FLOOR GFA	208 sqm		YES
TOTAL ABOVE GROUND GFA	593 sqm		YES
TOTAL ABOVE GROUND FSR	0.39:1	0.5:1	YES
TOTAL GFA (including basement)	657 sqm		
TOTAL FSR (including basement)	0.43:1	0.5:1	YES
LANDSCAPE OPEN SPACE	612 sqm= 40%	MIN. 40%	YES
SITE COVERAGE	437 sqm= 28.4%	MAX. 33.3%	YES



GENERAL NOTE:
COMPLIANCE
NCC: ALL WORK TO COMPLY WITH THE BCA AND AS REQUIREMENTS AS APPROPRIATE.
BASIX: ALL WORK TO COMPLY WITH BASIX CERTIFICATE.
REFERRALS
SURVEY: REFER TO THE SURVEY PLAN FOR ALL EXISTING GROUND LEVELS.
HYDRAULIC: REFER TO THE HYDRAULIC ENGINEER'S DRAWINGS FOR ALL HYDRAULICS WORK.
LANDSCAPE: REFER TO THE LANDSCAPE DRAWINGS FOR ALL PROPOSED LANDSCAPING DETAILS. DO NOT SCALE FROM THESE DRAWINGS. WORK TO WRITTEN DIMENSIONS ONLY.

ABBREVIATIONS	
(DB.#)	DOOR AT BASEMENT LEVEL
(WB.#)	WINDOW AT BASEMENT LEVEL
(SKB.#)	SKYLIGHT IN LANDSCAPE ABOVE BASEMENT
(DG.#)	DOOR AT GF LEVEL
(SKDG.#)	SKYLIGHT ABOVE DOORS AT GF LEVEL
(WG.#)	WINDOW AT GF LEVEL
(SKWG.#)	SKYLIGHT ABOVE WINDOWS AT GF LEVEL
(SKG.#)	SKYLIGHT ABOVE GF LEVEL
(DT.#)	DOOR AT FF LEVEL
(WT.#)	WINDOW AT FF LEVEL
(SKF.#)	SKYLIGHT ABOVE FF LEVEL
RL	RELATIVE LEVEL
FFL	FINISHED FLOOR LEVEL
FCL	FINISHED CEILING LEVEL
FW	FIXED WINDOW
HD	HINGED DOOR
PD	PIVOT DOOR
PW	PIVOT WINDOW
SD	SLIDING DOOR
CSD	CAVITY SLIDING DOOR
SW	SLIDING WINDOW

SYMBOLS KEY	
[Symbol]	EXISTING WALLS
[Symbol]	CAVITY BRICK WALLS
[Symbol]	TIMBER STUD WALLS
[Symbol]	OFF-FORM CONCRETE WALLS
[Symbol]	JOINERY
[Symbol]	TIMBER FLOORBOARDS
[Symbol]	TIMBER DECK
[Symbol]	TILED FLOORS
[Symbol]	GLAZING
[Symbol]	METAL ROOF
[Symbol]	TIMBER FACADE
[Symbol]	STEEL IN PLAN & ELEVATION
[Symbol]	STEEL IN SECTION
[Symbol]	CONCRETE IN PLAN & ELEVATION
[Symbol]	BRICK FACADE
[Symbol]	OUTDOOR PAVERS
[Symbol]	GREEN ROOF
[Symbol]	CONCRETE ROOF
[Symbol]	DEMOLITION
[Symbol]	DEMOLITION IN SECTION


VIRGINIA KERRIDGE ARCHITECT

g 03 / 59 great buckingham street redfern nsw 2016
ph 02 9699 3487 ph 02 9699 8527 fax 02 9699 4626
info@vk.com.au www.vk.com.au abn 12 083 17 159

NOTES:

THIS IS FOR THE PURPOSE OF DEVELOPMENT APPLICATION TO COUNCIL ONLY

REFER TO WRITTEN DIMENSIONS ONLY. DO NOT SCALE FROM DRAWINGS.
REFER TO ARCHITECTS SPECIFICATION AND SCHEDULES IN RELATION TO THESE DRAWINGS.
REFER ALL DISCREPANCIES TO THE ARCHITECT IMMEDIATELY BEFORE PROCEEDING.
REFER TO ALL CONSULTANTS DRAWINGS AND SPECIFICATIONS FOR ALL SPECIALIST INFORMATION AND DETAILS.
REFER TO SURVEY DRAWING FOR ALL EXISTING GROUND LEVELS.



amendments:

DATE	REV	DESCRIPTION
16/03/2022	A	SECTION 4.55 ISSUE: FF'S FACADE MATERIAL UPDATED. LOWER SECTION OF KITCHEN'S SOUTHERN FACADE UPDATED.
17/03/2023	B	SECTION 4.55

PROJECT
41 & 43 BEACH ROAD COLLAROY
LO1 1 DP300846 AND LOT 2 SEC 7 DP7391

DRAWING TITLE
GROUND FLOOR PLAN PROPOSED

DATE
17/03/2023


SCALE
1:100 at A1

REVISION NUMBER
B

DRAWING NO.
s4.55 120


ABBREVIATIONS

SYMBOLS KEY

	EXISTING WALLS
	CAVITY BRICK WALLS
	TIMBER STUD WALLS
	OFF-FORM CONCRETE WALLS
	JOINERY
	TIMBER FLOORBOARDS
	TIMBER DECK
	TILED FLOORS
	GLAZING
	METAL ROOF
	TIMBER FACADE
	STEEL IN PLAN & ELEVATION
	STEEL IN SECTION
	CONCRETE IN PLAN & ELEVATION
	BRICK FACADE
	OUTDOOR PAVERS
	GREEN ROOF
	CONCRETE ROOF
	DEMOLITION
	DEMOLITION IN SECTION

g 03 / 59 great buckingham street redfern nsw 2016
ph 02 9699 3487 ph 02 9699 8527 fax 02 9699 4626
info@vk.com.au www.vk.com.au abn 12 083 17 159

REFER TO WRITTEN DIMENSIONS ONLY. DO NOT SCALE FROM DRAWINGS.
REFER TO ARCHITECTS SPECIFICATION AND SCHEDULES IN RELATION TO THESE DRAWINGS.
REFER ALL DISCREPANCIES TO THE ARCHITECT IMMEDIATELY BEFORE PROCEEDING.
REFER TO ALL CONSULTANTS DRAWINGS AND SPECIFICATIONS FOR ALL SPECIALIST INFORMATION AND DETAILS.
REFER TO SURVEY DRAWING FOR ALL EXISTING GROUND LEVELS.




DATE	REV	DESCRIPTION
16/03/2022	A	SECTION 4.55 ISSUE: FF'S FACADE MATERIAL UPDATED. LOWER SECTION OF KITCHEN'S SOUTHERN FACADE UPDATED.
17/03/2023	B	SECTION 4.55


DRAWING TITLE

1:100 at A1

4.55 130



01 NORTH ELEVATION PROPOSED



02 EASTERN ELEVATION PROPOSED

AREA CALCULATIONS	PROPOSED	ALLOWED	COMPLIES
SITE AREA	1536.5 sqm		
BASEMENT GFA	64 sqm		YES
GROUND FLOOR GFA	385 sqm		YES
FIRST FLOOR GFA	208 sqm		YES
TOTAL ABOVE GROUND GFA	593 sqm		YES
TOTAL ABOVE GROUND FSR	0.39:1	0.5:1	YES
TOTAL GFA (including basement)	657 sqm		
TOTAL FSR (including basement)	0.43:1	0.5:1	YES
LANDSCAPE OPEN SPACE	612 sqm= 40%	MIN. 40%	YES
SITE COVERAGE	437 sqm= 28.4%	MAX. 33.3%	YES



GENERAL NOTE:
COMPLIANCE
NCC: ALL WORK TO COMPLY WITH THE BCA AND AS REQUIREMENTS AS APPROPRIATE.
BASIX: ALL WORK TO COMPLY WITH BASIX CERTIFICATE
REFERRALS
SURVEY: REFER TO THE SURVEY PLAN FOR ALL EXISTING GROUND LEVELS.
HYDRAULIC: REFER TO THE HYDRAULIC ENGINEER'S DRAWINGS FOR ALL HYDRAULICS WORK.
LANDSCAPE: REFER TO THE LANDSCAPE DRAWINGS FOR ALL PROPOSED LANDSCAPING DETAILS. DO NOT SCALE FROM THESE DRAWINGS. WORK TO WRITTEN DIMENSIONS ONLY.

ABBREVIATIONS	
(DB.#)	DOOR AT BASEMENT LEVEL
(WB.#)	WINDOW AT BASEMENT LEVEL
(SKB.#)	SKYLIGHT IN LANDSCAPE ABOVE BASEMENT
(DG.#)	DOOR AT GF LEVEL
(SKDG.#)	SKYLIGHT ABOVE DOORS AT GF LEVEL
(WG.#)	WINDOW AT GF LEVEL
(SKWG.#)	SKYLIGHT ABOVE WINDOWS AT GF LEVEL
(SKG.#)	SKYLIGHT ABOVE GF LEVEL
(DT.#)	DOOR AT FF LEVEL
(WT.#)	WINDOW AT FF LEVEL
(SKF.#)	SKYLIGHT ABOVE FF LEVEL
RL	RELATIVE LEVEL
FFL	FINISHED FLOOR LEVEL
FCL	FINISHED CEILING LEVEL
FW	FIXED WINDOW
HD	HINGED DOOR
PD	PIVOT DOOR
PW	PIVOT WINDOW
SD	SLIDING DOOR
CSD	CAVITY SLIDING DOOR
SW	SLIDING WINDOW

SYMBOLS KEY	
[Symbol]	EXISTING WALLS
[Symbol]	CAVITY BRICK WALLS
[Symbol]	TIMBER STUD WALLS
[Symbol]	OFF-FORM CONCRETE WALLS
[Symbol]	JOINERY
[Symbol]	TIMBER FLOORBOARDS
[Symbol]	TIMBER DECK
[Symbol]	TILED FLOORS
[Symbol]	GLAZING
[Symbol]	METAL ROOF
[Symbol]	TIMBER FACADE
[Symbol]	STEEL IN PLAN & ELEVATION
[Symbol]	STEEL IN SECTION
[Symbol]	CONCRETE IN PLAN & ELEVATION
[Symbol]	BRICK FACADE
[Symbol]	OUTDOOR PAVERS
[Symbol]	GREEN ROOF
[Symbol]	CONCRETE ROOF
[Symbol]	DEMOLITION
[Symbol]	DEMOLITION IN SECTION

VIRGINIA KERRIDGE ARCHITECT

g 03 / 59 great buckingham street redfern nsw 2016
ph 02 9699 3487 ph 02 9699 8527 fax 02 9699 4626
info@vk.com.au www.vk.com.au abn 12 083 17 159

NOTES:

THIS IS FOR THE PURPOSE OF DEVELOPMENT APPLICATION TO COUNCIL ONLY

REFER TO WRITTEN DIMENSIONS ONLY. DO NOT SCALE FROM DRAWINGS.
REFER TO ARCHITECTS SPECIFICATION AND SCHEDULES IN RELATION TO THESE DRAWINGS.
REFER ALL DISCREPANCIES TO THE ARCHITECT IMMEDIATELY BEFORE PROCEEDING.
REFER TO ALL CONSULTANTS DRAWINGS AND SPECIFICATIONS FOR ALL SPECIALIST INFORMATION AND DETAILS.
REFER TO SURVEY DRAWING FOR ALL EXISTING GROUND LEVELS.

DATE	REV	DESCRIPTION
16/03/2022	A	SECTION 4.55 ISSUE: FF'S FACADE MATERIAL UPDATED. LOWER SECTION OF KITCHEN'S SOUTHERN FACADE UPDATED.
17/03/2023	B	SECTION 4.55

41 & 43 BEACH ROAD COLLAROY
LO1 1 DP300846 AND LOT 2 SEC 7 DP7391


DRAWING TITLE
**NORTH & EAST ELEVATIONS
PROPOSED**

17/03/2023


SCALE:
1:100 at A1

B

DRAWING NO.
S4.55 200




01 SOUTH ELEVATION PROPOSED



02 WEST ELEVATION PROPOSED (FRONT ELEVATION)

AREA CALCULATIONS	PROPOSED	ALLOWED	COMPLIES
SITE AREA	1536.5 sqm		
BASEMENT GFA	64 sqm		YES
GROUND FLOOR GFA	385 sqm		YES
FIRST FLOOR GFA	208 sqm		YES
TOTAL ABOVE GROUND GFA	593 sqm		YES
TOTAL ABOVE GROUND FSR	0.39:1	0.5:1	YES
TOTAL GFA (including basement)	657 sqm		
TOTAL FSR (including basement)	0.43:1	0.5:1	YES
LANDSCAPE OPEN SPACE	612 sqm= 40%	MIN. 40%	YES
SITE COVERAGE	437 sqm= 28.4%	MAX. 33.3%	YES



GENERAL NOTE:
COMPLIANCE
NCC: ALL WORK TO COMPLY WITH THE BCA AND AS REQUIREMENTS AS APPROPRIATE.
BASIX: ALL WORK TO COMPLY WITH BASIX CERTIFICATE.
REFERRALS
SURVEY: REFER TO THE SURVEY PLAN FOR ALL EXISTING GROUND LEVELS.
HYDRAULIC: REFER TO THE HYDRAULIC ENGINEER'S DRAWINGS FOR ALL HYDRAULICS WORK.
LANDSCAPE: REFER TO THE LANDSCAPE DRAWINGS FOR ALL PROPOSED LANDSCAPING DETAILS. DO NOT SCALE FROM THESE DRAWINGS. WORK TO WRITTEN DIMENSIONS ONLY.

ABBREVIATIONS	
(DB.#)	DOOR AT BASEMENT LEVEL
(WB.#)	WINDOW AT BASEMENT LEVEL
(SKB.#)	SKYLIGHT IN LANDSCAPE ABOVE BASEMENT
(DG.#)	DOOR AT GF LEVEL
(SKDG.#)	SKYLIGHT ABOVE DOORS AT GF LEVEL
(WG.#)	WINDOW AT GF LEVEL
(SKWG.#)	SKYLIGHT ABOVE WINDOWS AT GF LEVEL
(SKG.#)	SKYLIGHT ABOVE GF LEVEL
(DT.#)	DOOR AT FF LEVEL
(WT.#)	WINDOW AT FF LEVEL
(SKF.#)	SKYLIGHT ABOVE FF LEVEL
RL	RELATIVE LEVEL
FFL	FINISHED FLOOR LEVEL
FCL	FINISHED CEILING LEVEL
FW	FIXED WINDOW
HD	HINGED DOOR
PD	PIVOT DOOR
PW	PIVOT WINDOW
SD	SLIDING DOOR
CSD	CAVITY SLIDING DOOR
SW	SLIDING WINDOW

SYMBOLS KEY	
[Pattern]	EXISTING WALLS
[Pattern]	CAVITY BRICK WALLS
[Pattern]	TIMBER STUD WALLS
[Pattern]	OFF-FORM CONCRETE WALLS
[Pattern]	JOINERY
[Pattern]	TIMBER FLOORBOARDS
[Pattern]	TIMBER DECK
[Pattern]	TILED FLOORS
[Pattern]	GLAZING
[Pattern]	METAL ROOF
[Pattern]	TIMBER FACADE
[Pattern]	STEEL IN PLAN & ELEVATION
[Pattern]	STEEL IN SECTION
[Pattern]	CONCRETE IN PLAN & ELEVATION
[Pattern]	BRICK FACADE
[Pattern]	OUTDOOR PAVERS
[Pattern]	GREEN ROOF
[Pattern]	CONCRETE ROOF
[Pattern]	DEMOLITION
[Pattern]	DEMOLITION IN SECTION

VIRGINIA KERRIDGE ARCHITECT

g 03 / 59 great buckingham street redfern nsw 2016
ph 02 9699 3487 ph 02 9699 8527 fax 02 9699 4626
info@vk.com.au www.vk.com.au abn 12 083 17 159

NOTES:

THIS IS FOR THE PURPOSE OF DEVELOPMENT APPLICATION TO COUNCIL ONLY

REFER TO WRITTEN DIMENSIONS ONLY. DO NOT SCALE FROM DRAWINGS.
REFER TO ARCHITECTS SPECIFICATION AND SCHEDULES IN RELATION TO THESE DRAWINGS.
REFER ALL DISCREPANCIES TO THE ARCHITECT IMMEDIATELY BEFORE PROCEEDING.
REFER TO ALL CONSULTANTS DRAWINGS AND SPECIFICATIONS FOR ALL SPECIALIST INFORMATION AND DETAILS.
REFER TO SURVEY DRAWING FOR ALL EXISTING GROUND LEVELS.

DATE

16/03/2022
17/03/2023

REV

A
B

DESCRIPTION

SECTION 4.55 ISSUE: FF'S FACADE MATERIAL UPDATED. LOWER SECTION OF KITCHEN'S SOUTHERN FACADE UPDATED.
SECTION 4.55

41 & 43 BEACH ROAD COLLAROY
LO1 1 DP300846 AND LOT 2 SEC 7 DP7391

DRAWING TITLE
**SOUTH & WEST ELEVATIONS
PROPOSED**

17/03/2023

SCALE

1:100 at A1

B

DRAWING NO.

S4.55 210


AREA CALCULATIONS	PROPOSED	ALLOWED	COMPLIES
SITE AREA	1536.5 sqm		
BASEMENT GFA	64 sqm		YES
GROUND FLOOR GFA	385 sqm		YES
FIRST FLOOR GFA	208 sqm		YES
TOTAL ABOVE GROUND GFA	593 sqm		YES
TOTAL ABOVE GROUND FSR	0.39:1	0.5:1	YES
TOTAL GFA (including basement)	657 sqm		
TOTAL FSR (including basement)	0.43:1	0.5:1	YES
LANDSCAPE OPEN SPACE	612 sqm= 40%	MIN. 40%	YES
SITE COVERAGE	437 sqm= 28.4%	MAX. 33.3%	YES




GENERAL NOTE:
COMPLIANCE
NCC: ALL WORK TO COMPLY WITH THE BCA AND AS REQUIREMENTS AS APPROPRIATE.
BASIX: ALL WORK TO COMPLY WITH BASIX CERTIFICATE.
REFERRALS
SURVEY: REFER TO THE SURVEY PLAN FOR ALL EXISTING GROUND LEVELS.
HYDRAULIC: REFER TO THE HYDRAULIC ENGINEER'S DRAWINGS FOR ALL HYDRAULICS WORK.
LANDSCAPE: REFER TO THE LANDSCAPE DRAWINGS FOR ALL PROPOSED LANDSCAPING DETAILS. DO NOT SCALE FROM THESE DRAWINGS. WORK TO WRITTEN DIMENSIONS ONLY.

ABBREVIATIONS	
(DB.#)	DOOR AT BASEMENT LEVEL
(WB.#)	WINDOW AT BASEMENT LEVEL
(SKB.#)	SKYLIGHT IN LANDSCAPE ABOVE BASEMENT
(DG.#)	DOOR AT GF LEVEL
(SKDG.#)	SKYLIGHT ABOVE DOORS AT GF LEVEL
(WG.#)	WINDOW AT GF LEVEL
(SKWG.#)	SKYLIGHT ABOVE WINDOWS AT GF LEVEL
(SKG.#)	SKYLIGHT ABOVE GF LEVEL
(DT.#)	DOOR AT FF LEVEL
(WT.#)	WINDOW AT FF LEVEL
(SKF.#)	SKYLIGHT ABOVE FF LEVEL
RL	RELATIVE LEVEL
FFL	FINISHED FLOOR LEVEL
FCL	FINISHED CEILING LEVEL
FW	FIXED WINDOW
HD	HINGED DOOR
PD	PIVOT DOOR
PW	PIVOT WINDOW
SD	SLIDING DOOR
CSD	CAVITY SLIDING DOOR
SW	SLIDING WINDOW

SYMBOLS KEY	
	EXISTING WALLS
	CAVITY BRICK WALLS
	TIMBER STUD WALLS
	OFF-FORM CONCRETE WALLS
	JOINERY
	TIMBER FLOORBOARDS
	TIMBER DECK
	TILED FLOORS
	GLAZING
	METAL ROOF
	TIMBER FACADE
	STEEL IN PLAN & ELEVATION
	STEEL IN SECTION
	CONCRETE IN PLAN & ELEVATION
	BRICK FACADE
	OUTDOOR PAVERS
	GREEN ROOF
	CONCRETE ROOF
	DEMOLITION
	DEMOLITION IN SECTION



01 SECTION A-A'



02 SECTION E-E'

VIRGINIA KERRIDGE ARCHITECT

g 03 / 59 great buckingham street redfern nsw 2016
ph 02 9699 3487 ph 02 9699 8527 fax 02 9699 4626
info@vk.com.au www.vk.com.au abn 12 083 17 159

COMPLIANCE:
- NCC, ALL WORK TO COMPLY WITH THE BCA AND AS REQUIREMENTS AS APPROPRIATE.
- ON ALL WORK TO COMPLY WITH THE APPROVED DA 2019/1522.
REFERRALS:
- SURVEY: REFER TO THE SURVEY PLAN FOR ALL EXISTING GROUND LEVELS.
- STRUCTURAL: REFER TO THE STRUCTURAL ENGINEER'S DRAWINGS FOR ALL STRUCTURAL WORK.
- HYDRAULIC: REFER TO THE HYDRAULIC ENGINEER'S DRAWINGS FOR ALL HYDRAULIC AND STORMWATER WORK.
- SYPHONIC DRAINAGE: REFER TO THE SYPHONIC ENGINEER'S DRAWINGS FOR ALL SYPHONIC WORK.
- LANDSCAPE: REFER TO THE LANDSCAPE DRAWINGS FOR ALL PROPOSED LANDSCAPING DETAILS.
- SPECIFICATIONS: REFER TO WRITTEN ARCHITECTURAL SPECIFICATIONS PREPARED BY VIRGINIA KERRIDGE ARCHITECT.
- ALL WORK TO COMPLY WITH BASIX REQUIREMENTS AS DETAILED IN THE BASIX CERTIFICATE.
- INTERIOR ARCHITECT: REFER TO INTERIOR ARCHITECTS' PLANS FOR ALL AREAS DESIGNED AND SPECIFIED BY BKH.
NOTES:
- REPORT ANY DISCREPANCIES TO THE ARCHITECT IMMEDIATELY BEFORE PROCEEDING WITH WORK.
- BUILDER TO BE RESPONSIBLE FOR ALL WATERPROOFING AND TERMITE PROTECTION.
- DO NOT SCALE FROM THESE DRAWINGS. WORK TO WRITTEN DIMENSIONS ONLY.
- ALL PRODUCTS & SYSTEMS TO BE INSTALLED FOLLOWING MANUFACTURERS INSTRUCTIONS AND RECOMMENDATIONS.
- THERMAL AND ACOUSTIC INSULATION AS SPECIFIED ON WRITTEN ARCHITECTURAL SPECIFICATIONS BY VIRGINIA KERRIDGE ARCHITECT AND COPIED BELOW:
- MINIMUM THERMAL INSULATION TO BE: IN WALLS R 2.5 (0.00) IN ROOFS R 3.0 (0.00) IN CONCRETE R 0.8 (0.00) IN FLOORS R 2.5 (0.00) IN CEILING R 2.5 (0.00).
- MINIMUM ACOUSTIC INSULATION IN ALL FACADES, WALLS, FLOORS, CEILINGS AND ROOFS TO BE: [50 <= Rw <= 50] + C1 + RA 1, [0.50 <= NRC], [0.60 <= aw].

amendments:

DATE	REV	DESCRIPTION
16/03/2022	A	SECTION 4.55 ISSUE: FF'S FACADE MATERIAL UPDATED. LOWER SECTION OF KITCHEN'S SOUTHERN FACADE UPDATED.
17/03/2023	B	SECTION 4.55

PROJECT
41 & 43 BEACH ROAD COLLAROY
LO1 1 DP300846 AND LOT 2 SEC 7 DP7391

DRAWING TITLE
SECTION A-A'
SECTION E-E'

DATE

17/03/2023

SCALE

1:100 at A1

REVISION NUMBER:

B

DRAWING NO.

s4.55 300