

NOTICE OF DETERMINATION OF DEVELOPMENT APPLICATION

Development Application No:	DA 2005/0589

DEVELOPMENT APPLICATION DETAILS

DEVELOPMENT APPLICATION DETAILS		
Applicant Name:	ALFONSO BRUNO FRANK ADAMO	
Applicant Address:	85 WARATAH PARADE NARRAWEENA	
	NSW 2099	
Land to be developed (Address):	Lot 20, DP 14316, 85 WARATAH PARADE	
	NARRAWEENA	
Proposed Development:	Garage	
DETERMINATION		
Made on (Date):	28 th July 2005	
Consent to operate from (Date):	28 th July 2005	
Consent to lapse on (Date):	28 th July 2010	

Details of Conditions - (including Section 94 conditions)

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.



GENERAL CONDITIONS

CONDITIONS THAT IDENTIFY APPROVED PLANS

1. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated
2005-23	23.03.05
2005-23A	15.06.05

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans. [A1 (1)]

2. Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Principal Certifying Authority.

Reason: To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. [A2]

CONDITIONS THAT REQUIRE SUBSIDIARY MATTERS TO BE COMPLETED PRIOR TO ISSUE OF A CONSTRUCTION CERTIFICATE

3. Pruning

Any tree pruning necessary for construction shall be carried out under the supervision of an appropriately qualified arborist. Details prepared by an appropriately qualified person, on measures to be employed during construction indicating the nature of the pruning and the long term effects on the tree shall be submitted to the Council / Accredited Certifier for approval



with the Construction Certificate

Reason: To ensure the protection and longevity of existing significant trees. [C41]

4. Roofing Materials - Reflectivity

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. The metal roof shall not be of light colours such as off white, cream, silver or light grey colours. Details being submitted with the Construction Certificate.

Reason: To ensure that excessive glare or reflectivity nuisance from roofing materials does not occur as a result of the development. **[C55]**

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

5. Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

Reason: To avoid siltation to adjoining properties and waterways. [D1]

6. Construction Certificate

A Construction Certificate is required to be approved and issued by either Council or an Accredited Certifier, prior to the commencement of any works on the site.

Reason: Legislative requirements. [D3]

7. Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with section 81A of EP & A Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

Reason: Legislative requirement for the naming of the PCA. **[D4]**

8. WorkCover

Your attention is directed to the need to seek advice of your obligations from the WorkCover Authority prior to the commencement of any works on the site.

Reason: Statutory requirement. [D5]



9. Trees

During the construction period the applicant is responsible for ensuring all protected trees are maintained in a healthy and vigorous condition. This is to be done by ensuring that all identified tree protection measures are adhered to. In this regard all protected plants on this site shall not exhibit:

- (a) A general decline in health and vigour.
- (b) Damaged, crushed or dying roots due to poor pruning techniques.
- (c) More than 10% loss or dieback of roots, branches and foliage.
- (d) Mechanical damage or bruising of bark and timber of roots, trunk and branches.
- (e) Yellowing of foliage or a thinning of the canopy untypical of its species.
- (f) An increase in the amount of deadwood not associated with normal growth.
- (g) An increase in kino or gum exudation.
- (h) Inappropriate increases in epicormic growth that may indicate that the plants are in a stressed condition.
- (i) Branch drop, torn branches and stripped bark not associated with natural climatic conditions

The presence of any of these symptoms or signs may be considered by Council as a breach of the Conditions of Development Approval.

Reason: Protection of trees. [D12]

10. Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: To ensure compliance with statutory provisions. [D13]

11. Inspection Fees

Where Council is acting as the Principal Certifying Authority and where an inspection of building, civil or landscape work is required by these conditions, inspection fees and component certification fees must be paid to Council before Council will undertake any inspections. These fees may be paid at the time of submission of the required Notice of Commencement of works. This condition applies regardless of whether a Certification fee is also payable.

Note: The submission of a Notice of Commencement of works form to Council at least two (2) days prior commencing works is a statutory requirement.

Reason: Statutory requirement and information. [D14]



12. AMENDED PLANS (RED PEN)

The location of the proposed garage to the rear boundary shall be increased to 1050mm.

Reason: Compliance with the Rear Setback built form control under the Warringah Local Environmental Plan 2000 (B7 Narrabeen Lake Suburbs).

CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

13. Progress Inspections (Class 1 and 10 Buildings)

The Principal Certifying Authority (PCA) SHALL BE given a minimum of forty-eight (48) hours notice for mandatory inspection of the following, where applicable:

- (a) After excavation for, and prior to the placement of any footings, and
- (b) Prior to pouring any in-situ reinforced concrete building element, and
- (c) Prior to covering over stormwater drainage connections, absorption pits and other drainage works, and
- (d) After the building work has been completed and prior to any Occupation Certificate being issued in relation to the building.

The appointed Principal Certifying Authority MUST do the first inspection at the commencement of building work, and at completion of building work.

Notes:

- (1) The appointed Principal Certifying Authority has a discretion to determine additional inspections, or nominate other Accredited Certifiers to undertake inspections other than the first and last inspections, which are required to ensure compliance or otherwise with relevant codes and standards. In any event, the Principal Certifying Authority MUST be advised at all of the stages of construction identified above.
- (2) The PCA must advise the person with the benefit of the consent of the mandatory critical stage inspections referred to in the EP & A Regulations.
- (3) Where Warringah Council is acting as the Principal Certifying Authority for the project, notice is to be given by telephone to Council on 9942 2111 and requesting an relevant inspection. Failure to advise Council at the stages of construction identified above may result in fines being imposed.
- (4) Failure to advise the Principal Certifying Authority of the need for MANDATORY INSPECTIONS at the critical stages of construction detailed above may result in fines being imposed, works being required to be demolished, or delays experienced in



obtaining final certification and occupation of the development in order to resolve issues.

Reason: Prescribed mandatory inspections under legislation. [E7]

14. Replacement of Principal Certifying Authority

If the person exercising the benefits of a development consent changes or replaces the Principal Certifying Authority (PCA) during works on the site, the replacement PCA must notify Warringah Council within two (2) days of appointment. If the original PCA was Warringah Council, written approval from Council must be obtained for any change to the PCA role.

(Note: Special legislative provisions in the Environmental Planning and Assessment Act 1979 apply to the procedure for replacing a PCA)

Reason: Statutory requirement. [E11]

15. No Removal of Trees on Public Property

No trees on public property (footpaths, roads, reserves, etc.) unless specifically approved in its consent shall be removed or damaged during construction including for the erection of any fences, hoardings or other temporary works.

Reason: Protection of existing environmental infrastructure and community assets. [E21]

16. Protection of Trees

The following tree/trees are required to be retained as part of the development consent:

- Existing street trees and trees on adjoining properties.

Reason: Protection of existing environmental infrastructure and community assets. **[E22]**

17. Noxious Plants

All lantana, privet, rubber trees, parateria, and other declared noxious plants on the site, shall be eradicated before the commencement of landscape works.

Reason: To ensure that plants identified as weed species are not allowed to proliferate or interfere with a quality-landscaping outcome. [E25]

18. Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm



Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

The builder and excavator shall display, on-site, their twenty-four (24) hour contact telephone number, which is to be clearly visible and legible from any public place adjoining the site.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community. **[E26]**

19. Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Warringah Council guidelines. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised. This Condition must be complied with during demolition and building work.

Reason: To protect the environment from the effects of sedimentation and erosion from development sites. **[E28]**

20. Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements to prepare a health and safety plan. Site fencing must be installed sufficient to exclude the public from the site. Safety signs must be erected that; warn the public to keep out of the site, and provide a contact telephone number for enquiries. This Condition shall be complied with during demolition and building work.

Further information and details regarding occupational health and safety requirements for construction sites can be obtained from the Internet at www.WorkCover.nsw.gov.au.

Reason: To ensure the health and safety of the community and workers on the site. **[E30]**

21. Trees

(2) Tree roots of 50mm or greater in diameter encountered during excavation, shall only be cut following consultation with a qualified Arborist. Tree roots between 10mm and 50mm in diameter, severed during excavation, shall be cut cleanly by hand.

Reason: Protection of trees. [E37 (2)]

(3) Underground services should use common trenches as far away from tree roots as possible. If the services need to be run within the protection zone, all utility pipes are to be laid using appropriate directional boring techniques. Directional Boring shall be carried out at least 600mm beneath natural ground to avoid damage to tree/trees root



system. Entry and exit points are to be located outside the protected area. No tree roots are to be severed, or damaged during this work. Should problems arise, work is to cease until those problems are resolved and confirmed in writing by Council's Tree Management Officer and Assigned DA Officer.

Reason: Protection of trees. [E37 (3)]

- (5) The following guidelines are to be complied with at all times:
 - (a) The applicant shall ensure that at all times during the development period no activities, storage or disposal of materials shall take place beneath the canopy of any tree covered under Council's Tree Preservation Order unless specifically approved by Council.
 - (b) Trees marked for retention are not to be damaged or used to display signage, or as fence or cable supports for any reason.
 - (c) Siting of sheds, stockpiles and vehicle parking should be sited so that they are remote from trees.
 - (d) Site personnel are to be made aware of tree requirements and protective measures. Paving materials placed within the dripline of any tree should be of a porous material.

Reason: Protection of trees. [E37 (5)]

- (6) During the construction period the applicant is responsible for ensuring all protected trees are maintained in a healthy and vigorous condition. This is to be done by ensuring that all identified tree protection measures are adhered to. In this regard all protected plants on this site shall not exhibit:
 - (a) A general decline in health and vigour.
 - (b) Damaged, crushed or dying roots due to poor pruning techniques.
 - (c) More than 10% loss or dieback of roots, branches and foliage.
 - (d) Mechanical damage or bruising of bark and timber of roots, trunk and branches.
 - (e) Yellowing of foliage or a thinning of the canopy untypical of its species.
 - (f) An increase in the amount of deadwood not associated with normal growth.
 - (g) An increase in kino or gum exudation.
 - (h) Inappropriate increases in epicormic growth that may indicate that the plants are in a stressed condition.
 - (i) Branch drop, torn branches and stripped bark not associated with natural climatic conditions.

The presence of any of these symptoms or signs may be considered by Council as a breach of the Conditions of Development Approval.

Reason: Protection of trees. [E37 (6)]



22. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained at all times during the course of the work in a safe condition.

Reason: Public Safety [E39]

OPERATIONAL CONDITIONS IMPOSED UNDER EP&A ACT AND REGULATIONS AND OTHER RELEVANT LEGISLATION

23. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: Prescribed - Statutory. [F1]

24. Excavation / Backfilling

- (1) All excavations and backfilling associated with the erection or demolition of a building must be executed safely and in accordance with appropriate professional standards.
- (2) All excavations associated with the erection or demolition of a building must be properly guarded and protected to prevent them from being dangerous to life or property.

Reason: To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. **[F5]**

25. Demolition

Demolition work must be undertaken in accordance with the provisions of AS2601-Demolition of Structures.

Reason: To ensure that work is undertaken in a professional and responsible manner and protect adjoining property and persons from potential damage. **[F6]**

26. Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
 - (a) stating that unauthorised entry to the work site is prohibited;
 - (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and



- (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while to building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: Statutory requirement. [F9]

27. Toilets

- (1) Toilet facilities are to be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site.
- (2) Each toilet provided:
 - (a) must be a standard flushing toilet, and
 - (b) must be connected:
 - (i) to a public sewer; or
 - (ii) if connection to a public sewer is not practicable, to an accredited sewage management facility approved by the Council, or
 - (iii) if connection to a public sewer or an accredited sewage management facility is not practicable, to some other sewage management facility approved by the Council.
- (3) The provision of toilet facilities in accordance with this clause must be completed before any other work is commenced.
- (4) In this clause:

accredited sewage management facility means a sewage management facility to which Division 4A of Part 3 of the Local Government (Approvals) Regulation 1993 applies, being a sewage management facility that is installed or constructed to a design or plan the subject of a certificate of accreditation referred to in clause 95B of the Regulation.

approved by the Council means the subject of an approval in force under Division 1 of Part 3 of the Local Government (Approvals) Regulation 1993.

public sewer has the same meaning as it has in the Local Government (Approvals) Regulation 1993.



sewage management facility has the same meaning as it has in the Local Government (Approvals) Regulation 1993.

Reason: To ensure adequate facilities are provided for workers on the site. [F10]

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

28. Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Reason: To ensure compliance with the provisions of the Environmental Planning and Assessment Act. [G1]

Right to Review by the Council

You may request the Council to review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. Any request to review the application must be within 12 months after the date of determination shown on this notice.

NOTE: A fee will apply for any request to review the determination.

Right of Appeal

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed	on behalf of the consent authority
Signature _ Name	Philip Hoffman
Date	28 th July 2005