

DEVELOPMENT APPLICATION ASSESSMENT REPORT

Application Number:	DA2018/1994		
Responsible Officer:	Renee Ezzy		
Land to be developed (Address):	Lot 9 DP 629464, 104 Cabarita Road AVALON BEACH NSW 2107 Lot 8 DP 629464, 102 Cabarita Road AVALON BEACH NSW 2107 Lot 15 DP 858130, 100 Cabarita Road AVALON BEACH NSW 2107 Lot 14 DP 858130, 96 Cabarita Road AVALON BEACH NSW 2107		
Proposed Development:	Construction of a dwelling house on lot 7 of proposed subdivision		
Zoning:	E4 Environmental Living		
Development Permissible:	Yes		
Existing Use Rights:	No		
Consent Authority:	Northern Beaches Council		
Land and Environment Court Action:	No		
Owner:	Basscave Pty Ltd Peter Gordon Higgins Rebecca Meta Higgins		
Applicant:	Meraki Developments Pty Ltd		
Application Lodged:	17/12/2018		
Integrated Development:	No		
Designated Development:	No		
State Reporting Category:	Residential - Single new detached dwelling		
Notified:	09/01/2019 to 29/01/2019		
Advertised:	Not Advertised		
Submissions Received:	0		
Clause 4.6 Variation:	Nil		
Recommendation:	Approval		

PROPOSED DEVELOPMENT IN DETAIL

Estimated Cost of Works:

The proposed development includes construction of a new dwelling on the proposed Lot 7 located on the northern side of the development site fronting Careel Bay.

\$ 3,207,093.00

DA2018/1994 Page 1 of 37





Specifically, the proposed design for Lot 7 includes:

Lower Level (FFL 7.40)

- 3 bedrooms
- 2 x separate bathrooms
- Laundry
- Lounge room and adjoining deck (28m²)

Mid Floor Level (FFL 10.550)

- Open plan living/dining kitchen area
- Large deck oriented toward Pittwater (74.8m2)
- Master bedroom with ensuite connecting to main north facing deck
- Bathroom
- Rumpus room

Upper Floor Level (FFL 13.80)

- Double garage
- Entry Foyer
- Internal lift and stairs provide to all levels.

ASSESSMENT INTRODUCTION

The application has been assessed in accordance with the requirements of the Environmental Planning and Assessment Act 1979 and the associated Regulations. In this regard:

DA2018/1994 Page 2 of 37

^{*}Access to the proposed double garage will be via a driveway connected to the main access road for the development located within the community lot.



- An assessment report and recommendation has been prepared (the subject of this report) taking into account all relevant provisions of the Environmental Planning and Assessment Act 1979, and the associated regulations;
- A site inspection was conducted and consideration has been given to the impacts of the development upon the subject site and adjoining, surrounding and nearby properties;
- Notification to adjoining and surrounding properties, advertisement (where required) and referral
 to relevant internal and external bodies in accordance with the Act, Regulations and relevant
 Development Control Plan;
- A review and consideration of all submissions made by the public and community interest groups in relation to the application;
- A review and consideration of all documentation provided with the application (up to the time of determination);
- A review and consideration of all referral comments provided by the relevant Council Officers, State Government Authorities/Agencies and Federal Government Authorities/Agencies on the proposal.

SUMMARY OF ASSESSMENT ISSUES

Pittwater 21 Development Control Plan - D1.8 Front building line Pittwater 21 Development Control Plan - D1.11 Building envelope

SITE DESCRIPTION

Property Description:	Lot 9 DP 629464, 104 Cabarita Road AVALON BEACH NSW 2107 Lot 8 DP 629464, 102 Cabarita Road AVALON BEACH NSW 2107 Lot 15 DP 858130, 100 Cabarita Road AVALON BEACH NSW 2107 Lot 14 DP 858130, 96 Cabarita Road AVALON BEACH NSW 2107
Detailed Site Description:	The subject site consists of four (4) allotments located on the northern side of Cabarita Road being Lot 14 and 15 in DP 858130,and Lot 8 and 9 in DP 629464 known as Nos. 96, 100, 102, and 104 Cabarita Road, Avalon Beach. The site is irregular in shape and has a combined surveyed area of 12,659m².
	The site is located within the E4 Environmental zone and accommodates a dwelling house on the exiting Lot 9, boatshed and associated jetty. Various former outbuildings, services and pathways exist around the site in a dilapidated condition. The primary dwelling house on the land once existed in the centre of the land has since been demolished. Existing vehicular access to Cabarita Road is located on the south-eastern corner of the site.
	The site has a northerly aspect with a southern boundary frontage along Cabarita Road and foreshore access to

DA2018/1994 Page 3 of 37



Careel Bay on its northern boundary.

The site has significant stands of vegetation, being a combination of native species and exotics.

Adjoining and surrounding development is characterised by dwelling houses.

The part of the site subject to the proposed dwelling is to be on proposed Lot 7, which is on the northern side of the site adjoining Careel Bay. Proposed Lot 7 has a site area measuring 943m.2².

Мар:



SITE HISTORY

Pre-lodgement Meeting PLM2018/0084

A pre-lodgement meeting was held on 10 May 2018 for the proposed subdivision of 4 lots into 11 lots and construction of 11 new dwellings (PLM2018/0084). In the notes, advice was provided in relation to the proposed number of lots within the subdivision being considered too great to facilitate the preservation of the highly valued canopy trees within the site. In summary, the proposal as table was not supported in relation to the number of lots and other matters relating to the building footprints and community title arrangements.

Development Application No. DA2018/1994

The subject application DA2018/1994 was lodged on 17 December 2018. The application reflects the advice provided at the pre-lodgement meeting.

Subdivision Application No. DA2018/1989

The site is subject to a separate application for land subdivision to re-subdivide into eleven (11) lots, one (1) community lot, nine (9) new dwellings and retain the existing dwelling on Lot 11. The application for subdivision is DA2018/1989.

The land has been used as part of a large site for residential purposes for an extended period of time. A

DA2018/1994 Page 4 of 37



search of Council's records has revealed no further relevant history.

ENVIRONMENTAL PLANNING AND ASSESSMENT ACT, 1979 (EPAA)

The relevant matters for consideration under the Environmental Planning and Assessment Act, 1979, are:

are:	
Section 4.15 Matters for Consideration'	Comments
Section 4.15 (1) (a)(i) – Provisions of any environmental planning instrument	See discussion on "Environmental Planning Instruments" in this report.
Section 4.15 (1) (a)(ii) – Provisions of any draft environmental planning instrument	None applicable.
Section 4.15 (1) (a)(iii) – Provisions of any development control plan	Pittwater 21 Development Control Plan applies to this proposal.
Section 4.15 (1) (a)(iiia) – Provisions of any planning agreement	None applicable.
Section 4.15 (1) (a)(iv) – Provisions of the Environmental Planning and Assessment Regulation 2000 (EP&A Regulation 2000)	Division 8A of the EP&A Regulation 2000 requires the consent authority to consider "Prescribed conditions" of development consent. These matters have been addressed via a condition of consent.
	Clause 50(1A) of the EP&A Regulation 2000 requires the submission of a design verification certificate from the building designer at lodgement of the development application. This clause is not relevant to this application.
	Clauses 54 and 109 of the EP&A Regulation 2000, Council requested additional information and has therefore considered the number of days taken in this assessment in light of this clause within the Regulations. No additional information was requested.
	Clause 92 of the EP&A Regulation 2000 requires the consent authority to consider AS 2601 - 1991: The Demolition of Structures. This matter has been addressed via a condition of consent.
	Clauses 93 and/or 94 of the EP&A Regulation 2000 requires the consent authority to consider the upgrading of a building (including fire safety upgrade of development). This clause is not relevant to this application.
	Clause 98 of the EP&A Regulation 2000 requires the consent authority to consider insurance requirements under the Home Building Act 1989. This matter has been addressed via a condition of consent.
	Clause 98 of the EP&A Regulation 2000 requires the consent authority to consider the provisions of the

DA2018/1994 Page 5 of 37



Section 4.15 Matters for Consideration'	Comments
	Building Code of Australia (BCA). This matter has been addressed via a condition of consent.
	Clause 143A of the EP&A Regulation 2000 requires the submission of a design verification certificate from the building designer prior to the issue of a Construction Certificate. This clause is not relevant to this application.
Section 4.15 (1) (b) – the likely impacts of the development, including environmental impacts on the natural and built environment and social and economic impacts in the locality	(i) Environmental Impact The environmental impacts of the proposed development on the natural and built environment are addressed under the Pittwater 21 Development Control Plan section in this report.
	(ii) Social Impact The proposed development will not have a detrimental social impact in the locality considering the character of the proposal.
	(iii) Economic Impact The proposed development will not have a detrimental economic impact on the locality considering the nature of the existing and proposed land use.
Section 4.15 (1) (c) – the suitability of the site for the development	The site is considered suitable for the proposed development.
Section 4.15 (1) (d) – any submissions made in accordance with the EPA Act or EPA Regs	See discussion on "Notification & Submissions Received" in this report.
Section 4.15 (1) (e) – the public interest	No matters have arisen in this assessment that would justify the refusal of the application in the public interest.

EXISTING USE RIGHTS

Existing Use Rights are not applicable to this application.

BUSHFIRE PRONE LAND

The site is not classified as bush fire prone land.

NOTIFICATION & SUBMISSIONS RECEIVED

The subject development application has been publicly exhibited in accordance with the Environmental Planning and Assessment Act 1979, Environmental Planning and Assessment Regulation 2000 and the relevant Development Control Plan.

As a result of the public exhibition of the application Council received no submissions.

REFERRALS

DA2018/1994 Page 6 of 37



Internal Referral Body	Comments
Landscape Officer	The proposal, in terms of landscape outcome, is acceptable subject to the protection of existing trees and vegetation, and subject to completion of amended landscape plans.
	The amended landscape plan for Lot 7 shall include a detailed layout of the built and soft landscape elements including walling, paving, decking, and proposed landscape levels. The soft landscape elements shall include the location of all tree planting within the environmental protection area and the native revegetation area, and all tree, shrub and groundcover planting within the remaining garden areas.
	No tree is to be planted within 3 metres of the building where the building slab is elevated and no tree is to be planted within 5 metres of the building where the building slab is excavated into the natural ground.
	Council's Landscape section has assessed the proposal against the following Pittwater 21 DCP 2014 Controls: B4.22 Preservation of Trees and Bushland Vegetation C1.1 Landscaping C1.5 Visual privacy D1.13 Landscaped Area - General
NECC (Bushland and Biodiversity)	Revised Referral Comments As the dwelling footprints formed part of the subdivision DA, the avoidance, mitigation and offsetting of residual environmental impacts was addressed as part of the subdivision assessment. Each lot will share responsibilities for the protection and enhancement of the Pittwater Spotted Gum Endangered Ecological Community located on site as part of a community title scheme requiring the implementation and ongoing management of the Conservation Management Areas. The Biodiversity Management Plan submitted with the subdivision also includes management of construction impacts to reduce impacts to the EEC, fauna habitat and native vegetation in general. The provision of site landscaping is also to be in accordance with the Landscape Plans submitted.
	Original Referral Comments The site is mapped as 'Biodiversity' under clause 7.6 of Pittwater LEP 2014 and as 'Coastal Environment Area' under clause 13 of the State Environmental Planning Policy (Coastal Management) 2018. The application has also been assessed against clauses B4.4 Flora and Fauna Habitat Enhancement Category 2 and Wildlife Corridor and B4.7 Pittwater Spotted Gum Forest - Endangered Ecological Community of P21 DCP.
	The site contains vegetation characteristic of the Pittwater Spotted Gum Forest Endangered Ecological Community (PSGF EEC), Swamp Oak Floodplain Forest EEC, and habitat for several threatened species.

DA2018/1994 Page 7 of 37



Internal Deferral Dedu	Comments		
Internal Referral Body	Comments		
	The residential dwelling is located on a lot within a proposed 10 lot community title subdivision (yet to be approved). Biodiversity comments in relation to the proposed subdivision acknowledged that the principle of including avoid and minimise measures across the site is supported in general, however the subdivision development does not include any permanent protection measures such as inclusion of the EEC vegetation within the community association property. The review identified that the full extent of construction and operational impacts likely is understated, and therefore the conclusions of the BDAR and the extent of residual impacts offset is not supported, and a suitable mechanism to permanently protect the EEC and threatened species habitat is required.		
	Based on the uncertainties outlined above and the applicable controls it is concluded that		
	 the development has not been designed, sited and will not be managed to avoid any significant adverse environmental impact, the development may have an adverse impact on Pittwater Spotted Gum Endangered Ecological Community. the development may negatively impact on threatened species, endangered populations or endangered ecological communities. the development does not retain and enhance habitat for threatened species, endangered populations, endangered ecological communities and other locally native species. 		
NECC (Coast and	Estuarine Risk Management		
Catchments)	The coastal engineer engaged by the applicant has independently derived an Estuarine Planning Level (EPL) of RL 3.2m AHD for the site at a distance 10.0m landward of the existing seawall. With a minimum lower ground floor level of RL 7.4m AHD (i.e. above the EPL) the coastal engineer considers the proposed dwelling to be at an acceptably low risk of damage from estuarine inundation and wave action for a design life of 100 years as long as the recommendations listed in Section 7 of the Estuarine Risk Management Report are adopted as relevant. The development proposal for Lot 7 is therefore able to satisfy the relevant requirements of the Estuarine Risk Management Policy and associated B3.7 Estuarine Hazard controls subject to conditions. State Environmental Planning Policy (Coastal Management) 2018 12 Development on land within the coastal vulnerability area Development consent must not be granted to development on land that is within the area identified as "coastal vulnerability area" on the		
	that is within the area identified as "coastal vulnerability area" on the Coastal Vulnerability Area Map unless the consent authority is satisfied that:		

DA2018/1994 Page 8 of 37



Internal Referral Body	Comments		
	(a)	if the proposed development comprises the erection of a building or works—the building or works are engineered to withstand current and projected coastal hazards for the design life of the building or works, and	
	(b)	the pro	pposed development:
		(i)	is not likely to alter coastal processes to the detriment of the natural environment or other land, and
		(ii)	is not likely to reduce the public amenity, access to and use of any beach, foreshore, rock platform or headland adjacent to the proposed development, and
		(iii)	incorporates appropriate measures to manage risk to life and public safety from coastal hazards, and
	(c) measures are in place to ensure that there are appropriate responses to, and management of, anticipated coastal processes and current and future coastal hazards. Comment: The subject land has not been included on the Coastal Vulnerability Area Map under State Environmental Planning Policy (Coastal Management) 2018 (CM SEPP) and in regard to clause 15 of the CM SEPP the proposed development is unlikely to cause increased risk of coastal hazards on the subject land or other land. As such, it is considered that the application complies with the requirements of State Environmental Planning Policy (Coastal Management) 2018 as they relate to development on land identified as a coastal vulnerability area or land that may be affected by coastal hazards.		
NECC (Development Engineering)	The proposed dwelling relies upon the creation of the lot in the curre subdivision application at the same address. This application has some issues with respect to the road design in terms of grades and cross falls of the common access road. The dwelling proposed in the application relies upon this road for access and as such until the iss with the road design has been resolved, the assessment of the access to this property cannot be finalised.		
	The submitted Geotechnical report has been assessed and is satisfied the relevant DCP controls and the stormwater management for the site is also satisfactory.		
	insuffici	ent infor	ngineers do not support the application due to mation to address the driveway in accordance with nd B6.2 of Pittwater 21 DCP 2014.
	Additio	nal Info	rmation Submitted 27/09/2019
		•	sue has been addressed by the applicant's Civil eeting held with the applicant.

DA2018/1994 Page 9 of 37



Internal Referral Body	Comments		
	The approval must be deferred subject to the registration of the lot. Provided that a suitable condition is provided for this requirement, Development Engineering raise no objection to approval, subject to conditions as recommended.		
NECC (Riparian Lands and Creeks)	This application is recommended for approval.		
	Stormwater quality management has largely been incorporated into the common property and is being dealt with under the subdivision DA.		
	The boundary pit on this lot contributes to the overall management of water quality on the subdivision. The use of a SPEL basket in the boundary pit is not supported, as this type of trash rack only filters surface flows and not the inline flow from the stormwater pipe. The applicant is conditioned to construct a boundary pit as described in the On-site Stormwater Detention Technical Specification, with a trash screen as described in section 4.10 - Trash Screens and Discharge Control Pit Detail as described in this specification. The property owner is required to maintain the boundary pit, inspecting the pit on a regular basis and removing sediment and organic matter as required.		
	Sediment and erosion controls must be installed prior to any work on the site and maintained until work is complete and groundcover has been re-established.		
Traffic Engineer	Proposal is for a single dwelling to be provided in the approved subdivided lots.		
	Traffic: One Dwelling will produce 0.85 trips in the peak. This equates to 1 vehicle per hour. This is deemed negligible on the local traffic network.		
	Parking: One dwelling requires 2 spaces in accordance with Council's DCP. The site has provided 2 spaces for this dweeling. This is deemed adequate.		
	Pedestrian: Pedestrian access is deemed satisfactory.		
	Access: Driveway widths are deemed satisfactory.		
	Servicing: All servicing will occur from the street. No changes to waste arrangements.		

DA2018/1994 Page 10 of 37



External Referral Body	Comments
Ausgrid: (SEPP Infra.)	The proposal was referred to Ausgrid. No response has been received within the 21 day statutory period and therefore, it is assumed that no objections are raised and no conditions are recommended.
Aboriginal Heritage Office	There are known Aboriginal sites in the area. No sites are recorded in the current development area, however, the area of the proposed development is identified as having high potential for unrecorded Aboriginal sites.
	The Aboriginal Heritage Office recommends a preliminary inspection ('due diligence' under the <i>National Parks and Wildlife Act 1974</i>) by a qualified Aboriginal heritage professional. The assessment would provide information on what potential Aboriginal heritage issues exist on the land and recommendations for any further action if required.

ENVIRONMENTAL PLANNING INSTRUMENTS (EPIs)*

All, Environmental Planning Instruments (SEPPs, REPs and LEPs), Development Controls Plans and Council Policies have been considered in the merit assessment of this application.

In this regard, whilst all provisions of each Environmental Planning Instruments (SEPPs, REPs and LEPs), Development Controls Plans and Council Policies have been considered in the assessment, many provisions contained within the document are not relevant or are enacting, definitions and operational provisions which the proposal is considered to be acceptable against.

As such, an assessment is provided against the controls relevant to the merit consideration of the application hereunder.

State Environmental Planning Policies (SEPPs) and State Regional Environmental Plans (SREPs)

SEPP 55 - Remediation of Land

Clause 7 (1) (a) of SEPP 55 requires the Consent Authority to consider whether land is contaminated. Council records indicate that the subject site has been used for residential purposes for a significant period of time with no prior land uses. In this regard it is considered that the site poses no risk of contamination and therefore, no further consideration is required under Clause 7 (1) (b) and (c) of SEPP 55 and the land is considered to be suitable for the residential land use.

SEPP (Building Sustainability Index: BASIX) 2004

A BASIX certificate has been submitted with the application (see Certificate No. 972238S dated 10 December 2018).

The BASIX Certificate indicates that the development will achieve the following:

DA2018/1994 Page 11 of 37



Commitment	Required Target	Proposed
Water	40	40
Thermal Comfort	Pass	Pass
Energy	50	53

A condition has been included in the recommendation of this report requiring compliance with the commitments indicated in the BASIX Certificate.

SEPP (Infrastructure) 2007

<u>Ausgrid</u>

Clause 45 of the SEPP requires the Consent Authority to consider any development application (or an application for modification of consent) for any development carried out:

- within or immediately adjacent to an easement for electricity purposes (whether or not the electricity infrastructure exists).
- immediately adjacent to an electricity substation.
- within 5.0m of an overhead power line.
- includes installation of a swimming pool any part of which is: within 30m of a structure supporting an overhead electricity transmission line and/or within 5.0m of an overhead electricity power line.

Comment:

The proposal was referred to Ausgrid. No response has been received within the 21 day statutory period and therefore, it is assumed that no objections are raised and no conditions are recommended.

Pittwater Local Environmental Plan 2014

Is the development permissible?	Yes	
After consideration of the merits of the proposal, is the development consistent with:		
aims of the LEP?	Yes	
zone objectives of the LEP?	Yes	

Principal Development Standards

Standard	Requirement	Proposed	Complies
Height of Buildings:	8.5m	7.5m	Yes

Compliance Assessment

Clause	Compliance with Requirements

DA2018/1994 Page 12 of 37



Clause	Compliance with Requirements
4.3 Height of buildings	Yes
7.2 Earthworks	Yes
7.6 Biodiversity protection	Yes
7.7 Geotechnical hazards	Yes
7.8 Limited development on foreshore area	Yes
7.10 Essential services	Yes

Pittwater 21 Development Control Plan

Built Form Controls

Built Form	Requirement	Proposed	% Variation*	Complies
Control			Variation*	
Front building line	No front boundary control to community title road. Assessed on merit.	3.73m	N/A	No
Rear building line	6.5m (other than where the foreshore building line applies)	14m (within foreshore building line limit)	N/A	Yes
Side building	NW - 2.5m	3.8m	N/A	Yes
line	SE - 1m	1m	N/A	Yes
Building	NW - 3.5m	Within envelope	N/A	Yes
envelope SE - 3.5m		Outside envelope-up to 1.4m	Nil - 30%	No
Landscaped area	60% (565.8m ²)	Soft landscaping - 55% (515m ²) Impervious outdoor recreation - 6% (58m ²) Total landscaping - 61% (573m ²)	N/A	Yes

Compliance Assessment

Clause		Consistency Aims/Objectives
A4.1 Avalon Beach Locality	Yes	Yes
A5.1 Exhibition, Advertisement and Notification of Applications	Yes	Yes
B1.3 Heritage Conservation - General	Yes	Yes
B1.4 Aboriginal Heritage Significance	Yes	Yes
B3.1 Landslip Hazard	Yes	Yes
B3.6 Contaminated Land and Potentially Contaminated Land	Yes	Yes
B3.7 Estuarine Hazard - Low density residential	Yes	Yes
B4.7 Pittwater Spotted Gum Forest - Endangered Ecological Community	Yes	Yes
B4.15 Saltmarsh Endangered Ecological Community	Yes	Yes
	1	1

DA2018/1994 Page 13 of 37



Clause	Compliance with Requirements	Consistency Aims/Objectives
B4.20 Protection of Estuarine Water Quality	Yes	Yes
B5.4 Stormwater Harvesting	Yes	Yes
B5.8 Stormwater Management - Water Quality - Low Density Residential	Yes	Yes
B5.10 Stormwater Discharge into Public Drainage System	Yes	Yes
B5.11 Stormwater Discharge into Waterways and Coastal Areas	Yes	Yes
B5.12 Stormwater Drainage Systems and Natural Watercourses	Yes	Yes
B5.13 Development on Waterfront Land	Yes	Yes
B6.2 Internal Driveways	Yes	Yes
B6.3 Off-Street Vehicle Parking Requirements	Yes	Yes
B6.7 Transport and Traffic Management	Yes	Yes
B8.1 Construction and Demolition - Excavation and Landfill	Yes	Yes
B8.2 Construction and Demolition - Erosion and Sediment Management	Yes	Yes
B8.3 Construction and Demolition - Waste Minimisation	Yes	Yes
B8.4 Construction and Demolition - Site Fencing and Security	Yes	Yes
C1.1 Landscaping	Yes	Yes
C1.2 Safety and Security	Yes	Yes
C1.3 View Sharing	Yes	Yes
C1.4 Solar Access	Yes	Yes
C1.5 Visual Privacy	Yes	Yes
C1.6 Acoustic Privacy	Yes	Yes
C1.7 Private Open Space	Yes	Yes
C1.12 Waste and Recycling Facilities	Yes	Yes
C1.13 Pollution Control	Yes	Yes
C1.23 Eaves	Yes	Yes
C1.25 Plant, Equipment Boxes and Lift Over-Run	Yes	Yes
C5.1 Landscaping	Yes	Yes
C5.21 Plant, Equipment Boxes and Lift Over-Run	Yes	Yes
D1.5 Building colours and materials	Yes	Yes
D1.8 Front building line	N/A	Yes
D1.9 Side and rear building line	Yes	Yes
D1.11 Building envelope	No	Yes
D1.14 Landscaped Area - Environmentally Sensitive Land	Yes	Yes
D1.16 Fences - Flora and Fauna Conservation Areas	Yes	Yes
D1.17 Construction, Retaining walls, terracing and undercroft areas	Yes	Yes
D1.20 Scenic Protection Category One Areas	Yes	Yes

Detailed Assessment

DA2018/1994 Page 14 of 37



D1.8 Front building line

Description of non-compliance

As the site fronts a community title road, not a public road, the strict application of the front setback control does not apply to this site. Nevertheless, as the development provides a nominal setback to the community title road of between 3.7m and 5.05m proposal is assessed in accordance with the front setback outcomes.

Merit consideration

With regard to the consideration for a variation, the development is considered against the underlying Outcomes of the Control as follows:

To achieve the desired future character of the Locality. (S)

Comment:

The desired character for the locality envisions low density residential dwellings in natural landscaped settings with a height below the tree canopy. The proposed dwelling is considered consistent with the desire future character for the locality.

• The amenity of residential development adjoining a main road is maintained. (S)

Comment:

The proposed development is located within a community title subdivision and is not within proximity to any main roads.

• Vegetation is retained and enhanced to visually reduce the built form. (En)

Comment:

While the works within the subdivision and construction of this dwelling will result in the removal of some vegetation, the development retains a number of established canopy trees to assist in balancing the built form. The works include new additional landscape plantings to supplement the setting of the development and enhance its integration within this setting.

• Vehicle manoeuvring in a forward direction is facilitated. (S)

Comment:

The vehicle access into the site includes sufficient space for maneouvering a vehicle to enter and leave in a forward direction.

• To encourage attractive street frontages and improve pedestrian amenity.

Comment:

While the development does not have a frontage to the public domain facing into the community title access road, the frontage and entrance to this dwelling is architecturally designed for this lot and is considered attractive. Further, the community title lot of which the subject site is party to provides pedestrian access internally to the nine (9) lot subdivision down to the water front and private jetty facilitating adequate pedestrian amenity.

• To ensure new development responds to, reinforces and sensitively relates to the spatial characteristics of the existing urban environment.

DA2018/1994 Page 15 of 37



Comment:

The subject site is one of nine (9) new dwellings within this community title subdivision. The placement of each dwelling has been contemplated in order to ensure that that the new built form sensitively relates to the site and its constraints.

As such, it is recommended that the proposal be supported on merit.

D1.11 Building envelope

Description of non-compliance


The proposed development results in a number of small non-compliances with the building envelope along the south-eastern elevation. Accordingly, the proposal is considered against the underlying Outcomes of the control.



North-East Elevation - Side boundary envelope non-compliance (source: Mark Hurcum Architects)

DA2018/1994 Page 16 of 37





North-East Perspective - Side boundary envelope non-compliance (source: Mark Hurcum Architects)

With regard to the consideration for a variation, the development is considered against the underlying Outcomes of the Control as follows:

To achieve the desired future character of the Locality. (S)

Comment:

The desired character for the locality envisions low density residential dwellings in natural landscaped settings with a height below the tree canopy. The proposed dwelling is considered consistent with the desire future character for the locality.

• To enhance the existing streetscapes and promote a building scale and density that is below the height of the trees of the natural environment.

Comment:

The proposed dwelling does not have frontage to a public road and is oriented toward Careel Bay. The subdivision and construction of this dwelling will result in the removal of some vegetation, the development retains a number of established canopy trees to assist in balancing the built form. The works include new additional landscape plantings to supplement the setting of the development and enhance its integration within this setting.

• To ensure new development responds to, reinforces and sensitively relates to spatial characteristics of the existing natural environment.

Comment:

The subject site is one of nine (9) new dwellings within this community title subdivision. The placement of each dwelling has been contemplated in order to ensure that that the new built form sensitively relates to the site and its constraints.

DA2018/1994 Page 17 of 37



• The bulk and scale of the built form is minimised. (En, S)

Comment:

The design of the dwelling steps down the site in response to the topography and around significant canopy trees retained. In addition, the design provides a flat roof profile with a green roof across the highest roof section addressing the community title road. The overall built form is considered suitable for this site.

Equitable preservation of views and vistas to and/or from public/private places. (S)

Comment:

The proposed dwelling does not materially impact on any views to or from other dwellings that have been identified or the public domain.

• To ensure a reasonable level of privacy, amenity and solar access is provided within the development site and maintained to residential properties. (En, S)

Comment:

The primary indoor and outdoor living areas within the dwelling are predominantly oriented toward Careel Bay to the north. While there are dwellings proposed to the east and the west of the site, the dwelling has incorporated targeted design measures to address any potential issues with privacy.

• Vegetation is retained and enhanced to visually reduce the built form. (En)

Comment:

While the works within the subdivision and construction of this dwelling will result in the removal of some vegetation, the development retains a number of established canopy trees to assist in balancing the built form. The works include new additional landscape plantings to supplement the setting of the development and enhance its integration within this setting.

As such, it is recommended that the proposal be supported on merit, despite the technical noncompliance with the building envelope control.

THREATENED SPECIES, POPULATIONS OR ECOLOGICAL COMMUNITIES

Refer to Assessment by Council's Natural Environment Unit elsewhere within this report.

CRIME PREVENTION THROUGH ENVIRONMENTAL DESIGN

The proposal is consistent with the principles of Crime Prevention Through Environmental Design.

POLICY CONTROLS

Northern Beaches Section 7.12 Contributions Plan 2019

The proposal is subject to the application of Northern Beaches Section 7.12 Contributions Plan 2019.

A monetary contribution of \$32,071 is required for the provision of new and augmented public infrastructure. The contribution is calculated as 1% of the total development cost of \$3,207,093.

CONCLUSION

DA2018/1994 Page 18 of 37



The site has been inspected and the application assessed having regard to all documentation submitted by the applicant and the provisions of:

- Environmental Planning and Assessment Act 1979;
- Environmental Planning and Assessment Regulation 2000;
- All relevant and draft Environmental Planning Instruments;
- Pittwater Local Environment Plan;
- Pittwater Development Control Plan; and
- Codes and Policies of Council.

This assessment has taken into consideration the submitted plans, Statement of Environmental Effects, all other documentation supporting the application and public submissions, and does not result in any unreasonable impacts on surrounding, adjoining, adjacent and nearby properties subject to the conditions contained within the recommendation.

In consideration of the proposal and the merit consideration of the development, the proposal is considered to be:

- Consistent with the objectives of the DCP
- Consistent with the zone objectives of the LEP
- Consistent with the aims of the LEP
- Consistent with the objectives of the relevant EPIs
- Consistent with the objects of the Environmental Planning and Assessment Act 1979

It is considered that the proposed development satisfies the appropriate controls and that all processes and assessments have been satisfactorily addressed.

RECOMMENDATION

THAT Council as the consent authority grant Development Consent to DA2018/1994 for Construction of a dwelling house on lot 7 of proposed subdivision on land at Lot 9 DP 629464, 104 Cabarita Road, AVALON BEACH, Lot 8 DP 629464, 102 Cabarita Road, AVALON BEACH, Lot 15 DP 858130, 100 Cabarita Road, AVALON BEACH, Lot 14 DP 858130, 96 Cabarita Road, AVALON BEACH, subject to the conditions printed below:

DEFERRED COMMENCEMENT CONDITIONS

1. Registration of Title - Lot 7

Proposed Lot 7 is to be registered with NSW Land and Registry Services. Evidence that the lot has been registered with NSW Land and Registry Services is to be provided to Council in order to activate the consent.

DA2018/1994 Page 19 of 37



Reason: To ensure the orderly development of land (DACPLADC1)

Evidence required to satisfy the deferred commencement condition/s must be submitted to Council within five (5) years of the date of this consent, or the consent will lapse in accordance with Section 95 of the Environmental Planning and Assessment Regulation 2000. This evidence is to be submitted along with a completed 'Deferred Commencement Document Review Form' (available on Council's website) and the application fee, as per Council's Schedule of Fees and Charges.

Upon satisfaction of the deferred commencement condition/s, the following conditions apply:

DEVELOPMENT CONSENT OPERATIONAL CONDITIONS

2. Approved Plans and Supporting Documentation

The development must be carried out in compliance (except as amended by any other condition of consent) with the following:

a) Approved Plans

Architectural Plans - Endorsed with Cou	ıncil's stamp	
Drawing No.	Dated	Prepared By
A7.000 Rev A - Lot 7 Cover Sheet	November 2018	Mark Hurcum Design Practice
A7.002 Rev A - Lot 7 Lot/Roof Plan	November 2018	Mark Hurcum Design Practice
A7.101 Rev A - Lot 7 Lower Level Plan	November 2018	Mark Hurcum Design Practice
A7.102 Rev B - Lot 7 Mid Level Plan	September 2019	Mark Hurcum Design Practice
A7.103 Rev A - Lot 7 Upper Level Plan	November 2018	Mark Hurcum Design Practice
A7.201 Rev B - Lot 7 North East Elevation	September 2019	Mark Hurcum Design Practice
A7.202 Rev B - Lot 7 South East Elevation	September 2019	Mark Hurcum Design Practice
A7.203 Rev A - Lot 7 South West Elevation	November 2018	Mark Hurcum Design Practice
A7.204 Rev B - Lot 7 North West Elevation	September 2019	Mark Hurcum Design Practice
A7.301 Rev A - Lot 7 Section A-A	November 2018	Mark Hurcum Design Practice
A7.302 Rev A - Lot 7 Section B-B	November 2018	Mark Hurcum Design Practice
A005 Rev A - Site Plan	November 2018	Mark Hurcum Design Practice
A008 Rev A - Cut and Fill Plan	November 2018	Mark Hurcum Design Practice
A7.SK03 Rev A - External Finishes	November	Mark Hurcum Design

DA2018/1994 Page 20 of 37



Schedule	2018	Practice	
----------	------	----------	--

Reports / Documentation – All recommendations and requirements contained within:			
Report No. / Page No. / Section No.	Dated	Prepared By	
Stormwater Management Plan	6 December 2018	Northern Beach Engineers	
Geotechnical Assessment - 31842BMrpt Rev 2	30 November 2018	JK Geotechnics	
Estuarine Risk Management Report	10 December 2018	Horton Coastal	
BASIX Certificate No. 972238S	10 December 2018	NSW Planning a	

- b) Any plans and / or documentation submitted to satisfy the Deferred Commencement Conditions of this consent as approved in writing by Council.
- c) Any plans and / or documentation submitted to satisfy the Conditions of this consent.
- d) The development is to be undertaken generally in accordance with the following:

Landscape Plans			
Drawing No.	Dated	Prepared By	
1916 - Sht 108 Rev C - Landscape Concept Plan Lot 7	28 November 2018	Jamie King Landscape Architect	
1916 - Sht 101 Rev C - Landscape Masterplan	28 November 2018	Jamie King Landscape Architect	
1916 - Sht 402 Rev C - Materials Palette	28 November 2018	Jamie King Landscape Architect	
1916 - Sht 401 Rev C - Plant Palette	28 November 2018	Jamie King Landscape Architect	

In the event of any inconsistency between conditions of this consent and the drawings/documents referred to above, the conditions of this consent will prevail.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans.

3. Prescribed Conditions

- (a) All building works must be carried out in accordance with the requirements of the Building Code of Australia (BCA).
- (b) BASIX affected development must comply with the schedule of BASIX commitments specified within the submitted BASIX Certificate (demonstrated compliance upon plans/specifications is required prior to the issue of the Construction Certificate);
- (c) A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
 - (i) showing the name, address and telephone number of the Principal Certifying Authority for the work, and
 - (ii) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and

DA2018/1994 Page 21 of 37



(iii) stating that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

- (d) Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the following information:
 - (i) in the case of work for which a principal contractor is required to be appointed:
 - A. the name and licence number of the principal contractor, and
 - B. the name of the insurer by which the work is insured under Part 6 of that Act,
 - (ii) in the case of work to be done by an owner-builder:
 - A. the name of the owner-builder, and
 - B. if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.

- (e) Development that involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:
 - (i) protect and support the adjoining premises from possible damage from the excavation, and
 - (ii) where necessary, underpin the adjoining premises to prevent any such damage.
 - (iii) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
 - (iv) the owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.

In this clause, allotment of land includes a public road and any other public place.

Reason: Legislative requirement.

4. General Requirements

(a) Unless authorised by Council:

Building construction and delivery of material hours are restricted to:

- 7.00 am to 5.00 pm inclusive Monday to Friday,
- 8.00 am to 1.00 pm inclusive on Saturday,
- No work on Sundays and Public Holidays.

DA2018/1994 Page 22 of 37



Demolition and excavation works are restricted to:

8.00 am to 5.00 pm Monday to Friday only.

(Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

- (b) At all times after the submission the Notice of Commencement to Council, a copy of the Development Consent and Construction Certificate is to remain onsite at all times until the issue of a final Occupation Certificate. The consent shall be available for perusal of any Authorised Officer.
- (c) Where demolition works have been completed and new construction works have not commenced within 4 weeks of the completion of the demolition works that area affected by the demolition works shall be fully stabilised and the site must be maintained in a safe and clean state until such time as new construction works commence.
- (d) Onsite toilet facilities (being either connected to the sewer or an accredited sewer management facility) for workers are to be provided for construction sites at a rate of 1 per 20 persons.
- (e) Prior to the release of the Construction Certificate, payment of the Long Service Levy is required. This payment can be made at Council or to the Long Services Payments Corporation. Payment is not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.
- (f) The applicant shall bear the cost of all works associated with the development that occurs on Council's property.
- (g) No building, demolition, excavation or material of any nature and no hoist, plant and machinery (crane, concrete pump or lift) shall be placed on Council's footpaths, roadways, parks or grass verges without Council Approval.
- (h) Demolition materials and builders' wastes are to be removed to approved waste/recycling centres.
- (i) No trees or native shrubs or understorey vegetation on public property (footpaths, roads, reserves, etc.) or on the land to be developed shall be removed or damaged during construction unless specifically approved in this consent including for the erection of any fences, hoardings or other temporary works.
- (j) Prior to the commencement of any development onsite for:
 - i) Building/s that are to be erected
 - ii) Building/s that are situated in the immediate vicinity of a public place and is dangerous to persons or property on or in the public place
 - iii) Building/s that are to be demolished
 - iv) For any work/s that is to be carried out
 - v) For any work/s that is to be demolished

The person responsible for the development site is to erect or install on or around the development area such temporary structures or appliances (wholly within the development site) as are necessary to protect persons or property and to prevent unauthorised access to the site in order for the land or premises to be maintained in a

DA2018/1994 Page 23 of 37



safe or healthy condition. Upon completion of the development, such temporary structures or appliances are to be removed within 7 days.

- (k) Requirements for new swimming pools/spas or existing swimming pools/spas affected by building works.
 - (1) Child resistant fencing is to be provided to any swimming pool or lockable cover to any spa containing water and is to be consistent with the following;

Relevant legislative requirements and relevant Australian Standards (including but not limited) to:

- (i) Swimming Pools Act 1992
- (ii) Swimming Pools Amendment Act 2009
- (iii) Swimming Pools Regulation 2008
- (iv) Australian Standard AS1926 Swimming Pool Safety
- (v) Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
- (vi) Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools.
- (2) A 'KEEP WATCH' pool safety and aquatic based emergency sign, issued by Royal Life Saving is to be displayed in a prominent position within the pool/spa area.
- (3) Filter backwash waters shall be conveyed to the Sydney Water sewerage system in sewered areas or managed on-site in unsewered areas in a manner that does not cause pollution, erosion or run off, is separate from the irrigation area for any wastewater system and is separate from any onsite stormwater management system.
- (4) Swimming pools and spas must be registered with the Division of Local Government.

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community.

FEES / CHARGES / CONTRIBUTIONS

5. **Policy Controls**

Northern Beaches 7.12 Contributions Plan 2019

A monetary contribution of \$32,070.93 is payable to Northern Beaches Council for the provision of local infrastructure and services pursuant to section 7.12 of the Environmental Planning & Assessment Act 1979 and the Northern Beaches Section 7.12 Contributions Plan 2019. The monetary contribution is based on a development cost of \$3,207,093.00.

The monetary contribution is to be paid prior to the issue of the first Construction Certificate or Subdivision Certificate whichever occurs first, or prior to the issue of the Subdivision Certificate where no Construction Certificate is required. If the monetary contribution (total or in part) remains unpaid after the financial quarter that the development consent is issued, the amount unpaid (whether it be the full cash contribution or part thereof) will be adjusted on a quarterly basis in accordance with the applicable Consumer Price Index. If this situation applies, the cash contribution payable for this development will be the total unpaid monetary contribution as adjusted.

DA2018/1994 Page 24 of 37



The proponent shall provide to the Certifying Authority written evidence (receipt/s) from Council that the total monetary contribution has been paid.

The Northern Beaches Section 7.12 Contributions Plan 2019 may be inspected at 725 Pittwater Rd, Dee Why and at Council's Customer Service Centres or alternatively, on Council's website at www.northernbeaches.nsw.gov.au

This fee must be paid prior to the issue of the Construction Certificate. Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To provide for contributions in accordance with the Contribution Plan to fund the provision of new or augmented local infrastructure and services.

6. Security Bond

A bond (determined from cost of works) of \$10,000 and an inspection fee in accordance with Council's Fees and Charges paid as security to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

An inspection fee in accordance with Council adopted fees and charges (at the time of payment) is payable for each kerb inspection as determined by Council (minimum (1) one inspection).

All bonds and fees shall be deposited with Council prior to Construction Certificate or demolition work commencing, details demonstrating payment are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

To process the inspection fee and bond payment a Bond Lodgement Form must be completed with the payments (a copy of the form is attached to this consent and alternatively a copy is located on Council's website at www.northernbeaches.nsw.gov.au).

Reason: To ensure adequate protection of Council's infrastructure.

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

7. Stormwater Disposal

Engineering Plans in accordance with the requirements of section 3.1.2 Drainage of the Building Code of Australia Housing Provision and AS/NZS 3500.3.2:1998 - Stormwater Drainage – Acceptable solutions are to be submitted and certified by an appropriately qualified and practicing Civil Engineer, indicating all details relevant to the collection and disposal of stormwater from the site, buildings, paved areas and where appropriate adjacent catchments. Stormwater shall be conveyed from the site to the inter-allotment drainage system provided as part of the subdivision of the lot.

Details demonstrating compliance are to be submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate.

Reason: To ensure appropriate provision for disposal and stormwater management arising from the development.

DA2018/1994 Page 25 of 37



8. Geotechnical Report Recommendations have been Incorporated into Designs and Structural Plans

The recommendations of the risk assessment required to manage the hazards as identified in the Geotechnical Report prepared by JK Geotechnics dated 30 November 2018 are to be incorporated into the construction plans. Prior to issue of the Construction Certificate, Form 2 of the Geotechnical Risk Management Policy for Pittwater (Appendix 5 of P21 DCP) is to be completed and submitted to the Accredited Certifier.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure geotechnical risk is mitigated appropriately.

9. Traffic Management and Control

The Applicant is to submit an application for Traffic Management Plan to Council for approval prior to issue of the Construction Certificate. The Traffic Management Plan shall be prepared to RMS standards by an appropriately certified person.

Reason: To ensure appropriate measures have been considered for site access, storage and the operation of the site during all phases of the construction process.

10. Vehicle Driveway Gradients

Driveway gradients within the private property are not to exceed a gradient of 1 in 4 (25%) with transition gradients in accordance with AS/NZS 2890.1:2004. Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure suitable vehicular access to private property.

11. Structural Adequacy and Excavation Work

Excavation work is to ensure the stability of the soil material of adjoining properties, the protection of adjoining buildings, services, structures and / or public infrastructure from damage using underpinning, shoring, retaining walls and support where required. All retaining walls are to be structurally adequate for the intended purpose, designed and certified by a Structural Engineer, except where site conditions permit the following:

- (a) maximum height of 900mm above or below ground level and at least 900mm from any property boundary, and
- (b) Comply with AS3700, AS3600 and AS1170 and timber walls with AS1720 and AS1170.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of the Construction Certificate.

Reason: To provide public and private safety.

DA2018/1994 Page 26 of 37



12. Shoring of Adjoining Property

Should the proposal require shoring to support an adjoining property or Council land, owner's consent for the encroachment onto the affected property owner shall be provided with the engineering drawings.

Council approval is required if temporary ground anchors are to be used within Council land. A Temporary Ground Anchors (Road Reserve) Application is to be submitted with Council for assessment and approval subject to Council's Fees and Charges. Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure that owners consent is obtained for ancillary works, and to ensure the protection of adjoining properties and Council land.

13. Soil and Water Management Program

A Soil and Water Management Plan prepared in accordance with Landcom's 'Managing Urban Stormwater: Soils and Construction' (2004) and implemented on site until the works are completed.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To protect the environment from the effects of sedimentation and erosion from development sites. (DACHPC02)

14. Amended landscape plans

- A) An amended Landscape Plan shall be submitted to the Certifying Authority, demonstrating the following landscape requirements:
- i) the amended landscape plan for Lot 7 shall include a detailed layout of the built and soft landscape elements including walling, paving, decking, and proposed landscape levels. The soft landscape elements shall include the location of all tree planting within the native revegetation area type A and type B area; and all tree, shrub and groundcover planting within the remaining garden areas.
- ii) the amended landscape plans shall locate and identify the distribution of how many of the 50 canopy tree saplings as recommended in the Biodiversity Development Assessment Report prepared by GIS Environmental Consultants, are to be planted on Lot 7. These shall be planted at 45 litre pot size minimum, and larger where indicated in the planting schedule,
- iii) the amended landscape plan shall locate and identify the distribution of how many of the proposed 109 native canopy trees are to be planted on Lot 7. These shall be planted at 140mm pot size,
- iv) no tree is to be planted within 3 metres of the building where the building slab is elevated and no tree is to be planted within 5 metres of the building where the building slab is excavated into the natural ground,
- v) vegetation screening with small trees and mixed height shrubs shall be included to provide privacy to adjoining dwellings and to private open space areas,
- vi) turf is permitted on Lot 7 only to the extent as shown on the Landscape Masterplan, drawing Sht-101, as prepared by Jamie King Landscape Architect, along the foreshore setback north of the dwelling, and shall be contained with garden bed planting to the south, east and west, vii) at least two (2) tall canopy trees shall be planted in the foreshore setback within the turf area, consisting of Corymbia gummifera (Spotted Gum) species, planted at a minimum of 75

DA2018/1994 Page 27 of 37



litre pot size, and planted within a 1m x 1m garden bed, planted no closer than 4-5 metres apart, and planted with supporting tree staking,

viii) the landscape plans shall be amended identifying the following changes to selected tree species:

- Cupaniopsis and Tristaniopsis shall be removed from the planting schedule and replaced with species typical of the Swamp Oak Floodplain Forest including Casuarina glauca, Melaleuca ericifolia, and Glochidion ferdinandi
- B) Prior to the issue of an Construction Certificate, a landscape report prepared by a landscape architect or landscape designer shall be submitted to the Certifying Authority, certifying that the amended landscape plans have been completed in accordance with the design intent of the Landscape Masterplan, drawing Sht-101, the Materials Palette, drawing Sht-402, and the Plant Palette, drawing Sht-401, as prepared by Jamie King Landscape Architect, and inclusive of any conditions of consent.

Reason: to ensure that the landscape treatments are installed to provide landscape amenity.

15. Stormwater quality management

The boundary pit must be designed and constructed according to the Discharge Control Pit Detail as specified in Council's On-site Stormwater Detention Technical Specification with a trash screen that fits the guidelines of Section 4.10 - Trash Screens of this specification ie. a stainless steel or galvanised mesh screen (Maxi-mesh RH3030 or equivalent) with a minimum of 50 times the orifice area between the orifice and all inlets. The screen is to be placed diagonally against the face of the tank wall and should include a lifting handle welded to the top of the mesh to allow for easy removal of the screen for cleaning purposes.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To support overall management of water quality on the subdivision (DACNECPCC1)

16. Estuarine Hazard Design Requirements

The following applies to all development:

All development or activities must be designed and constructed such that they will not increase the level of risk from estuarine processes for any people, assets or infrastructure in surrounding properties; they will not adversely affect estuarine processes; they will not be adversely affected by estuarine processes; they will not reduce access to or diminish the amenity of adjoining public foreshore land.

Reason: To minimise potential risk associated with estuarine hazards for development in the coastal zone.

17. Estuarine Planning Level Requirements

An Estuarine Planning Level (EPL) of RL 3.2m AHD has been independently derived for the subject site as outlined in the approved Estuarine Risk Management Report, prepared by Horton Coastal Engineering Pty Ltd dated 10 December 2018, and shall be applied to all development proposed below this level as follows:

- All structural elements below RL 3.2m AHD shall be of flood compatible materials;
- All electrical equipment, wiring, fuel lines or any other service pipes and connections must be located either above RL 3.2m AHD or waterproofed to this level; and

DA2018/1994 Page 28 of 37



• The storage of toxic or potentially polluting goods, chemicals or materials, which may be hazardous or pollute the waterway, is not permitted below RL 3.2m AHD.

Reason: To ensure aspects of the development that may be affected by estuarine processes are built at the appropriate level.

18. Compliance with Estuarine Risk Management Report

The development is to comply with all relevant recommendations of the approved Estuarine Risk Management Report prepared by Horton Coastal Engineering Pty Ltd, dated 10 December 2018 and these recommendations are to be incorporated into construction plans and engineering specifications as necessary.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To minimise potential risk associated with estuarine hazards for development in the coastal zone.

19. **Project Ecologist Project Ecologist**

Project Ecologist is to be employed for the duration of the approved works to ensure all bushland biodiversity protection measures are carried out according to the conditions of consent, BDAR (GIS

Environmental) and the Biodiversity Management Plan Parts 1 and 2 (GIS Environmental April 2019).

The Project Ecologist must have one of the following memberships/accreditation:

- Practising member of the NSW Ecological Consultants Association https://www.ecansw.org.au/findaconsultant/)
 OR
- Biodiversity Assessment Method assessor accreditation under the NSW Biodiversity Conservation Act 2016 (https://customer.lmbc.nsw.gov.au/assessment/AccreditedAssessor)

Employment of a project ecologist is to be certified by the Principal Certifying Authority Prior to issue of

Construction Certificate.

Reason: To protect native vegetation and wildlife in accordance with relevant Natural Environment LEP/DCP controls.

20. Compliance with Ecologist's Recommendations – Pre-construction

All pre-construction biodiversity-related measures specified in the approved Biodiversity Development Assessment Report (GIS Environmental December 2018), Biodiversity Management Plan (GIS Environmental April 2019) and these conditions of consent are to be implemented at the appropriate stage of the development. Compliance with pre-construction measures is to be certified by the project ecologist prior to issue of the Construction Certificate.

Reason: To confirm compliance with wildlife and habitat protection/replacement measures in accordance with relevant Natural Environment LEP/DCP controls (DACNECPCC2)

DA2018/1994 Page 29 of 37



21. Implementation of Biodiversity Management Plan

All requirements in the Biodiversity Management Plan (GIS Environmental 5 April 2019) are to be implemented prior, during and post construction.

Details demonstrating pre-construction compliance are to be certified by the project ecologist and submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: Biodiversity/Vegetation Conservation and Management.

22. Compliance with Standards

The development is required to be carried out in accordance with all relevant Australian Standards.

Details demonstrating compliance with the relevant Australian Standard are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure the development is constructed in accordance with appropriate standards.

23. Aboriginal Heritage

A preliminary inspection ('due diligence' under the *National Parks and Wildlife Act 1974*) of the site by a qualified Aboriginal heritage professional is required. The assessment is to provide information on what potential Aboriginal heritage issues exist on the land and recommendations for any further action if required.

Any recommendations of the assessment must be implemented.

Reason: Aboriginal Heritage Protection.

24. Construction Traffic Management Plan

A CTMP is to be submitted to and approved by the Certifying Authority prior to the issue of any Construction Certificate. The CTMP must be in accordance with RMS Guidelines for preparation of a Construction Traffic Management Plan.

Reason: To ensure all construction vehicular activities are managed with minimal impact on the local road network (DACTRCPCC1)

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

25. **Project Arborist**

A Project Arborist with AQZ Level 5 qualification in horticulture is to be appointed to supervise and certify tree protection measures identified in the Tree Assessment & Development Impact report

prepared by Growing My Way Tree Services for the following tree on Lot 7: tree number 91 and 92.

The Project Arborist is to supervise all excavation and construction works near these trees, including recommending the construction methods near existing trees, including flexible location of footings, pier and beam, suspended slabs, cantilevered building sections, screw piles and contiguous piling.

Photographic documentation of the condition of all trees to be retained shall be recorded,

DA2018/1994 Page 30 of 37



including at commencement, during the works and at completion.

Reason: to ensure the protection of the existing landscape amenity

26. Approved tree removal

Approval is granted for the removal of the following existing trees as assessed in section 6. Recommendations of the Tree Assessment & Development Impact Report prepared by Growing My Way Tree Services: tree number 92A, 93, 94, 94A, and 94B.

Exempt species on Lot 7, including the numerous Phoenix palms, and tree number 91F do not require Council consent for removal.

27. Installation and Maintenance of Sediment and Erosion Control

Sediment and erosion controls must be installed in accordance with Landcom's 'Managing Urban Stormwater: Soils and Construction' (2004).

Techniques used for erosion and sediment control on site are to be adequately maintained and monitored at all times, particularly after periods of rain, and shall remain in proper operation until all development activities have been completed and the site is sufficiently stabilised with vegetation.

Reason: To protect the surrounding environment from the effects of sedimentation and erosion from the site (DACNED06)

28. Bushland Protection Fencing and Signage

Prior to the commencement of any onsite building works or commencement of vegetation clearance/modification, the boundary between the Conservation Management Areas and the construction area as shown on Biodiversity Management Plan (BMP) Part 1a (GIS Environmental 5/4/19) - is to be surveyed and marked clearly on the ground.

A temporary 2.0 metre steel mesh fence (or similar), incorporating BMP signage, is to be erected on the surveyed boundary between the Conservation Management Areas and the construction area for the duration of construction work.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to commencement of works.

Reason: To ensure that the vegetation in the restricted development area is protected during and after construction.

29. **Protection Fencing**

Protection fencing measures (including sedimentation fences) are to be installed in accordance with all approved plans including those specified in the Arborist Report and/or Bushland Management Plan. Protection measures are to be maintained for the duration of the works. Protection fencing that is no longer required is to be removed once all works are completed.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to commencement of works.

Reason: Environmental Protection

CONDITIONS TO BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

DA2018/1994 Page 31 of 37



30. Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained in a safe condition at all times during the course of the work.

Reason: Public Safety.

31. Protection of Adjoining Property - Excavation

Where excavations extend below the level of the base of the footings of a building on an adjoining allotment of land, the person causing the excavation must preserve and protect the building from damage and, if necessary, underpin and support the adjoining building in an approved manner.

Reason: To ensure private and public safety.

32. Traffic Control During Road Works

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others in accordance with RMS Traffic Control At Work Sites Manual (http://www.rms.nsw.gov.au/business-industry/partners-

suppliers/documents/technical -manuals/tcws-version-4/tcwsv4i2.pdf) and to the satisfaction of the Principal Certifying Authority. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works.

Reason: Public Safety

33. Tree and vegetation protection

- A) Existing trees and vegetation shall be retained and protected as follows:
- i) all trees and vegetation within the site identified for retention as listed in the Tree Assessment
- & Development Impact report prepared by Growing My Way Tree Services, including trees identified as 91 and 92,
- ii) all trees and vegetation located on adjoining properties,
- iii) all road reserve trees and vegetation.
- B) Tree protection shall be generally undertaken as follows:
- i) all tree protection shall be in accordance with AS4970- 2009 Protection of Trees on Development Sites, with particular reference to Section 4,
- ii) removal of existing tree roots greater than 25mm is not permitted without consultation with an Arborist with a AQF Level 5 qualification in horticulture,
- iii) any tree roots exposed during excavation with a diameter greater than 25mm within the tree protection zone must be assessed by an Arborist. Details including photographic evidence of works undertaken shall be submitted by an AQF Level 5 Arborist to the Certifying Authority,
- iv) to minimise the impact on trees and vegetation to be retained and protected, no excavated material, building material storage, site facilities, nor landscape materials are to be placed within the canopy dripline of trees and other vegetation required to be retained,
- v) no tree roots greater than 25mm diameter are to be cut from protected trees unless authorised by a Project Arborist on site,

DA2018/1994 Page 32 of 37



- vi) all structures are to bridge tree roots greater than 25mm diameter unless directed by a AQF Level 5 Arborist on site.
- vii) excavation for stormwater lines is not permitted within the tree protection zone, without consultation with a AQF Level 5 Arborist,
- viii) should either or all of v), vi) and vii) occur during site establishment and construction works, a AQF Level 5 Arborist shall provide recommendations for tree protection measures. Details including photographic evidence of works undertaken shall be submitted by the Arborist to the Certifying Authority,
- ix) any temporary access to, or location of scaffolding within the tree protection zone of a protected tree or any other tree to be retained during the construction works, is to be undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of AS 4970-2009,
- x) tree pruning to enable construction shall not exceed 10% of any tree canopy, and shall be in accordance with AS4373-2009 Pruning of Amenity Trees.

Reason: to retain and protect significant planting on development and adjoining sites.

34. **Project Arborist**

A Project Arborist with AQZ Level 5 qualification in horticulture is to be appointed to provide a definitive recommendation on the suitability to retain trees identified in the Tree Assessment & Development Impact Report prepared by Growing My Way Tree Services as sustainable through on site management during excavation and construction works.

On Lot 7 these trees include number 91.

Should this tree be assessed as unsustainable and require removal, tree replacement at a ratio of 1:1 is required on the Lot, consisting of locally native tree species selected from the following list: Corymbia gummifera, Corymbia maculata, Glochidion ferdinandi and Syncarpia glomulifera, and installed at a minimum 45 litre size.

Details including field reports and photos are to be submitted to the Certifying Authority.

Note: The Project Arborist as conditioned is to be appointed at the commencement of the works and shall demonstrate that their attendance on site has occurred as required to provide such recommendations.

35. Tree Hollow Inspection by Ecologist

During any vegetation clearance for Asset Protection Zones and construction works the Project Ecologist is to be physically present to re-locate any displaced fauna that may be disturbed during this activity.

All tree hollows proposed for clearing are to be inspected by the project ecologist prior to removal. Inspection of tree hollows is to be facilitated by a qualified and experienced tree climber or arborist with the use of an elevated work platform where necessary.

Details prepared by the project ecologist in writing demonstrating compliance are to be submitted to the Principal Certifying Authority prior to commencement of tree removals

Reason: To protect native wildlife in accordance with Section 2.1 of the NSW Biodiversity Conservation Act 2016 and relevant Natural Environment LEP/DCP controls.

36. Compliance with Ecologist's Recommendations – During Construction

All biodiversity-related measures are to be implemented during construction, as specified in the approved ecological report (BDAR GIS Environmental December 2018), Biodiversity

DA2018/1994 Page 33 of 37



Management Plan (GIS Environmental April 2019) and these conditions of consent.

Compliance with these measures is to be certified by the project ecologist in writing to the Principal Certifying Authority prior to issue of the Occupation Certificate.

Reason: To confirm compliance with wildlife and habitat protection/replacement measures in accordance with relevan)

37. Fencing for Wildlife Passage

Any new fencing (with the exception of swimming pool fencing) is to be made passable to native wildlife. Hole dimensions are to be a minimum of 150mm wide x 100mm high at ground level spaced at 6 metre intervals.

Reason: Management of wildlife corridors

38. **Vegetation Clearing Protocols**

Clearing of native vegetation is to be undertaken in accordance with the protocols and recommendations specified in the approved Biodiversity Management Plan. Details confirming compliance are to be certified by the project ecologist and submitted to the Principal Certifying Authority prior to the issue of any Occupation Certificate.

Reason: To protect native vegetation in accordance with relevant Natural Environment LEP/DCP controls. (DACNEE

39. Aboriginal Heritage

Should any Aboriginal sites be uncovered during earthworks, works should cease and Council, the NSW Office of Environment and Heritage (OEH) and the Metropolitan Local Aboriginal Land Council should be contacted.

Reason: Aboriginal Heritage Protection. (DACAHE01)

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

40. Landscape works

Landscaping is to be implemented in accordance with the approved amended landscape plans.

Prior to the issue of an Occupation Certificate, a landscape report prepared by a landscape architect or landscape designer shall be submitted to the Certifying Authority, certifying that the landscape works have been completed in accordance with the approved amended landscape plans and inclusive of any conditions of consent.

Reason: to ensure that the landscape treatments are installed to provide landscape amenity.

41. Condition of retained vegetation

Prior to the issue of an Occupation Certificate, a report prepared by an Arborist with AQZ Level 5 qualification in horticulture, shall be submitted to the Certifying Authority, assessing the health and impact of trees and vegetation required to be retained as a result of the proposed development, including the following information:

DA2018/1994 Page 34 of 37



- i) Compliance to Arborist recommendations for tree protection and excavation works.
- ii) Extent of damage sustained by vegetation as a result of the construction works.
- iii) Any subsequent remedial works required to ensure the long term retention of the vegeta

Reason: to ensure compliance with the requirement to retain and protect significant planting on development sites.

42. Stormwater Disposal

The stormwater drainage works shall be certified as compliant with all relevant Australian Standards and Codes by a suitably qualified person. Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure appropriate provision for the disposal of stormwater arising from the development.

43. Geotechnical Certification Prior to Occupation Certificate

Prior to issue of the Occupation Certificate, Form 3 of the Geotechnical Risk Management Policy is to be completed and submitted to the Principal Certifying Authority.

Reason: To ensure geotechnical risk is mitigated appropriately.

44. Weed Removal and Management

No weeds are to be imported on to the site.

All invasive and priority weeds on the site are to be removed and managed continuously, in accordance with the Biosecurity Act 2015.

Details demonstrating the removal and management of weeds are to be prepared by the project ecologist in writing and submitted to the Principal Certifying Authority prior to occupation certificate.

Reason: Weed management and biosecurity

45. Compliance with Ecologist's Recommendations – Post Construction

All biodiversity-related measures are to be implemented at the appropriate stage of development, as specified in the approved ecological report, Biodiversity Management Plan Ongoing Maintenance Manual (GIS Environmental April 2019) and these conditions of consent.

Satisfactory establishment/initiation of post-construction measures is to be certified by the project ecologist prior to issue of any Occupation Certificate

Reason: To confirm compliance with wildlife and habitat protection/replacement measures in accordance with relevant Natural Environment LEP/DCP controls. (DACNEFPOC1

46. Sydney Water

A Section 73 Compliance Certificate under the Sydney Water Act 1994 must be obtained from Sydney Water Corporation.

DA2018/1994 Page 35 of 37



Application must be made through an authorised Water Servicing Co-ordinator. Please refer to the Building Developing and Plumbing section of the web site

www.sydneywater.com.au http://www.sydneywater.com.au then refer to "Water Servicing Coordinator" under "Developing Your Land" or telephone 13 20 92 for assistance.

Following application a "Notice of Requirements" will advise of water and sewer infrastructure to be built and charges to be paid. Please make early contact with the Co-ordinator, since building of water/sewer infrastructure can be time consuming and may impact on other services and building, driveway or landscape design.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure compliance with the statutory requirements of Sydney Water.

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

47. Landscape maintenance

All landscape components including existing vegetation are to be maintained for the life of the development.

A maintenance program is to be established. If any landscape materials/components or planting under this consent fails, they are to be replaced with similar materials/components and species.

Reason: to maintain local environmental amenity and ensure landscaping continues to soften the built form.

48. Control of Weeds

Prior to the completion of works, all priority weeds (as listed under the Biosecurity Act 2015) are to be removed/controlled within the subject site using an appropriately registered control method. Information on weeds of the Northern Beaches can be found at the NSW WeedWise website (http://weeds.dpi.nsw.gov.au/). All environmental weeds are to be removed and controlled. Refer to Council website

http://www.pittwater.nsw.gov.au/environment/noxious weeds

Reason: Weed management.

49. Maintenance of Stormwater Quality System

The stormwater boundary pit and trash screen must be maintained at all times. The pit should be inspected annually, with sediment and organic matter removed as required and as necessary to achieve the required stormwater quality targets for the development.

Reason: Protection of the receiving environment (DACNEGOG1)

50. No Planting Environmental Weeds

No environmental weeds are to be planted on the site. Information on weeds of the Northern Beaches can be found at the NSW WeedWise website (http://weeds.dpi.nsw.gov.au/).

Reason: Weed management.

DA2018/1994 Page 36 of 37



51. Works to cease if item found

If any Aboriginal Engravings or Relics are unearthed all work is to cease immediately and the Aboriginal Heritage Office (AHO) and Office of Environment and Heritage (OEH) are to be notified.

Reason: To protect Aboriginal Heritage.

52. **Domestic Animals Exclusion**

For the life of the development, cats are to be kept in a cat run and/or inside the dwelling such that they are prevented from entering wildlife habitat areas at all times. Dogs are to be kept in an enclosed area such that they cannot enter areas of bushland, unrestrained, on surrounding properties.

Reason: Wildlife protection

53. Fencing for Wildlife Passage

Any new fencing (with the exception of swimming pool fencing) is to be made passable to native wildlife. Hole dimensions are to be a minimum of 150mm wide x 100mm high at ground level spaced at 6 metre intervals.

Reason: Management of wildlife corridors

In signing this report, I declare that I do not have a Conflict of Interest.

Signed

Renee Ezzy, Principal Planner

The application is determined on 11/11/2019, under the delegated authority of:

Anna Williams, Manager Development Assessments

DA2018/1994 Page 37 of 37