

Landscape Referral Response

Application Number:	DA2020/0148
Date:	22/04/2020
Responsible Officer:	Adam Croft
Land to be developed (Address):	Lot 12 DP 1105469 , 12 Montpelier Place MANLY NSW 2095

Reasons for referral

This application seeks consent for the following:

- Construction / development works within 5 metres of a tree or
- New residential works with three or more dwellings. (RFB's, townhouses, seniors living, guesthouses, etc). or
- Mixed use developments containing three or more residential dwellings.
- New Dwellings or

Officer comments

The development application is for the demolition of an existing pool and construction of alterations and additions to an existing dwelling including a new pool and spa, pergolas and associated landscape works.

The development application is assessed by Council's Landscape Referral section against the landscape controls of Manly DCP 2013, section 3: General Principles of Development, and section 4: Development Controls and Development Types.

A Arboricultural Impact Assessment is submitted with the application in accordance with DA Lodgement Requirements. The proposal will not result in any significant impact on any significant trees or vegetation. To accommodate the proposed swimming pool location, a small native trees and two exempt species require removal. All existing trees and vegetation on adjoining property are to be protected.

A Landscape Plan is submitted with the application in accordance with DA Lodgement Requirements. As the site is located within the Bandicoot Habitat area, an amended landscape plan is required to satisfy the specific planting requirements for the habitat community.

The landscape component of the proposal is supported.

The proposal is therefore supported.

Note: Should you have any concerns with the referral comments above, please discuss these with the Responsible Officer.

Recommended Landscape Conditions:

**CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION
CERTIFICATE**

Amended Landscape Plan

An amended landscape plan shall be provided to the Certifying Authority for approval prior to Construction Certificate. The site is located in an area of habitat for the long-nosed Bandicoot, and to satisfy Manly DCP 3.3.1 a) iv) landscape design must include native plant species to provide new and/or improved low dense clumping habitat for potential foraging and nesting. The planting schedule should comprise species such as Lomandra sp., Dianella sp., Banksia spinulosa, Caustis sp., Xanthorrhoea sp., Isolepis sp., Juncus sp., Adiantum sp., Calochlaena sp., Callistemon sp., Grevillea juniperina, Gleichenia sp., Grevillea 'Robyn Gordon' and tussocky native grasses (eg. Kangaroo Grass).

Reason: to improve potential long-nosed Bandicoot habitat at the site.

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

Tree removal within the property

Approval is granted for tree removal as recommended in the Arboricultural Impact Report & Tree Protection Plan prepared by Urban Tree Care, including:

- Tree 2 Port Jackson Fig (4m tall),
- one small Frangipani (and proposed for relocation), and
- one small Magnolia

No other existing trees / palms may be removed. Any subsequent request for tree removal is subject to a Section 4.55 modification application, or an assessment by a AQF level 5 Arborist that determines that the tree presents an imminent risk to life or property.

CONDITIONS TO BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

Tree Protection Measures

A Project Arborist with AQF minimum Level 5 qualification in arboriculture/horticulture is to be appointed to supervise and certify tree protection measures for existing trees to be retained and protected, requiring site attendance during excavation and construction works, in accordance with AS4970-2009 Protection of Trees on Development Sites, with particular reference to Section 4, and the recommendations of the Arboricultural Impact Report & Tree Protection Plan prepared by Urban Tree Care.

This shall include all tree sensitive works in the vicinity of the existing trees that have been identified in the Arboricultural Impact Report & Tree Protection Plan as: T1, T3, T4, T5 and T6 in adjoining properties.

The following activities shall be specifically supervised and certified as approved following attendance on site, review of the works and acceptance of the works:

i) a temporary fence shall be erected on the side and rear boundary to reduce the chance of any accidental damage to neighbouring trees as outlined in page 12 the Arboricultural Impact Report & Tree Protection Plan,

The test excavation that will be inside the TPZ for tree 3 and 4 will need to be done by hand under the supervision of the site Arborist,

ii) tree protection zone (TPZ) protection measures are listed in the Arboricultural Impact Report & Tree Protection Plan.

The Arborist shall submit certification that the works described in the above sections have been correctly installed and adhered to during the construction period.

The tree protection measures specified in this clause must:

- iii) be in place before work commences on the site, and
- iv) be maintained in good condition during the construction period, and
- v) remain in place for the duration of the construction works.

The Certifying Authority or a Project Arborist AQF Level 5 must ensure that:

- vi) the activities listed in section 4.2 of AS4970- 2009 Protection of Trees on Development Sites, do not occur within the tree protection zone of any tree, and
- vii) any temporary access to, or location of scaffolding within the tree protection zone of a protected tree, or any other tree to be retained on the site during the construction, is undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of that standard.

A separate permit or development consent may be required if the branches or roots of a protected tree on the site or on an adjoining site are required to be pruned or removed.

Reason: to ensure tree protection is provided and maintained.

Tree and vegetation protection

a) Existing trees and vegetation shall be retained and protected as recommended in the Arboricultural Impact Report & Tree Protection Plan prepared by Urban Tree Care, including:

- i) all trees and vegetation within the site not approved for removal, excluding exempt vegetation under the relevant planning instruments of legislation,
- ii) all trees and vegetation located on adjoining properties.

b) Tree protection shall be generally undertaken as follows:

- i) all tree protection shall be in accordance with AS4970- 2009 Protection of Trees on Development Sites, including the provision of temporary fencing to protect existing trees within 5 metres of development,
- ii) removal of existing tree roots greater than 25mm is not permitted without consultation with a AQF minimum Level 5 Arborist,
- iii) existing ground levels shall remain under the tree protection zone of trees to be retained, unless authorised by AQF minimum Level 5 Arborist,
- iv) any tree roots exposed during excavation with a diameter greater than 25mm within the tree protection zone must be assessed by an AQF minimum Level 5 Arborist. Details including photographic evidence of works undertaken shall be submitted to the Certifying Authority,
- v) to minimise the impact on trees and vegetation to be retained and protected, no excavated material, building material storage, site facilities, nor landscape materials are to be placed within the canopy dripline of trees and other vegetation required to be retained,
- vi) no tree roots greater than 25mm diameter are to be cut from protected trees unless authorised by a AQF minimum Level 5 Project Arborist on site,
- vii) all structures are to bridge tree roots greater than 25mm diameter unless directed by a AQF minimum Level 5 Arborist on site,
- viii) excavation for stormwater lines and all other utility services is not permitted within the tree protection zone, without consultation with a AQF minimum Level 5 Arborist, including advice on root protection measures,
- ix) should either or all of vi), vii) and viii) occur during site establishment and construction works, a AQF minimum Level 5 Arborist shall provide recommendations for tree protection measures. Details including photographic evidence of works undertaken shall be submitted by the Arborist to the Certifying Authority,
- x) any temporary access to, or location of scaffolding within the tree protection zone of a protected tree

or any other tree to be retained during the construction works, is to be undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of AS 4970-2009,

xi) tree pruning to enable construction shall not exceed 10% of any tree canopy, and shall be in accordance with AS4373-2009 Pruning of Amenity Trees.

c) All protected trees are to be retained for the life of the development, or for their safe natural life. Trees that die or are removed by approval must be replaced with a locally native canopy tree.

Reason: to retain and protect significant planting on development and adjoining sites.

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

Landscape works completion

Landscape works are to be implemented in accordance with the approved amended landscape plan.

Prior to the issue of an Occupation Certificate, a landscape report prepared by a landscape architect or landscape designer shall be submitted to the Certifying Authority, certifying that the landscape works have been completed in accordance with the approved amended landscape plan and with any conditions of consent.

Reason: to ensure that the landscape treatments are installed to provide landscape amenity and soften the built form.

Condition of retained vegetation

Prior to the issue of an Occupation Certificate, a report prepared by an Arborist with AQF minimum Level 5 qualifications in arboriculture/horticulture shall be submitted to the Certifying Authority, assessing the health and impact on all existing trees required to be retained, including the following information:

- i) compliance to any Arborist recommendations for tree protection and excavation works,
- ii) extent of damage sustained by vegetation as a result of the construction works,
- iii) any subsequent remedial works required to ensure the long term retention of the vegetation.

Reason: to retain and protect significant planting on development and adjoining sites.

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

Landscape maintenance

Any existing landscaping including trees required to be retained together with any additional landscaping required by this consent is to be maintained for the life of the development.

A 12 month establishment period shall apply for all new landscaping. If any landscape materials/components or planting under this consent fails, they are to be replaced with similar materials/components. All planting must be maintained for the life of the development, or for their safe useful life expectancy. Planting that may die or is approved for removal must be replaced.

Reason: to maintain local environmental amenity and ensure landscaping continues to soften the built form.