



TEMPORARY CONSTRUCTION VEHICLE ENTRY/EXIT SEDIMENT TRAP

NOT TO SCALE





## SEDIMENT FENCE


NOT TO SCALE

F82 MESH SUPPORT JUTE MESH FABRIC OR — TO ENVIRONMENTAL CONSULTANTS SPECIFICATIONS ∕─ SANDBAG OR ROCK ROCK OR GRAVEL ANCHORING ANCHORING TRENCH MESH SUPPORTS AT 2m CTRS

**ALTERNATIVE SEDIMENT FENCE** NOT TO SCALE

## ALTERNATIVE SEDIMENT FENCE NOTES


- 1. INSTALL THIS TYPE OF SEDIMENT FENCE WHEN USE OF SUPPORT POSTS IS NOT DESIRABLE OR NOT POSSIBLE. SUCH CONDITIONS MIGHT APPLY, FOR EXAMPLE, WHERE APPROVAL IS GRANTED FROM THE APPROPRIATE AUTHORITIES TO PLACE THESE FENCES IN HIGHLY SENSITIVE ESTUARINE AREAS.
- 2. USE BENT TRENCH MESH TO SUPPORT THE F82 WELDED MESH FACING AS SHOWN ON THE DRAWING ABOVE. ATTACH THE JUTE MESH TO THE WELDED MESH FACING USING UV-RESISTANT CABLE TIES.
- 3. STABILISE THE WHOLE STRUCTURE WITH SANDBAG OR ROCK ANCHORING OVER THE TRENCH MESH AND THE LEADING EDGE OF THE JUTE MESH. THE ANCHORING SHOULD BE SUFFICIENTLY LARGE TO ENSURE STABILITY OF THE STRUCTURE IN THE DESIGN STORM EVENT, USUALLY THE 10 YEAR EVENT.



GEOTEXTILE FILTER


## KERB INLET SEDIMENT TRAP

NOT TO SCALE




## SANDBAG KERB INLET SEDIMENT TRAP

NOT TO SCALE



ON GRADE KERB INLET SEDIMENT TRAP





Tel: +61 2 8247 8400 Fax: +61 2 8247 8444

sydney@bonaccigroup.com

www.bonaccigroup.com

WARRIEWOOD, NSW 2102 Drawing SOIL AND WATER MANAGEMENT **DETAIL SHEET 2** 

Project 2 MACPHERSON STREET

DEVELOPMENT APPLICATION Project Director Approved Scale NOTED Project Ref Date 15/08/17 C007 P1