



NOT FOR CONSTRUCTION

REV:	/: DA	ATE:	DOCUMENT STATUS/ AMENDMENTS	REFER TO LA LP 04 FOR LEGEND, NOTES AND PLANT SCHEDULE	NORTH	hlack heetle	PROJECT Residential Development	Drawn IK / GB L.Architect Authorised	Client ADJANI
01	26.0	3.07.21	PRELIMINARY			Landscape Architecture and Design	30 Fairlight street, FAIRLIGHT, NSW	IK / GB	Status
02	23.0	3.08.21	FOR COORDINATION			Editasoape / frontootare and Besign	FAIRLIGHT, NOW	1:100 @ A1	Development Application
03	30.0	0.08.21	FOR DA	1,100 @ 14		Black Beetle pty ltd Level 1, 1073 Pittwater Road, Collaroy NSW 2097	DRAWING TITLE	DO NOT SCALE OFF THIS DRAWING - USE I WITH BLACK BEETLE BEFORE PROCEEDIN	IGURED DIMENSIONS ONLY - VERIFY ALL DIMENSIONS ON SITE - RESOLVE DISCREPANCIES G. COPYRIGHT OF THIS DRAWING AND THE DESIGNS EXECUTED REMAIN VESTED IN BLACK BEETLE
04	15.	5.10.21	FOR DA	1:100 @ A1		Tel: 0422 104 416	LANDSCAPE PLAN BASEMENT	JOB NUMBER	DRAWING NUMBER / ISSUE
				0 1 2 5 7.5M		email: blackbeetle@blackbeetle.com.au		BB 1294	LA LP 01/ 04



NOT FOR CONSTRUCTION

REV: DATE: DOCUMENT STATUS/ AMENDMENTS	REFER TO LA LP 04 FOR LEGEND, NOTES AND PLANT SCHEDULE	NORTH	hlack hootle	PROJECT Residential Development	Drawn IK / GB Client L.Architect Authorised ADJANI
01 26.07.21 PRELIMINARY 02 17.08.21 PRELIMINARY			Landscape Architecture and Design	30 Fairlight street, FAIRLIGHT, NSW	Scale 1:100 @ A1 Status Development Application
03 23.08.21 FOR COORDINATION 04 30.08.21 FOR DA	1:100 @ A1		Black Beetle pty ltd Level 1, 1073 Pittwater Road, Collaroy NSW 2097 Tel: 0422 104 416	DRAWING TITLE LANDSCAPE PLAN GROUND FLOOR	DO NOT SCALE OFF THIS DRAWING - USE FIGURED DIMENSIONS ONLY - VERIFY ALL DIMENSIONS ON SITE - RESOLVE DISCREPANCIES WITH BLACK BEETLE BEFORE PROCEEDING. COPYRIGHT OF THIS DRAWING AND THE DESIGNS EXECUTED REMAIN VESTED IN BLACK BEETLE JOB NUMBER DRAWING NUMBER / ISSUE
	0 1 2 5 7.5M		email: blackbeetle@blackbeetle.com.au		BB 1294 LA LP 02/ 04



NOT FOR CONSTRUCTION

REV: DATE:	DOCUMENT STATUS/ AMENDMENTS	REFER TO LA LP 04 FOR LEGEND, NOTES AND PLANT SCHEDULE	NOT-11		PROJECT	Drawn IK / GB	Client
		THE ETT TO BYEL OF FOLLEGATION, NOTED THAT GOTTED OLL	NORTH	black beetle	Residential Development	L.Architect Authorised IK / GB	ADJANI
01 26.07.21	PRELIMINARY			Landscape Architecture and Design	30 Fairlight street, FAIRLIGHT, NSW	IN / GD	Status
02 23.08.21	FOR COORDINATION			Earladdapo / Normodalo ana Bodign	TAINLIGHT, NOW	— 1:100 @ A1	Development Application
03 30.08.21	FOR DA				DRAWING TITLE	DO NOT SCALE OFF THIS DRAWING - USE FIGUR WITH BLACK BEETLE BEFORE PROCEEDING. C	LEED DIMENSIONS ONLY - VERIFY ALL DIMENSIONS ON SITE - RESOLVE DISCREPANCIES OPYRIGHT OF THIS DRAWING AND THE DESIGNS EXECUTED REMAIN VESTED IN BLACK BEETLE
		1:100 @ A1	Le	evel 1, 1073 Pittwater Road, Collaroy NSW 2097 Tel: 0422 104 416	LANDSCAPE PLAN	JOB NUMBER	DRAWING NUMBER / ISSUE
		0 1 2 5 7.5M		email: blackbeetle@blackbeetle.com.au	LEVEL01 & LEVEL 02	BB 1294	LA LP 03/ 03

GENERAL NOTES / SPECIFICATION

1. DRAWINGS TO BE READ IN CONJUNCTION WITH ARCHITECTURAL AND ENGINEERING DRAWINGS. NOTE ALL LANDSCAPE HARDWORKS INCLUDING PAVING, STEPS, RETAINING WALLS AND FENCES TO ARCHITECTS DOCUMENTATION.

2. ALL PLANTING AREAS TO BE MULCHED, TYPICALLY 50MM DEPTH. ORGANIC MULCH TO CONFORM TO AS 4454-2012 COMPOST, SOIL CONDITIONERS AND MULCHES.

FERTILISER SHALL BE A SLOW RELEASE PELLETISED FORM SUITABLE FOR USE WITH AUSTRALIAN NATIVE PLANTS APPLIED AT THE MANUFACTURES RECOMMENDED RATE.

SOIL WETTING AGENT SHALL BE "AQUASOIL" OR "WETTASOIL" APPLIED AT A RATE OF 1 LITRE/ 1000 LITRES OF WATER OR

3. SOILS TO CONFORM TO AS 4419-2018 SOILS FOR LANDSCAPING AND GARDENS USE. - ON STRUCTURE - MINIMUM 600MM FOR GROUND COVERS AND SHRUBS

- ON STRUCTURE - MINIMUM 1000MM FOR TREES - ON GRADE GARDEN - 300MM

GARDEN SOIL SHALL HAVE A PH BETWEEN 5.5 AND 7.0, EC< 1.2DS/M: 2-5CG/MG RATIO, 5-20MEQ % CEC, AND NUTRIENTS TO AS 3743 POTTING MIXES.

ALL PLANTING SOIL SHALL BE FREE OF RUBBISH, DEBRIS AND SUBSTANCES THAT ARE TOXIC TO LIVING ORGANISMS, OR WOULD OTHERWISE BE DECLARED CONTAMINATED. ALL IMPORTED GARDEN SOIL SHALL BE FREE OF WEED SEEDS.

PLANTING SOIL SHALL NOT BE WATER REPELLENT AND IT SHALL TAKE LESS THAN 53 SECONDS FOR A WATER DROPLET TO SOAK INTO DRY SOIL(REFERENCE: HANDRECK & BLACK).

THE CONTRACTOR SHALL ENSURE ANY INSTALLED SUB GRADES ARE NOT TOXIC TO NORMAL PLANT GROWTH OR UNNATURALLY OVERLY COMPACTED. ENSURE EXISTING SUB SOIL IS NOT TOXIC TO PLANT GROWTH. AND NOTIFY SUPERINTENDENT IMMEDIATELY IF THERE ARE ANY CONCERNS WITH REGARD TO THE SUB SOIL CONDITIONS.

ALL PLANTING SOIL TO BE CONSOLIDATED BUT NOT COMPACTED AND HAVE PARTICLE SIZES GREATER THAN THE SUBSOIL. 4. PLANT SUPPLY - THE PLANTS ARE TO BE VIGOROUS AND APPROPRIATELY ACCLIMATISED WITH A ROOTBALL THAT IS FULL

BUT NOT RESTRAINED. TREE STOCK ARE TO BE GROWN AND CERTIFIED AS COMPLYING WITH NATSPEC'S "SPECIFYING TREES - A GUIDE TO ASSESSMENT OF TREE QUALITY", SECOND EDITION 2003 BY ROSS CLARK PLANT INSTALLATION - THE TOPS OF ROOT BALLS ARE TO BE LEVEL WITH OR UP TO 50MM HIGHER THAN THE

SURROUNDING SOIL LEVEL. CREATE WATERING"SAUCERS" AROUND ALL PLANTS FROM POTS LARGER THAN 5 LITRE (IE 200MM DIAMETER). DO NOT PILE UP MULCH AGAINST THE BASE OF THE PLANT STEM/TRUNK. STAKING - REMOVE ALL NURSERY STAKES, TIES AND LABELS. THE ROOT BALL AND CANOPY ARE TO BE BALANCED AND THE STEM / TRUNK SUFFICIENTLY DEVELOPED SO THAT THE PLANTS STAY UPRIGHT WITHOUT THE NEED TO BE STAKED. DO NOT

STAKE PLANTS UNLESS SPECIFICALLY NOTED TO DO SO OR UNLESS SPECIAL CIRCUMSTANCES REQUIRE A PLANT TO BE TEMPORARILY STAKED FOR STABILITY. 5. ALL PLANTING AREAS TO HAVE DRIP IRRIGATION SYSTEM WITH BACK UP PROTECTION TO THE MAIN SUPPLY, TO ALL

CURRENT SYDNEY WATERS REQUIREMENTS AND RELEVANT AUSTRALIAN STANDARDS SUPPLY - DESIGN, SUPPLY AND INSTALL A PERMANENT AUTOMATED SUB-SURFACE IRRIGATION SYSTEM.

EXTENT - THE SYSTEM IS TO COVER ALL NEW GARDENS. WATER IS TO BE DELIVERED VIA SUBSURFACE DRIP LINES BURIED BELOW THE FINISHED GROUND LEVEL TO GARDENS AND TREES AND VIA POPUP SPRAYS ON FLEXIBLE ARMS TO THE LAWN

CAPACITY - THE SYSTEM IS TO BE CAPABLE OF SUPPLYING 32MM OF WATER/WEEK OVER ALL AREAS. I

INSTALLATION - VALVE PITS ARE TO BE SET ON A 200MM DEEP BED OF GRAVEL FOR DRAINAGE. PIT COVERS ARE TO BE LEVEL WITH THE SOIL SURFACE. INCLUDE PLUMBING CONNECTION TO THE MAIN LINE, ALL VALVES AND BACKFLOW PREVENTION. LOCATE A CENTRAL MULTI-STATION CONTROLLER IN A LOCKABLE BOX AS DIRECTED BY THE PROJECT MANAGER. . A DEDICATED GPO IS TO BE PROVIDED BY THE BUILDER FOR THE CONTROLLER TO BE PLUGGED INTO.

6. MAINTAIN ALL WORKS DURING THE CONTRACT PERIOD FOR 52 WEEKS FROM THE DATE OF PRACTICAL COMPLETION INCLUDING, BUT NOT LIMITED TO WATERING, MOWING, WEEDING, RUBBISH REMOVAL, REPLACEMENT PLANTING, DISEASE AND PEST CONTROL, PRUNING, SOIL AND MULCH CONTROL REINSTATEMENT.

7. PROTECT ALL ADJOINING PROPERTY BUILDINGS, WALLS, FENCES AND PAVING. DAMAGED ELEMENTS ARE TO BE

8. THERE ARE TO BE NO SHARP PROTRUSIONS OR ABRASIVE EDGES, OBTRUSIVE FITTINGS OR FIXTURES.

9. GENERALLY PAVEMENTS ARE TO FALL AT 1% TO 2% UNLESS NOTED OTHERWISE. 10. PROVIDE CONDUITS THROUGH WALLS / PAVEMENTS AS REQUIRED FOR SERVICES.

11. ALL STRUCTURAL DETAILS OF FOOTINGS, SLABS, WALLS AND THE LIKE ARE TO BE REFERRED TO AN ENGINEER TO PROVIDE DETAILS AND SPECIFICATION.

2. LEVELS SHOWN ARE FINISHED SURFACE LEVELS. GRADE AND TRIM LOCALLY TO ENSURE THE FINISHED SURFACE DRAINS.

13. SOIL LEVELS IN GARDEN AREAS TO FINISH 50MM BELOW ADJACENT WALLS/ PAVEMENTS UNLESS NOTED OTHERWISE.

14. MATERIAL SAMPLES AND PRODUCT INFORMATION- MATERIALS AND WORKMANSHIP ARE TO CONFORM TO THE CURRENT EDITION OF APPLICABLE REQUIREMENTS OF AUSTRALIAN STANDARD SPECIFICATIONS AND CODES.

15. REFER TO ARBORIST REPORT REGARDING RETENTION AND REMOVAL OF TREES

16. GREEN WASTE REMOVAL - ALL GREEN WASTE GENERATED BY THE MAINTENANCE WORK SHALL BE CONTAINED WITHIN THE IMMEDIATE WORK AREA, AND SHALL NOT LEAK INTO ADJACENT AREAS, OR OUTSIDE THE SITE. ALL DEBRIS SHALL BE CONTAINED AND REMOVED FROM SITE TO AN APPROVED CERTIFIED TIPPING AND LEGAL RECYCLING DEPOT LOCATION USING SUITABLE CLOSED WASTE CONTAINERS AND VEHICLES.

MAINTENANCE PLAN

THE OBJECTIVE OF THIS MAINTENANCE PLAN IS TO OUTLINE THE MAINTENANCE REQUIREMENTS OF THE DEVELOPMENT AND ENABLE A DEFINED SCOPE OF MAINTENANCE ACTIVITIES TO BE REGULARLY UNDERTAKEN. A DETAILED MAINTENANCE PLAN TO BE PREPARED AS PART OF THE CONSTRUCTION CERTIFICATE DOCUMENTATION.

MAINTENANCE INCLUDE WATERING, WEEDING, MOWING PEST AND DISEASE CONTROL, REPLACING FAILED PLANTS, SOIL AND MULCH REPLENISHMENT, CULTIVATING, PRUNING, REPAIRING EROSION AND RECTIFYING STORM DAMAGE. SWEEP AND/OR REMOVE FALLEN BRANCHES AND LEAF LITTER(INCLUDING THE AUTUMN LEAF DROP) AND OTHER GARDEN DEBRIS. MAINTENANCE OF THE SITE IS TO ALSO INCLUDE THE PUBLIC DOMAIN

IT IS EXPECTED THAT THE CONTRACTOR SHALL TAKE A PROACTIVE AND DILIGENT APPROACH TO ALL MAINTENANCE ACTIVITIES AND ENCOURAGE ALL STAFF AND SUB-CONTRACTORS TO PICKUP ANY OBVIOUS LITTER FOUND THROUGHOUT THE MAINTAINED AREAS. SIMILARLY BE VIGILANT IN LOOKING FOR AND REPORTING ANY NOTED INCIDENCE OF VANDALISM, BREAKAGES, DAMAGE AND GRAFFITI ETC.

KEEP A LOGBOOK RECORDING WHEN AND WHAT MAINTENANCE WORK HAS BEEN DONE AND WHAT MATERIALS, INCLUDING TOXIC MATERIALS, HAVE BEEN USED. THIS LOG BOOK IS TO BE GIVEN TO THE PROJECT MANAGER/ OR COMMUNITY ASSOCIATION AND MADE AVAILABLE FOR INSPECTION ON REQUEST.

AT LEAST TWO WEEKS PRIOR TO PRACTICAL COMPLETION SUBMIT A PROGRAM OUTLINING PROPOSED MAINTENANCE REGIME DURING THE PLANT ESTABLISHMENT PERIOD, INCLUDING ANTICIPATED FREQUENCY AND DURATION OF INDIVIDUAL TASKS. REVISE PROGRESSIVELY TO ENSURE THE OPTIMAL MAINTENANCE REGIME IS IMPLEMENTED AND SUBMIT ON A

ALL PLANTED AREAS SHALL BE ADEQUATELY WATERED TO KEEP THEM HEALTHY AND GROWING VIGOROUSLY. THE MINIMUM ACCEPTABLE WATERING REQUIREMENT SHALL EQUAL 25 MM OF NATURAL RAINFALL OR ITS APPLIED EQUIVALENT, OR A COMBINATION OF BOTH, DURING EACH PERIOD OF ONE WEEK, EXCEPT IN PERIODS OF HEAVY RAIN. VARY THE WATERING REQUIREMENT TO SUIT SEASONAL CONDITIONS AND MAINTAIN HEALTHY PLANT MATERIAL AND GRASS AREAS IN OPTIMUM

ALL LANDSCAPE AREAS INCLUDING TREES ARE TO BE VISUALLY INSPECTED FOR THE PRESENCE OF PERSISTENT AND

DAMAGING INSECT PESTS OR DISEASES. THE CONTRACTOR SHALL REPORT ANY INCIDENCE OF INSECT ATTACK OR

EVIDENCE OF DISEASE AMONGST PLANT MATERIAL ALONG WITH A RECOMMENDED CONTROL AND ACTION TO BE UNDERTAKEN

PEST AND DISEASE

FERTILIZER SHALL BE SUPPLIED AND APPLIED EVENLY TO ALL LANDSCAPE AREAS ENSURE OPTIMUM PLANT GROWTH, HEALTH AND DISEASE RESISTANCE THROUGH THE PROVISION OF ALL ESSENTIAL MACRO AND MICRO NUTRIENTS

COMMONLY REQUIRED BY PLANTS AND THEREBY PREVENT ANY SYMPTOMS ASSOCIATED WITH NUTRIENT DEFICIENCIES.

THE CONTRACTOR SHALL MONITOR ALL TREE AND ASSOCIATED LANDSCAPE WORKS FOR THE DURATION OF THE MAINTENANCE PERIOD. THIS WILL GENERALLY INCLUDING WATERING, FAILED PLANT REPLACEMENT, PEST AND DISEASE CONTROL, PRUNING, SOIL CONTROL, MOWING, WEED CONTROL, SOIL PH CORRECTION AND FERTILIZATION. CARRY OUT MAINTENANCE ACTIVITIES FOR ALL NEW GARDEN AREAS AS REQUIRED TO ENSURE THE PLANT BECOME ESTABLISHED WITHIN THE MAINTENANCE PERIOD AND ARE KEPT IN A HEALTHY AND TIDY STATE IN ACCORDANCE WITH BEST HORTICULTURAL PRACTICES.

SHALL BE UNDERTAKEN WITHIN 7 DAYS OF PLANT BEING IDENTIFIED AS FAILED OR UNACCEPTABLY DAMAGED. NOTE, SERVE WILTING OR WATER LOGGING LEADING TO DEATH OF FOLIAGE, BREAKAGE OR WOUNDING OF MAIN STEM, DAMAGE OF APICAL LEADERS OR DAMAGE TO SIGNIFICANT ORDER OF BRANCHES SHALL BE DEEMED TO CONSTITUTE FAILURE.

ENSURE ALL EXTERNAL HARDSCAPE AREAS INCLUDING FURNITURE AND FIXINGS ARE MAINTAINED IN A SAFE, CLEAN, NEAT AND TIDY CONDITION THAT PROMOTES THEIR USE AND ENJOYMENT. INSPECT ALL HARDSCAPE AND FURNITURE AND FIXTURES ITEMS FOR DAMAGE OR VANDALISM AND REPORT ANY FAULTS OR DAMAGE. MAKE ARRANGEMENT TO FIX ANY MINOR ISSUES.


REGULARLY INSPECT, MONITOR AND ADJUST IRRIGATION AND WATERING SYSTEM TO ENSURE PROPER OPERATION AND COVERAGE AND RECTIFY ANY LEAKS, BLOCKAGES OR BREAKAGES IN A TIMELY FASHION. IF REQUIRED, UNDERTAKE PRESSURE TESTING OR FLUSHING TO IDENTIFY AND/OR ADDRESS ANY SYSTEM MALFUNCTION. THE CONTRACTOR SHALL REPAIR THE SYSTEM DUE TO VANDALISM, UNAUTHORIZED USE AND BREAKAGE. IF VANDALISM OR BREAKAGE IS A PERSISTENT OR A LARGE-SCALE PROBLEM, THE CONTRACTOR SHALL KEEP A RECORD OF COMPONENTS REPLACED OR RECTIFIED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SUPPLEMENTARY WATERING DUE TO ANY INADEQUACIES WITH THE SYSTEM, AND ADDRESS LEAKS IMMEDIATELY.

PLANT SCHEDULE

BOTANICAL NAME	COMMON NAME	HEIGHT	POT SIZE	QTY
TREES				
Howea forsteriana	Kentia Palm	12M	1-5M	as shown
Plumeria acutifolia	Frangipani	6M	400L	as shown
Livistona australis	Cabbage Tree Palm	15M	1-4M	as shown
Tristaniopsis laurina	Water Gum	8M	200L	as shown
SHRUBS AND CLIMBERS				
Adenanthos sericeus	Woolly Bush	2.5M	300MM	5/m2
Alocassia macrorrhiza	Giant Taro	ЗМ	300MM	2/m2
Alpinia caerulea	Native Ginger	2M	300MM	2/m2
Anenome x hybrida	Anenome	0.6M	150MM	5/m2
Asplenium nidus	Birds Nest Fern	0.8M	200MM	3/m2
Beschorneria yuccoides	Mexican Lily	1M	300MM	2/m2
Blechnum nudum 'Silver Lady'	Fishbone Fern	0.6M	200MM	3/m2
Callistemon 'Better John'	Better John Bottlebrush	1M	200MM	3/m2
Carpobrotus glaucescens	Pig Face	0.2M	150MM	5/m2
Chrycocephalum apiculatm	Yellow Buttons	0.1M	150MM	7/m2
Cissus rhombifolia	Grape ivy	0.2M	150MM	5/m2
Crassula 'Max Cook'	Jade Plant	0.8M	200MM	2/m2
Dianella 'Green Goddess'	Green Goddess	0.5M	150MM	5/m2
Dichondra argentea 'Silver Falls'	Silver Falls Kidney Weed	0.1M	150MM	7/m2
Doryanthes excelsa	Gymea Lily	2M	300MM	2/m2
Heliconia 'Yellow Christmas'	Yellow Christmas	2M	300MM	2/m2
Hibbertia scandens	Climbing Guinea Flower	4M	200MM	5/m2
Hymenosporum 'Lushious'	Lushious Native Frangi Pani	0.8M	200MM	2/m2
Isolepis nodosa	Knobby Club Rush	0.8M	150MM	5/m2
Ligularia renformis	Tractor Seat Plant	0.6M	200MM	3/m2
Lomandra 'Verday'	Verday	0.6M	150MM	5/m2
Monstera deliciosa	Swiss Chees Plant	0.8M	200MM	3/m2
Myoporum parvifolium	Creeping Boobiala	0.3M	150MM	3/m2
Neomarcia gracillis	Walking Iris	0.8M	150MM	3/m2
Philodendron 'Xanadu'	Xanadu Philodendron	0.8M	300MM	3/m2
Platycerium bifurcatum	Elk Horn	1M	200MM	2/m2
Platycerium superbum	Stag Horn	1M	200MM	2/m2
Scaevola taccada	Beach naupata	0.8M	200MM	3/m2
Senecio serpens	Blue Chalk Sticks	0.2M	150MM	5/m2
Trachelosporum 'Tricolor'	Tricolor Jasmine	0.2M	150MM	5/m2
Viola hederacea	Native Violet	0.1M	150MM	7/m2
Westringia 'Mundi'	Mundi	0.5M	200MM	3/m2

Howea forsteriana KENTIA PALM	Plumeria acutifolia FRANGIPANI	Tristaniopsis, laurina WATER GUM	Adenanthos sericeus 'Compact' DWARF WOOLY BUSH	Alocasia macrorrhiza GIANT TARO	Alpīnia caerulea NATIVE GINGER
Anemone x hybrida JAPANESE WIND FLOWER	Asplenium nidus BIRDS NEST FERN	Beschorneria yuccoides MEXICAN LILY	Biechnum 'Silver Lady' SILVER LADY FERN	Carpobrotus glaucescens PIGFACE	Callistemon 'Better John' BETTER JOHN
Chrysocephalum apiculatum YELLOW BUTTONS	Cissus rhombitolia GRAPE LEAF IVY	Crassula 'Max Cook'	Dianella 'Goddess' GODDESS, NATIVE FLAX	Dichondra argentea 'Silver Falls' SILVER FALLS KIDNEY WEED	Doryanthes palmeri SPEAR LILY
Hibbertia scandens SNAKE VINE	Heliconia 'Yellow Christmas' YELLOW CHRISTMAS	Hymenospermum flavum 'Luscious' LUSCIOUS NATIVE FRANGIPANI	Isolepis nodosa KNOBBY CLUB RUSH	Ligularia reniformis TRACTOR SEAT	Lomandra Verday VERDAY MATT RUSH
Monstera deliciosa FRUIT SALAD PLANT	Myoporum parvifolium "Yareena" YAREENA CREEPING BOOBIALLA	Neomarica gracilis WALKING, IRIS	Philodendron 'Xanady' XANADU	Platycerium bifurcatum ELK HORN	Platycerium süperbum STAG HORN
Senecio serpens BLUE CHALK STICKS	Scaevola taccada BEACH CABBAGE	Trachelospermum asiaficum 'Tricolor' TRICOLOR STAR JASMINE	Viola hederacea NATIVE VIOLET	Westringia 'Mundi' MUNDI COASTAL ROSEMARY	Livisiona australis CABBAGE TREE PALM

LEGEND



G1 - GARDEN ON GRADE AND IRRIGATION EXTENT (DRIP IRRIGATION)

G2 - RAISED GARDEN ON GRADE AND IRRIGATION EXTENT (DRIP IRRIGATION)

G3 - GARDEN ON STRUCTION (600 -1000MM HIGH PLANTER) AND IRRIGATION EXTENT (DRIP IRRIGATION) MOUND LOCALLY TO ACCOMMODATE TREES

G4 - GARDEN ON STRUCTION (1000MM SOIL DEPTH) AND IRRIGATION EXTENT (DRIP IRRIGATION)

G5 - GARDEN ON STRUCTURE (600-1000MM SOIL DEPTH) AND IRRIGATION EXTENT (DRIP IRRIGATION) MOUND TO 1000MM SOIL DEPTH TO ACCOMMODATE PALMS / TREE

LAWN

PROPOSED PLANTER / RETAINING WALL. REFER TO ARCHITECTS DOCUMENTATION

PROPOSED TREES, SHRUBS AND GROUNDCOVERS AS NOTED

NOT FOR CONSTRUCTION

Drawn IK / GB PROJECT REV: DATE: **DOCUMENT STATUS/ AMENDMENTS** REFER TO LA LP 05 FOR LEGEND, NOTES AND PLANT SCHEDULE **ADJANI** L.Architect Authorised **Residential Development** IK / GB 30 Fairlight street, 22.07.21 PRELIMINARY Landscape Architecture and Design FAIRLIGHT, NSW Development Application 23.08.21 FOR COORDINATION 1:100 @ A1 DRAWING TITLE Black Beetle pty ltd DO NOT SCALE OFF THIS DRAWING - USE FIGURED DIMENSIONS ONLY - VERIFY ALL DIMENSIONS ON SITE - RESOLVE DISCREPANCIES WITH BLACK BEETLE BEFORE PROCEEDING. COPYRIGHT OF THIS DRAWING AND THE DESIGNS EXECUTED REMAIN VESTED IN BLACK BEETLE 30.08.21 FOR DA Level 1, 1073 Pittwater Road, Collarov NSW 2097 **NOTES / LEGEND / PLANT SCHEDULE** JOB NUMBER DRAWING NUMBER / ISSUE Tel: 0422 104 416 BB 1294 LA LP 04/ 03 email: blackbeetle@blackbeetle.com.au