# Nationwide House Energy Rating Scheme NatHERS Certificate No. 0008851222-05

Generated on 26 Jul 2024 using BERS Pro v4.4.1.5 (3.21)

# **Property**

Address Unit 1, 231 Whale Beach Road,

Whale Beach, NSW, 2107

Lot/DP B/316404

NCC Class\* 2

Type New Dwelling

### **Plans**

Main plan Rev QQ Issue date: 17/07/2024

Prepared by Richard Cole Architecture

### Construction and environment

Assessed floor area (m<sup>2</sup>)\* Exposure type
Conditioned\* 163.0 Exposed

Unconditioned\* 4.0

Total 167.0 NatHERS climate zone

56

Garage 0.0



Name Jamie Bonnefin

Business name Certified Energy

**Email** jobs@certifiedenergy.com.au


Phone 1300 443 674

Accreditation No. 10056

**Assessor Accrediting Organisation** 

**HERA** 

Declaration of interest Declaration completed: no conflicts



# Thermal performance

Heating Cooling
41.5 6.0

M 1/22 NA 1/22

MJ/m<sup>2</sup> MJ/m<sup>2</sup>

#### About the rating

NatHERS software models the expected thermal energy loads using information about the design and construction, climate and common patterns of household use. The software does not take into account appliances, apart from the airflow impacts from ceiling fans.

# **Verification**

To verify this certificate, scan the QR code or visit



hstar.com.au/QR/Generate?

p=uEpgcPKhj.

When using either link, ensure you are visiting hstar.com.au

#### National Construction Code (NCC) requirements

The NCC's requirements for NatHERS-rated houses are detailed in 3.12.0(a)(i) and 3.12.5 of the NCC Volume Two. For apartments the requirements are detailed in J0.2 and J5 to J8 of the NCC Volume One.

In NCC 2019, these requirements include minimum star ratings and separate heating and cooling load limits that need to be met by buildings and apartments through the NatHERS assessment. Requirements additional to the NatHERS assessment that must also be satisfied include, but are not limited to: insulation installation methods, thermal breaks, building sealing, water heating and pumping, and artificial lighting requirements. The NCC and NatHERS Heating and Cooling Load Limits (Australian Building Codes Board Standard) are available at www.abcb.gov.au.

State and territory variations and additions to the NCC may also apply.



#### Certificate check

Ensure the dwelling is designed and then built as per the NatHERS Certificate. While you need to check the accuracy of the whole Certificate, the following spot check covers some important items impacting the dwelling's rating.

#### Genuine certificate

Does this Certificate match the one available at the web address or QR code in the verification box on the front page? Does the set of NatHERS-stamped plans for the dwelling have a Certificate number on the stamp that matches this Certificate?

Does the 'number' and 'type' of ceiling penetrations (e.g. downlights, exhaust fans, etc) shown on the stamped plans or installed, match what is shown in this Certificate?

#### Windows

Does the installed window meet the substitution tolerances (SHGC and U-value) and window type, of the window shown on this Certificate? Substituted values must be based on the Australian Fenestration Rating Council (AFRC) protocol.

#### Apartment entrance doors

Does the 'External Door Schedule' show apartment entrance doors? Please note that an "external door" between the modelled dwelling and a shared space, such as an enclosed corridor or foyer, should not be included in the assessment (because it overstates the possible ventilation) and would invalidate the Certificate.

#### Exposure\*

Has the appropriate exposure level (terrain) been applied? For example, it is unlikely that a ground-floor apartment is "exposed" or a top floor high-rise apartment is "protected".

#### Provisional\* values

Have provisional values been used in the assessment and, if so, noted in "additional notes" below?

### **Additional notes**

\*Obscure glazing has been modelled as clear glass as it has similar thermal properties.

\*AFS Wall modelled as concrete block wall

\*Off form concrete modelled as tilt-up concrete

\*WT-04 = additional R1.5 acoustic batts

\*WT-06 walls in store room to be lined with Kingspan K17

I have modeled the shading in accordance with NatHERS principles

# Window and glazed door type and performance

#### **Default\* windows**

Window ID	Window	Maximum	SHGC*	Substitution tolerance ranges		
willdow ib	Description	U-value*	31100	SHGC lower limit	SHGC upper limit	
ALM-002-01 A	ALM-002-01 A Aluminium B SG Clear	6.7	0.70	0.66	0.73	

#### Custom\* windows

Window ID	Window	Maximum	SHGC*	Substitution tolerance ranges		
	Description	U-value*		SHGC lower limit	SHGC upper limit	

No Data Available



# Window and glazed door schedule

Location	Window ID	Window no.	Height (mm)	Width (mm)	Window type	Opening %	Orientation	Window shading device*
Bedroom 1	ALM-002-01 A	n/a	2775	3185	n/a	40	S	No
Bedroom 2	ALM-002-01 A	n/a	2775	3185	n/a	40	S	No
Bedroom 3	ALM-002-01 A	n/a	2775	3185	n/a	40	S	No
Kitchen/Living	ALM-002-01 A	n/a	600	255	n/a	00	Е	No
Kitchen/Living	ALM-002-01 A	n/a	600	535	n/a	00	NE	No
Kitchen/Living	ALM-002-01 A	n/a	600	705	n/a	00	NE	No
Kitchen/Living	ALM-002-01 A	n/a	600	505	n/a	00	N	No
Kitchen/Living	ALM-002-01 A	n/a	600	1000	n/a	00	N	No
Kitchen/Living	ALM-002-01 A	n/a	1350	2400	n/a	00	S	No
Pantry	ALM-002-01 A	n/a	600	1000	n/a	90	S	No
Living	ALM-002-01 A	n/a	2775	5970	n/a	60	E	No

# Roof window type and performance

### **Default\* roof windows**

Window ID	Window	Maximum	SHGC*	Substitution tolerance ranges		
willdow ib	Description	U-value*	U-value* SHGC* S		SHGC upper limit	
No Data Availa	ible					

#### **Custom\* roof windows**

Window ID	Window	Maximum	SHGC*	Substitution tolerance ranges		
	Description	U-value*	SHGC	SHGC lower limit	SHGC upper limit	
No Data Availa	hle					

# Roof window schedule

Location	Window	Window	Opening	Height	Width	Outdoor	Indoor
	ID	no.	%	(mm)	(mm) Orientation	shade	shade
No Data Avai	ilable						



# Skylight type and performance

Skylight ID Skylight description

No Data Available

# Skylight schedule

Location Skylight Skylight Shylight Shaft length (mm) Skylight Shaft length (m²) Orientation Shade Skylight Shaft Skylight Shaft Skylight Shaft Orientation Skylight Skylight Shaft Skylight Shaft Skylight Shaft Skylight Shaft Sha

No Data Available

# External door schedule

Location Height (mm) Width (mm) Opening % Orientation

No Data Available

# External wall type

Wall ID	Wall type	Solar absorptance	Wall shade (colour)	Bulk insulation (R-value)	Reflective wall wrap*
EW-1	Cavity Brick	0.30	Light	No insulation	No
EW-2	Concrete Block	0.30	Light	No insulation	No
EW-3	Cavity Brick	0.30	Light	Bulk Insulation R6	No
EW-4	Concrete block, lined	0.30	Light	Bulk Insulation R1.1	No
EW-5	Tilt up Concrete	0.30	Light	No insulation	No

### External wall schedule

Location	Wall ID	Height (mm)	Width (mm)	Orientation	Horizontal shading feature* maximum projection (mm)	Vertical shading feature (yes/no)
Bedroom 1	EW-1	2775	3100	S	0	NO
Bedroom 2	EW-1	2775	3200	S	0	NO
Bedroom 3	EW-1	2775	3200	S	0	NO
Laundry	EW-2	2400	1655	S	0	NO
Kitchen/Living	EW-3	2775	400	E	0	YES



Location	Wall ID	Height (mm)	Width (mm)	Orientation	Horizontal shading feature* maximum projection (mm)	Vertical shading feature (yes/no)
Kitchen/Living	EW-3	2775	539	NE	1750	YES
Kitchen/Living	EW-3	2775	707	NE	1626	YES
Kitchen/Living	EW-3	2775	510	N	1481	YES
Kitchen/Living	EW-3	2775	2254	N	0	YES
Kitchen/Living	EW-3	2775	5000	S	0	NO
Store	EW-4	2400	2955	S	0	NO
Pantry	EW-3	2775	2355	S	0	NO
Living	EW-5	2775	851	N	0	NO
Living	EW-1	2775	6100	Е	3625	NO
Living	EW-3	2775	800	Е	4700	NO
Living	EW-3	2775	845	S	0	NO

# Internal wall type

	_	 
۱A	-	 10
w	4	 

# Wall type Area (m<sup>2</sup>)Bulk insulation

IW-1 - Tilt Concrete	7.00	No insulation
IW-2 - Concrete Block	137.00	No insulation
IW-3 - Concrete Block	7.00	Bulk Insulation, No Air Gap R1.5
IW-4 - Concrete Block	12.00	Bulk Insulation, No Air Gap R1.1
IW-5 - Concrete Panel/Blocks filled, plasterboard	54.00	No Insulation
IW-6 - Single Skin Brick	19.00	No insulation
IW-7 - Concrete Panel/Blocks filled, plasterboard	22.00	No insulation one side, Bulk Insulation the other R1.1

# Floor type

Location	Construction	Area Sub-floor (m²) ventilatio	Covering	
Bedroom 1	Concrete Slab, Unit Below 250mm	17.70 None	Bulk Insulation in Contact with Floor R3	Cork Tiles or Parquetry 8mm
Bedroom 2	Concrete Slab, Unit Below 250mm	16.60 None	Bulk Insulation in Contact with Floor R3	Cork Tiles or Parquetry 8mm
ENS 1	Concrete Slab, Unit Below 250mm	5.10 None	Bulk Insulation in Contact with Floor R3	Ceramic Tiles 8mm



Location	Construction	Area Sub-floor (m <sup>2</sup> ) ventilation	Added insulation n(R-value)	Covering
ENS 2	Concrete Slab, Unit Below 250mm	5.70 None	Bulk Insulation in Contact with Floor R3	Ceramic Tiles 8mm
Bedroom 3	Concrete Slab, Unit Below 250mm	11.60 None	Bulk Insulation in Contact with Floor R3	Cork Tiles or Parquetry 8mm
Laundry	Concrete Slab, Unit Below 250mm	6.00 None	Bulk Insulation in Contact with Floor R3	Ceramic Tiles 8mm
Hallway	Concrete Slab, Unit Below 250mm	8.60 None	Bulk Insulation in Contact with Floor R3	Cork Tiles or Parquetry 8mm
Kitchen/Living	Concrete Slab, Unit Below 250mm	65.60 None	Bulk Insulation in Contact with Floor R3	Cork Tiles or Parquetry 8mm
Store	Concrete Slab, Unit Below 250mm	14.20 None	Bulk Insulation in Contact with Floor R3	Cork Tiles or Parquetry 8mm
Bath	Concrete Slab, Unit Below 250mm	4.10 None	Bulk Insulation in Contact with Floor R3	Ceramic Tiles 8mm
Pantry	Concrete Slab, Unit Below 250mm	5.80 None	Bulk Insulation in Contact with Floor R3	Cork Tiles or Parquetry 8mm
Living	Concrete Slab, Unit Below 250mm	5.90 None	Bulk Insulation in Contact with Floor R3	Cork Tiles or Parquetry 8mm

# Ceiling type

Location	Construction material/type	Bulk insulation R-value (may include edge batt values)	Reflective wrap*
Bedroom 1	Concrete, Plasterboard	Bulk Insulation R1.5	No
Bedroom 2	Concrete, Plasterboard	Bulk Insulation R1.5	No
ENS 1	Concrete, Plasterboard	Bulk Insulation R1.5	No
ENS 2	Concrete, Plasterboard	Bulk Insulation R1.5	No
Bedroom 3	Concrete, Plasterboard	Bulk Insulation R1.5	No
Laundry	Concrete, Plasterboard	Bulk Insulation R1.5	No
Hallway	Concrete, Plasterboard	Bulk Insulation R1.5	No
Kitchen/Living	Concrete, Plasterboard	Bulk Insulation R1.5	No
Store	Concrete, Plasterboard	Bulk Insulation R1.5	No
Bath	Concrete, Plasterboard	Bulk Insulation R1.5	No
Pantry	Concrete, Plasterboard	Bulk Insulation R1.5	No
Living	Concrete, Plasterboard	Bulk Insulation R1.5	No



# Ceiling penetrations\*

4			
	Downlights - LED	150	Sealed
2	Downlights - LED	150	Sealed
2	Downlights - LED	150	Sealed
1	Exhaust Fans	300	Sealed
2	Downlights - LED	150	Sealed
1	Exhaust Fans	300	Sealed
2	Downlights - LED	150	Sealed
2	Downlights - LED	150	Sealed
1	Exhaust Fans	300	Sealed
4	Downlights - LED	150	Sealed
7	Downlights - LED	150	Sealed
1	Exhaust Fans	300	Sealed
2	Downlights - LED	150	Sealed
1	Exhaust Fans	300	Sealed
2	Downlights - LED	150	Sealed
	2 1 2 1 2 2 1 4 7 1 2	2 Downlights - LED 2 Downlights - LED 1 Exhaust Fans 2 Downlights - LED 1 Exhaust Fans 2 Downlights - LED 2 Downlights - LED 1 Exhaust Fans 4 Downlights - LED 7 Downlights - LED 1 Exhaust Fans 2 Downlights - LED 1 Exhaust Fans 2 Downlights - LED 1 Exhaust Fans 2 Downlights - LED 1 Exhaust Fans	2       Downlights - LED       150         2       Downlights - LED       150         1       Exhaust Fans       300         2       Downlights - LED       150         1       Exhaust Fans       300         2       Downlights - LED       150         2       Downlights - LED       150         1       Exhaust Fans       300         4       Downlights - LED       150         7       Downlights - LED       150         1       Exhaust Fans       300         2       Downlights - LED       150         1       Exhaust Fans       300

# Ceiling fans

Location	Quantity	Diameter (mm)
Bedroom 1	1	1200
Bedroom 2	1	1200
Bedroom 3	1	1200
Kitchen/Living	1	1200

# Roof type

Construction	Added insulation (R-value)	Solar absorptance	Roof shade
Waterproofing Membrane	No Insulation, Only an Air Gap	0.30	Light



## **Explanatory notes**

#### About this report

A NatHERS rating is a comprehensive, dynamic computer modelling evaluation of a home, using the floorplans, elevations and specifications to estimate an energy load. It addresses the building layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings), but does not cover the water or energy use of appliances or energy production of solar panels.

Ratings are based on a unique climate zone where the home is located and are generated using standard assumptions, including occupancy patterns and thermostat settings. The actual energy consumption of a home may vary significantly from the predicted energy load, as the assumptions used in the rating will not match actual usage patterns. For example, the number of occupants and personal heating or cooling preferences will vary.

While the figures are an indicative guide to energy use, they can be used as a reliable guide for comparing different dwelling designs and to demonstrate that the design meets the energy efficiency requirements in the National Construction Code. Homes that are energy efficient use less energy, are warmer on cool days, cooler on hot days and cost less to run. The higher the star rating the more thermally efficient the dwelling is.

#### **Accredited assessors**

To ensure the NatHERS Certificate is of a high quality, always use an accredited or licenced assessor. NatHERS accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO).

Australian Capital Territory (ACT) licensed assessors may only produce assessments for regulatory purposes using software for which they have a licence endorsement. Licence endorsements can be confirmed on the ACT licensing register

AAOs have specific quality assurance processes in place, and continuing professional development requirements, to maintain a high and consistent standard of assessments across the country. Non-accredited assessors do not have this level of quality assurance or any ongoing training requirements.

Any questions or concerns about this report should be directed to the assessor in the first instance. If the assessor is unable to address these questions or concerns, the AAO specified on the front of this certificate should be contacted.

#### Disclaimer

The format of the NatHERS Certificate was developed by the NatHERS Administrator. However the content of each individual certificate is entered and created by the assessor to create a NatHERS Certificate. It is the responsibility of the assessor who prepared this certificate to use NatHERS accredited software correctly and follow the NatHERS Technical Notes to produce a NatHERS Certificate.

The predicted annual energy load in this NatHERS Certificate is an estimate based on an assessment of the building by the assessor. It is not a prediction of actual energy use, but may be used to compare how other buildings are likely to perform when used in a similar way.

Information presented in this report relies on a range of standard assumptions (both embedded in NatHERS accredited software and made by the assessor who prepared this report), including assumptions about occupancy, indoor air temperature and local climate.

Not all assumptions that may have been made by the assessor while using the NatHERS accredited software tool are presented in this report and further details or data files may be available from the assessor.

# **Glossary**

Annual energy load	the predicted amount of energy required for heating and cooling, based on standard occupancy assumptions.	
Assessed floor area	the floor area modelled in the software for the purpose of the NatHERS assessment. Note, this may not be consistent with the floor area in the design documents.	
Ceiling penetrations	features that require a penetration to the ceiling, including downlights, vents, exhaust fans, rangehoods, chimneys and flues. Excludes fixtures attached to the ceiling with small holes through the ceiling for wiring, e.g. ceiling fans; pendant lights, and heating and cooling ducts.	
Conditioned	a zone within a dwelling that is expected to require heating and cooling based on standard occupancy assumptions. In some circumstances it will include garages.	
Custom windows	windows listed in NatHERS software that are available on the market in Australia and have a WERS (Window Energy Rating Scheme) rating.	
Default windows	windows that are representative of a specific type of window product and whose properties have been derived by statistical methods.	
Entrance door	these signify ventilation benefits in the modelling software and must not be modelled as a door when opening to a minimally ventilated corridor in a Class 2 building.	
Exposure category – exposed	terrain with no obstructions e.g. flat grazing land, ocean-frontage, desert, exposed high-rise unit (usually above 10 floors).	
Exposure category – open	terrain with few obstructions at a similar height e.g. grasslands with few well scattered obstructions below 10m, farmland with scattered sheds, lightly vegetated bush blocks, elevated units (e.g. above 3 floors).	
Exposure category – suburban	terrain with numerous, closely spaced obstructions below 10m e.g. suburban housing, heavily vegetated bushland areas.	
Exposure category – protected	terrain with numerous, closely spaced obstructions over 10 m e.g. city and industrial areas.	
Horizontal shading feature	provides shading to the building in the horizontal plane, e.g. eaves, verandahs, pergolas, carports, or overhangs or balconies from upper levels.	
National Construction Code (NCC) Class	the NCC groups buildings by their function and use, and assigns a classification code. NatHERS software models NCC Class 1, 2 or 4 buildings and attached Class 10a buildings. Definitions can be found at www.abcb.gov.au.	
Opening percentage	the openability percentage or operable (moveable) area of doors or windows that is used in ventilation calculations.	
Provisional value	an assumed value that does not represent an actual value. For example, if the wall colour is unspecified in the documentation, a provisional value of 'medium' must be modelled. Acceptable provisional values are outlined in the NatHERS Technical Note and can be found at www.nathers.gov.au	
Reflective wrap (also known as foil)	can be applied to walls, roofs and ceilings. When combined with an appropriate airgap and emissivity value, it provides insulative properties.	
Roof window	for NatHERS this is typically an operable window (i.e. can be opened), will have a plaster or similar light well if there is an attic space, and generally does not have a diffuser.	
Shading device	a device fixed to windows that provides shading e.g. window awnings or screens but excludes eaves.	
Shading features	includes neighbouring buildings, fences, and wing walls, but excludes eaves.	
Solar heat gain coefficient (SHGC)	the fraction of incident solar radiation admitted through a window, both directly transmitted as well as absorbed and subsequently released inward. SHGC is expressed as a number between 0 and 1. The lower a window's SHGC, the less solar heat it transmits.	
Skylight (also known as roof lights)	for NatHERS this is typically a moulded unit with flexible reflective tubing (light well) and a diffuser at ceiling level.	
U-value	the rate of heat transfer through a window. The lower the U-value, the better the insulating ability.	
Unconditioned	a zone within a dwelling that is assumed to not require heating and cooling based on standard occupancy assumptions.	
Vertical shading features	provides shading to the building in the vertical plane and can be parallel or perpendicular to the subject wall/window. Includes privacy screens, other walls in the building (wing walls), fences, other buildings, vegetation (protected or listed heritage trees).	