

# Assessor Certificate

## Single Dwelling

Non-Regulatory Document



<b>Assessor</b>			
<b>Name:</b>	Raymond Sleiman	<b>Company:</b>	Taylor Smith Consulting
<b>Address:</b>	PO Box 5044 Kingsdene NSW 2118		
<b>Phone:</b>	02 9890 8002	<b>Email:</b>	rsleiman@taylorsmith.com.au
<b>Client</b>			
<b>Name:</b>	Alejandra Becerra	<b>Company:</b>	Walter Barda Design
<b>Address:</b>	Suite 2.04, 13-15 Wentworth Avenue, Sydney NSW 2000		
<b>Phone:</b>	02 9264 4240	<b>Email:</b>	alejandra@walterbardadesign.com
<b>Project</b>			
<b>Address:</b>	13 Iluka Road, Palm Beach NSW 2108		
<b>Applicant:</b>	Veronica & Chris Stevens	<b>LGA:</b>	Northern Beaches
<b>Assessment</b>			
<b>Date:</b>	30/05/2022	<b>File ref:</b>	2022347
<b>Software:</b>	AccuRate	<b>Version:</b>	2.4.3.21
<b>Climate Zone:</b>	56		
<b>Documentation</b>			
All details, upon which this assessment has been based, are included in the project documentation that has been stamped and signed by the Assessor issuing this certificate, as identified below:			

### Thermal Performance Spec:

Attached, Affixed to drawings Page#: A510

**Drawings:** (Title, Ref.#, Revision, Issue date, etc)

2019-01, 15.06.2022, DA Issue A

**Assessor Certificate**   **DMN Assessor #** 12/1472   **Certificate #** 0007803307   **Issued:** 15/06/22  
**THERMAL COMFORT – Simulation Method**

*The details below must be entered into the BASIX Assessment*

### Area Calculations (m<sup>2</sup>)

**Net Conditioned Floor Area**   305.3   **Net Unconditioned Floor Area**   7.2

### Concessions / Ventilation Bonus

**Eligible Concessions:**   None

### Predicted annual energy loads (MJ/m<sup>2</sup>.annum)

<b>Heating:</b>	<b>38.7</b>
<b>Cooling:</b> (sensible + latent)	<b>23.9</b>
<b>Total:</b>	<b>62.6</b>
<b>Star Rating:</b>	<b>5.2</b>



## Thermal Performance Specifications

These are the Specifications upon which the Certified Assessment is based. If details included in these Specifications vary from other drawings or written specifications, these Specifications shall take precedence. If only one specification option is detailed for a building element, that specification must apply to all instances of that element for the project. If alternate specifications are detailed for a building element, the location and extent of alternate specifications must be detailed below and / or clearly indicated on referenced documents

Windows	Product ID	Glass	Frame	U value	SHGC	Area M <sup>2</sup>	Detail
		Double Low-E	Composite	2.2	0.32		Casement, Bi-Fold
		Double Low-E	Composite	2.2	0.39		All other Windows & Doors

Skylights	Product ID	Glass	Frame	U value	SHGC	Area M <sup>2</sup>	Detail
Velux		Double Low-E	Timber	2.5	0.21		Operable
Velux		Double Low-E	Timber	2.6	0.24		Fixed

Window and skylight U and SHGC values, if specified, are according to AFRC. Alternate products or specifications may be used if their U value is lower, and the SHGC value is less than 10% higher or lower, than the U and SHGC values of the product specified above.

External walls	Construction	Insulation	Colour – solar abs.	Detail
WB Cladding		R2.5 Bulk	Medium – SA 0.475–0.7	As per plans
FC Cladding / Render		R2.5 Bulk	Medium – SA 0.475–0.7	As per plans
FC Cladding / Render		None	Medium – SA 0.475–0.7	Garage
Concrete Block / Sandstone		R2.5 EPS	Medium – SA 0.475–0.7	As per plans
Colourbond Cladding		R2.5 Bulk	Medium – SA 0.475–0.7	As per plans

Internal walls	Construction	Insulation	Detail
Plasterboard on Studs		None	As per plans
Plasterboard on Studs		R2.5 Bulk	Garage

Floors	Construction	Insulation	Covering	Detail
Concrete (225mm Waffle Pod)		None	Ceramic Tiles / Timber	Slab on Ground
Concrete (225mm Waffle Pod)		None	None	Garage & Store
Concrete		None	Ceramic Tiles / Timber	As per plans
Timber		None	Ceramic Tiles / Timber	As per plans
Timber		R4.0 Bulk	Ceramic Tiles / Timber	Outdoor Air Below

Ceilings	Construction	Insulation	Detail
Plasterboard		R4.0 Bulk	Garage Ceiling / Metal Roof / Balcony Above

Roof	Construction	Insulation	Colour – solar abs.	Detail
Metal Deck		R2.0 Anticon	Medium – SA 0.475–0.7	As per plans

Overshadowing	Overshadowing structures	Overshadowing trees
---------------	--------------------------	---------------------

### Orientation, Exposure, Ventilation and Infiltration

Orientation of nominal north:	10
Terrain category:	Suburban
Seals to windows and doors:	Yes
Lighting plan provided:	No
Recessed downlights:	No
Ceiling exhaust fans:	SEALED



**0007803307 15 Jun 2022**

**Assessor** Raymond Sleiman

**Accreditation No.** DMN/12/1472

**Address**  
13 Iluka Road, Palm Beach,  
NSW, 2108

**www.hstar.com.au**

