



STRAW BALE DETAIL
ON EXISTING PAVEMENT
SCALE NTS




SEDIMENT FENCE

CONSTRUCTION NOTES:

1. CONSTRUCT SEDIMENT FENCE AS CLOSE AS POSSIBLE TO PARALLEL TO THE CONTOURS OF THE SITE.
2. DRIVE 1.2 METRE LONG STAR PICKETS INTO GROUND, 3 METRES APART.
3. DIG A 150mm DEEP TRENCH ALONG THE UPSLOPE LINE OF THE FENCE FOR THE BOTTOM OF THE FABRIC TO BE ENTRENCHED.
4. BACKFILL TRENCH OVER BASE OF FABRIC.
5. FIX SELF-SUPPORTING GEOTEXTILE TO UPSLOPE SIDE OF POSTS WITH WIRE TIES or AS RECOMMENDED BY GEOTEXTILE MANUFACTURER.
6. JOIN SECTIONS OF FABRIC AT A SUPPORT POST WITH A 150mm OVERLAP.



SANDBAG KERB INLET SEDIMENT TRAP
SCALE NTS



SILT FENCE DETAIL
N.T.S.

- LAP BIDIM OVER 50MM & STITCH WITH TIE WIRE LOOPED AT 100MM CENTRES
- REMOVE SILT AFTER EACH MAJOR STORM

REV	ISSUE DATE	DESCRIPTION
B	15/5/2025	ISSUE FOR DA
A	2/5/2025	ISSUE FOR DA

REVISIONS

Scale	1:20	Drawing Size	A3
Job No.	251131	Sheet	SE11
Rev	B		

Project/Builder/Designer
PROPOSED NEW DWELLING BY BEACHES GROUP

Client Name
SANDY & SUE PROBERT

Project Address
31 RALSTON ROAD, PALM BEACH

Sheet Title
SEDIMENT & EROSION CONTROL DETAILS

Building Designer
BEACHES GROUP

Address
TLA Engineers

ACN
656 057 582

Email
g@tlaengineers.com.au

Website
www.tlaengineers.com.au

Phone Number
0409446570

Authorisation
Luke Gerkens (Engineer) BE(Civil) MIEAust MER

Job Ref/Sheet/Rev
251131 SE11 B