

#### **NOTICE OF DETERMINATION**

Application Number: DA2008/0427

**APPLICATION DETAILS** 

Applicant Name and Address: Hart Design Pty Ltd

12 Bennett Street

DEE WHY NSW 2099

Land to be developed (Address): Lot 61 DP 10571 82 Pitt Road NORTH CURL CURL

NSW 2099

**Proposed Development:** Alterations and additions including an upper storey

addition, swimming pool and front fence

**DETERMINATION - APPROVED** 

Made on (Date): 10 July 2008

Consent to operate from (Date): 10 July 2008

Consent to lapse on (Date): 10 July 2011

#### **Details of Conditions**

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

#### NOTE:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

Pursuant to Section 95(2) of the Environmental Planning and Assessment Act 1979, Council has varied the provisions of Section 95(1) and advise that the consent will lapse 3 years from the date upon which the consent operates.

Section 95A of the Environmental Planning and Assessment Act 1979, allows for an extension of 1 year to the period in which the consent will lapse, except for complying development. Such an application must be made in accordance with Clause 114 of the Environmental Planning and Assessment Regulation 2000.



## **GENERAL CONDITIONS**

## **CONDITIONS THAT IDENTIFY APPROVED PLANS**

## 1. Approved Stormwater Plan

The stormwater drainage works are to be generally in accordance with the drainage plan submitted by D O'Brien Engineering Services, drawing number 8077-S1 and dated June 2008.

Reason: To ensure appropriate provision for stormwater disposal arising from the development

## 2. Approved Plans And Supporting Documentation

The development is to be carried out in compliance with the following plans and documentation listed below and endorsed with Council's stamp, except where amended by other conditions of consent:

Drawing Number	Dated	Prepared By	
8077-S1 Rev 1	June 2008	D O'Brien Engineering	
		Services	
08.16 Issue A Sheet 1 of 14	03/03/08	Hartdesign	
08.16 Issue A Sheet 5 of 14 to	03/03/08	Hartdesign	
08.16 Issue A Sheet 10 of 14 (both		_	
inclusive)			

No construction works (including excavation) shall be undertaken prior to the release of the Construction Certificate.

Note: Further information on Construction Certificates can be obtained by contacting Council's Call Centre on 9942 2111, Council's website or at the Planning and Assessment Counter.

**Reason:** To ensure the work is carried out in accordance with the determination of Council and approved plans. (**DACGBapasd**)

## 3. Building Code of Australia

All building work must be carried out in accordance with the provisions of the Building Code of Australia.

Reason: Prescribed - Statutory. (DACGBbca)

#### 4. Demolition of Extra Fabric

Alterations to, and demolition of the existing building shall be limited to that shown on the approved plans (by way of notation). No approval is given or implied for removal and/or rebuilding of any portion of the existing building which is shown to be retained.

Reason: To ensure compliance with the approved development. (DACGBdef)



## CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

### 5. Vehicle Crossings Application – Framework Inspection

An application for street levels and payment of the associated fee shall be made with Council. This application includes the approval and all Council inspections relating to the driveway construction and the associated fee must be paid prior to the issue of the Construction Certificate.

**Reason:** To facilitate suitable vehicular access to private property.

## 6. Sydney Water Approval

The approved consent plans must be submitted to a Sydney Water Quick Check agent or Customer Centre to determine whether the development will affect Sydney Water's sewer and water mains, stormwater drains and/or easements, and if further requirements need to be met. Plans will be appropriately stamped.

Please refer to the web site www.sydneywater.com.au <a href="http://www.sydneywater.com.au">http://www.sydneywater.com.au</a> for:

	Quick Check agents details - see Building Developing and Plumbing then Quick Check; and
	Guidelines for Building/over Adjacent to Sydney Water Assets - see Building Developing and
Plum	bing then Building and Renovating

Or telephone 13 20 92.

The Certifying Authority must ensure that a Quick Check agent/ Sydney Water has appropriately stamped the plans prior to the issue of any Construction Certificate.

Reason: To ensure compliance with the statutory requirements of Sydney Water. (DACECswa)

## 7 Development/Construction Security Bond

A bond (determined from cost of works) of \$1000.00 must be deposited with Council and an inspection fee paid of \$200 prior to the issue of any Construction Certificate. This bond is to ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

Reason: To ensure adequate protection to Council infrastructure. (DACECdcsb)

#### 8 Section 94A Contribution

\$3377.00 is to be paid to Warringah Council as a Section 94A levy prior to the issue of the Construction Certificate.

This amount has been calculated using the Warringah Section 94A Development Contributions Plan. The amount will be adjusted at the time of payment according to the quarterly CPI (Sydney - All Groups Index). Please ensure that you provide details of this Consent when paying contributions so that they can be easily recalculated.

The basis for the contributions is as follows:

Warringah Section 94A Development Contributions Plan

Contribution based on total development cost of

\$ 337,700.00



Contribution - all parts Warringah	Levy Rate	Contribution Payable	Council Code
Total S94A Levy	0.95%	\$3,208	6923
S94A Planning and Administration	0.05%	\$169	6924
Total	1.0%	\$3,377	

**Reason:** To retain a level of service for the existing population and to provide the same level of service for the population resulting from new development. (dacgcS94ac)

## 9 Damage to Public Infrastructure

The applicant shall bear the cost of all restoration works to Council's property damaged during the course of this development. The applicant shall advise Council, in writing, of any existing damage to Council property. A dilapidation survey of Council's assets, including photographs and written record, must be prepared by a suitably qualified person and submitted to Council prior to the issue of the Construction Certificate.

Note: This documentation will be used to resolve any dispute over damage to infrastructure. It is in the applicant's interest for it to be as full and detailed as possible.

Reason: To ensure the protection of existing built public infrastructure. (DACECdpi)

## 10 Roofing Materials - Reflectivity

The external finish to the roof shall have a medium to dark range in order to minimise solar reflections to neighbouring properties. The metal roof shall not be of light colours such as off white, cream, silver or light grey colours. Details are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

**Reason:** To ensure that excessive glare or reflectivity nuisance from roofing materials does not occur as a result of the development. **(DACGCrmr)** 

**Reason:** To retain a level of service for the existing population and to provide the same level of service for the population resulting from new development. (dacgcS94ac)

#### 11 BASIX Certification

The development shall fully comply with the schedule of BASIX Commitments. Plans and specifications that reflect those commitments identified on the BASIX Certificate to be satisfied prior to the issue of the Construction Certificate, shall be submitted to the Certifying Authority prior to the release of the Construction Certificate.

**Reason:** To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004). (DACGCbc)

## 12 Structural Design Certificate

Structural drawings and certificate from a qualified structural engineer, certifying that the design is in accordance with all relevant Australian Standards and design codes shall be submitted to the Certifying Authority prior to issue of the Construction Certificate.

**Reason:** To ensure the safety and structural adequacy of the approved development and compliance with the appropriate Australian Standards. (DACGCsdc)

## 13 Long Service Levy

Payment of the Long Service Levy is required prior to the release of the Construction Certificate. This payment can be made at Council or to the Long Services Payments Corporation. Payment is



not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work.

The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.

Reason: Prescribed - Statutory. (DACGCIsI)

## 14 Vehicle Driveway Gradients

Driveway gradients within the private property are not to exceed a gradient of 1 in 4 with a transition gradient of 1 in 10 for 1.5 metres prior to a level parking facility. Access levels across road reserve to comply with the allocated vehicle profile detailed in Council's Minor Works Specification. Details demonstrating compliance with these requirements are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To facilitate suitable vehicular access to private property

#### 15. Pool Access

Access to the pool shall be restricted by a child resistant barrier in accordance with the regulations prescribed in all relevant Acts, Regulations and Australian Standards. Details demonstrating compliance with these requirements are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Note: The following Acts, Regulations and Australian Standards applied at the time of determination:

Swimming Pools Act 1992

Swimming Pools Regulation 1998

Australian Standard AS1926 Swimming Pool Safety

Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools

Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools

**Reason:** To ensure the safety of children and make applicant aware of the need to comply with applicable pool fencing legislation.

## CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

#### 16 Special Permits

Unless otherwise specifically approved in writing by Council, all works, processes, storage of materials, loading and unloading associated with the development are to occur entirely on the property. The applicant, owner or builder must apply for specific permits available from Council's Customer Service Centre for the undermentioned activities on Council's property pursuant to Section 138 of the Roads Act 1993. A minimum of forty-eight (48) hours notice is required for all permits except work zones, which may require additional assessment time. (See below)

# $\hfill \square$ Storage of building materials and building waste containers (skips) on Council's property

Permits to utilise Council property for the storage of building materials and building waste containers (skips) are required for each location. Failure to obtain the relevant permits will result in the building materials or building waste containers (skips) being impounded by Council with no



additional notice being given.

## □ Kerbside restrictions, work zones

Existing kerbside restrictions apply. An application must be made to Council for the alteration of existing kerbside restrictions or the provision of a construction zone.

Reason: Proper management of public land. (DACEDsp)

## 17 Excavation/Building Works

No excavation or building works shall be carried out until a Construction Certificate has been issued.

Reason: To ensure compliance with statutory provisions. (DACGDebw)

## 18 Home Building Act

- (1) Building work that involves residential building work (within the meaning and exemptions provided in the Home Building Act 1989) must not be carried out unless the Principal Certifying Authority for the development to which the work relates:
- (a) in the case of work to be done by a licensee under that Act:
- (i) has been informed in writing of the licensee's name and contractor licence number, and
- (ii) is satisfied that the licensee has complied with the requirements of the Home Building Act, or
- (b) in the case of work to be done by any other person:
- (i) has been informed in writing of the person's name and owner-builder permit number, or
- (ii) has been given a declaration, signed by the owner of the land, that states that the reasonable market cost of the labour and materials involved in the work is less than the amount prescribed for the purposes of the definition of owner-builder work in section 29 of that Act, and is given appropriate information and declarations under paragraphs (a) and (b) whenever arrangements for the doing of the work are changed in such a manner as to render out of date any information or declaration previously given under either of those paragraphs.

Note: The amount referred to in paragraph (b)(ii) is prescribed by regulations under the Home Building Act 1989. As at the date on which this Regulation was gazetted, that amount was \$3,000. As those regulations are amended from time to time, that amount may vary.

- (2) A certificate purporting to be issued by an approved insurer under Part 6 of the Home Building Act 1989 that states that a person is the holder of an insurance policy issued for the purposes of that Part is, for the purposes of this clause, sufficient evidence that the person has complied with the requirements of that Part.
- (3) If arrangements for doing residential building work are changed while the work is in progress so that the information submitted to Council is out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council), has given the Council written notice of the updated information.

Reason: Prescribed - Statutory. (DACGDhba)

## 19 Notice of Commencement

At least 2 days prior to work commencing on site Council must be informed, by the submission of a Notice of Commencement in Accordance with Section 81A of the Environmental Planning and Assessment Act 1979 of the name and details of the Principal Certifying Authority and the date construction work is proposed to commence.

**Reason:** Legislative requirement for the naming of the PCA. (DACGDnc)



## 20 Site Sign

- (1) A sign must be erected in a prominent position on any work site on which work involved in the erection or demolition of a building is being carried out:
- (a) stating that unauthorised entry to the work site is prohibited;
- (b) showing the name of the principal contractor (or person in charge of the work site), and a telephone number at which that person may be contacted at any time for business purposes and outside working hours; and
- (c) showing the name, address and telephone number of the Principal Certifying Authority for the work.
- (2) Any such sign must be maintained while to building work or demolition work is being carried out, but must be removed when the work has been completed.
- (3) This condition does not apply to building works being carried out inside an existing building.

Reason: Statutory requirement. (DACGDss)

## CONDITIONS THAT MUST BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

#### 21 Prohibition on Use of Pavements

No building, demolition, excavation or material of any nature shall be placed on Council's footpaths, roadways, parks or grass verges without prior Council Approval.

Reason: To ensure public safety and amenity on public land. (DACEEpup)

#### 22 Demolition Works

All Demolition Work shall be carried out in a safe manner by trained personnel under the management of a licensed demolisher who is registered with the WorkCover Authority, in accordance with all relevant Acts, Regulations and Australian Standards.

Note: The following Australian Standard applied at the time of determination

Australian Standard AS2601.2001 - Demolition of Structures

Reason: To ensure a satisfactory standard of demolition works. (DACGEdw)

## 23 Installation and Maintenance of Sediment Control

Techniques used for erosion and sediment control on building sites are to be adequately maintained at all times and must be installed in accordance with Soils and Construction Manual Volume 1 - Managing Urban Stormwater. All techniques shall remain in proper operation until all development activities have been completed and the site fully stabilised.

**Reason:** To protect the environment from the effects of sedimentation and erosion from development sites.

**Reason:** To protect the environment from the effects of sedimentation and erosion from development sites. (DACEEimsc)



#### 24 Maintenance of Road Reserve

The public footways and roadways adjacent to the site shall be maintained in a safe condition at all times during the course of the work.

Reason: Public Safety. (DACEEmrr)

## 25 Aboriginal Heritage

If in undertaking excavations or works, any Aboriginal site or object is, or is thought to have been found, all works are to cease immediately and the applicant is to contact the Aboriginal Heritage Officer for Warringah Council, and the Cultural Heritage Division of the Department of Environment and Climate Change (DECC).

Any work to a site that is discovered to be the location of an Aboriginal object, within the meaning of the National Parks and Wildlife Act 1974, requires a permit from the Director of the DECC.

Reason: Aboriginal Heritage Protection. (DACGEah)

#### 26 Plant & Equipment Kept Within Site

All plant and equipment used in the erection of the building, including concrete pumps, wagons, lifts, mobile cranes, etc, shall be situated within the boundaries of the site and so placed that all concrete slurry, water, debris and the like shall be discharged onto the building site, and is to be contained within the site boundaries. This condition shall be complied with during demolition and building work.

Reason: To ensure public safety and amenity on public land. (DACGEpekws)

## 27 Property Boundary Levels

The property boundary levels shall match the existing levels except where modified for the vehicular crossing. The applicant shall design and construct having regard for the aforementioned levels. No approval is granted for any change to existing property alignment levels to accommodate the development.

**Reason:** To maintain the existing profile of the nature strip/road reserve.

## 28 Plans on Site

A copy of all stamped approved plans, specifications and documents (including the Construction Certificate if required for the work incorporating certification of conditions of approval) shall be kept on site at all times so as to be readily available for perusal by any officer of Council or the Certifying Authority.

**Reason:** To ensure that the form of the development undertaken is in accordance with the determination of Council, Public Information and to ensure ongoing compliance. **(DACGEpos)** 

#### 29 Silt & Sediment Control

Provision shall be made throughout the period of demolition / Excavation & Construction to prevent transmission of soil to the public road and drainage system by vehicles leaving the site.

**Reason:** To avoid siltation to adjoining properties and waterways.

## 30 Layback Construction

A layback 3 metres wide (excluding the wings) is to be constructed in accordance with Warringah Council Drawing No A4-2276 and specifications.



**Reason:** To facilitate suitable vehicular access to private property.

## 31 Vehicle Crossings

The provision of one vehicle crossing 3 metres wide in accordance with Warringah Council Drawing No A4-3330/1 Normal and specifications. An Authorised Vehicle Crossing Contractor shall construct the vehicle crossing and associated works within the road reserve in plain concrete. All redundant laybacks and crossings are to be restored to footpath/grass. Prior to the pouring of concrete, the vehicle crossing is to be inspected by Council and a satisfactory "Vehicle Crossing Inspection" card issued.

For details see Warringah Council's website <a href="http://www.warringah.nsw.gov.au">http://www.warringah.nsw.gov.au</a> or phone (02) 9942 2111.

**Reason:** To facilitate suitable vehicular access to private property.

## 32 Construction Hours

Building construction shall be restricted to within the hours of 7.00 am to 5.00 pm Monday to Friday and on Saturday to within the hours of 8.00 am to 1.00 pm inclusive, with no work on Sundays and Public Holidays.

Demolition and excavation works shall be restricted to within the hours of 8.00 am to 5.00 pm Monday to Friday only. (Excavation work includes the use of any excavation machinery and the use of jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

Where it is necessary for works to occur outside those hours allowed by these conditions, approval for such will be subject to issue of a permit on each occasion from Council's Customer Services Centre. Such permit must be obtained and the appropriate fee paid at least two (2) clear working days in advance of each relevant date. Such occurrence shall be limited to two occasions per calendar month and shall only be approved if public safety or convenience is at risk.

Note: Failure to obtain a permit for work outside of the approved hours will result in on the spot fines being issued, or Council pursuing any action required (including legal proceedings) to have the out of hours work cease, without prior warning.

**Reason:** To ensure that works do not interfere with reasonable amenity expectations of residents and the community. (DACGEch)

## 33 Health and Safety

The work undertaken must satisfy applicable occupational health and safety and construction safety regulations, including any WorkCover Authority requirements.

Reason: To ensure the health and safety of the community and workers on the site. (DACGEhs)

## 34 Noise and Vibration

Noise emissions and vibration must be minimised where possible and work is to be carried out in accordance with Department of Environment and Climate Change (formerly) Environment Protection Authority guidelines for noise emissions from construction/demolition works and must also comply with the provisions of the Protection of the Environment Operations Act 1997. This Condition must be complied with during demolition and building work.

**Reason**: To ensure residential amenity is maintained in the immediate vicinity. (DACHEnv)



## CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO ISSUE OF OCCUPATION CERTIFICATE

## 35 Occupation Certificate Required

An Interim / Final Occupation Certificate shall be obtained in relation to the approved works prior to any use or occupation of those parts of the building.

Note: In issuing an Interim / Final Occupation Certificate the Principal Certifying Authority must be satisfied that the requirements of Section 109H of the Environmental Planning and Assessment Act 1979 have been satisfied.

**Reason:** To ensure compliance with the provisions of the Environmental Planning and Assessment Act. (DACGFocr)

#### 36 Smoke Alarms

Smoke alarms shall be installed in the dwelling in accordance with the Building Code of Australia and AS 3786 prior to the issue of the interim/final occupation certificate.

**Reason:** Compliance with Part 9 – Division 7A of EP & A Regulations 2000.

## 37 Pool Filtration Requirements

Filtration for the swimming pool must comply with the relevant Australian Standard.

Note: The following Australian Standard applied at the time of determination:

Australian Standard AS1926.3 Part 3: Water recirculation and filtration systems

**Reason**: To ensure that any person acting upon this consent is aware of their obligations under the provisions of the Swimming Pools Act 1992, to prevent young children from accidental death by drowning.

#### 38 Pool Sign

The owner of the pool shall display a notice showing:

- (i) Appropriate instructions of artificial resuscitation methods.
- (ii) A warning stating 'YOUNG CHILDREN SHOULD BE SUPERVISED WHEN USING THIS POOL'.

Note: This notice shall be kept in a legible condition in a prominent location in the vicinity of the pool at all times.

**Reason**: To ensure that any person acting upon this consent is aware of their obligations under the provisions of the Swimming Pools Act, to prevent young children from accidental death by drowning.

#### 39 Pool Safety Requirements

Access to the pool shall be restricted by a child resistant barrier in accordance with all relevant Acts, Regulations and Standards. The pool shall not be filled with water or be allowed to collect stormwater until the installation of the child resistant barrier is completed.

Note: The following Standards and Codes applied at the time of determination:

- Swimming Pools Act 1992
- Swimming Pools Regulation 1998
- Australian Standard AS1926 Swimming Pool Safety



- Australian Standard AS1926.1 Part 1: Safety barriers for swimming pools
- Australian Standard AS1926.2 Part 2: Location of safety barriers for swimming pools

**Reason**: To ensure that any person acting upon this consent is aware of their obligations under the provisions of the Swimming Pools Act 1992, to prevent young children from accidental death by drowning.

## 40 Swimming Pools Motors/Filters

The filtration motor, pump and moving parts shall be enclosed in a sound-proofed structure of masonry or similar materials, with the noise level of any filtration equipment or pumps to not exceed 5dBA above the ambient background noise level measured at the nearest property boundary.

Reason: Noise control

## 41 Swimming Pool Water to Sewer

Prior to the issue of an Interim/Final Occupation Certificate the swimming pool including overflow water shall be drained to the sewer. The consent of Sydney Water to dispose of wastewater shall be obtained and compliance with any conditions imposed in connection therewith.

**Reason**: Water from a swimming pool is classified as wastewater and cannot be legally disposed of into the stormwater system.

## 42 BASIX Compliance Certification

Prior to the issue of an Interim/Final Occupation Certificate, all the selected BASIX commitments as detailed in the BASIX Certificate must be completed.

**Reason:** To ensure the development complies with the requirements of the SEPP (Building sustainability index: BASIX 2004). (DACGFbcc)

## 43 Stormwater Disposal Certification

The stormwater drainage works shall be certified as compliant with all relevant Australian Standards and Codes by a suitably qualified professional. The certification is to be submitted to the Principal Certifying Authority prior to the issue of an Interim/Final Occupation Certificate.

Note: The following Standards and Codes applied at the time of determination:

- · Australian/New Zealand Standard AS/NZS 3500.3:2003 Plumbing and drainage Stormwater drainage
- Australian/New Zealand Standard AS/NZS 3500.3:2003/Amdt 1:2006 Plumbing and drainage Stormwater drainage
- National Plumbing and Drainage Code.

Reason: To ensure appropriate provision for disposal of stormwater arising from the development.



#### **Review of Determination**

You may request Council review the determination of the application under Section 82A of the Environmental Planning & Assessment Act 1979. The review must be determined within 12 months.

NOTE: A fee will apply for any request to review the determination..

## **Right of Appeal**

If you are dissatisfied with this decision Section 97 of the Environmental Planning & Assessment Act 1979 may give you the right to appeal to the Land and Environment Court within 12 months after the date on which you receive this notice.

Signed	on behalf of the consent authority
Signature Name	Ryan Cole, Team Leader, Development Assessment
Date	10 July 2008