

All measurements in millimetres unless otherwise specified.
This drawing must not be reproduced in whole or part without prior w consent of Martens & Associates Pty Ltd.
(C) Copyright Martens & Associates Pty Ltd







SEDIMENT FENCE



					В	
					C	
						>
					D	
			F82 MESH S	UPPORT E		-
ROCK OR GRAVEL A			SAND BAG O ACHORING TRENCHMESH S AT 2 METRE CE	DR ROCK UPPORTS NTRES		
Construction INSTALL THIS TYPE OF OSSIBLE. SUCH CONDITIO PPROPRIATE AUTHORITE . USE BENT TRENCH MES BOVE. ATTACH THE GEO . STABILISE THE WHOLE ND THE LEADING EDGE O NSURE STABILITY OF TH	Notes SEDIMENT FENCE WHEN US INS MIGHT APPLY, FOR EX ES TO PLACE THESE FENCE H TO SUPPORT THE F82 W DTEXTILE TO THE WELDED STRUCTURE WITH SANDBA F THE GEOTEXTILE. THE A IE STRUCTURE IN THE DESI	SE OF SUPPORT AMPLE, WHERE A SIN HIGHLY SEI ELDED MESH FA MESH FACING U AG OR ROCK ANC ANCHORING SHOU IGN STORM EVEN	POSTS IS NOT DES APPROVAL IS GRAI NSITIVE ESTUARINE CING AS SHOWN ON SING UV RESISTAN HORING OVER THE JLD BE SUFFICIENT IT, USUALLY THE 1	IRABLE OR NOT NTED FROM THE E AREAS. N THE DRAWING T CABLE TIES. TRENCH MESH LY LARGE TO 0 YEAR EVENT.	E	-
ALTERNATIVE	E SEDIMENT F	ENCE —	· · · · · · · · · · · · · · · · · · ·	SD 6-9		
CON	NSTRU	CTIO	N CE	RTIFIC	ATE -	
I Engineers	DRAWING TITLE	DIMENT & E	ROSION CONT	ROL DETAILS		
cal						
999 Fax: (02) 9476 8767 om.au	PRUJELT NO. P1605637	PLANSET NO	. RELEASE NO.	PS04-B310	REVISION A	

DRAWING ID: P1605637-PS04-R02-B310