

STATEMENT OF ENVIRONMENTAL EFFECTS



SITE: Lot 23 Section 6 DP 10609 911 Pittwater Road Collaroy

APPLICANT: Wincrest Group Pty Ltd 18 Pitt Street Parramatta NSW 2150

PROPOSAL: Construction of a three storey dwelling

CONTENTS

INTRODUCTION	3
ENVIRONMENTAL EFFECTS	3
(a)(i) Relevant environmental planning instruments	3
Warringah Local Environmental Plan 2011	3
(a)(ii) Relevant draft environmental planning instruments	5
(a)(iii) Relevant development control plans	5
Warringah Development Control Plan 2011	5
(b) Likely impacts of the development, including environmental impacts on both the natural and built environment of the locality	3
(c) The suitability of the site for the development	1
(d) Any submissions made in accordance with this Act or the regulations 14	1
(e) Public interest14	1
CONCLUSION	1

This work is copyright. Apart from any use permitted under the Copyright Act 1968, no part may be reproduced by any process, nor may any other exclusive right be exercised, without the written permission of © Urban Planning and Building Consultants, 2019.

INTRODUCTION

This Statement of Environmental Effects is submitted to Northern Beaches Council in accordance with the Environmental Planning and Assessment Act 1979, in support of a development application for the erection of a three storey dwelling, containing four (4) bedrooms, rumpus, living, lounge and dining rooms along with a subfloor garage and attached outdoor alfresco area.

The allotment is slightly irregular in shape with frontage to Pittwater Road of 15.24m, an average depth of 45.75m and a total land area of 632.3m². The lot currently contains a dwelling and associated structures that are to be demolished via separate application to Council.

Two trees are required to be removed in order to site the proposed dwelling with replacement planting and additional landscaping to be provided upon completion of the construction phase.

All necessary services are available on the site. The site has a moderate fall to the southern boundary with drainage to be directed to the street via a rainwater tank collection system as per the hydraulic engineers details.

The neighbourhood generally consists of a mix of one and two storey dwellings as anticipated within an existing residential estate.

The following sections of this statement address the likely impact of the proposal on the environment.

ENVIRONMENTAL EFFECTS

The following sections address the matters for consideration as listed in Part 4 Section 4.15 of the Environmental Planning & Assessment Act 1979. A comment is provided against each relevant matter.

(a)(i) Relevant environmental planning instruments

Warringah Local Environmental Plan 2011

The subject site is zoned R2 Low Density Residential pursuant to <u>Clause 2.1</u> of Warringah Local Environmental Plan 2011.

The proposed development is defined as a "dwelling house" meaning "a building containing only one dwelling".

The construction of a 'dwelling house' is permissible in the identified zone, subject to development consent.

Clause 2.3 Zone objectives and land use table

The objectives of the R2 Zone are as follows:

- To provide for the housing needs of the community within a low-density residential environment.
- To enable other land uses that provide facilities or services to meet the day to day needs of residents.
- To ensure that low density residential environments are characterised by landscaped settings that are in harmony with the natural environment of Warringah.

The proposed development is for a low-density residential development, being compatible with the existing and future character of the locality. The dwelling is designed to provide a high level of amenity for adjoining residents whilst considering the natural constraints of the site. The proposed dwelling is considered to meet the relevant objectives of the R2 zone.

Clause 4.3 Height of Buildings

Requirement	Provision	Compliance
8.5m ridge height.	<8.5m	Yes

Clause 4.6 Exceptions to Development Standards

The proposed development does not contravene the development standards of the LEP.

Clause 5.9 Preservation of Trees or Vegetation

Two trees are required to be removed in order to site the proposed dwelling. Mature trees will remain to the rear of the site. Replacement planting and additional landscaping is to be provided upon completion of the construction phase.

Clause 5.10 Heritage Conservation

Upon reference to Schedule 5 in relation to Local, State or Regional items of heritage significance including conservation areas, it was revealed that the subject property was not identified as having heritage significance.

Clause 5.11 Bush fire hazard reduction

The subject site is identified to be bushfire prone land on Council's maps. Please refer to the attached Bushire Assessment Report.

Clause 6.1 Acid Sulfate Soils

The subject property is not identified as being affected by Acid Sulphate Soils.

Clause 6.2 Earthworks

Minor ground disturbance is required to provide a level platform to site the building footprint. The extent of earthworks is not considered excessive for the site due to the topography of the allotment and the split level design proposed to reduce site disturbance outside of the dwelling footprint. All earthworks can be suitably battered and/or retained to ensure structural adequacy and minimal impact on the adjoining properties.

Clause 6.3 Flood planning

The subject site is not known to be located within a flood planning area.

* * *

Conclusion with respect to LEP requirements

The proposal is considered to generally satisfy the objectives of all the relevant development standards relating to dwelling houses as contained within WLEP 2011.

(a)(ii) Relevant draft environmental planning instruments

There are no known draft environmental planning instruments that would prevent the subject development from proceeding.

(a)(iii) Relevant development control plans

Warringah Development Control Plan 2011

PART B BUILT FORM CONTROLS

Requirement	Provision	Compliance
<u> B1 – Wall heights</u>		
Max. wall height 7.2m	7.7m max. wall height.	No*
existing ground to upper		
ceiling.		
<u>B2 - Number of Storeys</u>		
Max. no. storeys shown on	Three Storey	N/A – subject site not
DCP No. Storeys map.		mapped
<u>B3 - Side Boundary</u>		
<u>Envelope</u>		
Side boundary envelope	Entire building within the	Yes
45° & 4m or 5m from	4m building envelope,	
existing ground (refer DCP	with the exception of the	
Map)	eaves which are	
Encroachment of the	understood to be	
fascia, gutters, eaves	allowable	
permitted.	encroachments.	

<u>B4 - Site Coverage</u>	N/A	N/A
Site coverage as per Site		
Coverage Map		
<u>B5 – Side Boundary</u>		
<u>Setbacks</u>		
As per DCP Side Boundary	1.393m minimum.	Yes
Setbacks map: - 0.9m.		
<u>B6 - Merit Assessment of</u>	N/A	N/A
Side Boundary Setbacks		
for sites shown on map.		
<u>B7 – Front Boundary</u>		
<u>Setbacks</u>		
As per DCP Front	8.43m	Yes
Boundary Setbacks map:		
- 6.5m.		
Corner allotments in R2	N/A	N/A
and R3 Zones:		
Where the min. front		
setback is 6.5m on both		
frontages the secondary		
street setback can be		
reduced to 3.5m		
<u>B8 - Merit Assessment of</u>	N/A	N/A
	IN/A	N/A
Front Boundary Setback		
for sites shown on map.		
<u>B9 - Rear Boundary</u>		
<u>Setbacks</u>	10.070	X
As per DCP Rear	18.968m	Yes
Boundary Setbacks map:		
- 6m.		
<u>B10 - Merit Assessment of</u>	N/A	N/A
Rear Boundary Setback		
for sites shown on map.		
<u>B11 - Foreshore Building</u>	N/A	N/A
<u>Setback</u>		
As per the map – 15m		
<u>B12 - National Parks</u>	N/A	N/A
<u>Setback</u>		
As per the map - 20m		
<u>B13 - Coastal Cliffs</u>	N/A	N/A
<u>Setback</u>		
As per map.		
B14 - Main Roads Setback	N/A	N/A
As per map.		
	1	

<u>Variations</u>

<u>Max. wall height</u> – Council's DCP provides a maximum wall height for dwellings of 7.2m. The proposed dwelling has a maximum external wall height of approximately

7.7m to a small portion of the front of the dwelling. The proposal therefore results in a variation of 500mm to the requirement.

This non-compliance relates to the a small portion of the front of the dwelling, more prominently in the south-western corner and extends partially along the side elevations. The variation is the practical result for a site with a moderate fall toward the front of the site. The development has been provided with a split level design and subfloor garage to minimise the required site works which is directly related to the wall height non-compliance. The extent of the variation is not considered to create a detrimental impact with regard to visual bulk, overshadowing or privacy of adjoining properties.

The area of the dwelling requiring the increased wall height is to the front elevation however extensive articulation has been provided to minimise any detrimental impact by the non-compliance. Windows to living areas in the side elevations being provided with raised sill heights in the area of the non-compliance to ensure there is no loss of privacy to adjoining sites.

The dwelling design provides articulation and variation in external materials to break up the visual bulk of the dwelling as viewed from the adjoining sites. As the overall height of the dwelling remains within the allocated 8.5m height limit and the site has reasonable orientation for solar access, the increase in wall height will not result in excessive overshadowing of the adjoining sites.

Given the minor nature of the variation, the proposed dwelling is not considered to result in any impact beyond that of a compliant proposal. It is therefore requested that a variation be supported in this instance.

Requirement	Provision	Compliance
<u>C2 – Traffic, Access and</u>		Compilance
<u>Safety</u>		
Suitable vehicular access	Access from public road	Yes
from a public road.	provided.	
<u>C3 – Parking Facilities</u>		
Garage/carport	Garage integrated into	Yes
integrated into house	front façade of the	
design.	proposed dwelling.	
Laneways to provide rear	N/A	N/A
access where possible.		
Parking not to obscure	Proposed garage not	N/A
views from dwelling to	-	
street.	views to the street.	
Garage/carport opening	Double garage door	Yes
max. 6m or 50% building	width 4.989m or 46.04%	
width, whichever lesser.		

PART C SITING FACTORS

2 spaces per dwelling.	2 spaces provided within the attached subfloor garage.	Yes
C4 - StormwaterSuitablestormwatersystem for each site.	Stormwater as per Hydraulics.	Yes
C5–ErosionandSedimentationandSedimentation controls tobe in place.	Erosion and sediment control plan provided with the subject DA	For Council's consideration
<u>C7 – Excavation and</u> <u>Landfill</u> Cut and fill not to impact neighbours.	Cut and fill appropriately minimised through use of internal stepping, drop edge beams and retaining walls to minimise impact on neighbours.	Yes
Clean fill only. <u>C9 Waste Management</u>	No imported fill proposed.	N/A
Waste Management Plan to be provided.	Provided.	Yes
Bin storage area to be allocated.	Adequate area available on site out of public view.	Yes

PART D DESIGN

Requirement	Provision	Compliance
<u>D1 – Landscape Open</u>		
<u>Space and Bushland</u>		
<u>Setting</u>		
Landscaped open space		
as per map soft		
landscape with min 2m		
width.		
Subject site = 40%	63% minimum dimension	Yes
	of 2m provided.	
<u>D2 – Private Open Space</u>		
POS area =		
1-2 bedrooms – 35m ² min	N/A	N/A
3m width.		
3+ bedrooms – 60m ² min	>60m ² with min width of	Yes
5m width.	5m.	

Direct access from living area.	Access from dining room.	Yes
POS located behind building line.	Provided behind building line.	Yes
Maximise solar access & privacy.	Appropriate level of solar access and privacy provided through the design. The orientation of the allotment ensures that solar access to the POS and living areas can be achieved.	Yes
<u>D6 – Access to Sunlight</u> Consider solar access & ventilation in siting of dwelling.	Dwelling appropriately sited for the orientation of the allotment.	Yes
3hrs sunlight to 50%POS and glazed areas to living rooms between 9am & 3pm.	Proposed and adjoining POS and living areas to receive appropriate level of solar access due to orientation, setbacks, height and articulation.	Yes
<u>D7 – Views</u> View sharing to be considered.	No loss of views is anticipated.	Yes
<u>D8 – Privacy</u> Maintain privacy to adjoining properties.	Living areas predominantly orientated to rear POS and front setback. Suitable setbacks and landscaped area provided to maintain privacy. First floor leisure room window is appropriately offset and setback to ensure minimal opportunity for overlooking. Bedrooms windows appropriately orientated and setback to minimise any privacy intrusion.	Yes
<u>D9 – Building Bulk</u> Avoid large areas of continuous wall planes.	Extensive articulation has been provided throughout the dwelling	Yes

	design. Dwelling is not considered to have an excessive visual bulk.	
Max. fill 1m and to remain within building footprint.	Fill contained within building footprint <1m	Yes
Minimise excavation.	Excavation not considered excessive for a site. Appropriate cut and fill incorporated into the design to minimise earthworks as much as practical on the subject site.	Yes
Orientate dwelling to street.	Dwelling addresses street frontage.	Yes
Use articulation and materials to reduce building mass.	Suitable articulation and materials proposed to ensure the building mass is suitable for the site and surrounding locality.	Yes
<u>D10 – Building Colours</u> <u>and Materials</u> Colours finishes to blend with natural setting.	Materials and colour schedule provided for Council's consideration.	Yes
<u>D11 – Roofs</u> Pitch to compliment streetscape.	Pitch in keeping with surrounding area.	Yes
Varied roof forms to be provided.	Varied roof forms provided.	Yes
Eaves required.	Eaves provided.	Yes
<u>D12 – Glare and</u>	· ·	
<u>Reflection</u> Materials to minimise glare.	Non-reflective materials proposed.	Yes
D13 - Front fences and Front wallsFront fences 1.2m.Solid fences to be articulated and setback for landscaping.Providecasual surveillance	Fencing does not form part of the subject DA.	N/A

excessive noise requires blocking).		
Gates to remain in boundary when open.		
<u>D14 – Site facilities</u> Site Facilities – bin storage, clothes drying etc to be provided	Large rear yard provides adequate area for site facilities.	Yes
<u>D15 – Side and Rear</u>		
Fences Side & Rear boundary fencing max. 1.8m measure from low side (can be averaged for sloping sites to allow regular steps).	Boundary fencing to be provided in accordance with the Dividing Fences Act and Council's requirements.	Yes
<u>D16 - Swimming Pools &</u> <u>Spas</u> Not within primary setback (2ndry setback OK for corner sites). Appropriate setback from trees.	N/A	N/A
D19 - Site Consolidation requirements for the R3 & IN1 Zones	N/A	N/A
<u>D20 Safety and Security</u> Casual surveillance of street & suitable lighting.	Casual surveillance of the street able to occur from the entry and habitable rooms to the frontage of the dwelling. View to entry approach available from large open entry and rumpus room window. No entrapment areas evident within the design.	Yes
<u>D22 – Conservation of</u> <u>Energy and Water</u> Design for water and energy conservation.	BASIX Certificate provided.	Yes

PART E THE NATURAL ENVIRONMENT

Requirement	Provision	Compliance
<u>E3 – Threatened species,</u>		
population, ecological		
<u>communities</u>		

Minimise tree removal and protect remaining trees.	Two trees are required to be removed in order to site the proposed dwelling.	For Councils Consideration
	The proposed development is not anticipated to impact upon the landscape character of the area, as additional planting will be provided upon completion of the construction phase.	
Flora & Fauna assessment if native veg >100m ² to be removed or veg removed from site in last 5 years.	<100m ² of vegetation proposed to be removed	N/A
 <u>E7 – Development on</u> <u>land adj. public open</u> <u>space</u> Development adj public reserve to compliment character of reserve. Casual surveillance of public reserve. Landscaping to screen 	N/A	N/A
development <u>E8 - Waterways and</u> <u>Riparian Land</u> Waterway Impact Statement for works in waterway. Riparian Land Group A & Group B have specific requirements. APZ not to extend into such land.	N/A	N/A
<u>E9 - Coastline Hazard</u>	N/A	N/A
E10 - Landslip Risk As per the map. Geotech required where indicated in DCP.	Landslip Risk identified as Area D. Geotech Report provided for Council's consideration	Yes

<u>E11 – Flood Prone Land</u>	N/A	N/A
Flood Risk map indicates		
level. Requirements		
outlined in DCP.		

* * *

Conclusion with respect to DCP Requirements

The proposed dwelling is considered to be appropriately designed and sited to achieve the objectives of the design provisions with Warringah DCP 2011.

(b) Likely impacts of the development, including environmental impacts on both the natural and built environment of the locality.

The following matters are considered relevant when considering onsite impacts:

Siting and Design

The proposed three storey development will be compatible in terms of height, bulk and scale with surrounding developments within the area.

The siting of the dwelling provides generous boundary setbacks, contributing to spatial separation and openness between the dwellings. The articulated design of the dwelling will limit the impact on the adjacent properties in terms of bulk, privacy and overshadowing and will not dominate any perceived views enjoyed by others.

The front façade is appropriately articulated and contains a variety of roof forms and elements and a central entry feature. In this way, the proposal provides a clear definition of the entry and provides varied shadow lines due to the different construction elements and finishes.

Sedimentation Control

Due to the topography of the site, excavation will be required for the construction of a level building platform, as shown on the development plans. All disturbed areas will be provided with sedimentation controls in the form of geofabric fencing and/or stacked hay bales. Soil erosion control measures can easily be provided in accordance with Council's policy with compliance required as a condition of consent.

Waste Minimisation

All waste will be deposited within the waste receptacle in accordance with the waste management plan attached to this application.

Noise and Vibration

All work will be undertaken during hours specified within the development consent. No vibration damage is envisaged occur during construction.

(c) The suitability of the site for the development

The subject site is within an existing residential area and is close to local commercial, retail and transport facilities. The existing road network provides easy access to all locations.

The three storey dwelling, the subject of this application, can be constructed with all services necessary and has been designed to suit site constraints and the character of the surrounding locality.

The residential use of the site is permissible with development consent under the provisions of Warringah LEP 2011 and generally satisfies the objectives of the relevant development control plans as discussed above.

(d) Any submissions made in accordance with this Act or the regulations

Council will consider any submissions received during the relevant notification period for this development application.

(e) Public interest

As the proposal can satisfy the objectives of all relevant planning instruments and development control plan, approval of the subject dwelling is considered to be in the public interest.

CONCLUSION

The residential use of the site is permissible with development consent under the provisions of Warringah Local Environmental Plan 2011, and can satisfy the objectives of the instrument. The proposal also generally satisfies the objectives of Council's Development Control Plan 2011.

It is considered that the construction of a new three storey dwelling will complement and blend with the existing, and likely future character of this section of Collaroy, being an area containing a transitionary blend of housing from differing era's of single and three storey construction. The proposal is not expected to have an adverse impact on the natural or built environment.

Maxine Booth Town Planner **Urban Planning & Building Consultants** November 2019