

Building Sustainability Index www.basix.nsw.gov.au

Single Dwelling

Certificate number: 995147S 04

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Tuesday, 12 March 2019

To be valid, this certificate must be lodged within 3 months of the date of issue.



Project summary					
Project name	32 Neptune Road, N	lewport_04			
Street address	32 Neptune Road N	ewport 2106			
Local Government Area	Northern Beaches C	Northern Beaches Council			
Plan type and plan number	deposited 6248				
Lot no.	8				
Section no.	2				
Project type	separate dwelling he	ouse			
No. of bedrooms	2				
Project score					
Water	✓ 40	Target 40			
Thermal Comfort	✓ Pass	Target Pass			
Energy	✓ 51	Target 50			

Certificate Prepared by

Name / Company Name: Evergreen Energy Consultants

ABN (if applicable): 91601503717

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 1/9

Description of project

Project address	
Project name	32 Neptune Road, Newport_04
Street address	32 Neptune Road Newport 2106
Local Government Area	Northern Beaches Council
Plan type and plan number	Deposited Plan 6248
Lot no.	8
Section no.	2
Project type	
Project type	separate dwelling house
No. of bedrooms	2
Site details	
Site area (m²)	557
Roof area (m²)	59
Conditioned floor area (m2)	55.0
Unconditioned floor area (m2)	3.62
Total area of garden and lawn (m2)	20

Assessor details and thermal lo	Assessor details and thermal loads							
Assessor number	n/a							
Certificate number	n/a							
Climate zone	n/a							
Area adjusted cooling load (MJ/m².year)	n/a							
Area adjusted heating load (MJ/m².year)	n/a							
Project score								
Water	✓ 40	Target 40						
Thermal Comfort	✓ Pass	Target Pass						
Energy	✓ 51	Target 50						

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 2/9

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

Water Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Landscape			
The applicant must plant indigenous or low water use species of vegetation throughout 20 square metres of the site.	~	~	
Fixtures			
The applicant must install showerheads with a minimum rating of 4 star (> 4.5 but <= 6 L/min plus spray force and/or coverage tests) in all showers in the development.		~	~
The applicant must install a toilet flushing system with a minimum rating of 6 star in each toilet in the development.		~	V
The applicant must install taps with a minimum rating of 6 star in the kitchen in the development.		~	
The applicant must install basin taps with a minimum rating of 6 star in each bathroom in the development.		~	
Alternative water			
Rainwater tank			
The applicant must install a rainwater tank of at least 3000 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	~	~	V
The applicant must configure the rainwater tank to collect rain runoff from at least 58 square metres of the roof area of the development (excluding the area of the roof which drains to any stormwater tank or private dam).		~	V
The applicant must connect the rainwater tank to:			
 at least one outdoor tap in the development (Note: NSW Health does not recommend that rainwater be used for human consumption in areas with potable water supply.) 		V	~

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 3/9

Thermal Comfort Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
General features			
The dwelling must not have more than 2 storeys.	V	~	-
The conditioned floor area of the dwelling must not exceed 300 square metres.	V	~	V
The dwelling must not contain open mezzanine area exceeding 25 square metres.	V	~	V
The dwelling must not contain third level habitable attic room.	V	V	V
Floor, walls and ceiling/roof			
The applicant must construct the floor(s), walls, and ceiling/roof of the dwelling in accordance with the specifications listed in the table below.	V	V	~

Construction	Additional insulation required (R-Value)	Other specifications
floor - suspended floor above open subfloor, framed	0.8 (or 1.5 including construction) (down)	
external wall - framed (weatherboard, fibre cement, metal clad)	2.00 (or 2.40 including construction)	
ceiling and roof - flat ceiling / flat roof, framed	ceiling: 4 (up), roof: foil backed blanket (55 mm)	framed; medium (solar absorptance 0.475-0.70)

Note	Insulation specified in this Certificate must be installed in accordance with Part 3.12.1.1 of the Building Code of Australia.
Note	In some climate zones, insulation should be installed with due consideration of condensation and associated interaction with adjoining building materials.

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 4/9

Thermal Comfort Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Windows, glazed doors and skylights			
The applicant must install the windows, glazed doors and shading devices described in the table below, in accordance with the specifications listed in the table. Relevant overshadowing specifications must be satisfied for each window and glazed door.	V	~	V
The dwelling may have 1 skylight (<0.7 square metres) which is not listed in the table.	V	~	V
The following requirements must also be satisfied in relation to each window and glazed door:	V	V	V
• For the following glass and frame types, the certifier check can be performed by visual inspection.			V
- Aluminium single clear			
- Aluminium double (air) clear			
- Timber/uPVC/fibreglass single clear			
- Timber/uPVC/fibreglass double (air) clear			
 Overshadowing buildings/vegetation must be of the height and distance from the centre and the base of the window and glazed door, as specified in the 'overshadowing' column. 	V	✓	V
The applicant must install the skylights described in the table below, in accordance with the specifications listed in the table. Total skylight area must not exceed 3 square metres (the 3 square metre limit does not include the optional additional skylight of less than 0.7 square metres that does not have to be listed in the table).	~	~	~

Skylight no.	Maximum area (square metres)	Туре	Shading device
S01	0.60	aluminium, moulded plastic single clear	no shading

Window/glazed door no.	Maximum height (mm)	Maximum width (mm)	Туре	Shading Device (Dimension within 10%)	Overshadowing
North facing					
S/D5	2100	2100	aluminium, single, clear	verandah 2750 mm, 2400 mm above base of window or glazed door	not overshadowed
W04	1500	1600	aluminium, single, clear	verandah 2750 mm, 1500 mm above base of window or glazed door	not overshadowed

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 5/9

Window/glazed door no.	Maximum height (mm)	Maximum width (mm)	Туре	Shading Device (Dimension within 10%)	Overshadowing
South facing					
W03	500	1600	aluminium, single, clear	none	2-4 m high, 8-12 m away
W01	500	1600	aluminium, single, clear	none	2-4 m high, 8-12 m away
W02	500	1600	aluminium, single, clear	none	2-4 m high, 8-12 m away
West facing					
W08	1000	1500	aluminium, single, clear	none	1-2 m high, <1.5 m away
W06	1000	1500	aluminium, single, clear	none	1-2 m high, <1.5 m away
W07	500	700	aluminium, single, clear	none	1-2 m high, <1.5 m away

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 6/9

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Hot water			
The applicant must install the following hot water system in the development, or a system with a higher energy rating: electric heat pump with a performance of 36 to 40 STCs or better.	~	V	~
Cooling system			
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 living area: 1-phase airconditioning; Energy rating: 1 Star		~	~
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 bedroom: ceiling fans; Energy rating: n/a		V	V
Heating system			
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 living area: 1-phase airconditioning; Energy rating: 1 Star		•	~
The bedrooms must not incorporate any heating system, or any ducting which is designed to accommodate a heating system.		•	V
Ventilation			
The applicant must install the following exhaust systems in the development:			
At least 1 Bathroom: individual fan, ducted to façade or roof; Operation control: manual switch on/off		~	V
Kitchen: individual fan, ducted to façade or roof; Operation control: manual switch on/off		~	•
Laundry: natural ventilation only, or no laundry; Operation control: n/a		V	V
Artificial lighting			
The applicant must ensure that the "primary type of artificial lighting" is fluorescent or light emitting diode (LED) lighting in each of the following rooms, and where the word "dedicated" appears, the fittings for those lights must only be capable of accepting fluorescent or light emitting diode (LED) lamps:			
at least 2 of the bedrooms / study;		-	V
• at least 1 of the living / dining rooms;		~	V
• the kitchen;			

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 7/9

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifie check
all bathrooms/toilets;		~	•
• the laundry;		→	V
• all hallways;		•	V
Natural lighting			
The applicant must install a window and/or skylight in 1 bathroom(s)/toilet(s) in the development for natural lighting.	~	→	V
Other			
The applicant must construct each refrigerator space in the development so that it is "well ventilated", as defined in the BASIX definitions.		~	
The applicant must install a fixed outdoor clothes drying line as part of the development.		<u> </u>	

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 8/9

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate(either interim or final) for the development may be issued.

BASIX Planning & Environment www.basix.nsw.gov.au Version: 3.0 / DARWINIA_3_8_8 Certificate No.: 995147S_04 Tuesday, 12 March 2019 page 9/9