

Natural Environment Referral Response - Biodiversity

Application Number:	DA2019/0910
---------------------	-------------

Responsible Officer	Rhiannon McLardy
Land to be developed (Address):	Lot 1 DP 344054 , 4 Cabarita Road AVALON BEACH NSW 2107

Reasons for referral

This application seeks consent development on land, or within 40m of land, containing:

- All Development Applications on
- Actual or potential threatened species, populations, ecological communities, or their habitats;
- Wildlife corridors;
- Vegetation query stipulating that a Flora and Fauna Assessment is required;
- Vegetation query X type located in both A & C Wards;

And as such, Council's Natural Environment Unit officers are required to consider the likely potential environmental impacts.

Officer comments

This application was assessed against Pittwater LEP Clause 7.6 Biodiversity and Pittwater DCP B4.7 Pittwater Spotted Gum EEC, and B4.16 Seagrass Conservation.

The proposal is for the demolition and replacement of an existing boat shed, pergola and minor landscape works. No trees are proposed for removal and existing rock outcrops are retained.

Native vegetation and sea grass will be required to be protected throughout construction.

Council's Natural Environment - Biodiversity section raises no objections, subject to conditions.

Referral Body Recommendation

Recommended for approval, subject to conditions

Recommended Natural Environment Conditions:

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

Implementation of Erosion and Sediment Control Plan

The Erosion and Sediment Control Plan is to be fully implemented and measures are to remain in effective operation until all development activities have been completed and the site fully stabilised. Evidence of compliance is to be certified by a suitably qualified engineer or ecologist and submitted to the Principal Certifying Authority prior to commencement of works.

Reason: To protect natural features and habitats in accordance with relevant Natural Environment LEP/DCP controls

DA2019/0910 Page 1 of 3



CONDITIONS TO BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

Signage - No work / storage within dripline

The project manager is to erect signs advising all contractors and visitors to the site that no works or storage are to take place within the dripline of existing trees.

Reason: To protect and retain trees proposed for retention.

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

Certification of Erosion and Sediment Control Plan

The Erosion and Sediment Control Plan is to be fully implemented and measures are to remain in effective operation until all development activities have been completed and the site fully stabilised. Once construction is complete, all temporary sediment and erosion measures are to be removed from the site.

Evidence of compliance is to be certified by a suitably qualified engineer or ecologist and submitted to the Principal Certifying Authority prior to the issue of any Occupation Certificate.

Reason: To protect natural features and habitats in accordance with relevant Natural Environment LEP/DCP controls

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

No Planting Environmental Weeds

No environmental weeds are to be planted on the site. Information on weeds of the Northern Beaches can be found at the NSW WeedWise website (http://weeds.dpi.nsw.gov.au/).

Reason: Weed management.

Works to cease if item found

If any Aboriginal Engravings or Relics are unearthed all work is to cease immediately and the Aboriginal Heritage Office (AHO) and Office of Environment and Heritage (OEH) are to be notified.

Reason: To protect Aboriginal Heritage.

Dead or Injured Wildlife

If construction activity associated with this development results in injury or death of a native mammal, bird, reptile or amphibian, a registered wildlife rescue and rehabilitation organisation must be contacted for advice.

Reason: To mitigate potential impacts to native wildlife resulting from construction activity.

Domestic Animals Exclusion

For the life of the development, cats are to be kept in a cat run and/or inside the dwelling such that they are prevented from entering wildlife habitat areas at all times. Dogs are to be kept in an enclosed area such that they cannot enter areas of bushland, unrestrained, on surrounding properties.

Reason: Wildlife protection

DA2019/0910 Page 2 of 3



DA2019/0910 Page 3 of 3