


Contents

Context	1	Planting Scheme	14-1
		Overview	
Analysis	2	Creekline Corridor	
7 than y olo	_	Stormwater Basin	
Landacana Canaant Maataralan		Landscape Batter	,
Landscape Concept Masterplan	3	Drainage Swale	,
		Streetscape	,
Landscape Concept: North	4-7	Communal Open Space	,
Overview	4	Private Open Space & Subdivision Allotments	,
Detail Plan: Communal Open Space	5		
Section AA: Communal Open Space	6	Typical Construction Details	1
Design Vision	7	Typical Collection Dotalic	•
Landscape Concept: South	8-12	General Specifications	2
Overview	8		6
Detail Plan: Shared Pathway	9	Planting Plan - Creekine Corridor	2
Section BB: Lorikeet Grove	10		
Design Vision	11		
Section CC: Creekline Corridor	12		
Design Vision	13		




Revision: C - Design Amendments

Context



Warriewood Valley

Warriewood Valley is situated at the base of the escarpment, known as Ingleside Chase Reserve, between Mona Vale and Warriewood. It comprises of land known as "Stage 1 Release" and land identified as the Warriewood Valley Release Area (WVRA). WVRA is primarily a residential area expected to provide a total of 2,451 new dwellings and anticipated to accommodate 6,618 residents once completed. The Warriewood Valley locality is characterised by a mix of residential, retail, commercial, industrial, recreational, and educational land uses. WVRA continues to be developed as a desirable urban community in accordance with the adopted planning strategy for the area, and will include a mix of low to medium density housing, industrial/commercial development, open space and community services. The creek line corridors, roads and open space areas form the backbone of the new community, complemented with innovative water management systems, the natural environment, pedestrian/ cycle path network, public transport, and recreation facilities.



Local Context

The subject site is located on the southern side of Warriewood Road and is known as 43, 45 and 49 Warriewood Road, Warriewood (Lot 2, DP 972209, Lot 2, DP 349085 and Lot 1, DP 349085 respectively). Combined, the three allotments have an area of approximately 22,187m². The site contains a progressive north-to-south (i.e. front-to-rear) slope of approximately 9.2 metres. The subject site is located within the suburb of Warriewood, which is located within the Northern Beaches (formerly Pittwater) Local Government Area. The site is approximately 850 metres south of the Mona Vale town centre and 21 kilometres northeast of the Sydney Central Business District. Development within the surrounding area is varied, however it consists predominately of residential development. Sites adjoining both to the east and west consist of recently approved subdivision developments containing both single dwelling house allotments and residential flat buildings of single, two and three storeys. Development to the south of Narrabeen Creek is part of the Warriewood Valley Urban Release area, and contains a wide variety of predominately residential development. Such development includes low, medium and high-density residential developments in addition to seniors living developments (Anglicare Warriewood Brook). Linking the adjoining sites, Narrabeen Creek and the associated bushland corridor form the rear boundary of the site which also provides a pedestrian through-site link. This link is in the form of a 2.5m wide shared pathway and runs discontinuously from Jubilee Avenue in the North to Macpherson Street in the south. This bushland corridor is noted as containing an important Endangered Ecological Community being Swamp Sclerophyll Forest on Coastal Floodplains.



Revision: C - Design Amendments

11.07.2022 Date:


Analysis



Topography

The previously occupied portion of the subject site, being the northern half, has a moderately steep but even grade sloping approximately 7.5 metres from the footpath at Warriewood Road to the rear of the existing built structures on site. From this point, the site topography continues to fall southwards at a more subtle grade towards the densely vegetated area at the rear.

The landform within the rear portion of the site generally slopes toward the south eastern corner at the site's interface with Narrabeen Creek however a significant feature of this area is a localised depression/swamp that occupies the central portion of the space and drains in a more easterly direction.



Access

The site is currently accessed via multiple points on Warriewood Road and contains one central haul road running in a north-south direction which then turns to follow the western and rear boundary. Future access to the site is planned via connection to a partially completed roadway (Lorikeet Grove) which forms the southern extent of built form for subdivisions fronting Warriewood Road. Newly created streets have been created for adjoining sites which run in a north south direction perpendicular to Warriewood Road. Connection points to a shared pathway / through-site link exist on the eastern and western boundaries which form a public pedestrian access along the Narrabeen Creek corridor.



Existing Land Uses & Vegetation

The subject site is distinctly divided in terms of both land use and vegetation. The northern (upper) portion of the site has been generally cleared of native vegetation and contains generally planted exotics surrounding the existing dwelling houses. This portion of the site has a history of use as agricultural land and market gardens stemming from the rich topsoil occurring on the site. Dilapidated glass houses are located down the slope towards the middle portion of the site which is now dominated by significant weed regrowth.

The southern (lower) portion of the site adjoining Narrabeen Creek contains remnant bushland with an Endangered Ecological Community being Swamp Sclerophyll Forest on Coastal Floodplains. This portion of the site has generally been retained as existing however is heavily dominated by weed growth with remnant canopy cover.



Revision: C - Design Amendments

11.07.2022 **Client:** Archidrome Date:

Landscape Concept Masterplan

The landscape and open space components of the proposed development fall into distinct zones associated with intended land use. The northern portion of the site is to include vacant allotments fronting Warriewood Road and Lorikeet Grove to be developed in the future as single dwelling houses (indicative landscape arrangments shown), and a large central communal open space associated with the central residential flat buildings. The southern portion of the site includes a new roadway connection (Lorikeet Grove) and natural bushland vegetation to the rear of the site associated with the creek line corridor. The southern portion forms an important landscape component adjoining Narrabeen Creek and creating a link with the existing adjoining public creek line corridor. This area is to have extensive weed management, restoration and revegetation of the Endangered Ecological Community (EEC) and will be activated via a series of breakout areas which afford opportunies for passive reflection.

The objective of the landscaping scheme across the site is to create a harmonious living environment that provides opportunity for high level recreation in a functional landscape setting of excellent visual amenity. This has been achieved through expression of planting, materiality, design forms and the connection with natural environment setting of Warriewood Valley.





Revision: C - Design Amendments

Landscape Concept: North

The northern portion of the site is to contain four (4) individual allotments with direct access fronting Warriewood Road, a central lot containing two (2) residential flat buildings containing a total of thirty-four (34) dwellings, central communal open space and seven (7) individual allotments facing the newly created Lorikeet Grove. The individual allotments are to be developed as single dwelling houses as part of future separate development applications. The central portion of the central lot is to be dedicated as a large communal open space for the residential flat buildings and is to contain for passive and active recreational pursuits. Each of the ground floor units of the residential flat buildings are to include generous private open space courtyards containing paved patios, open lawns and garden surrounds. The communal open space also serves as the primary pedestrian circulation providing equitable access from Warriewood Road to Lorikeet Grove and the throughsite link at the rear creek line corridor.



KEY

- Vehicular Entry
 - coloured concrete driveway with ramped entry to basement
- **Subdivision Allotments** indicative landscape arrangments shown - final arrangements to be outlined within future DAs
- Play Space Area

climbing structures, softfall, seating & small trees

Central Terrace

palm grove, primary lawn area & seating plaza

- **Upper Terrace**
 - functional paved area with seating, fixed shade & BBQ facilities
- **Swimming Pool Area**

12m x 3.5m lap pool, decking, seating areas & shade umbrellas within lush planting surrounds

- Warriewood Road Pedestrian Entry accessible concrete pathway providing access from street frontage to communal open space
- Private Open Space paved patios adjacent to open lawn areas with screen planting, accent plants & feature trees

Date:

Street Tree Planting

Street tree planting in accordance with Warriewood Valley Landscape Masterplan

Drainage Swale

Client: Archidrome

dry creek bed, bush rock & river pebble, low & intermittent grass/sedge plantings




Revision: C - Design Amendments

11.07.2022

Detail Plan: Communal Open Space

The central green communal open space provides options for journey, activity, group leisure and privacy. The activation of the spaces is encouraged through the provision of key design elements including swimming and lap pool, sun decks, outdoor shade, cooking facilities, seating, expansive open lawns, play equipment and various forms of seating. Careful design selection of materiality and planting has been undertaken to ensure spaces of high quality that are durable, long lasting and create a safe user experience. Careful consideration has also been given to pedestrian movement through the communal open space to ensure ease of access, clear sightlines and direct circulation. Where possible, large tracts of deep soil have been maintained centrally to enable the provision of large canopy trees and palm plantings to give the communal open space a sense of scale, diminish the built form and provide a high level of natural shade and cooling to dwellings. The external environment of the communal open space is one that encourages a strong sense of community, calm and refuge within highly useable and naturalistic setting.





Revision: C - Design Amendments

Date: 11.07.2022

Proposed Residential Development & Subdivision

Section AA: Communal Open Space



KEY PLAN (not to scale)



KEY

- Play Space Area climbing structures, softfall, seating, small trees
- Passive Seating Area timber bench seating, Livistona palm plantings, decomposed granite/ crushed sandstone
- Palm Grove
 palm plantings set in planters/lawn area with low
 shrub planting to base
- Primary Lawn
 large open central lawn area for active recreation

- Seating Plaza
 paved plaza with multiple seating types
 overlooking primary lawn area
- 6 Upper Terrace functional paved area with seating, shade & BBQs
- Swimming Pool lap pool 12m x 3-5m surrounded by multiple seating areas, lawn and soft planting
- Timber Deck
 timber deck surrounds to pool for provision of sun
 beds and umbrellas
- Timber Platforms
 raised timber platforms for sun bathing & seating
 within lush planting surrounds
- Warriewood Rd Pedestrian Entry accessible pedestrian entry from Warriewood Road




Revision: C - Design Amendments

Design Vision: Communal Open Space















Landscape Concept: South

The southern portion of the site primarily contains the creekline corridor restoration area as well as a planted stormwater infiltration basin, landscaper buffer, Lorikeet Grove roadway connection and pedestrian through-site link. A Biodiversity Management Plan (BMP) has been prepared to inform conservation, restoration and enhancement of the degraded Endangered Ecological Community (Swamp Sclerophyll Forest on Coastal Floodplains) within the creek line corridor. Elsewhere, the landscape buffer is to contribute to providing a defined edge and transition between the built and natural portions of the site. The creekline corridor is also to include a pedestrian 'through-site link' in the form of a 2.5m shared pathway for both public and private use. The pathway is to link to the recently constructed shared pathway on adjoining developments to the east and west and is to be constructed above the 20% AEP flood level. The location and alignment of the pathway has been carefully considered to meander through existing trees nominated for retention in a sensitive manner to avoid any impact to root zones.



KEY

- **Adjoining Allotment**
 - adjoining allotment to south: Anglicare Warriewood Brook
- Narrabeen Creek creekline adjoining rear boundary of subject site
- **EEC Restoration Area**

bushland restoration of existing weed infested EEC - refer to planting plan & Biodiversity Management Plan

Shared Pathway

elevated 2.5m shared pedestrian/cycleway with breakout areas featuring seating, signage and sculptural elements - FRP / GRP surface material Landscape Batter

max 1:5 landscaped batter with buffer planting to Lorikeet Grove

Viewing Deck

elevated decking structure with views over EEC regen area with informative signage to perimeter Stormwater Basin

300mm deep stormwater infiltration basin with sedges & rushes suitable for periodic inundation

Street Tree Planting

Street tree planting in accordance with Warriewood Valley Landscape Masterplan



Lorikeet Grove

new sealed vehicular carriageway




Revision: C - Design Amendments

11.07.2022 Date:

Detail Plan: Shared Pathway


Taking advantage of the sweeping design of the proposed shared pathway, two separate breakout areas have been incorporated at key nodal points along the path which aim to enhance the amenity of this portion of the site by providing opportunities for education, passive reflection and informal recreation. Each space affords seating elements and surface finishes which have been selected for their durability and capacity to provide visual interest. Signage totems/boards are provided to the outer edges of each space and are to include text and imagery which facilitates an understanding of the Endangered Ecological Community which occurs on site as well as an overview of the pre and post colonial history of the Warriewood Valley. Each of these areas have been positioned so as to minimise impacts to existing vegetation as well as compliment the proposed bushland restoration works which are set to take place throughout the remainder of the lower portion of the site.





Revision: C - Design Amendments

Section BB: Lorikeet Grove



KEY PLAN (not to scale)



KEY

- Future Lot single allotment to be developed in future
- Pedestrian Pathway

 1.5m pedestrian pathway to northern side of
 Lorikeet Grove
- 3 Street Tree Planting street tree planting in accordance with Warriewood Valley Landscape Masterplan

- Lorikeet Grove road carriageway of Lorikeet Grove
- 2.5m Shared Pathway shared pedestrian/cycleway path to connect to adjoining developments
- 6 Landscape Batter
 max. 1:5 landscaped batter to interface with
 Lorikeet Grove
- Buffer Planting
 buffer landscape planting to Lorikeet Grove
 interface
- Stormwater Basin
 300mm deep stormwater infiltration basin with
 sedges & rushes suitable for periodic inundation
 - Creekline Corridor restoration of native vegetation corridor adjacent to Narrabeen Creek

Client: Archidrome



Revision: C - Design Amendments

Design Vision: Lorikeet Grove















Revision: C - Design Amendments

11.07.2022 Client: Archidrome

Sections CC: Creekline Corridor







KEY

- Adjoining Allotment
 adjoining allotment to south:
 Anglicare Warriewood Brook
- Narrabeen Creek
 Narrabeen Creek adjoining rear boundary
 of subject site
- Riparian Zone creekline bank rehabilitation, stabilisation and regrading as required, max. 1:3 grade


50m Public Creekline Corridor

bushland restoration of existing weed infested EEC Swamp Sclerophyll Forest on Coastal Floodplains

- Native Flora & Fauna Corridor
 bushland restoration of existing weed infested EEC
 Swamp Sclerophyll Forest on Coastal Floodplains
 - Landscape Edge shared pathway to be raised above existing ground levels to mitigate impact to existing retained trees
- 7 2

2.5m Shared Pathway

elevated shared pedestrian/cycleway path to connect to adjoining developments, above 20% AEP flood level - FRP / GRP surface material



vegetation transition/buffer to adjoining residential allotments

Client: Archidrome



Revision: C - Design Amendments

Date: 11.07.2022

Proposed Residential Development & Subdivision

Design Vision: Creekline Corridor











Client: Archidrome




Revision: C - Design Amendments

11.07.2022 Date:

Planting Scheme

The planting palette and species selection has been informed by the local context and landscape character of the Warriewood Valley including the Endangered Ecological Community (EEC) located on the site. Planting to the communal and open space areas is to consist of hardy, low-water use species requiring little maintenance. A focus on species with foliage and flower interest complimented by unique forms will ensure a high level of visual amenity is afforded to tall open space areas. Street trees and buffer planting along Warriewood Road and Lorikeet Grove is to provide a defined edge and transition to the built portion of the site and ensure provision of natural shade, softening of the streetscape and contribution to the canopy cover of the site. Planting for the creekline corridor is detailed within the attached planting plan, has been informed by the Biodiversity Management Plan prepared for the site and focuses on weed removal and establishment of species consistent with PCT 1795 - Coastal Flats Swamp Mahogany Forest which forms part of EEC: Swamp Sclerophyll Forest on Coastal Floodplains. Preparation of detailed planting plans for the upper portion of the site is to be completed as part of detailed design development.



*Note: Planting to subdivision allotments is indicative only. Detailed planting arrangments are to be submitted as part of future Deveopment Applications for each site



Revision: C - Design Amendments

Date: 11.07.2022

Proposed Residential Development & Subdivision 43, 45 & 49 Warriewood Road, Warriewood NSW

Planting: Creekline Corridor

Note: All planting and weed management practices within the Creekline Corridor are to be undertaken in accordance with therecommendations of the Biodiversity Management Plan (BMP) prepared by Cumberland Ecology dated 24 June 2021.

Planting Schedule: Creekline Corridor

Botanical Name	Common Name	Height	Spacing	Pot Size
Trees	<u> </u>	!	•	•
Allocasuarina torulosa	Rose She-Oak	8m	1/4m²	viro tube
Banksia integrifolia	Coast Banksia	8m	1/4m²	viro tube
Casuarina glauca	Swamp Oak	15m	1/4m²	viro tube
Elaeocarpus reticulatus	Blueberry Ash	8m	1/4m²	viro tube
Eucalyptus robusta	Swamp Mahogany	20m	1/4m²	viro tube
Eucalyptus botryoides	Bangalay	20m	1/4m²	viro tube
Eucalyptus piperita	Sydney Peppermint	20m	1/4m²	viro tube
Glochidion ferdinandi	Cheese Tree	10m	1/4m²	viro tube
Livistona australis	Cabbage Tree Palm	15m	1/4m²	viro tube
Melaleuca linariifolia	Snow-in-summer	8m	1/4m²	viro tube
Notelaea longifolia	Large Mock-olive	9m	1/4m²	viro tube
Pittosporum undulatum	Sweet Pittosporum	8m	1/4m²	viro tube
Shrubs & Perennials	·	•	•	•
Acacia longifolia	Sydney Golden Wattle	6m	4/m²	viro tube
Dodonaea triquetra	Large-leaf Hop Bush	3m	4/m²	viro tube
Eupomatia laurina	Bolwarra	4m	4/m²	viro tube
Hibiscus diversifolius	Swamp Hibiscus	2m	4/m²	viro tube
Homalanthus populifolius	Bleeding Heart	6m	4/m²	viro tube
Polyscias sambucifolia	Elderberry Ash	2m	4/m²	viro tube
Synoum glandulosum	Scentless Rosewood	5m	4/m²	viro tube
Grasses & Groundcovers	·	•		
Baumea juncea	Bare Twig-rsuh	1m	4/m²	viro tube
Blechnum camfieldii	Eared Swamp Fern	1m	4/m²	viro tube
Blechnum indicum	Swamp Water Fern	0.8m	4/m²	viro tube
Calochlaena dubia	Rainbow Fern	1.5m	4/m²	viro tube
Gahnia clarkei	Tall Saw Sedge	2m	4/m²	viro tube
Hibbertia scandens	Snake Vine	0.3m	4/m²	viro tube
Juncus usitatus	Common Rush	1m	4/m²	viro tube
Phragmites australis	Common Reed	2m	4/m²	viro tube
Pteridium esculentum	Bracken Fern	1m	4/m²	viro tube
Smilax glyciphylla	Sweet Sarsparilla	0.3m	4/m²	viro tube
Solanum americanum	Glossy Nightshade	1.5m	4/m²	viro tube
Viola hederaceae	Native Violet	1.2m	4/m²	viro tube

Planting Schedule: Stormwater Basin

Botanical Name	Common Name	Height	Spacing	Pot Size
Rushes & Sedges	•	<u> </u>	•	
Baumea juncea	Bare Twig-rsuh	1m	4/m²	viro tube
Bolboschoenus fluviatilis	Marsh Club-rush	1.5m	4/m²	viro tube
Eleocharis sphacelata	Tall Spike-rush	1.5m	4/m²	viro tube
Gahnia clarkei	Tall Saw Sedge	2m	4/m²	viro tube
Juncus usitatus	Common Rush	1m	4/m²	viro tube
Phragmites australis	Common Reed	2m	4/m²	viro tube
Typha orientalia	Broadleaf Cumbungi	2m	4/m²	viro tube

Key Plan (not to scale)







Proposed Residential Development & Subdivision 43, 45 & 49 Warriewood Road, Warriewood NSW

Revision: C - Design Amendments

Date: 11.07.2022

Planting: Landscape Batter, Drainage Swale & Streetscape

Planting Schedule: Landscape Batter

Botanical Name	Common Name	Height	Spacing	Pot Size
Trees	•		•	•
Eucalyptus botryoides	Bangalay	20m	10m	200mm
Eucalyptus resinifera	Red Mahogany	25m	10m	200mm
Melaleuca linariifolia	Snow-in-summer	10m	8m	200mm
Glochidion ferdinandi	Cheese Tree	10m	6m	200mm
Shrubs & Perennials	•	•	•	
Acacia irrorata	Green Wattle	6m	4m	140mm
Dodonaea triquetra	Large-leaf Hop Bush	3m	2m	140mm
Leptospermum polygalifolium subsp.	Tantoon	3m	4m	140mm
Melaleuca linariifolia 'Claret Tops'	Honey Myrtle	1.5m	2m	140mm
Polyscias sambucifolia	Elderberry Ash	2m	2m	140mm
Grasses		·		
Lomandra longifolia	Spiny-head Mat-rush	1m	2/m²	viro tube
Themeda triandra	Kangaroo Grass	1m	2/m²	viro tube

Planting Schedule: Drainage Swale


Botanical Name	Common Name	Height	Spacing	Pot Size
Rushes & Sedges	•			•
Baumea juncea	Bare Twig-rsuh	1m	4/m²	viro tube
Bolboschoenus fluviatilis	Marsh Club-rush	1.5m	4/m²	viro tube
Carex appressa	Tall Sedge	0.8m	4/m²	viro tube
Ficinia nodosa	Knobby Club-rush	1m	4/m²	viro tube
Juncus usitatus	Common Rush	1m	4/m²	viro tube
Leptocarpus tenax	Slender Twine-rush	1m	4/m²	viro tube

Planting Schedule: Streetscape

Botanical Name	Common Name	Height	Spacing	Pot Size
Street Trees		<u>'</u>	•	
Eucalyptus robusta	Swamp Mahogany	20m	As Shown	75L
Lophostemon confertus	Brush Box	15m	As Shown	75L
Tristaniopsis laurina	Water Gum	10m	As Shown	75L
Waterhousea floribunda	Weeping Lilly Pilly	20m	As Shown	75L
Turf		<u>.</u>		
Stenotaphrum 'Sapphire'	Sapphire Buffalo	-	-	-

Key Plan (not to scale)







Revision: C - Design Amendments 11.07.2022

Date:


Planting: Communal Open Space

Planting Schedule: Communal Open Space

Botanical Name	Common Name	Height	Spacing	Pot Size
Trees				
Angophora floribunda	Rough-barked Apple	15m	As Shown	100L
Banksia integrifolia	Cosat Banksia	8m	As Shown	75L
Cupaniopsis anacardioides	Tuckeroo	10m	As Shown	75L
Elaeocarpus reticulatus	Blueberry Ash	8m	As Shown	75L
Eucalyptus robusta	Swamp Mahogany	20m	As Shown	75L
Howea forsteriana	Kentia Palm	8m	As Shown	100L
Livistona australis	Cabbage Tree Palm	15m	As Shown	75L
Plumeria acutifolia	Frangipani	6m	As Shown	45L
Waterhousea floribunda 'Sweeper'	Weeping Lilly Pilly	8m	As Shown	75L
Shrubs & Perennials				
Acmena smithii 'Red Tips'	Lilly Pilly	3m	1.5m	200mm
Agave attenuata	Foxtail agave	1m	As Shown	200mm
Alcantarea imperialis	Bromeliad	1m	As Shown	300mm
Alpinia zerumbet	Shell Ginger	2m	2m	200mm
Anigozanthos 'Bush Ballad'	Kangaroo Paw	1m	500mm	200mm
Asplenium australasicum	Bird's Nest Fern	0.5m	2m	200mm
Callistemon viminalis 'Better John'	Bottlebrush	1.2m	500mm	200mm
Cordyline stricta	Slender Palm Lily	2m	1m	200mm
Crassula ovata 'Bluebird'	Crassula	1m	1m	200mm
Cycas revoluta	Sago Palm	1.5m	As Shown	45L
Doryanthes excelsa	Gymea Lily	1.5m	2m	300mm
Dracaena draco	Dragon Tree	5m	As Shown	45L
Echium X 'Cobolt Towers'	Echium	2m	1.5m	200mm
Furcraea foetida 'Mediopicta'	Mauritius Hemp	1.5m	As Shown	200mm
Philodendron 'Xanadu'	Philodendron	0.5m	1m	200mm
Phormium tenax	New Zealand Flax	1.5m	As Shown	200mm
Raphiolepis indica 'Snow Maiden'	Indian Hawthorn	1m	500mm	200mm
Rhapis excelsa	Lady Palm	3m	1.5m	300mm
Viburnum 'Emerald Lustre'	Viburnum	3m	800mm	200mm
Westringia fruticosa 'Wynyabbie Gem'	Coast Rosemary	1.5m	1m	200mm
Grasses & Groundcovers				
Alternanthera dentata 'Little Ruby'	Alternanthera	0.3m	2/m²	140mm
Casuarina glauca 'Cousin It'	Prostrate She-Oak	0.2m	2/m²	140mm
Dichondra repens	Kidneyweed	0.1m	4/m²	viro tube
Liriope muscari 'Evergreen Giant'	Liriope	0.5m	2/m²	140mm
Lomandra longifolia 'Tanika'	Mat Rush	0.5m	2/m²	140mm
Hibbertia scandens	Snake Vine	0.3m	1/m²	140mm
Trachelospermum jasminoides	Star Jasmine	0.3m	1/m²	140mm
Trachelospermum jasminoides 'Tricolor'	Tricolour Star Jasmine	0.3m	1/m²	140mm
Grevillea 'Poorinda Royal Mantle'	Grevillea	0.2m	1/m²	140mm
Viola hederaceae	Native Violet	0.2m	4/m²	viro tube
Senecio mandraliscae 'Blue Chalksticks'	Blue Chalksticks	0.3m	2/m²	140mm
Turf				

Key Plan (not to scale)








Revision: C - Design Amendments


Planting: Private Open Space & Subdivision Allotments

Planting Schedule: Private Open Space & Subdivision Allotments

Botanical Name	Common Name	Height	Spacing	Pot Size
Trees		'	•	•
Angophora costata	Sydney Red Gum	20m	As Shown	75L
Angophora floribunda	Rough-barked Apple	15m	As Shown	75L
Buckinghamia celsissima	Ivory Curl Tree	8m	As Shown	75L
Cupaniopsis anacardioides	Tuckeroo	10m	As Shown	75L
Eucalyptus punctata	Grey Gum	20m	As Shown	75L
Eucalyptus robusta	Swamp Mahogany	20m	As Shown	75L
Hymenosporum flavum	Native Frangipani	10m	As Shown	75L
Stenocarpus sinuatus	Firewheel Tree	15m	As Shown	75L
Tristaniopsis laurina	Water Gum	10m	As Shown	75L
Waterhousea floribunda 'Sweeper'	Weeping Lilly Pilly	8m	As Shown	75L
Xanthostemon chrysanthus	Golden Penda	10m	As Shown	75L
Shrubs & Perennials				
Acmena smithii 'Sublime'	Lilly Pilly	4m	1.2m	300mm
Agave attenuata	Foxtail agave	1m	As Shown	200mm
Crinum pedunculatum	Swamp Lily	1m	1m	200mm
Dodonaea viscosa	Sticky Hop Bush	2m	1.5m	200mm
Magnolia grandiflora 'Teddy Bear'	Magnolia	4m	1.5m	300mm
Murraya paniculata	Orange Jessamine	4m	1.5mm	200mm
Phormium tenax	New Zealand Flax	1.5m	As Shown	200mm
Raphiolepis indica 'Oriental Pearl'	Indian Hawthorn	1m	1.2m	200mm
Syzygium australe 'Resilience'	Brush Cherry	4m	1.2m	300mm
Zamia furfuracea	Cardboard Cycad	1m	1m	200mm
Grasses & Groundcovers	·	<u>.</u>		
Carpobrotus glaucescens	Pigface	0.3m	1/m²	140mm
Dietes bicolor	Bicolor Iris	1m	2/m²	140mm
Dichondra repens	Kidneyweed	0.1m	4/m²	viro tube
Grevillea 'Bronze Rambler'	Grevillea	0.3m	2/m²	140mm
Liriope muscari 'Evergreen Giant'	Liriope	0.5m	2/m²	140mm
Myoporum parvifolium	Boobialla	0.1m	1/m²	140mm
Turf	•	•		
Stenotaphrum 'Sapphire'	Sapphire Buffalo	-	-	-
	•	•	1	•












Revision: C - Design Amendments


Typical Construction Details







SCALE 1:10 @ A1








STAIR DETAIL SCALE 1:20 @ A1



CONCRETE PATHWAY DETAIL

SCALE 1:20 @ A1





SCALE 1:20 @ A1



Revision: C - Design Amendments

11.07.2022 Date:

General Specifications

Preliminary Specification

BEFORE LANDSCAPE WORK IS COMMENCED THE LANDSCAPE CONTRACTOR IS TO ESTABLISH THE POSITION OF ALL SERVICE LIDS, VENTS AND HYDRANTS SHALL BE LEFT EXPOSED AND NOT COVERED BY ANY LANDSCAPE FINISHES (TURFING, PAVING, GARDEN BEDS ETC.) FINISH ADJOINING SURFACES FLUSH WITH PIT LIDS.

ARBORIST MANAGEMENT OF TREE PROTECTION

AN ARBORIST WITH MINIMUM AQF5 QUALIFICATIONS IS TO BE CONTRACTED TO UNDERTAKE OR MANAGE THE INSTALLATION OF PROTECTIVE FENCING AND TO UNDERTAKE OR MANAGEMENT AND REVIEW OF THE TREES.

PODIUM PLANTING

ENSURE AN ADEQUATE WATERPROOFING MEMBRANE TO ENGINEER'S DETAIL TO HAS BEEN APPLIED ALL PODIUM PLANTERS ON SITE. FOLLOWING APPLICATION OF THE MEMBRANE, CORFLUTE SHEETING IS TO BE APPLIED TO THE BOTTOM AND SIDES OF ALL PLANTERS TO PREVENT FUTURE RUPTURING. PODIUM PLANTERS ARE TO THEN INCLUDE AN APPROVED 'DRAINAGE CELL' PRODUCT TO COMPREHENSIVELY COVER THE BOTTOM OF THE STRUCTURE. OVER THE DRAINAGE CELL, A GEOTEXTILE LINING IS TO BE INSTALLED, TURNED UP 300MM AND TAPED TO THE PLANTER SIDES TO ENSURE SOIL MIX DOES NOT ESCAPE INTO DRAINAGE OUTLETS/HOLES, INSTALL MIN, 50MM COARSE RIVER SAND OVER ALL GEOTEXTILE LINING PRIOR TO INSTALLATION OF A SUITABLE PLANTER SOIL MIX. **RETAINING WALLS**

RETAINING WALLS AND ASSOCIATED DRAINAGE MATERIAL IS TO BE CONSTRUCTED TO THE STRUCTURAL ENGINEER'S DETAIL.

EXISTING SUB-GRADE IN PLANTING AREAS

TEST SUBSOIL DRAINAGE TO ALL TREE PLANTING POSITIONS AND PLANTING AREAS. IF NECESSARY EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE MATERIAL TO A PERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE MATERIAL TO A PERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH IMPERMEABLE SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH SUB-GRADE DEPTH. REMOVE EXCAVATE UNDER TREE PLANTING POSITION DOWN THROUGH SUB-GRADE DEPTH. PREVENT SUBSIDENCE.

FINISHED LEVELS AND GRADES

CONSTRUCT FINISHED GRADES TO THE FINISHED I EVELS SHOWN ON THE CIVIL DRAWINGS. ENSURE POSITIVE DRAINAGE AWAY FROM BUILDINGS. PLANTED AREAS AND PATHWAYS ARE TO DRAIN TO SPECIFIED DRAINAGE AWAY FROM BUILDINGS. FINISHED I EVELS SHOWN ON THE CIVIL DRAWINGS. ENSURE POSITIVE DRAINAGE AWAY FROM BUILDINGS. FINISHED I EVELS SHOWN ON THE CIVIL DRAWINGS. ENSURE POSITIVE DRAINAGE AWAY FROM BUILDINGS. FINISHED AREAS.

INSTALL METAL GRATE, PVC BODY DRAINAGE PITS AS INDICATED ON THE HYDRAULIC ENGINEER'S DRAWINGS. CONNECT PITS TO STORMWATER SYSTEM - BY PLUMBER.

DRAINAGE PITS

PAVEMENT SETOUT AS PER SETOUT PLAN. FINISHED LEVELS, MATERIALS AND PAVING INSTALLATION TO ARCHITECT'S SPECIFICATION. SOIL

CULTIVATE ALL PLANTING AREAS AND SET DOWN SUB-GRADE TO ACCOMMODATE IMPORTED TOPSOIL TO BE INSTALLED TO A MINIMUM 300MM DEPTH. IF DEEMED SUITABLE BY THE LANDSCAPE ARCHITECT, IMPROVED SITE SOIL MAY BE USED IN PLACE OF IMPORTED TOPSOIL PENDING COMPLIANCE WITH THE PROVISIONS OUTLINED IN AS4419.

MULCH APPLY APPROVED ORGANIC MULCH (ANL 'FOREST FINES' OR SIMILAR) TO A DEPTH OF 75MM TO ALL PLANTED AREAS. ENSURE CLEARANCE TO PLANT STEMS AND RAKE TO AN EVEN SURFACE FINISHING 25MM BELOW ADJOINING LEVELS. ENSURE MULCH IS WATERED IN DURING INSTALLATION.

FERTILISER:

FOR GENERAL PLANTED AREAS; APPLY APPROVED FERTILISER INTENDED FOR SLOW RELEASE OF PLANT NUTRIENTS OVER A PERIOD OF APPROXIMATELY NINE (9) MONTHS. THOROUGHLY MIX FERTILISER WITH PLANTING MIXTURE AT THE RECOMMENDED RATE AND IN ACCORDANCE WITH RECOGNISED HORTICULTURAL PRACTICE PRIOR TO INSTALLING PLANTS. FOR LAWN AREAS; APPROVED 'LAWN FOOD' OR EQUIVALENT SHALL BE THOROUGHLY MIXED THROUGH TOPSOIL PRIOR TO PLACING TURE, FOR ESTABLISHED TREE PLANTING: 'AGRIFORM PLANTING TABLETS' OR EQUIVALENT ARE TO BE APPLIED AT THE RECOMMENDED RATE WITHIN THE PLANTING MEDIUM ADJACENT TO THE BASE OF THE ROOT BALL AT TIME OF PLANTING. **PLANT MATERIAL**

ALL PLANTS SUPPLIED ARE TO CONFORM WITH THOSE SPECIES LISTED IN THE PLANT SCHEDULE ON THE LANDSCAPE DRAWINGS. GENERALLY PLANTS SHALL BE; VIGOROUS, WELL ESTABLISHED, HARDENED OFF, OF GOOD FORM CONSISTENT WITH SPECIES OR VARIETY, NOT SOFT OR FORCED, FREE FROM DISEASE OR PESTS, HAVE LARGE HEALTHY ROOT SYSTEMS AND NO EVIDENCE OF HAVING BEEN AND SOFT OR FORCED. RESTRICTED OR DAMAGED. TREES SHALL HAVE A LEADING SHOOT. IMMEDIATELY REJECT DRIED OUT, DAMAGED OR UNHEALTHY PLANT MATERIAL BEFORE PLANTING. ALL STOCK IS TO BE CONTAINER GROWN FOR A MINIMUM OF SIX (6) MONTHS PRIOR TO DELIVERY TO SITE

STAKING AND TYING STAKES SHALL BE STRAIGHT, UNPAINTED HARDWOOD FREE FROM KNOTS AND TWISTS, POINTED AT ONE END AND SIZED ACCORDING TO SIZE OF PLANTS TO BE STAKED.

A. 5-15 LIRTE SIZE PLANT: 1 x (1200x25x25)

B. 35-75 LIRTE SIZE PLANT: 2 x (1500x38x38)

C. 100-≥200 LIRTE SIZE PLANT: 3 x (1800x50x50)

TIES SHALL BE 50MM WIDE HESSIAN WEBBING OR APPROVED EQUIVALENT NAILED OR STAPLED TO STAKE. DRIVE STAKES A MINIMUM ONE THIRD OF THEIR LENGTH (AVOIDING DAMAGE TO THE ROOT SYSTEM) ON THE WINDWARD SIDE OF THE PLANT.

TURF

AREA AND CULTIVATE SO AS TO ALLOW FOR IMPORTING OF 100MM OF TURF UNDERLAY SOIL. REMOVE ALL STONES OVER 20MM Ø AS WELL AS ALL WEEDS AND FOREIGN MATTER. SPREAD TURF UNDERLAY SOIL TO A DEPTH OF 100MM AND GRADE TO HAVE MINIMUM 1:50. CROSSFALL TO ENSURE MINIMUM DRAINAGE REQUIREMENTS. TURF IS TO BE LAID ALONG RESOLVED LAND CONTOURS WITH STAGGERED, CLOSE BUTTED, JOINTS SO THAT THE FINISHED TURF SURFACES OF PAVING AND THE LIKE. AS SOON AS PRACTICABLE AFTER LAYING, ROLL THE TURF WITH A ROLLER WEIGHING NOT MORE THAN 90KG PER METRE OF WIDTH. WATER AS NECESSARY TO KEEP THE SOIL MOIST TO A DEPTH OF 100MM. PROTECT NEWLY TURFED AREAS AGAINST TRAFFIC UNTIL GRASS IS ESTABLISHED. TWO (2) WEEKS AFTER INSTALLATION, APPLY APPROVED ORGANIC TOP DRESSING WELL INTO THE JOINTS AND CORRECT ANY UNEVENNESS IN THE TURF SURFACES.

TREATED PINE TIMBER EDGING

TIMBER EDGE: 100 X 25MM H4 TREATED PINE.

TIMBER STAKES: 50 X 50 X 500MM H4 TREATED PINE-SHARPENED AT ONE END.

INSTALL IN LOCATIONS SHOWN ON THE DRAWINGS FLUSH TO FINISHED SURFACE LEVELS.

TREES TO BE RETAINED

MARK TREES AND SHRUBS TO BE RETAINED WITH SUITABLE NON-INJURIOUS, EASILY VISIBLE AND REMOVABLE MEANS OF IDENTIFICATION CONSISTENT WITH THE TREE NUMBERING SYSTEM INDICATED ON THE LANDSCAPE DRAWINGS.

Landscape Maintenance Program

THE LANDSCAPE MAINTENANCE CONTRACTOR SHALL MAINTAIN THE LANDSCAPE WORKS FOR THE TERM OF THE MAINTENANCE (OR PLANT ESTABLISHMENT) PERIOD TO THE SATISFACTION OF THE COUNCIL. THE LANDSCAPE MAINTENANCE CONTRACTOR SHALL ATTEND TO THE SATISFACTION OF THE MAINTENANCE (OR PLANT ESTABLISHMENT) PERIOD TO THE SATISFACTION OF THE COUNCIL. THE LANDSCAPE MAINTENANCE CONTRACTOR SHALL ATTEND TO THE MAINTENANCE (OR PLANT ESTABLISHMENT) PERIOD TO THE MAINTENANCE (OR PLANT ESTABLISHMENT) PERIOD TO THE MAINTENANCE AT PRACTICAL COMPLETION AND CONTINUE FOR A PERIOD OF TWENTY SIX (26) WEEKS.

GRASS, TREES AND GARDEN AREAS SHALL BE WATERED REGULARLY SO AS TO ENSURE CONTINUOUS HEALTHY GROWTH.

RUBBISH REMOVAL

DURING THE TERM OF THE MAINTENANCE PERIOD THE LANDSCAPE MAINTENANCE CONTRACTOR SHALL REMOVE RUBBISH THAT MAY OCCUR AND REOCCUR THROUGHOUT THE MAINTENANCE PERIOD. THIS WORK SHALL BE CARRIED OUT REGULARLY SO THAT AT FORTNIGHTLY INTERVALS THE AREA MAY BE OBSERVED IN A COMPLETELY CLEAN AND TIDY CONDITION.

REPLACEMENTS

THE LANDSCAPE MAINTENANCE CONTRACTOR SHALL REPLACE ALL PLANTS THAT ARE MISSING, UNHEALTHY OR DEAD AT THE LANDSCAPE MAINTENANCE CONTRACTOR'S COST. REPLACEMENTS SHALL BE MADE ON A CONTINUING BASIS, NOT EXCEEDING TWO (2) WEEKS AFTER THE PLANT HAS DIED OR IS SEEN TO BE MISSING, UNTIL THE END OF THE MAINTENANCE PERIOD.

STAKES AND TIES

THE LANDSCAPE MAINTENANCE CONTRACTOR SHALL REPLACE OR ADJUST PLANT STAKES. AND TREE GUARDS AS NECESSARY OR AS DIRECTED BY THE LANDSCAPE ARCHITECT. REMOVE STAKES AND TIES AT THE END OF THE MAINTENANCE PERIOD IF SO DIRECTED.

MULCHED SURFACES

TREES AND SHRUBS SHALL BE PRUNED AS DIRECTED BY THE LANDSCAPE ARCHITECT AND PROJECT ARBORIST. PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED BY THE LANDSCAPE ARCHITECT AND PROJECT ARBORIST. PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED BY THE LANDSCAPE ARCHITECT AND PROJECT ARBORIST. PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR MISCELLANEOUS PRUNING WILL BE DIRECTED AT THE MAINTENANCE OF THE DENSE FOLIAGE OR WILL BE DIRECTED AT THE MAINTENANCE OR WILL BE DIRECTED AT THE MAINTE

ALL MULCHED SURFACES SHALL BE MAINTAINED IN A CLEAN AND TIDY CONDITION AND BE REINSTATED IF NECESSARY TO ENSURE THAT A DEPTH OF 75MM IS MAINTAINED. ENSURE MULCH IS KEPT CLEAR OF PLANT STEMS AT ALL TIMES. PEST AND DISEASE CONTROL

THE LANDSCAPE MAINTENANCE CONTRACTOR SHALL SPRAY AGAINST INSECT AND FUNGUS INFESTATION WITH ALL SPRAYING TO BE CARRIED OUT IN ACCORDANCE WITH THE MANUFACTURER'S DIRECTIONS. REPORT ALL INSTANCES OF PESTS AND DISEASES (IMMEDIATELY AS THEY ARE DETECTED) TO THE LANDSCAPE ARCHITECT. **GRASS AND TURF AREAS**

THE LANDSCAPE MAINTENANCE CONTRACTOR SHALL MAINTAIN ALL GRASS AND TURF AREAS BY WATERING, WEEDING, DRESSING, ROLLING, MOWING, TRIMMING OR OTHER OPERATIONS AS NECESSARY. SEED AND TURF AREAS BY WATERING, WEEDING, DRESSING, ROLLING, MOWING, TRIMMING OR OTHER OPERATIONS AS NECESSARY. SEED AND TURF AREAS BY WATERING, WEEDING, DRESSING, ROLLING, MOWING, TRIMMING OR OTHER OPERATIONS AS NECESSARY. SEED AND TURF AREAS BY WATERING, WEEDING, DRESSING, ROLLING, MOWING, TRIMMING OR OTHER OPERATIONS AS NECESSARY. SEED AND TURF AREAS BY WATERING, WEEDING, DRESSING, ROLLING, MOWING, TRIMMING OR OTHER OPERATIONS AS NECESSARY. SEED AND TURF AREAS BY WATERING, WEEDING, DRESSING, ROLLING, MOWING, TRIMMING OR OTHER OPERATIONS AS NECESSARY. SEED AND TURF AREAS BY WATERING, WEEDING, DRESSING, ROLLING, WEEDING, WEED WEEDS AS REQUIRED BY THE LANDSCAPE ARCHITECT AND IN ACCORDANCE WITH THE MANUFACTURER'S DIRECTIONS. GRASS AND TURF SHALL BE FERTILISER SHALL BE WATERED IN IMMEDIATELY AFTER APPLICATION. IRREGULARITIES IN THE GRASS AND TURF SHALL BE WATERED IN IMMEDIATELY AFTER APPLICATION. GRASS AND TURF AREAS SHALL BE KEPT MOWN TO MAINTAIN A HEALTHY AND VIGOROUS SWARD. MOWING HEIGHT: 30-50MM.

WEED ERADICATION


ERADICATE WEEDS BY ENVIRONMENTALLY ACCEPTABLE METHODS USING A NON-RESIDUAL GLYPHOSATE HERBICIDE (EG. 'ROUNDUP') IN ANY OF ITS REGISTERED FORMULAE, AT THE RECOMMENDED MAXIMUM RATE. REGULARLY REMOVE WEED GROWTH FROM AN AREA 750MM DIAMETER AROUND THE BASE OF TREES IN GRASSED AREAS. CONTINUE ERADICATION THROUGHOUT THE COURSE OF THE WORKS AND DURING THE MAINTENANCE PERIOD.

SOIL SUBSIDENCE ANY SOIL SUBSIDENCE OR EROSION WHICH MAY OCCUR AFTER THE SOIL FILLING AND PREPARATION OPERATIONS SHALL BE MADE GOOD BY THE LANDSCAPE CONTRACTOR AT NO COST TO THE CLIENT.



Revision: C - Design Amendments

11.07.2022 Date: **Client:** Archidrome 20



CREATIVEPLANNINGSOLUTIONS CPSPLANNING.COM.AU

PO BOX 1074 BROADWAY NSW 2007 TEL: + (61) 2 8039 7461 INFO@CPSPLANNING.COM.AU

relating to and nominated as specialist and consultant work. Specialist and consultant drawing information contained in the landscape documents are indicative only and not for construction or certification purposes

В	СА	UPDATED FOR APRVAL	TP	GT	11.		
Α	СА	FOR APPROVAL	TP	GT	20.		
PRE - Preliminary CA - Council Approval T - Tender CON - Constr							

43, 45 & 49 WARRIEWOOD RD WARRIEWOOD

1:200 @ A1 / 1:400 @ A3 SHEET NUMBER

REVISION D221_DA_01

