
DEVELOPMENT PROPOSAL

ADDRESS: 2 MONTAGUE STREET, NORTH MANLY, NSW. 2100. WORK: ADDITIONS & ALTERNATIONS TO EXISTING DWELLING. PROPOSED WORKS: SECOND STOREY ADDTION WITH ROOF OVER. DP: 9853 LOT: 51.



ABOVE: LOOKING EAST AT THE PROPOSED REAR EXTENSION






ABOVE: ABOVE VIEW OF PROPOSED ROOF

GENERAL NOTES



ABOVE: LOOKING EAST AT THE EXISTING REAR OF THE DWELLING TO ME MODIFIED



THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION, THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE, ALL DRAWINGS, PLANS, SKETCHES ETC., ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE DRAWING, FLANS, AND SPECIFICATIONS AND SPECI

ц Ч



Building Sustainability Index www.basix.nsw.gov.au

Alterations and Additions

Certificate number: A360608 02

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary Date of issue: Monday, 27, July 2020 To be valid, this certificate must be lodged within 3 months of the date of issue



Project name	2 Montague_02
Street address	2 montague Street NORTH MANLY 2100
Local Government Area	Northern Beaches Council
Plan type and number	Deposited Plan 9853
Lot number	51
Section number	
Project type	
Dwelling type	Separate dwelling house
Type of alteration and addition	My renovation work is valued at \$50,000 or more and does not include a pool (and/or spa).

ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

General Notes

0	Certificate Prepared by (please complete before submitting to Council or PCA)
N	lame / Company Name: tim woods
A	BN (if applicable): N/A


LOCATION

2 MONTAGUE STREET, NORTH MANLY **NSW 2100**




DISCLAIMER: DESIGN BY OWNER, DRAFTING SERVICE BY DRAFTING HELP PTY LTD. THE OWNER IS RESPONSIBLE FOR THE DESIGN OF THIS PROJECT. DH ACCEPTS NO RESPONSIBILITY FOR THE DESIGN AND WAS ENGAGED AS A DRAFTING ONLY SERVICE UNDER THE OWNERS INSTRUCTION.








Project Name and Address **STEVE & LARELLE** RICHARDSON 2 MONTAGUE STREET NORTH MANLY 2100 NSW




USER







EXISTING FLOOR AREA = 136.67MSQ.







GENERAL NOTES •BUILDER TO CONFIRM ALL LEVELS AND DIMENSIONS ON SITE BEFORE WORK BEGINS •ALL WORK TO BE IN ACCORDANCE WITH LOCAL AUTHORITIES REQUIREMENTS AND B.C.A. REQUIREMENTS. 10 0 0 2.5 •CONNECT DP'S TO EXISTING STORMWATER SYSTEM. ALL STRUCTURAL DETAILS TO ENGINEERS SPECIFICATIONS 1:200 1:100


NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.







E-3


MAYN	DRAWINGS ARE SUBJECT IOT BE COPIED, USED OR R	EPRODUCED IN	4ND ANY			
[DRAF INDIC AND A DESIG NOT I PURPO		DNS AND AREAS IPPROXIMATE OF DNFIRMATION. 1 APPROVALS AND CONSTRUCTION	THE D IS			
	IONS AND RATIONS	Sheet	•			
	DP No. 9853					
LOT	_{No.} 51					
No.	Revision/Is	sue	Date			
Architectural Drafting & DEBIGN SERVICES 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474						
Project Name and Address STEVE & LARELLE RICHARDSON 2 MONTAGUE ST NORTH MANLY 2100 NSW						














ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS LEGEND: PROPOSED WORK General Notes THESE DRAWINGS ARE SUBJECT TO COPYRIGHT AND MAY NOT BE COPIED, USED OR REPRODUCED IN ANY WAY WITHOUT THE EXPRESS PREMISSION OF [DRAFTING HELP]. ALL DIMENSIONS AND AREAS INDICATED ON DRAWINGS ARE APPROXIMATE ONLY AND ARE SUBJECT TO SURVEY COMFIRMATION. THE DESIGN IS SUBJECT AUTHORY PAPROVALS AND IS NOT INTENDED TO BE USED FOR CONSTRUCTION PURPOPES. Sheet Project ADDITONS AND ALTERATIONS Date 4 23/09/2019 Scale 1:100 DP No. 9853 LOT No. 51 No. Revision/Issue Date 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Address STEVE & LARELLE RICHARDSON 2 MONTAGUE ST NORTH MANLY 2100 NSW








REVDATE

USER

DEVELOPMENT	AL DRAFTING ISATION
MANAGE COUNCIL COMP	MENT
LEGEND:	
PROPOSED WORK	
General I	Notes
THESE DRAWINGS ARE SUBJEC MAY NOT BE COPIED, USED OR WAY WITHOUT THE EXPRESS P	R REPRODUCED IN ANY PERMISSION OF
MAY NOT BE COPIED, USED OR WAY WITHOUT THE EXPRESS P [DRAFTING HELP]. ALL DIMENS INDICATED ON DRAWINGS AR AND ARE SUBJECT TO SURVEY	R REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE
MAY NOT BE COPIED, USED OR WAY WITHOUT THE EXPRESS P [DRAFTING HELP]. ALL DIMENS INDICATED ON DRAWINGS ARE	R REPRODUCED IN ANY IERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE TY APPROVALS AND IS
MAY NOT BE COPIED, USED OR WAY WITHOUT THE EXPRESS [DRAFTING HELP], ALL DIMENS INDICATED ON DRAWINGS AR AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTHORIT NOT INTENDED TO BE USED FO PURPOSES. Project ADDITONS AND	R REPRODUCED IN ANY IERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE TY APPROVALS AND IS
MAY NOT BE COPIED, USED OR WAY WITHOUT THE EXPRESS (DRAFTING HELP]. ALL DIMMON INDICATE ON DRAWINGS AR AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTHORIT NOT INTENDED TO BE USED FO PURPOSES. Project ADDITONS AND ALTERATIONS Date	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT THE EXPRESS (DRAFTING HELP]. ALL DIMMON INDICATE ON DRAWINGS AR AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTHORIT NOT INTENDED TO BE USED FO PURPOSES. Project ADDITONS AND ALTERATIONS Date	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT THE EXPRESS [DRAFTING HELP]. ALL DIMMON INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTHORIT NOT INTENDED TO BE USED FO PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS [DRAFTING HELP], ALL DIMENE INDICATE DO NORAWINGS AR AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTHORIT NOT INTENDED TO BE USED P PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT THE EXPRESS (DRAFTING HELP], ALL DIMENE INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NOT NOT INTENDED TO BE USED FC PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No.	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMENS INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NOT NOT INTENDED TO BE USED RC PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No. 98553	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMENS INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NOT NOT INTENDED TO BE USED RC PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No. 98553	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMENS INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NOT NOT INTENDED TO BE USED RC PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No. 98553	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMENS INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NOT NOT INTENDED TO BE USED RC PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No. 98553	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMENS INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NOT NOT INTENDED TO BE USED RC PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No. 98553	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS E APPROXIMATE ONLY CONFIRMATION. THE Y APPROVALS AND IS DR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMENS INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NOT NOT INTENDED TO BE USED RC PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No. 98553	REPRODUCED IN ANY EXEMISSION OF SIONS AND AREAS = APPROXIMATION. THE CONFIRMATION. THE Y APPROVAL AND IS SR CONSTRUCTION
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMENE INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTIONTI NOT INTENDED TO BE USED R PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No. 9853 LOT No. 51	REPRODUCED IN ANY EXEMISSION OF SIONS AND AREAS = APPROXIMATION. THE CONFIRMATION. THE Y APPROVAL AND IS SR CONSTRUCTION Sheet 50 50 50 50 50 50 50 50 50 50 50 50 50
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMMON TINDICATE ON DRAWINGS AR AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATTONIT NOT INTENDED TO BE USED FO PURPOSES. Project ADDITONS AND ALTERATIONS ALTERATION ALTERATIONS ALTERATIO	IREPRODUCED IN ANY ERMISSION OF SIONS AND AREAS = APPROXIMATION. THE CONFIRMATION. THE TAPPROXIMATION. THE TAPPROVALANT AND IS SR CONSTRUCTION Sheet 57 58 59 59 50 50 50 50 50 50 50 50 50 50 50 50 50
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMMON INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTHORIT NOT INTENDED TO BE USED FO PURPOSES. Project ADDITONS AND ALTERATIONS Date 2309/2019 Scale 1:100 DP NO. 98533 LOT NO. 51 NO. Revision/ NO. Revision/ NO. Revision/	IREPRODUCED IN ANY EXEMISSION OF SIONS AND AREAS = APPROXIMATION. THE CONFIRMATION. THE YAPPROVALS AND IS DR CONSTRUCTION Sheet 500 CONSTRUCTION Sheet 500 CONSTRUCTION Sheet 500 CONSTRUCTION Sheet 500 CONSTRUCTION Sheet 500 CONSTRUCTION 500 CON
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMMON INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NOT NOT INTENDED TO BE USED FO PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP No. 9853 LOT No. 51 No. Revision No. Revision No. Revision	IREPRODUCED IN ANY ERMISSION OF SIONS AND AREAS = APPROXIMATION. THE CONFIRMATION. THE CONFIRMATION. THE TAPPROVING AND IS SR CONSTRUCTION Sheet 50 CONSTRUCTION Sheet 50 CONSTRUCTION Sheet 50 CONSTRUCTION 50 CONSTRUCTION 5
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS IDRAFTING HELP]. ALL DIMME INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTORITINOT INTENDED TO BE USED R PURPOSES. Project ADDITONS AND ALTERATIONS Date 23/09/2019 Scale 1:100 DP NO. 98533 LOT NO. 51 NO. REVISION NO. REVISION S/47/O Sy Balgowilah www.draflingth	REPRODUCED IN ANY ERMISSION OF SIONS AND AREAS = APPROXIMATION. THE CONFIRMATION. THE CONFIRMATION. THE SPR CONSTRUCTION Sheet 59 CONSTRUCTION Sheet 59 CONSTRUCTION 50 CONSTR
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS (DRAFTING HELP], ALL DIMMON INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT AUTOMITIN OT INTENDED TO BE USED FO PURPOSES. POSED TO BE USED FO PURPOSES. Date 2309/2019 Scale 1:100 DP NO. 9853 LOT NO. 51 NO. REVISION NO. REVISION SCATO SY Balgowlah WWW. draftingt 02 877 Project Name and Addr STEVE & L RICHAR	IREPRODUCED IN ANY EXEMISSION OF SIONS AND AREAS = APPROXIMATION. THE CONFIRMATION. THE CONFIRMATION. THE SPR CONSTRUCTION Sheet 597 CONSTRUCTION Sheet 597 CONSTRUCTION Sheet 597 CONSTRUCTION Sheet 597 CONSTRUCTION Sheet 597 CONSTRUCTION 597 CO
MAY NOT BE COPIED, USED OR WAY WITHOUT HE EXPRESS [DRAFTING HELP], ALL DIMMON INDICATE ON DRAWINGS ARE AND ARE SUBJECT TO SURVEY DESIGN IS SUBJECT ATT-NORT NOT INTENDED TO BE USED FO PURPOSES. Project AND SCALE DP NO. 9853 LOT NO. 51 NO. REVISION NO. REVISION NO. REVISION Salgowiah WWW.draftingt O2 877 Project Name and Addre STEVE & L	IREPRODUCED IN ANY EXEMISSION OF SIONS AND AREAS = APPROXIMATION. THE CONFIRMATION. THE CONFIRMATION. THE SPR CONSTRUCTION Sheet 597 CONSTRUCTION Sheet 597 CONSTRUCTION Sheet 597 CONSTRUCTION Sheet 597 CONSTRUCTION Sheet 597 CONSTRUCTION 597 CO



NOTE:

VDATF

Ч









USER

Б









/DAT

Ч

USER



USER







JSER

	200
50	200
50	1510

	3D VISUA ELOPMENT MANAG	APPLICAT	ION
LEG			
PRO WOF	POSED RK		
	Genera	l Notes	
MAY NOT I WAY WITH [DRAFTING	BE COPIED, USED (IOUT THE EXPRESS G HELP]. ALL DIME	NSIONS AND AREAS	ANY
MAY NOT I WAY WITH [DRAFTING INDICATES AND ARE S DESIGN IS	BE COPIED, USED (IOUT THE EXPRESS 5 HELP]. ALL DIME 5 ON DRAWINGS A 5UBJECT TO SURVE 5 SUBJECT AUTHOR NDED TO BE USED	OR REPRODUCED IN PERMISSION OF	ANY NLY THE D IS
MAY NOT I WAY WITH [DRAFTING INDICATE! AND ARE S DESIGN IS NOT INTE! PURPOSES Project ADDITONS	BE COPIED, USED (IOUT THE EXPRESS 5 HELP]. ALL DIME 0 ON DRAWINGS A SUBJECT TO SURVE 5 SUBJECT AUTHOR NOED TO BE USED 5 S AND	OR REPRODUCED IN FERMISSION OF NSIONS AND AREAS RE APPROXIMATE O TY CONFIRMATION.	ANY NLY THE D IS
MAY NOT I WAY WITH [DRAFTINI INDICATE! AND ARE 3 DESIGN IS NOT INTE! PURPOSES	BE COPIED, USED (IOUT THE EXPRESS 5 HELP]. ALL DIME D ON DRAWINGS A SUBJECT TO SURVE S SUBJECT AUTHOR NOED TO BE USED S AND	DR REPRODUCED IN PERNISSION OF NSIONS AND AREAS RE APPROXIMATE O CONFIRMATION. ITY APPROVALS AN FOR CONSTRUCTIO	ANY NLY THE D IS
MAY NOT I WAY WITH [DRAFTING INDICATE] AND ARE S DESIGN IS NOT INTE PURPOSES Project ADDITONS ALTERAT Date	BE COPIED, USED (IOUT THE EXPRESS 5 HELP]. ALL DIME D ON DRAWINGS A SUBJECT TO SURVE S SUBJECT AUTHOR NOED TO BE USED S AND	DR REPRODUCED IN PERNISSION OF NSIONS AND AREAS RE APPROXIMATE O CONFIRMATION. ITY APPROVALS AN FOR CONSTRUCTIO	ANY NLY THE D IS
MAY NOT. WAY WITH (DRAFTIN INDICATE! AND ARE 5 DESIGN 15 DESIGN 15 DESIGN 15 PURPOSES Project ADDITON: ALTERAT Date 23/09/2019 Scale	BE COPIED, USED (IOUT THE EXPRESS 5 HELP]. ALL DIME D ON DRAWINGS A SUBJECT TO SURVE S SUBJECT AUTHOR NOED TO BE USED S AND	DR REPRODUCED IN PERNISSION OF NSIONS AND AREAS RE APPROXIMATE O CONFIRMATION. ITY APPROVALS AN FOR CONSTRUCTIO	ANY NLY THE D IS
MAY NOT. WAY WITH IDRAFTINI INDICATEI AND ARES DESIGN IS DESIGN IS DESIGNI IS DESIGN I	BE COPIED, USED O'UNT THE EXPRESS S HELP), ALL DIME O NO RRAWINGS A SUBJECT TO SURVINE S UNDECT TO SURVINE S AND DIONS 9853	DR REPRODUCED IN PERNISSION OF NSIONS AND AREAS RE APPROXIMATE O CONFIRMATION. ITY APPROVALS AN FOR CONSTRUCTIO	ANY NLY THE D IS
MAY NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTE PURPOSES Project ADDITON: ALTERAT 23/09/2019 Scale 1:100	BE COPIED, USED O'UNT THE EXPRESS S HELP), ALL DIME O NO RRAWINGS A SUBJECT TO SURVINE S UNDECT TO SURVINE S AND DIONS 9853	DR REPRODUCED IN PERNISSION OF NSIONS AND AREAS RE APPROXIMATE O CONFIRMATION. ITY APPROVALS AN FOR CONSTRUCTIO	ANY NLY THE D IS
MAY NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTE PURPOSES Project ADDITON: ALTERAT 23/09/2019 Scale 1:100	BE COPIED, USED O'UNT THE EXPRESS S HELP), ALL DIME O NO RRAWINGS A SUBJECT TO SURVINE S UNDECT TO SURVINE S AND DIONS 9853	DR REPRODUCED IN PERNISSION OF NSIONS AND AREAS RE APPROXIMATE O CONFIRMATION. ITY APPROVALS AN FOR CONSTRUCTIO	ANY NLY THE D IS
MAY NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTE PURPOSES Project ADDITON: ALTERAT 23/09/2019 Scale 1:100	BE COPIED, USED O'UNT THE EXPRESS S HELP), ALL DIME O NO RRAWINGS A SUBJECT TO SURVINE S UNDECT TO SURVINE S AND DIONS 9853	DR REPRODUCED IN PERNISSION OF NSIONS AND AREAS RE APPROXIMATE O CONFIRMATION. ITY APPROVALS AN FOR CONSTRUCTIO	ANY NLY THE D IS
MAY NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTE PURPOSES Project ADDITON: ALTERAT 23/09/2019 Scale 1:100	BE COPIED, USED O'UNT THE EXPRESS S HELP), ALL DIME O NO RRAWINGS A SUBJECT TO SURVINE S UNDECT TO SURVINE S AND DIONS 9853	DR REPRODUCED IN PERNISSION OF NSIONS AND AREAS RE APPROXIMATE O CONFIRMATION. ITY APPROVALS AN FOR CONSTRUCTIO	ANY NLY THE D IS
MAY NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTE PURPOSES Project ADDITON: ALTERAT 23/09/2019 Scale 1:100	BE COPIED, USED O'UNT THE EXPRESS S HELP), ALL DIME O NO RRAWINGS A SUBJECT TO SURVINE S UNDECT TO SURVINE S AND DIONS 9853	R REPRODUCED IN PREMISSION OF INSIONS AND AREAS RE APPROXIMATE O Y CONFIRMATION FOR CONSTRUCTIO Sheet 1 1 1 1 1 1 1 1 1 1 1 1 1	
May NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTEL PURPOSES POINTON: ALTERAT 23/09/2019 Scale 1:100 DP No.	BE COPIED, USED O'UT THE EXPRESS S HELP), ALL DIME O NO RRAWINGS A SUBJECT AUTHOR VIDED TO BE USED S AND 9853 51	n/lssue	
May NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTEL PURPOSES Project ADDITON: ALTERAT Date 23/09/2019 Scale 1:100 DP No.	BE COPIED, USED O'UT THE EXPRESS 5 HELP; ALL DIME 5 ON DRAWINGS A SUBJECT AUTHOR SUBJECT AUTHOR NOT BE USED 5 AND 5 AND 5 AND 5 AND 5 AND 6 AND 6 AND 6 AND 6 AND 6 AND 6 AND 7 ALL DIME 7 ALL D	R REPRODUCED IN PREMISSION OF INSIONS AND AREAS RE APPROXIMATE O Y CONFIRMATION FOR CONSTRUCTIO Sheet 1 1 1 1 1 1 1 1 1 1 1 1 1	
May NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTEL PURPOSES Project ADDITON: ALTERAT Date 23/09/2019 Scale 1:100 DP No.	Balgowia Subject To Survey S MED, ALL DIVE S MED, ALL	n/Issue	
May NOT. May NOT. Way WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTEL PURPOSES POINTON: ALTERAT Date 23/09/2019 Scale 1:100 DP No. LOT No. No.	BE COPIED, USED O' OUT THE EXPRESS S HELP; ALL DIME S ON DRAWINGS A SUBJECT AUTHOR NOT TO SEUSED S AND S AN	n/Issue TING 4 DESIGN r/G3474	
May NOT. May NOT. WAY WITH (DRAFTIN INDICATE AND ARE 5 DESIGN 15 NOT INTEL PURPOSES POJECT 1:100 DP No. LOT No. No. Project 1 S	BE COPIED, USED O' OUT THE EXPRESS S HELP; ALL DIME S ON DRAWINGS A SUBJECT AUTHOR S AND DED TO BE USED S AND S A	n/Issue TING A DESIGN Transaction Transac	









JSER

): SED [General N	lotes	
	lotes	
General N	lotes	
ED, USED OR E EXPRESS PE ALL DIMENSI AWINGS ARE TO SURVEY (T AUTHORITY	REPRODUCED IN ERMISSION OF IONS AND AREAS APPROXIMATE O CONFIRMATION. Y APPROVALS ANI	ANY NLY THE D IS
9852		
1		
Revision"	Issue	Date
5/470 Sy algowlah 3 .draftingh 02 8770 and Addre /E & L CHAR	dney Rd 2093 NSW elp.com.au 63474 SSS ARELLE DSON	
	DUSED OR DUSED OR EXPRESS PALL DIMENS WINNES ARE AUTHORT BE USED FO DESCRIPTION DESCRIPT	1 9853




DEMOLITION PLAN

SCALE 1:100



THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

USER




LEGEND:

WORKS TO BE REMOVED

WINDOWS AND DOORS FOR BASIX

3600 , 3560 W1 AREA = 4.32MSQ. D1 AREA = 7.47MSQNORTH ELEVATION

WEST ELEVATION



Shading device


>=450 mm

external louvre/blind (adjustable)

external louvre/blind (adjustable)


eave/verandah/pergola/balcony

eave/verandah/pergola/balcony



S2AREA = 2MSQ. SKYLIGHT

Glazing requi	rements							Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Window / door no.	Orientation	Area of glass inc. frame (m2)	Oversha Height (m)	dowing Distance (m)	Shading device		Frame and glass type			
					>=450 mm		U-value: 7.63, SHGC: 0.75)	1		
D1	w	7.47	12	24	external louvre/blind (a	djustable)	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)]		
Skylights	ust install the	a chuliabte	a in accor	dance with th	e specifications listed in	the table b	alow			
						the table b	elow.	~	×	~
The following re	quirements r	nust also	be satisfie	ed in relation	to each skylight:				\checkmark	\checkmark
Each skylight m the table below.		tch the de	escription,	or, have a U	-value and a Solar Heat	Gain Coeff	cient (SHGC) no greater than that listed in		~	\checkmark
External awning	s and louvre	s must ful	lly shade t	the skylight a	bove which they are situ	ated when	fully drawn or closed.		\checkmark	\checkmark
Skylights gla	azing requ	iremen	ts							
Skylight numbe	r Area of g inc. fram		Shading	device	F	Frame and	glass type			
S1	2		external	adjustable av		aluminium, 1 6.21, SHGC	moulded plastic single clear, (or U-value: : 0.808)]		
S2	2		external	adjustable av		aluminium, 1 6.21, SHGC	moulded plastic single clear, (or U-value:	1		



NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. DRAFTING HELP WILL BE HELD HARMLESS. DRAFTING HELP WILL BE HELD HARMLESS. DRAFTING HELP WILL BE HELD HARMLESS. DRAFTING HELP AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.


Frame and glass type

standard aluminium, single clear, (or

U-value: 7.63, SHGC: 0.75)

U-value: 7.63, SHGC: 0.75)

U-value: 7.63, SHGC: 0.75)



S1AREA = 2MSQ. SKYLIGHT

. Windows and glazed doors glazing requirements

glass inc.

frame

(m2) 4.32

4.32

0.36

2.47

Height Distance

(m)

24

24

0.6

0.6

(m)

12

12

4

4

Window / door Orientation Area of Overshadowing

W

W

N

N

R

W1


W2

W3

W4


ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

General Notes




AREA = 4.32MSQ

W2



	Door Schedule										
Renovation Status						Existing			New	To Be	Demolished
ID	720	820	820	1250	1600	2300	820	1800	3560	820	820
Quantity	1	1	2	1	1	1	9	1	1	1	3
W x H Size	720×2100	820×1900	820×2100	1250×1900	1600×1900	2300×2000	820×2100	1800×2100	3560×2100	820×2050	820×2100
2D Symbol	\bigcap	Л	\sum		$\left \bigvee \right $	ri	- 1			\square	\bigcap
3D View											
Door Sched	ule										
Renovation Status	To Be De										
ID	1800										
Quantity	2										
W x H Size	1800×2050										
2D Symbol											
3D View											




REVDATE


THESE DRAWINGS ARE SUBJECT TO COPYRIGHT AND MAY NOT BE COPIED, USED OR REPRODUCED IN ANY WAY WITHOUT THE BUPRESS FRMISSION OF DRAFTING HEIP]. ALL DIMENSIONS AND AREAS INDICATED ON DRAWINGS ARE APPROXIMATE ONLY AND ARE SUBJECT TO SUMPLY CONFIRMATION. THE DESIGN IS SUBJECT AUTHORITY APPROVALS AND IS NOT INTENDE TO BE USED FOR CONSTRUCTION PURPOSES. Project ADDITONS AND ALTERATIONS Date Sheet 14 23/09/2019 Scale 1:100 DP No. 9853 LOT No. 51 No. Revision/Issue Date ARCHITECTURAL DRAFTING & DESIGN 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Address **STEVE & LARELLE** RICHARDSON 2 MONTAGUE ST NORTH MANLY 2100 NSW

ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

General Notes

EXISTING LAND USE






THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.


ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

General Notes

MAY I WAY V [DRAI INDIC AND A DESIC NOT I PURPO		REPRODUCED IN MISSION OF DNS AND AREAS APPROXIMATE O. ONFIRMATION. APPROVALS AND CONSTRUCTION	ANY NLY THE D IS				
Proje ADDI	ect FONS AND	Sheet					
Date	RATIONS						
23/09/2			0				
Scal 1:200	e						
1.200							
DPN	^{lo.} 9853						
LOT	LOT No. 51						
No.	Revision/Is	sue	Date				
ARCHITECTURAL DRAFTING & DESIGN SERVICES 5/470 Sydney Rd Balgowlak 2093 NSW www.draftinghelp.com.au 02 87763474							
Proje	ACT Name and Address STEVE & LA RICHARE 2 MONTAG NORTH M 2100 N	ARELLE DSON GUE ST IANLY					

PROPOSED LAND USE






THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.


USER


REVDATE

FNZ



NOTOFICATION PLAN






NOTE


THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.


1:100

1:200

2100 NSW







THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS AND SPECIFICATI

Designated Site Manager/Builder Designation control and a set of the set of

Topsoil Management PRIOR TO THE STRIPPING OF TOPSOIL, THE VEGETATIVE COVER MUST BE REDUECED BY EITHER SLASHING OR MOWING.


ALL TOPSOIL IS TO BE RETAINED AND PROTECTED FOR REUSE ON SITI SOL STOCKPILES MUST NOT BE LOCATED ON NATURE STRIPS, FOOTPATHS ROADWAYS, KERES, ACCESSWAYS, WITHIN DRAINAGE LINESFLOWS/PATH OR ABOUND OR ACANOT THE STRIPS SEDIMENT CONTROL MEASURES MUST BE INCORPORATED WITH ANY RESULTING STOCKPILE. THE STOCKPILE AND REPORTSOL BY CONFERNIST WITH AN INFERENCIS MATERIAL, IN COMUNCTION WITH INSTALLINION OF A SEDIMENT FIRST. ADMINIST. IF STOCKPILES ARE TO REMAIN FOR MORE THAN ONE MONTH THEY ARE TO BE GRASSED IMMEDIATELY AND STABILISED WITHIN FOURTEEN DAYS. SURPLUS TOPSOIL MUST BE REASONABLY REMOVED FROM SITE.

Builidng Material Stockpiling SUFFICIENT AREA MUST BE ALLOCATED WITHIN THE SITE FOR SUCH STORAG OF BUILDING MATERIALS, DEMOLITION WASTE, WASTE CONTAINERS, ETC. AS WILL BE REQUIRED.


Sediment Fences A SEDIMENT FENCE SHOULD BE LOCATED ALONG THE DOWNSLOPE BOUNDARY (SJOF THE SITE, ON THE CONSTRUCTION SIDE OF THE TURF FILTER STRIP OR NATIVE VEGETATION, AND AROUND ALL STOCKPILES MATERIAL ON THE SITE.

SEDIMENT AND EROSION PLAN

ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS General Notes THESE DRAWINGS ARE SUBJECT TO COPYRIGHT AND MAY NOT BE COPIED, USED OR REPRODUCED IN ANY WAY WITHOUT THE EXPRESS PREMISSION OF [DRAFTING HE!P]. ALL DIMENSIONS AND AREAS INDICATED ON DRAWINGS ARE APPROXIMATE ONLY AND ARE SUBJECT TO SURVEY CONFRIMATION. THE DESIGN IS SUBJECT AUTHORITY APPROVALS AND IS NOT INTENDED TO BE USED FOR CONSTRUCTION Project ADDITONS AND ALTERATIONS Sheet **S1** Date 23/09/2019 Scale NTS DP No. 9853 LOT No. 51 No. Revision/Issue Date 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Address STEVE & LARELLE RICHARDSON 2 MONTAGUE ST NORTH MANLY 2100 NSW




SEDIMENT & EROSION CONTROL - ADDITIONAL DETAILS TO BE FOLLOWED BY SITE MANAGER / CONSTRUCTION WORKERS



THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.





-GEOTEXTILE

GEOTEXTILE STORMWATER INLET FILTER

CONTROLLING CONTAMINATION ON SITE

Avoid contamination of stormwater with sediment. Use diversion devices to reduce the volume of stormwater reaching the disturbed area. On compact urban sites avoid overland flow through the work area by installing the final stormwater drainage system as early as possible in the construction process. Before installation of the final stormwater system, install an up-slope perimeter bank and catch drain connected to a temporary drop pipe, to take uncontaminated stormwater directly to the stormwater system. On steep sites, line catch drains with turf or geotextile fabric.

Uncontaminated stormwater from the channel should discharge to the stormwater system. In some cases discharge onto non-erodable areas of land is permissible. Check with your local council. Do not allow discharge into neighbouring properties. Roof drainage must discharge to the stormwater system, unless rainwater is being harvested. Complete the final stormwater drainage system before the roof is installed. Connect using either temporary or permanent downpipes

POST-CONSTRUCTION AND EROSION CONTROL

Stabilise the site as soon as possible after construction, or while the last trades are finishing, to minimise the potential for ongoing soil erosion. Turf lawns are commonly used to stabilise soil but their high water consumption can be an environmental burden. Native ground cover plants do the same thing with considerably lower water use. Avoid replacing native vegetation with turf.

Mulch (straw or other material) can be used on open garden beds to protect soil and support plant growth. Mulch spread to a depth of 75-100mm minimises soil and water loss and controls weed growth. Mulch may be less suitable on steep sites and in high wind areas. Temporary, quick germinating grasses such as rye and oats can be used to stabilise soil until slower growing plants can be established. This method is only effective after the grass seeds have germinated and established a root structure.

Semi permeable paving can be used to stabilise areas of the site. Avoid excessive use of hard surfaces that prevent stormwater being absorbed. Biodegradable erosion control mats are useful when revegetating steep slopes.

Integrate landscaping strategy with sediment control. For example, diversion channels and trenches that filter sediment can be used with rubble in the base to create a deep root planting opportunity.


THESE DRAWINGS ARE SUBJECT TO CC MAY NOT BE COPIED, USED OR REPRO WAY WITHOUT THE EXPRESS PERMISS S ARE APP AND ARE SUBJECT TO SURVEY CONFIRM. DESIGN IS SUBJECT AUTHORITY APPROV NOT INTENDED TO BE USED FOR CONST. Project ADDITONS AND ALTERATIONS **S2** Date 23/09/2019 Scale NTS DP No. 9853 LOT No. 51


ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

General Notes

No. **Revision/Issue** Date 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474


Project Name and Address **STEVE & LARELLE** RICHARDSON 2 MONTAGUE ST NORTH MANLY 2100 NSW





ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

General Notes



Construction Notes

 \mathbf{v}

 \mathbf{v}

 \mathbf{v}

 \mathbf{v}

 \mathbf{v}

 \mathbf{v}

1. Construct sediment fences as close as possible to being parallel to the contours of the site, but with small returns as shown in the drawing to limit the catchment area of any one section. The catchment area should be small enough to limit water flow if concentrated at one point to 50 litres per second in the design storm event, usually the 10-year event. 2. Cut a 150-mm deep trench along the upslope line of the fence for the bottom of the fabric to


be entrenched. Drive 1.5 metre long star pickets into ground at 2.5 metre intervals (max) at the downslope edge of the trench. Ensure any star pickets are fitted with safety caps.
 Fix self-supporting geotextile to the upslope side of the posts ensuring it goes to the base of

the trench. Fix the geotextile with wire ties or as recommended by the manufacturer. Only use geotextile specifically produced for sediment fencing. The use of shade cloth for this purpose is not satisfactory.

Join sections of fabric at a support post with a 150-mm overlap.
 Backfill the trench over the base of the fabric and compact it thoroughly over the geotextile.



THESE DRAWINGS ARE SUBJECT TO MAY NOT BE COPIED, USED OR REF WAY WITHOUT THE EXPRESS PERM (DRAFTING HELP) ALL DIMENSION INDICATED ON DRAWINGS ARE AP AND ARE SUBJECT TO SUBJECT OS UNVEY CON DESIGN IS SUBJECT AUTHORITY AF NOT INTENDED TO BE USED FOR C PURPOSES.	PRODUCED IN ISSION OF IS AND AREAS PROXIMATE OI IFIRMATION. 1 PROVALS ANE	ANY NLY THE D IS
Project ADDITONS AND ALTERATIONS	Sheet	
Date 23/09/2019	S	3
Scale NTS		
DP No.		
9853		
LOT No. 51		
No. Revision/Iss	ue	Date
SIGNACHTECTURAL DRAF 5/470 Sydn Balgowlah 200 www.draftinghelp 02 87763	ey Rd 93 NSW 0.com.au	ELP
5/470 Sydn Balgowlah 20 www.draftinghelp	RELLE SON JE ST ANLY	SERVICES





ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

General Notes

INTER YER	LINDS WINDS	R.L	
	01,		

MAY N WAY V [DRAF INDIC AND A DESIG	DRAWINGS ARE SUBJECT OF BE COPIED, USED OR A VITHOUT THE EXPRESS PER TTING HELP), ALL DIMENSII ATED ON DRAWINGS ARE A TED ON DRAWINGS ARE ARE SUBJECT TO SUBJECT TO SUBJECT IN IS SUBJECT OF SUBJECT FOR VISENCED TO BE USED FOR SUBJECT OF BE USED FOR SUBJECT OF BE USED FOR SUBJECT OF BE USED FOR	REPRODUCED IN RMISSION OF ONS AND AREAS APPROXIMATE O ONFIRMATION. APPROVALS ANI	ANY NLY THE D IS			
Proje ADDI	ect TONS AND RATIONS	Sheet				
Date 23/09/2 Scale	019	S	A			
NTS	-					
DP N	^{Io.} 9853					
LOT	No 51					
101						
No.	Revision/Is	SUA	Date			
			2410			
ARCHITECTURAL DRAFTING & DESIGN SERVICES 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474						
Proje	Project Name and Address STEVE & LARELLE RICHARDSON 2 MONTAGUE ST NORTH MANLY 2100 NSW					

PRELIMINARIES

All work to comply with the Building Code of Australia, current editions of the relevant Australian Standards, and industry codes of practice.

Select, store, handle and install proprietry products or systems in accordance with the published recommendations of the manufacturer or supplier

Dimensions and Setout

Do not scale from drawings. Take figured dimensions in preference to scale. Verify all dimensions on site before commencing work. The site foreman shall be responsible for verifying all dimensions and levels prior to the commencement of the Works. In the event of discrepancies in the setout of the Works, the builder should refer to the Project Designer for clarification before proceeding.

TERMITE PROTECTION

rmite protection to AS3660.1. Use a physical barrier system installed by licensed installers to manufacturer's specification. Obtain all relevant certification from licensed installers to the effect that these works have been executed in accordance with the BCA, Aust. Stds and relevant codes of practice.

SITE PREPARATION

Groundworks for slabs and footings to AS2870.

Demolition to AS2601. Avoid erosion, contamination and sedimentation of the site, surrounding areas and drainage systems. Limit clearing of the Site to areas to be occupied by the Works, paving and landscaping. Grub out or grind stumps of all trees to be removed from the site.

EXCAVATION

Excavate to give the levels and profiles required for construction, site services, paving and landscaping. Allow for compaction and settlement. Confirm bearing capacity for foundations is adequate. Provide even bearing surfaces for load-bearing elements including footings. Grade to ground surface externally to drain ground or surface water away from the buildings without ponding. Remove all loose material, debris and organic matter prior to placing fill, ground slabs and load-bearing elements. Compact the ground to achieve required density.

VAPOUR BARRIERS

All vapour barriers to AS2870. Provide vapour barriers below all ground concrete slabs (if required) on sand blind surface sufficient to cover hard projections. Barriers to be minimum 0.2mm thick impact resistant polyethylene film. Provide ant-caps between any brick or stone piers and sub walls and timber bearers.

SERVICE TRENCHES

Excavate trenches as required to bring all services to the Works. Trenches to be straight between manholes, inspection points and junctions where practicable, of minimum depth required to adequately accommodate relevant service. Obtain inspection approvals where relevant prior to backfilling. Backfilling to be compacted to prevent subsidence.

CONCRETE CONSTRUCTION

Concrete structures generally to AS3600. Ground slabs and footings to AS2870. Ready-mixed concrete to A\$1379. All reinforcement to be in accordance with Engineer's drawings and specification. Place all concrete uniformly over the width of the slab to achieve a level face. Provide construction joints as required. Compaction, curing and formwork stripping to comply with Aust. Stds and codes of practice.

TIMBER AND STEEL CONSTRUCTION

All timber framing and flooring to A\$1684, A\$1720.1 where relevant. Structural steelwork to A\$4100. Preparation of metal surfaces to A\$1627. Flashing and damp-proof courses to AS2904

DOORS AND WINDOWS

All doors and windows generally to AS2047.1 as per door and window schedule. To match existing upvc system throughout. Reuse existing doors and windows as

denoted on the drawings

Install flashings, weather-bars, drips, storm moulds etc. to prevent water entering building between frames and the building structure. Install all door and window sets plumb, level, straight and true, adequately anchored and free of building loads and structural deflection.

LININGS

All plasterboard linings to A\$2588, 13mm thick sheets to ceilings, 10mm thick sheets to walls. Moisture resistant plasterboard to be used in all wet areas All fibre cement linings to AS2908.2, walls - 9mm-thick sheets, suspended soffits -9mm-thick sheets, floors - 18mm thick sheets. All installation to A\$2589.1. Linings to be fixed to framing at recommended

spacing. Ensure all linings are level, plumb, straight and true as applicable. Provide recessed edge sheets and finish flush with perforated reinforcing tape. Provide flashings, trim and sealants to effectively waterproof wet areas. Provide timber trim as detailed and where necessary to make neat junctions between components and finishes. Provide Rondo stopping bead profile to ceiling planes.

WATERPROOFING AND WET AREAS

All waterproofing to A\$3740. All liquid and sheet membrane systems to be specific for their intended purpose, installed to manufacturer's specification, properly and effectively terminated at perimeters and drainage outlets. Provide certification by a credited certifier for waterproofing works prior to executing subsequent stages of Works. Provide a written guarantee for all waterproofing membranes of not less than 12 years

TILING

All tiles to be cut to fit neatly around fixtures and fittings and at perimeters. Drill holes with damaging tile faces. Return tiles into sills, reveals, and opening. Butt up to returns, frames, fittings and other finishes. Distribute variations in hue, colour and pattern uniformly by mixing tiles or tile batches before laying. Allow beddings to set and attain working strength before opening areas to traffic. Set out tiles from the centre of floors and walls. Align joints between floors and walls where possible Grade floor tiling even falls to floor wastes. Ensure level junctions to walls. Achieve minimum falls of 1 in 100 generally and 1 in 60 in shower wastes. Junctions between tiled floors and other materials to be finished with corrosion-resistant metal dividing strip fixed to the substrate. Do not compromise waterproof membrane. Bath cavities to be ventilated with min. 2 ventilation points..


FLOOR COATINGS AND COVERINGS

Polished concrete slab to be helicoptered burnish finish to Proprietor's specification.

Timber Floor coating to be 2 - 3 coats of Bona Mega (Silk Matt), applied using a Bona Roller or applicator. A coverage rate of 8 10m² / litre should be observed. Application to manufacturers specification.

PAINTING

All painting AS2311 and paint manufacturer's specifications. Clean off marks, paint spots and stains progressively. Touch up damaged paintwork with original paint batch where possible. Refer to finishes schedule for details of painted finishes.



THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR

ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

General Notes

Steelwork

Fabricate and erect all structural steelwork in accordance with Structural Engineer's drawings and specifications. Submit shop drawings to Designer and Engineer for approval before commencing fabrication. All welds to be free of slag. Remove all swarf from steelwork and surrounds immediately after it is deposited. All proprietry fixings to be compatible with steelwork finish. Obtain certification from Structural Engineer to the effect that these works have been executed satisfactorily.

Flooring and Decking Strip flooring to AS1684.

Particleboard sheet flooring to A\$1859.1, installed to A\$1860.

Fibre-cement flooring to AS2908.2. New timber decking to AS2796.

Ensure building is sufficiently protected from weather prior to installing all strip- and sheet-flooring.

Decking

Timber deck in accordance with AS1684. Allow to fix select grade hardwood decking as supplied by Proprietor. All handling, storage, installation and finishing as recommended by the manufacturer. Allow for sufficient acclimatization prior to installation.

Wall framing All framing to A\$1684.

Provide additional noggings etc. where required to fix linings, cladding, hardware, fixtures, fittings and accessories.

Provide damp proof courses under bottom plate of external clad-frame walls on slabs or dwarf masonry walls. Provide flashings to all external openings sufficient to prevent entry of moisture and wind-driven rain and other precipitation.

MASONRY CONSTRUCTION

Masonry generally to A\$3700 and masonry units to A\$4455. Provide ant-caps between any brick or stone piers sub walls and timber bearers.

INSULATION AND SARKING

vide flexible membrane material normally used for waterproofing, vapour retarding or thermal reflective insulation.

All bulk insulation to AS3742, installed to AS3999. All sarking material to A\$4200.1.

Fit all batts tightly between framing members, and support securely. Provide vapour-permeable sarking under cladding which does not provide a permanent weatherproof seal, including boards or planks fixed in exposed locations where wind-driven rain can penetrate the joints. Apply to the outer face of external studs from top plate down

over bottom plate and flashing. Run across studs and lap min. 150mm at joints. Provide roof sarking as part of roof insulation. Finish sarking at least 50mm clear of ridges. ROOFING GUTTERING DOWNPIPES

new 150mm half-round guttering throughout with matching support brackets as selected

new 90mm dia downpipes as shown new roof tiles (as required to rear extended roof only) to match existing installed in acc with manufacturers specifications existing roof tiles to be carefully removed for reuse to front extended

ROOF PLUMBING

roof

All roof plumbing to AS2179.1 and AS2180. All fasteners and mechanically fastened joints to be sealed with silicone sealant. Flashing projections above and through roofing with 2-part apron flashing and over-flashing, min. 100mm overlap. Allow for independent movement between roofing and projection. All cover and under-flashing materials to be electrolytically compatible with roof sheeting and rainwater goods. Provide minimum 0.48 BMT sheet steel cappings and fascias pre-formed to profiles indicated on details prior to delivery. All cappings and flashings to be in single, continuous lengths. All accessories and fixings as per sheet metal fabricator's

recommendation. All guttering and roof sheeting to achieve minimum falls as per Aust. Stds and sheet metal manufacturer's recommendation

CABINETRY

Allow to build in and fit off all sinks and tubs, and other plumbing fixtures to be supplied by Proprietor Allow to co-ordinate between electrical and plumbing trades during installation of all cabinetry.

ARCHITECTURAL METALWORK

All metalwork strictly to Structural Engineers specification where applicable and to Designer's details. Confirm all measurements on site before fabrication. Prefabricate components off-site where possible for on-site fixing. All work to be set into position truly plumb, square and level and secured to suit loadings in vertical and horizontal alignment.

PLUMBING DRAINAGE AND GAS INSTALLATIONS

All plumbing and drainage work strictly in accordance with AS3500. All gas installations to AS5601. Install piping in straight lines and to minimum uniform grades where

required. Ensure all piping is installed to prevent vibration and water-hammer whilst permitting thermal movement. Prevent direct contact with incompatible metals. Lines in sub-floor spaces to be min. 150mm clear of ground level. Ensure adequate access for inspection and maintenance where required.

Stormwater and Wastewate

Use temporary covers during construction to openings and keep system free of debris. Flush system clean upon completion. Connect subsoil drains to groundwater drainage system. Laundry tub, washing machine and kitchen sink to be plumbed directly into drainage lines via dedicated charged waste. Do not plumb through floor waste.

Rainwater Storage

All plumbing and drainage work strictly in accordance with A\$1273 / AS2179 / AS3500. First flush devices to be fitted to all downpipes. All inlets and outlets to be protected with suitable mosquito barrier.

Gas supply to be installed to Local Authority Requirements.On completion of installation and testing, turn on isolation and control valves and purge and charge the installation.

DOMESTIC ELECTRICAL AND MECHANICAL INSTALLATIONS All domestic electrical works to AS3018.

All mechanical installations to A\$1668.

All telecommunications installations to A\$1501.8. Provide switches, outlets and plates generally in accordance with wiring diagrams. Provide control switchgear, circuit breakers and earth leakage protection devices as required. Provide for installation of exhaust fans where required, appropriate to the use and size of the rooms to be ventilated. Connect and duct ceiling grilles to suitable, rainproof exterior outlets. Install smoke alarms as required by Aust. Stds and BCA. Test all electrical installations, smoke alarms and mechanical

ventilation prior to completion.

THESE DRAWINGS ARE SUBJECT TO COPYRIGHT AND MAY NOT BE COPIED, USED OR REPRODUCED IN AN HAN INGT DE COUTLIN, OSAD OR ALERORODOLD IN AN WAY WITHOUT THE EXPRESS FERMISSION OF [DRAFTING HELP]. ALL DIMENSIONS AND AREAS INDICATED ON DRAWINGS ARE APPROXIMATE ONLY AND ARE SUBJECT TO SURVEY CONFIRMATION. THE DESIGN IS SUBJECT AUTHORITY APPROVAUS AND IS NOT INTENDED TO BE USED FOR CONSTRUCTION WIDDITTE ADDITONS AND ALTERATIONS N 23/09/2019 Scale NTS DP No. 9853 LOT No. 51 Revision/Issue Date 5/470 Sydney Rd Balgowlah 2093 NS www.draftinghelp.com.au 02 87763474 Project Name and Address

STEVE & LARELLE RICHARDSON 2 MONTAGUE ST NORTH MANLY 2100 NSW

Drafting Help Terms and Conditions

In these terms and conditions (Terms), Drafting Help means Drafting Help ACN: 621 017 007 and You means the person listed in the \mathbf{Q} uote (being the quote to which this document is attached) as the client of Drafting Help (and Your has a similar meaning).

You agree to, and will be bound by, these Terms upon the earlier of: Your written or oral confirmation to Drafting Help to commence the Services (being the services specifically set out in the Quote, subject to any exclusions or assumptions in the Quote); and You making any payment to Drafting Help in connection with the Services. You agree that you have been given the opportunity to read and understand these Terms.

- 1. You have engaged Drafting Help to perform the Services and agree to pay Drafting Help the Fee (being the fee set out in, or calculated in accordance with, the **Q**uote and these Terms) in accordance with these Terms. If, at any time, You seek to end or cancel these Terms prior to the completion of the Services, without limiting Drafting Help's rights, Drafting Help may suspend the performance of the Services, and You must pay Drafting Help the balance of the Fee, immediately.
- 3. You will pay the Fee in the manner, and at the times, set out in the Quote. If You do not comply with this paragraph, Drafting Help may immediately suspend the performance of the Services until
- requested by Drafting Help to enable Drafting Help to perform the Services (Input). If You do not comply with this paragraph, Drafting Help may itself carry out those activities at Your cost (calculated in accordance with the rates and prices set out in the \mathbf{Q} uote).
- discrepancy or ambiguity in or between the designs or documents prepared by or on behalf of Drafting Help in (or incidental to) the performance of the Services (Deliverables), to the extent and copyright) in or arising from the Services and the Deliverables, and You (and any of Your caused by Your failure to comply with, or any Input provided by or on behalf of You for the purpose of, paragraph 5. This paragraph 6 survives termination of these Terms.
- 11.If Help for those services and activities; and
- b. the Services in an order or sequence, or within a period of time, which is different to what Drafting Help had originally planned to perform those Services, You will pay Drafting Help the or timina,
- in accordance with the rates and prices set out in the Quote (or, where those rates or prices are not applicable, in accordance with reasonable rates and prices determined by Drafting Help).
- 8. You acknowledge and agree that the Fee is subject to change (and may be increased) where any fee, contribution, charge or third party cost increases (or a new fee, contribution, charge or 12. If You have any issue or concern in relation to the Services or Deliverables, You must raise

- b. You acknowledge and agree that Drafting Help and its employees and consultants are not registered architects, engineers or surveyors;

14. The Quote and these Terms constitute the entire agreement between Drafting Help and You in connection with the Services and the Deliverables, and prevail over and supersede all other communications or documentation entered into or exchanged between the parties.

15. These Terms are governed by the law in New South Wales, and each party irrevocably submits to the non-exclusive jurisdiction of courts exercising jurisdiction in New South Wales.



THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. TE USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE ALL DRAWINGS. PLANS SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

c. You acknowledge and agree that the Services are performed solely for Your benefit, and that no third party will be permitted to use or rely upon the Deliverables, and Drafting Help will not be liable or responsible for any use, reliance or adaptation of the Deliverables;

- the foregoing effect;
- 2. Subject to these Terms, Drafting Help will perform the Services with due care and skill.
- such time as You have complied with this paragraph.
- 4. You will pay a default interest rate on any overdue payments at the rate of 18% per annum (calculated and compounding daily). This paragraph 4 survives termination of these Terms.
- 5. You will provide Drafting Help with all assistance, documentation, information and instructions
- 6. Drafting Help will not be held responsible for any error, defect, omission, fault, inconsistency,
- 7. If Drafting Help is as ked to, or is required to perform:
- a. services or activities which are different, or in addition, to the Services, You will pay Drafting
- additional costs it suffers or incurs as a result of complying with the revised order, sequence b. the Services are not completed by [insert date] as a result or consequence of (directly or
- third party cost is introduced) after the date Drafting Help issued the Quote.
- 9. Despite anything to the contrary (to the maximum extent permitted by law):
- a. Drafting Help excludes all terms implied by statute, in fact, at law or on any other basis;

ARCHITECTURAL DRAFTING **3D VISUALISATION** DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS

d. You acknowledge and agree that the Services and the Deliverables are subject to inherent limitations having regard to the nature and the scope of the Services, and the circumstances in which they have been commissioned and are to be delivered (and, specifically, the Deliverables are not, and are not intended to be, plans or drawings for construction and should not be used or relied upon for this purpose);

e. You acknowledge and agree that Drafting Help is not liable or responsible for any work or services carried out or performed by any third party, including in relation to any survey, report, plan or drawing which Drafting Help relied upon, used, adopted or modified (directly or indirectly) in the performance of the Services;

f. Drafting Help is entitled to include limitation and disclaimer wording in all of the Deliverables to

g. in no event will Drafting Help be liable or responsible for any claim (or cost, expense, liability, loss or damage) caused or contributed to by any act or omission of You or any third party;

h. in no event will Drafting Help be liable or responsible for economic loss, loss of contract or goodwill, loss of profit or revenue, loss of business opportunity, loss of use, loss of reputation, loss of data, loss of production or production stoppage, financing or holding costs, increased expenses of operation or any indirect or consequential loss; and

i. Drafting Help's total liability arising out of or in connection with the Quote, these Terms, the Services and the Deliverables will not exceed the Fee (in aggregate),

and these limitations and exclusions will apply whether the claim is based on breach of contract, tort (including negligence), under any warranty, under any indemnity, under statute, in equity or otherwise. This paragraph 9 survives termination of these Terms.

10. Drafting Help will retain ownership in all intellectual property rights (including moral rights contractors or consultants) must not do anything which may infringe any of those intellectual property rights or the intellectual property rights of third parties (and, if any infringement does arise, You will indemnify Drafting Help for any loss or liability it suffers or incurs as a result). This paragraph 10 survives termination of these Terms.

a. You are in breach of these Terms, and You fail to rectify the breach within 14 days after being notified by Drafting Help;or

indirectly) any event or circumstance which is beyond Drafting Help's reasonable control,

Drafting Help may (without limiting its rights at law) terminate these Terms and You will be obliged to pay the balance of the Fee to Drafting Help immediately. This paragraph 11 survives termination of these Terms.

those issues or concerns to Drafting Help in writing within 7 days of first becoming aware of the issue or concern. If You do not comply with this paragraph, to the maximum extent permitted by law, You will have no claim against Drafting Help (and You release and discharge Drafting Help from any such claim). This paragraph 12 survives termination of these Terms.

13. No provision of these Terms will be construed adversely to Drafting Help because Drafting Help was responsible for the preparation of these Terms.



Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Lighting			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		~	~
Fixtures			
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		~	\checkmark
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		~	\checkmark
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		\checkmark	

Other specifications

The applicant must construct the new or altered construction (floor(s), walls, and ceilings/roofs) in accordance with the specifications listed in the table below, except that a) additional insulation is not required where the area of new construction is less than 2m2, b) insulation specified

Additional insulation required (R-value)

R1.70 (including construction)

R1.70 (including construction)

R1.70 (including construction)

R1.70 (including construction)

ceiling: R3.00 (up), roof: foil/sarking

R0.8 (down) (or R1.50 including construction)

Construction

Construction

(R0.7).

Insulation requirements

external wall: other/undecided external wall: other/undecided

external wall: other/undecided

external wall: other/undecided

flat ceiling, pitched roof

suspended floor with open subfloor: framed

is not required for parts of altered construction where insulation already exists.

	~		Window / doo no.
·	~	r i i	
·	~		
·			D1
Shov		Certifier	Skylights
CC/C Plans		Check	The applicant
spec	S		T 1 C 11 C 1

Show on DA Plans

 \checkmark


 \checkmark

 \checkmark

Glazing requ	irements							Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Window / door no.	Orientation	Area of glass inc. frame (m2)	Oversha Height (m)	dowing Distance (m)	Shading device	Frame and	glass type			
					>=450 mm	U-value: 7.	63, SHGC: 0.75)			
D1	W	7.47	12	24	external louvre/blind (adjust		uminium, single clear, (or 63, SHGC: 0.75)			
Skylights								1	I	1
The applicant n	nust install th	e skylights	s in accord	dance with th	e specifications listed in the	table below.		\checkmark	~	\checkmark
The following re	equirements i	must also	be satisfie	ed in relation	to each skylight:				~	~
Each skylight may either match the description, or, have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below.) no greater than that listed in		\checkmark	\checkmark		
External awning	gs and louvre	s must fu	ly shade t	the skylight a	bove which they are situated	when fully drawn o	or closed.		~	\checkmark
Skylights gl	azing requ	iremen	ts					7		
Skylight number Area of glazing Shading device Frame and glass type inc. frame (m2)										
S1	2		external	adjustable av		inium, moulded pla SHGC: 0.808)	stic single clear, (or U-value:			
S2	2		external	adjustable av		inium, moulded pla SHGC: 0.808)	stic single clear, (or U-value:			

Glazing req	uirements						Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Windows an	d glazed o	doors							
					nading devices, in accordance with t r each window and glazed door.	the specifications listed in the table below.	~	\checkmark	~
The following	requirement	ts must also	be satisfie	ed in relation	to each window and glazed door:			\checkmark	~
have a U-valu	e and a Sol	ar Heat Gair	Coefficie	nt (SHGC)		d glass may either match the description, or, e below. Total system U-values and SHGCs		~	~
					f each eave, pergola, verandah, balo than 2400 mm above the sill.	cony or awning must be no more than 500 mm	~	\checkmark	~
Pergolas with	polycarbon	ate roof or si	milar trans	slucent mate	erial must have a shading coefficient	t of less than 0.35.		\checkmark	~
External louvres and blinds must fully shade the window or glazed door beside which they are situated when fully drawn or closed.					\checkmark	~			
					e window or glazed door above whic ens must not be more than 50 mm.	ch they are situated, unless the pergola also		\checkmark	 ✓
Overshadowir specified in th					nt and distance from the centre and	the base of the window and glazed door, as	~	\checkmark	 ✓
Windows a	nd glaze	d doors g	lazing re	quireme	nts		1		
Window / doo no.	or Orientatio	on Area of glass inc. frame (m2)	Oversha Height (m)	dowing Distance (m)	Shading device	Frame and glass type			
W1	w	4.32	12	24	external louvre/blind (adjustable)	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W2	w	4.32	12	24	external louvre/blind (adjustable)	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W3	N	0.36	4	0.6	eave/verandah/pergola/balcony >=450 mm	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W4	N	2.47	4	0.6	eave/verandah/pergola/balcony	standard aluminium, single clear, (or			


medium (solar absorptance 0.475 - 0.70)




NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.

ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS General Notes THESE DRAWINGS ARE SUBJECT TO COPYRIGHT AND MAY NOT BE COPIED, USED OR REPRODUCED IN ANY WAY WITHOUT THE EXPRESS PERMISSION OF [DRAFTING HELP]. ALL DIMENSIONS AND AREAS INDICATED ON DRAWINGS ARE APPROXIMATE ONLY AND ARE SUBJECT TO SURVEY CONFIRMATION. THE DESIGN IS SUBJECT AUTHORITY APPROVALS AND IS NOT INTENDED TO BE USED FOR CONSTRUCTION PURPOSES. Project ADDITONS AND ALTERATIONS Date Sheet **B1** 23/09/2019 Scale NTS DP No. 9853 LOT No. 51 No. Revision/Issue Date 5/470 Sydney Rd Balgowlah 2093 NSW www.draftinghelp.com.au 02 87763474 Project Name and Address **STEVE & LARELLE** RICHARDSON 2 MONTAGUE PL NORTH MANLY 2100 NSW
















ом	1M 	2M	3M	4M	5M
0MM	21	SCALE 1	ETRES :100 @ A1	CM.	50MM 8M
о 0ММ	2N 	8 M	4M ETRES :150 @ A1	6M	53MM
о 	2M 		6M ETRES :200 @ A1	8M 	10M



4 montague	21 june 09.00 existing	1:50	4 r



21 june 09.00 proposed 1:50 4 montague





4 montague


GENERAL NOTES


•BUILDER TO CONFIRM ALL LEVELS AND DIMENSIONS ON SITE BEFORE WORK BEGINS


•ALL WORK TO BE IN ACCORDANCE WITH LOCAL AUTHORITIES REQUIREMENTS AND B.C.A. REQUIREMENTS.

•CONNECT DP'S TO EXISTING STORMWATER SYSTEM ALL STRUCTURAL DETAILS TO ENGINEERS SPECIFICATIONS

NOTE: THIS DRAWING IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY. IF USED FOR CONSTRUCTION. THE CONTRACTOR ASSUMES ALL RESPONSIBILITY FOR LOCAL CODE COMPLIANCE. ALL DRAWINGS, PLANS, SKETCHES ETC. ARE PROVIDED TO OUR CLIENTS BASED UPON INFORMATION PROVIDED BY THE CLIENT AND DRAWN IN ACCORDANCE WITH COMMON BUILDING PRACTICES AND LOCAL CODES. NONE OF THE EMPLOYEES OF DRAFTING HELP ARE REGISTERED ARCHITECTS, ENGINEERS OR LAND SURVEYORS. ALL DIMENSIONS AND SPECIFICATIONS SHOULD BE VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS. IF DIMENSIONS AND SPECIFICATIONS ARE NOT VERIFIED BY CLIENT AND/OR CONTRACTOR BEFORE ACTUAL CONSTRUCTION BEGINS DRAFTING HELP WILL BE HELD HARMLESS. DRAFTINGHELP ASSUMES NO LIABILITY FOR CHANGES AND/OR REVISIONS MADE TO PLANS BY CLIENT AND/OR CONTRACTOR.








4 montague

4 montague

21 june 15.00 existing



1:50

21 june 12.00 proposed

21 june 15.00 proposed

1:50

ARCHITECTURAL DRAFTING 3D VISUALISATION DEVELOPMENT APPLICATION MANAGEMENT COUNCIL COMPLIANT PLANS								
General No	tes							
It is the contractors respo								
confirm all measurements to commencement of wor should not be scaled. Wr	k. Drawings itten dimen	s						
only should be taken from These dwg`s are solely fo of council submission.	n drawings. r the purpo	se						
	50							
98								
lot No. 5	1							
No. Revision/Is	sue	Date						
Drafting, Design & D www.draftinghelp.	Drafting Help Drafting, Design & Documentation							
Tim Wood 0424 845 6	s 80							
Project Name and Address	3							
2 MONTAG	UF ST							
NORTH MAN								
2100								
Project	Sheet							
Project N2M	N2M							
10/08/2020	0.01							
Scale 1:50								