## SECTION TWO - BUSH FIRE ASSESSMENT REPORT (Attach to DA)

- A A				
PART A	Property Detai	ls		
Applicants Name:LE	WIN WILES	***************************************		
Contact Phone Number; (H	): [ <u>02</u> ] . <u>88</u> 82.	9012	(M):0434217	896
Council: NORTHERN BE	ACHES	. Council Reference	(if known):	
Lot:80 DP:	11784			
Address to be developed:	12 INGLESIDE	ROAD, INGLESI	DE	*************
My property is on Bush Fire	Prone Land: Ye	s	541	
PART B	Type of Propos	al		
Type of Proposal:				
New Building Dual Occupancy Alteration/Additions to a	an existing building	Urban Rural Residenti Isolated Rural	al	
Proposal Description: e.g. t	wo storey house with	attached garage .T	WO STOREY HOU	SE & POOL
Copy of plans attached	Yes			
PART C	Bush Fire Atta	ck and Level of (	Construction	
Step 1: Asess the vegeta AUSLIG (1990) using Table		osed building in all o	lirections and conve	ert from Keith to
CATEGORY	NORTH	EAST	SOUTH	WEST
Converted vegetation	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land	Forest Woodland Shrubland Scrub Mallee/Mulga Rainforest Tussock Moorland Managed Land

Step 2: Determine the distance from asset to boundary line

ASPECT	NORTH	EAST	SOUTH	WEST
Distance	3 m	50 m	3 m	30 m

Step 3: Determine the distance from the building line to the vegetation in each direction as above

ASPECT	NORTH	EAST	SOUTH	WEST
Distance	m	4.9 m	m	15 m

Step 4: Determine the effective slope that will influence bush fire behaviour in each direction

CATEGORY	NORTH	EAST	SOUTH	WEST
Slope under the hazard (over 100m) [in degrees]	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18	upslope/flat >0 to 5 >5 to 10 >10 to 15 >15 to 18

Step 5: Determine the Fire Danger Index (FDI) that applies to your local government area (see page 9). Circle the relevant FDI below

FDI	100	80	50	

Step 6: Match the relevant FDI, vegetation, distance and slope to determine the required APZ and Construction level

FDI	100 (see Table 4, page 11)	80 (see Table 5, page 12)	50 (see Table 6, page 13)

Identify the bush fire attack level for each direction, select the highest level for the entire building and record below. Note BAL-12.5 is the lowest construction level within the scope of AS3959.

**Bush Fire Attack Level** 

BAL- FZ	☐ BAL- 19
☐ BAL- 40	☐ BAL-12.5
BAL- 29	No requirement

Does your proposal meet the required construction level YES NO

PART D

Flame Zone Provide details and evidence of an alternative solution.

If you determine your house is located in the flame zone you may wish to seek the advice of a specialist bush fire consultant.

PART E	W	ater Supplies		
Does your property I to the nearest fire h	have a reticu ydrant on you	lated (piped) water supply?; If so, please prov ur site plan.	ide details on th	ne distance
Reticulated (piped) w	vater supply i	s available		
Yes No Di	stance	(m) to hydrant from house.		
		ve a dedicated water supply for firefighting pu	irposes?	
Yes No				
Development Type	C.W. C.	Water Requirement	Planned	Existing
Residential Lots (<1,000	lm2)	5,000 I/lot		
Rural-residential Lots (1,	000-10,000m	2) 10,000 I/lot		
Large Rural/Lifestyle Lot	ts (>10,000m2	20,000 I/lot		
Dual Occupancy		2,500 I/unit		
Townhouse/Unit Style (e	.g. Flats)	5,000 I/unit up to 20,000I maximum		
litres and also includ	le tank mater			
Water supply type	Capacity	Construction material	m). Include app	rox. size in  Existing
Water supply type e.g. pool	Capacity 50,000	Construction material  Above ground rolled steel with plastic liner	Planned	
Water supply type	Capacity	Construction material		
Water supply type e.g. pool	Capacity 50,000	Construction material  Above ground rolled steel with plastic liner	Planned	
Water supply type e.g. pool Pool	Capacity 50,000 40,000 ur local couns this may die	Construction material  Above ground rolled steel with plastic liner  BELOW GROUND FIBREGLASS SHELL  cil concerning their Local Environmental Plan ctate the type and size of tank.	Planned	Existing

NOTE: When attaching development plans please ensure they clearly show location and details of

electricity and gas (where relevant) on your property.