Nationwide House Energy Rating Scheme — Class 2 summary NatHERS Certificate No. 0007786950

Generated on 14 Oct 2022 using BERS Pro v4.4.1.5 (3.21)

Property

Address 12-22 Wentworth Street, Manly,

NSW, 2095

Lot/DP 12/435023

NatHERS climate zone 56

Accredited assessor

Luke Williams

Aspire Sustainability Consulting

luke@aspiresc.com.au

02 9662 0650

Accreditation No.

10070

Assessor Accrediting Organisation

HERA





Verification

To verify this certificate, scan the QR code or visit hstar.com.au/QR/Generate?p=rQYXAkRJK. When using either link, ensure you are visiting hstar.com.au

Summary of all dwellings

Certificate number and link	Unit Number	Heating load (MJ/m²/p.a.)	Cooling load (MJ/m²/p.a.)	Total load (MJ/m ² /p.a.)	Star rating
0007786072-01	4.1	30	13.5	43.6	6.6
0007786163	5.1	24.9	20.1	44.9	6.5
0007786254	6.1	25.3	19.7	45.1	6.4
0007785983-01	C3.1	25.3	16	41.3	6.8
0007785991-01	C3.2	44.2	23.2	67.4	4.9

Continued Over

National Construction Code (NCC) requirements

The NCC's requirements for NatHERS-rated buildings are detailed in 3.12.0(a)(i) and 3.12.5 of the NCC Volume Two. For apartments the requirements are detailed in J0.2 and J5 to J8 of the NCC Volume One.

In NCC 2019, these requirements include minimum star ratings and separate heating and cooling load limits that need to be met by buildings and apartments through the NatHERS assessment. Requirements additional to the NatHERS assessment that must also be satisfied include, but are not limited to: insulation installation methods, thermal breaks, building sealing, water heating and pumping, and artificial lighting requirements. The NCC and NatHERS Heating and Cooling Load Limits (Australian Building Codes Board Standard) are available at www.abcb.gov.au.

State and territory variations and additions to the NCC may also apply.



Summary of all dwellings (continued)

-	• •	,			
Certificate number and link	Unit Number	Heating load (MJ/m²/p.a.)	Cooling load (MJ/m ² /p.a.)	Total load (MJ/m ² /p.a.)	Star rating
0007786007-01	C3.3	17.8	19	36.8	7.2
0007786015-01	C3.4	16.6	16.7	33.2	7.4
0007786023-01	C3.5	44.9	17.9	62.8	5.2
0007786031-01	C3.6	21.2	14.8	36	7.2
0007786049-01	C3.7	20.1	16.2	36.3	7.2
0007786056-01	C3.8	44.7	20.6	65.3	5
0007786064-01	C3.9	32.2	15.5	47.7	6.3
0007786080-01	C4.2	30.9	22.6	53.5	5.8
0007786098	C4.3	12.2	18.6	30.8	7.6
<u>0007786106</u>	C4.4	20.3	18.5	38.8	7
0007786114	C4.5	22.6	24.3	46.9	6.3
0007786122	C4.6	14.3	18.9	33.2	7.4
0007786130	C4.7	12.1	18.2	30.3	7.6
0007786148	C4.8	18.8	25.2	44	6.6
0007786155	C4.9	24.6	17.4	42	6.7
0007786171	C5.2	26.5	18.1	44.6	6.5
0007786189	C5.3	12.8	18.3	31.2	7.6
0007786197	C5.4	23.6	18.5	42.1	6.7
0007786205	C5.5	24.1	19.5	43.6	6.6
0007786213	C5.6	14.5	18.2	32.8	7.4
0007786221	C5.7	14.9	18.5	33.3	7.4
0007786239	C5.8	24.1	19.5	43.6	6.6
0007786247	C5.9	26	17.2	43.2	6.6
0007786262	C6.2	24.6	22.4	47	6.3
0007786270	C6.3	11.5	18.2	29.7	7.7
0007786288	C6.4	20.5	19.2	39.7	6.9
0007786296	C6.5	24.9	21.8	46.7	6.4
0007786304	C6.6	12.2	19.5	31.7	7.5
0007786312	C6.7	12.8	20.4	33.2	7.4
0007786320	C6.8	24.9	21.8	46.7	6.4
0007786338	C6.9	25.6	16.8	42.5	6.7
0007786346-01	C7.1	27	20.9	47.9	6.3
0007786353-01	C7.2	20.9	17.3	38.2	7.1
<u>0007786361-01</u>	C7.3	15.6	22	37.7	7.1
0007786379-01	C7.4	28.1	17.9	46	6.4
0007786387-01	C7.5	17.3	23.6	40.9	6.8
0007786395-01	C7.6	31.7	21.4	53	5.9
0007786403-01	D1.1	24.9	9.6	34.6	7.3
0007786411	D1.2	33	11.7	44.8	6.5
0007786429	D1.3	33.2	11.8	45	6.4

0007786950 NatHERS Certificate

Average 6.9 Star Rating as of 14 Oct 2022



Certificate number and link	Unit Number	Heating load (MJ/m /p.a.)	Cooling load (MJ/m /p.a.)	Total load (MJ/m /p.a.)	Star rating
0007786437-01	D1.4	31.2	12.9	44	6.6
0007786445-01	D2.1	12.6	11.7	24.3	8.1
0007786452	D2.2	21.4	14	35.4	7.3
0007786460	D2.3	21.1	13.4	34.5	7.3
0007786478-01	D2.4	17.4	14.5	31.9	7.5
0007786486-01	D3.1	13.1	11.1	24.2	8.1
0007786494	D3.2	23.6	11.8	35.4	7.3
0007786502	D3.3	22.7	11.1	33.8	7.4
0007786510	D3.4	20.3	11	31.3	7.6
0007786528-01	D4.1	12.7	7.1	19.8	8.5
0007786536	D4.2	35	11.4	46.4	6.4
0007786544	D4.3	32.6	11.8	44.4	6.5
0007786551-01	D4.4	30.7	14.3	45	6.5
Ave	rage	23.32	17.19	40.52	6.85

Explanatory Notes

About this report

This summary rating is the average rating of all NCC Class 2 dwellings in a development. The individual dwellings' ratings are a comprehensive, dynamic computer modelling evaluation of a home, using the floorplans, elevations and specifications to estimate the energy load. It addresses the building layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings), but does not cover the water or energy use of appliances, or energy production of solar panels. For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link).

Accredited Assessors

To ensure the NatHERS Certificate is of a high quality, always use an accredited or licenced assessor. NatHERS accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO). AAOs have specific quality assurance processes in place, and continuing professional development requirements, to maintain a high and consistent standard of assessments across the country.

Any questions or concerns about this report should be directed to the assessor in the first instance. If the assessor is unable to address these questions or concerns, the AAO specified on the front of this certificate should be contacted.

Disclaimer

The format of the NatHERS Certificate was developed by the NatHERS Administrator. However the content, input and creation of the NatHERS Certificate is by the assessor. It is the responsibility of the assessor who prepared this certificate to use NatHERS accredited software correctly and follow the NatHERS Technical Notes to produce a NatHERS Certificate.