

SITE DETAILS

(IN ACCORDANCE WITH AREA OS3 REQUIREMENTS) SITE AREA 752.8m2 _

| REQUIREMENT | SIZE | PERCENTAGE |
|-------------------------|---------|-------------------|
| GROSS FLOOR AREA | 335.2m2 | 44.5% |
| TOTAL OPEN SPACE | 564.7m2 | 75.0% |
| OPEN SPACE ABOVE GROUND | 32.2m2 | |
| LANDSCAPED AREA | 237.8m2 | 44.7% (of TOS) |



EXISTING WALLS TO BE




NEW WALLS





ev By Date Amendment Details dments THESE DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL ARCHITECTURAL AND OTHER CONSULTANT'S DRAWINGS AND SPECIFICATIONS AND WITH SUCH WRITTEN INSTRUCTIONS AS MAY BE ISSUED DURING THE COURSE OF THE CONTRACT. DIMENSIONS SHALL NOT BE OBTAINED BY SCALING THE DRAWINGS. THE BUILDER SHALL CHECK ALL DIMENSIONS AT THE JOB AND SHALL REFER ALL DISCREPENCIES TO THE ARCHITECT BEFORE THE WORK PROCEEDS. ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF THE CURRENT EDITIONS, INCLUDING AMENDMENTS OF THE RELEVANT SAA STANDARDS AND SAA CODES OF PRACTICE EXCEPT AS VARIED BY THE CONTRACT DOCUMENTS AND BY THE LAWS AND REQUIREMENTS OF STATUTORY AUTHORITIES. SUBSTITUTIONS ARE TO BE ONLY WITH THE APPROVAL OF THE ARCHITECT. KELLEHER RESIDENCE 12 MONTPELIER PLACE MANLY JOHN & CHRISTINE KELLEHER PROPOSED PLANS LOWER GROUND AND GROUND RW SEPTEMBER 2019

1:100 1908 DA02


ILARIO G. CORTESE ARCHITECTS PTY LTD Suite 5 681 Burke Road Camberwell Victoria 3124 p:+613 9813 1727 e: info@cortesearchitects.com.au








WEST ELEVATION




| · . | EXISTING TIMBER | | | · | |
|---------|--|------------|--|-----------------------------------|--|
| 3850/ + | ENCLOSED COURTYARD FORMING NEW KITCHEN NEW PERGOLA F6 NEW DOOR AND WINDOW | F2 OPEN | RETRACTABLE AWNIN 1.3M PROJECTION ROOF PROFILE BEYOND EXISTING WALL ON BOUNDARY | NEW RETAINING WALL ON BOUNDARY | |
| □ | | | | | |




| MONTPELIER PLACE |
|-------------------------|







SECTION C



SECTION B







NEW WALLS **F1** F2 F3 F5

F6

SO ALL GROUND

EXISTING WALLS TO BE RETAINED

KEY

EXTERIOR FINISHES KEY

DRESSED SANDSTONE FACING IN PATTERN TO MATCH EXISTING

RENDER FINISHED MASONRY TO MATCH EXISTING


NATURAL ANODISED ALUMINIUM WINDOW JOINERY TO MATCH EXISTING

"MONUMENT" COLOURBOND FASCIA, GUTTER AND SPOUTING TO MATCH EXISTING


ZINCALUME DECK ROOFING TO MATCH EXISTING

PAINT FINISHED TIMBER PERGOLA






PROPOSED SECTIONS





Suite 5 681 Burke Road Camberwell Victoria 3124 p:+613 9813 1727 e: info@cortesearchitects.com.au



PLANTING LEGEND:

| SYMBOL | BOTANICAL NAME | COMMON NAME | QTY | SYMBOL | BOTANICAL NAME | COMMON NAME | QTY | SPECIFICATION N GENERAL: All plants are to be plante preserved and protected plants must not be disturl lopped unless specific wr |
|------------|---|--------------------------|-----|--|--|------------------------------|-----|---|
| | Existing trees | | | | Olea europaea Underplanted with Gardenia jasminoides | European olive | 1 | SERVICES: Before landscape works any proposed tree plantin any landscape finishes. |
| | Trees to be removed | | | | 'Radicans ['] <i>Lepiderema pulchella</i> Underplanted with | Fine-leaved Tuckeroo | 6 | PLANTING MIXTURE: Shall be 3 parts onsite to 250mm. pH levels must rotted vegetative materia 'Botany Humus' supplied Garden Mix' supplied by |
| | <i>Psidium cattleianum</i> Under planted with | Strawberry guava | 3 | | Poa poiformis Poa poiformis | Coastal tussock | 51 | MULCH: Application: Place mulch adjoining levels. Ensure Landscapes. |
| E Constant | <i>Carissa '</i> Desert Star' <i>Carissa '</i> Desert Star' | | 16 | and the second s | Podocarpus henkelii Underplanted with Gardenia jasminoides 'Radicans' | grass Henkel's Yellowwood | 5 | PLANT MATERIAL: All plant material is to be the landscape plan. Gen are to have a healthy roc are to have a single lead must be well watered suf |
| ALLE CON | Tecomanthe hillii | Fraser Island Creeper | 2 | | <i>Gardenia jasminoides</i> 'Radicans' | Gardenia Radicans | 34 | shrubs and ground cover and base of the planting good tilth placed and firm |
| A CAR | Atractocarpus fitzalanii | | 1 | 2 D B B B B B B B B B B B B B B B B B B | Chonemorpha fragrans | Climbing frangipani | 2 | |
| | Under planted with <i>Lomandra '</i> Lime Tuff | | | | Royena lucida | African Snowdrop Bush | 3 | |
| * | <i>Lomandra longifolia x confertifolia</i> spp. <i>pallida</i> ′Lime Tuff' | Lomandra 'Lime Tuff' | 24 | ☀ | Panicum amarum | Coastal switchgrass | 37 | |

| Landscape Design by: | VALE GREEN LIFE ABN 25 220 424 562 | PROJECT | Landscape Design Concept Plan |
|--|--|---------|---|
| POTAGER - THE WHOLE GARDEN PTY LTD | Landscape Designers & Horticulturalists | | |
| 91 King Street Manly Vale NSW 2093 | PO Box 528 Avalon Beach NSW 2107 nick@valegreenlife.com.au 0418 11 49 86 | | For Christine & John Kelleher 12 Montpelier Place, Manly |
| www.potager.net.au | www.valegreenlife.com.au | | |
| Contact: Bill Ingall 0411 857 407 | Member of the Australian Institute of Landscape Designers & Managers | | |

ON NOTES

planted as stated in the planting legend and drawing. Any existing trees and vegetation to be retained, shall be tected from damage of any sort during the execution of landscape work. In particular, root systems of existing disturbed. Any nearby site works should be carried out carefully using hand tools. Trees shall not be removed or cific written approval to do so is given or is indicated on the plan or in the Arborist's report.

works are commenced onsite, the landscape contractor is to establish the position of all service lines and ensure planting is away from these services. Service lids, vents and hydrants shall be left exposed and not covered by

site topsoil and 1 part compost. Mix to a homogenous blend prior to installation and spread to a minimum of must have a reading of between 6-7 and higher or lower levels must be adjusted to suit. The compost is to be well naterial or animal manure, free from harmful chemicals, grass, weed growth and must have a neutral pH, such as pplied by Australian Native Landscapes. If site soil is insufficient then the imported garden mix shall be 'Organic ed by Australian Native Landscapes.

mulch to the specified depth clear of stems and spread to a minimum of 75mm in depth, finish 20mm below nsure mulch is watered in after installation. Type: Mulch shall be 'Forest Fines' as supplied by Australian Native

s to be grown to current 'Natspec' specifications and must be the same species as listed in the plants schedule on n. Generally plants shall be vigorous, well established and good form consistent with the species or variety. Plants hy root system with no evidence of root curl or damage. Plants must be free from disease or insect attack. Trees e leader. Reject dried out, damaged or unhealthy plant material prior to planting. Just prior to planting the plants ed sufficient to soak the root ball. Installation: Standard Horticultural Practices shall be followed. For all Trees, I covers planting holes are to be dug twice the diameter of the root ball and as deep as the root ball with the sides anting hole roughened. Gently tease roots and place the plant in the prepared hole and backfill using the site soil in nd firmed in layers. Water in well and create a saucer shaped depression around the plant.

SPECIFICATION NOTES contd.

STAKING: Trees should be of self supporting stock and staking should only be required for establishment. All stakes are to be removed at the completion of the Maintenance Period. Installation: Standard Horticultural Practices shall be followed for staking and tying. FERTILISER:

Mass Planting Areas and Trees : Controlled release fertiliser shall be 'Scotts Osmocote - Total All Purpose plus trace elements', for the exotic plants, 'Scotts Osmocote - Native Gardens plus trace elements' applied at a rate specified by the manufacturer. Thoroughly mix fertiliser with the planting mixture and for trees and shrubs mix fertiliser in the backfill soil at the time of planting 50mm minimum from the root ball.

IRRIGATION:

An automatic watering system to be selected and installed to all landscaped garden areas. The Landscape Contractor must ensure that the irrigation system conforms with all Water Board, Council & Australian standards and regulations All plants to be hand watered throughout the establishment period.

EXTRAS:

80mm diameter conduit required under all paving, decking and paths for cable access.


MAINTENANCE: All planting is to be maintained for a minimum of three (3) months (Maintenance Period) following practical completion. All plants are to be well watered, fertiliser applied as determined by the controlled release 'life' of the product. Plants to be checked for pest and disease and pruned as required to maintain healthy look or required use.


| | | | |
|----------------|--|--|-----------------|
| Scale: 1:100 a | t A1 Drawn: NV Date: Nov 2019 Issue: B | Notes: | |
| REV DATE | NOTATION/AMENDMENT | All measurements must be checked on site before | |
| D1 3.11.19 | For Design purposes only | quoting or building. | APPROX 0'58'37" |
| A 1.12.19 | Prepared for Development Application | Copyright | APPROX 12:30 |
| B 4.12.19 | Prepared for Development Application | The design of this drawing is a collaboration between | * |
| | | Potager - The Whole Garden and Vale Green Life. The | |
| | | information and design shown are copyright to Potager | * might & |
| | | The Whole Garden and Vale Green Life. No part shall be | |
| | | copied or otherwise used without their prior written | |
| | | ll consent. | |

GENERAL NOTES


This plan should be read in conjunction with the Architectural and Engineering plans. Work specific to these plans should be prepared in accordance with these plans prior to the installation of the landscaping, and should not be altered or compromised during landscape construction. Figured dimensions take preference to scale readings. Verify all dimensions on site. PDF'd plans may vary slightly in scale from that indicated on plans. Report any discrepancies to Vale Green Life before proceeding with the work. If the Status of this

drawing is not signed off 'For Construction', it may be subject to change, alteration or amendment at the discretion of Vale Green Life. If so, Vale Green Life is not liable for any loss, damage, harm or injury whether special, consequential, direct or indirect, suffered by you or any other person as a result of this drawing for construction purposes.





ELEVATION A



KELLEHER RESIDENCE DA/2020/0148 12 MONTPELIER PLACE MANLY

ILARIO G. CORTESE ARCHITECTS PTY LTD Suite 5 681 Burke Road Camberwell Victoria 3124 p:+613 9813 1727 e: info@cortesearchitects.com.au



POOL PLAN SCALE 1:50