

# BASIX Certificate

Building Sustainability Index www.basix.nsw.gov.au

## Alterations and Additions

Certificate number: A418351

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary  
Date of issue: Thursday, 27, May 2021  
To be valid, this certificate must be lodged within 3 months of the date of issue.



Description of project

Project address	
Project name	Gordon
Street address	49 Carnarvon Drive Frenchs Forest 2086
Local Government Area	Northern Beaches Council
Plan type and number	Deposited Plan 808175
Lot number	51
Section number	
Project type	
Dwelling type	Separate dwelling house
Type of alteration and addition	My renovation work is valued at \$50,000 or more, and does not include a pool (and/or spa).

<b>Certificate Prepared by</b> (please complete before submitting to Council or PCA)	
Name / Company Name:	yourstyle
ABN (if applicable):	003918116

page 1 / 6

BASIX Certificate number: A418351

page 4 / 6

Glazing requirements						Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
<b>Windows and glazed doors</b>								
The applicant must install the windows, glazed doors and shading devices, in accordance with the specifications listed in the table below. Relevant overshadowing specifications must be satisfied for each window and glazed door.						✓	✓	✓
The following requirements must also be satisfied in relation to each window and glazed door:								
Each window or glazed door with standard aluminium or timber frames and single clear or toned glass may either match the description, or have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below. Total system U-values and SHGCs must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions.							✓	✓
Each window or glazed door with improved frames, or pyrolytic low-e glass, or clear/air gap/clear glazing, or toned/air gap/clear glazing must have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below. Total system U-values and SHGCs must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions. The description is provided for information only. Alternative systems with complying U-value and SHGC may be substituted.							✓	✓
For projections described in millimetres, the leading edge of each eave, pergola, verandah, balcony or awning must be no more than 500 mm above the head of the window or glazed door and no more than 2400 mm above the sill.						✓	✓	✓
Pergolas with polycarbonate roof or similar translucent material must have a shading coefficient of less than 0.35.							✓	✓
Pergolas with fixed battens must have battens parallel to the window or glazed door above which they are situated, unless the pergola also shades a perpendicular window. The spacing between battens must not be more than 50 mm.							✓	✓
Windows and glazed doors glazing requirements								
Window / door no.	Orientation	Area of glass inc. frame (m <sup>2</sup> )	Overshadowing Height (m)	Overshadowing Distance (m)	Shading device	Frame and glass type		
W1	E	4.2	0	0	eave/verandah/pergola/balcony >=900 mm	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)		
W2	E	0.51	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)		
W3	E	0.51	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)		

Planning, Industry & Environment

Building Sustainability Index www.basix.nsw.gov.au

page 2 / 6

BASIX Certificate number: A418351

page 5 / 6

Fixtures and systems			
	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
<b>Lighting</b>			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		✓	✓
<b>Fixtures</b>			
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		✓	✓
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		✓	✓
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		✓	✓

BASIX Certificate number: A418351

page 3 / 6

Construction			
	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
<b>Insulation requirements</b>			
The applicant must construct the new or altered construction (floor(s), walls, and ceilings/roofs) in accordance with the specifications listed in the table below, except that a) additional insulation is not required where the area of new construction is less than 2m <sup>2</sup> , b) insulation specified is not required for parts of altered construction where insulation already exists.	✓	✓	✓
Construction	Additional insulation required (R-value)	Other specifications	
external wall: framed (weatherboard, fibro, metal clad)	R1.30 (or R1.70 including construction)		
flat ceiling, pitched roof	ceiling: R2.50 (up), roof: foil/sarking	medium (solar absorptance 0.475 - 0.70)	

BASIX Certificate number: A418351

page 6 / 6

Legend	
In these commitments, "applicant" means the person carrying out the development.	
Commitments identified with a "✓" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).	
Commitments identified with a "✓" in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.	
Commitments identified with a "✓" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.	

# BASIX CERTIFICATE



**DESIGNER HOME ADDITIONS**  
Licence 60007c

**9938 5611**  
www.yourstyle.com.au

PO BOX 1183 • DEE WHY 2099  
TEL : 9938 5611  
FAX : 9938 5911  
EMAIL : sales@yourstyle.com.au  
WEB : www.yourstyle.com.au  
ABN 92 003 918 116 • ACN 003 918 116  
BUILDER LICENCE • 60007C  
A DIVISION OF TAG TEAM CONSTRUCTIONS PTY LTD

<b>Client Name :</b>	<b>DAVID &amp; LEEANNE GORDON</b>
<b>Client Address :</b>	<b>49 CARNARVON DRIVE, FRENCHS FOREST NSW 2086</b>
<b>Client No. :</b>	<b>GOR 0421 01 DA</b>

All construction work to be performed in accordance with Australian Standards and Building Code of Australia 2019.

### © Copyright Acknowledgement

We agree and understand these drawings and plans are solely and entirely the intellectual property of Your Style Designer Home Additions and the normal copyright laws apply. License is not granted for the use of these designs or drawings.

Project Number: GOR 0421 01 DA Included Pages: 1 -

Signed..... Date: Wednesday, 16 June 2021

Client's signature

### Project Acceptance

We agree to these works in accordance with Your Style's Building Specification & Quote Document and this Design.

Signed..... Date: Wednesday, 16 June 2021

Your Style Designer Home Additions

Signed..... Date: Wednesday, 16 June 2021

Client's signature

Signed..... Date: Wednesday, 16 June 2021

Client's signature

<b>Drawing Title :</b>	<b>BASIX CERTIFICATE</b>		
<b>Project Name :</b>	<b>First Floor Addition</b>		
<b>Architect:</b>	<b>Your Style Designer Home Additions</b>		
<b>Status :</b>	<b>DA STAGE</b>	<b>Scale :</b>	<b>1:2</b>
<b>Plot Date :</b>	<b>Wednesday, 16 June 2021</b>	<b>Drawing No. :</b>	<b>17</b>
<b>File Location:</b>	<b>GOR 0421 01 DA.pln</b>		

**Your Style Construction Certificate Excludes:**  
Items in red and/or listed here do not form part of Your Style's Construction Certificate and will not be approved for construction under Your Style's Construction Certificate and will require a separate CC Application.

- 
- 
- 
- 
-