Assessor Construction Summary

Issued for information only - refer to the NatHERS Certificate(s).

Project:	Address:	ress: 87-89 Iris Street Beacon Hill Smithfield NSW 2100				File	e Ref:	PC29
Applicant:	Name: Austar Inve		estments Pty Ltd		Designer:	Playoust Churcher Architects		
Assessor:	Name: Address: Contact:	Address: PO Box 819		9 Bowral NSW 2576		Gradwell Consulting VIC/BDAV/12/1451 ACT2011220 david@gradwellconsulting.com		
Ext. Walls:	Construction		Insulation		Colour	Details		
	FC Clad		R2.5 bulk		Medium	As per plans		
	Cavity Brick		25mm Koolthern	n K8 or equiv (R1.2)) Medium	As per plans		
Int. Walls:	Construction		Insulation			Details		
	Brick		None			As per plans		
	Plasterboard on Stud		None			As per plans		
Floors:	Construction		Insulation			Details		
	Concrete		50mm PIR or equiv (R2.5)			Where open below		
	Concrete		R1.0 added			As per plans		
Ceilings:	Construction		Insulation			Details		
	Plasterboard		R5.0 added			Units 2,3,7 only		
	Plasterboard		R2.5 bulk			Elsewhere as per p	olans	
Roof:	Construction		Insulation		Colour	Details		
	Tiles		Sarking		Dark	As per plans		
Windows:	Product ID	Glass Frame		Uw/SHGCw	Details			
Group B	ALM-002-03 A		Single Low E	Aluminium	5.4/0.58	Fixed, Sliding, Double Hung (Unit 2,3,6,7,8,9,10 only)		,9,10 only)
Group B	ALM-002-01 A		Single Clear	Aluminium	6.7/0.70	Fixed, Sliding, Double Hung (elsewhere)		
Skylights:	Product ID		Glass	Туре	Uw/SHGCw	Details		
Other:	Orientation		Terrain Rangehood		Recessed	Downlights	Software Ve	ersion
	270		Suburban	Recirculating		- 1 per 2.5m ²	Bers Pro	