

SECTION ONE - DEMOLITION STAGE

MATERIALS ON-SITE		DESTINATION		
		REUSE AND RECYCLING		DISPOSAL
Type of Material	Estimated Volume (m³)	ON-SITE ★ specify proposed reuse or on-site recycling methods	OFF-SITE ★ BROWN BROS BINS, TRANSPORTED TO KIMBRIKI RECYCLING CENTRE TERREY HILLS	BROWN BROS, BINS ★ TRANSPORTED TO KIMBRIKI LANDFILL
Excavation Material	10.5	—	11	—
Green Waste	7.0	—	11	—
Concrete	11.35	—	11	—
Bricks	6.00	—	11	—
Timber -	18.5	—	11	—
Metals -	3.2	—	11	—
Plasterboard	4.0	—	—	11
Other -	1.0	—	—	11

SECTION TWO - CONSTRUCTION STAGE

MATERIALS ON-SITE		DESTINATION		
		REUSE AND RECYCLING		DISPOSAL
Expected Waste Materials	Estimated Volume (m³)	ON-SITE ★ specify proposed reuse or on-site recycling methods	OFF-SITE ★ BROWN BROS BINS, TRANSPORTED TO KIMBRIKI RECYCLING CENTRE TERREY HILLS	BROWN BROS, BINS ★ TRANSPORTED TO KIMBRIKI LANDFILL
Excavation Material	21.0	FILL AS FORMWORK	—	—
Green Waste	3.0	—	11	—
Bricks	1.5	—	11	—
Concrete	1.0	—	11	—
Timber -	2.5	—	11	—
Metals -	1.0	—	11	—
Plasterboard	3.75	—	—	11
Other -	—	—	—	—

SECTION THREE - USE OF PREMISES

TYPE OF WASTE TO BE GENERATED	EXPECTED VOLUME PER WEEK
Please specify. For example: glass, paper, food waste, offcuts, etc.	★ Estimated Volume (m³)
GLASS & PAPER	0.2 DWELLING COLLECTED BY COUNCIL

SECTION FOUR - ON-GOING MANAGEMENT

HOUSEHOLD RUBISH & NON-RECYCLED GARBAGE	COLLECTED BY COUNCIL
0.5 DWELLING	

WASTE MANAGEMENT PLAN

COPYRIGHT
ALL PLANS AND DRAWINGS ARE SUBJECT OF COPYRIGHT AND ANY ATTEMPT OR ACTUAL INFRINGEMENT BY USING, REPRODUCING OR COPYING SAME, WHOLLY OR IN PART, WITHOUT PRIOR WRITTEN PERMISSION WILL RESULT IN LEGAL PROCEEDINGS
J.D. EVANS and COMPANY PTY LTD
20 JUBILEE AVENUE, WARRIEWOOD 2102
PHONE 9999 4566
WWW.JDECO.COM.AU



J.D. EVANS and COMPANY
DESIGN AND BUILDING CONSULTANTS
UNIT 7, 6 JUBILEE AVENUE, WARRIEWOOD 2102
PHONE 9999 4566
MOBILE 0418 976 596
WWW.JDECO.COM.AU

PROJECT
PROPOSED ALTERATIONS/ADDITIONS
No. 631 WARRINGAH ROAD
FORESTVILLE N.S.W. 2087
CLIENT
MAGGIE SAMUEL & R. ANANTH ASIRVADAM

DATE 06/04/2022
DRAWN JDE
CHECKED
ISSUE
2094