

Applicant and Project Details

Complete this page and the relevant Sections that apply to your proposed development.

Applicants' Details

Name: (must be the same as the DA form)	ELEVATE DESIGN & DRAFTING
Address: (must be the same as the DA form)	35 ADAMS ST, FRENCHES BAY, NSW, 2086
Phone Number:	0422 961 738
Email Address:	danny@elevatedd.com.au

Property Details

Lot No: Deposited Plan (DP) No: or Strata Plan (SP) No:	647 217209
Unit No: House No: Street: Suburb: Postcode:	22A CONNEMARA AVE KILLARNEY HTD 2087

Project Details

Description of proposed development:	ALTERATIONS AND ADDITIONS TO EXISTING DWELLING INCLUDING NEW FIRST FLOOR AND SWIMMING POOL
Structures to be demolished:	0 – PARTIAL DEMOLITION OF EXISTING DWELLING

Applicant Declaration

I declare that:

1. This plan has been completed in accordance with the Waste Management Guidelines
2. To the best of my knowledge, the details on this form are accurate and correct

I understand that:

1. All records demonstrating lawful disposal of waste will be retained and kept readily accessible for inspection by regulatory authorities such as Council, NSW Environment Protection Authority or WorkCover NSW.
2. A bond in accordance with Council's fees and charges may apply to this development and must be paid to Council prior to any works commencing.
3. The bond will only be refunded when Council is satisfied that all waste outlined in this plan has been managed as per the plan, and evidence such as photos, receipts and statutory declarations must be supplied where appropriate.

Signature of Applicant: 

Date: 30/11/21

Section 1 – Demolition

This section must be completed in accordance with 'Chapter 1 – Demolition' of the Waste Management Guidelines

MATERIALS ON SITE	DESTINATION <i>Evidence such as weighbridge dockets and invoices for waste disposal or recycling must be retained on site for inspection</i>					
	REUSE AND RECYCLING (MOST FAVOURABLE)				DISPOSAL (LEAST FAVOURABLE)	
Types of Waste Material	Estimated Volume (m ³) or Weight (t)	ONSITE RE-USE ✓ Specify how material will be reused on site	OFFSITE RECYCLING ✓ Recycling Outlet (RO) ✓ Waste Transport Contractor (WTC)		OFFSITE DISPOSAL ✓ Specify landfill site (LS) ✓ Specify Waste Transport Contractor (WTC)	
			WTC	RO	WTC	LS
Excavated Material	2 m ³	2 m ³ FILL				
Garden Organics	.5 m ³	.5 m ³ MULCH				
Bricks	3 m ³		KIMBRICKI	DATS	OPTION NOT AVAILABLE: These materials must be re-used or separated on or off site and sent for recycling.	
Tiles (Paving)	20 m ³		KIMBRICKI	DATS		
Concrete	—					
Timber	3 m ³		KIMBRICKI	DATS		
Plasterboard	1 m ³		KIMBRICKI	DATS		
Metals	—					
Asbestos	—					
Other waste (please specify)	—					
Estimated Total % Recovered	100%					

Refer to the estimation tables in 'Chapter 1 – Demolition' of the Guidelines for assistance in completing this table.

The applicant must submit a Site Plan showing the structures to be demolished and storage areas for waste and construction materials (if the development also includes construction).

WMP Checklist

Have you included the following:	Applicant Tick
A site plan showing: • The structures to be demolished. • Storage areas for waste to be reused, recycled, or disposed of. • Materials storage (if the development also includes construction)	☒
The table on the previous page, completed in accordance with 'Chapter 1 – Demolition' in the guidelines.	☒

Section 2 – Construction

This section must be completed in accordance with 'Chapter 2 – Construction' of the Waste Management Guidelines

MATERIALS ON SITE	DESTINATION <i>Evidence such as weighbridge docket and invoices for waste disposal or recycling must be retained on site for inspection</i>					
	REUSE AND RECYCLING (MOST FAVOURABLE)				DISPOSAL (LEAST FAVOURABLE)	
Types of Waste Material	Estimated Volume (m ³) or Weight (t)	ONSITE RE-USE ✓ Specify how material will be reused on site	OFFSITE RECYCLING ✓ Specify recycling outlet (RO) ✓ Specify Waste Transport Contractor (WTC)		OFFSITE DISPOSAL ✓ Specify landfill site (LS) ✓ Specify Waste Transport Contractor (WTC)	
* Please specify			WTC	RO	WTC	LS
Excavated Material	54 m ³	30m ³ FILL	KIMBEIKI	OATS		
Garden Organics	—					
Bricks	0.2 m ³	0.2 m ³ CRUSHED BRICK FILL			OPTION NOT AVAILABLE: These materials must be re-used or separated on or off site and sent for recycling.	
Tiles	—					
Concrete	—					
Timber*	0.1 m ³		KIMBEIKI	OATS		
Plasterboard	0.3 m ³		KIMBEIKI	OATS		
Metals*	—					
Asbestos	—					
Other waste*	—					
Estimated Total % Recovered	85%					

Refer to the estimation tables in 'Chapter 2 – Construction' of the Guidelines for assistance in completing this table.

The applicant must submit a Site Plan showing the structures to be demolished and storage areas for waste and construction materials (if the development also includes construction).

WMP Checklist

Have you included the following:	Applicant Tick
A site plan showing: • The structures to be demolished. • Potential storage areas for waste to be reused, recycled, or disposed of. • Materials storage	☒
The table on the previous page, completed in accordance with 'Chapter 2 – Construction' in the guidelines.	☒