



MACASA HOMES PTY LTD

PROPOSED DEVELOPMENT
AT

LOT 9 NO. 9 RAVEN CIRCUIT,
WARRIEWOOD. NSW

INDEX TO SHEETS

SHEET	TITLE
C-000	COVER SHEET & DRAWING LIST
C-401	STORMWATER DRAINAGE PLAN & DETAILS
C-402	OSD CATCHMENT PLAN
C-403	OSD PLAN & DETAILS


CONCEPT PLAN FOR COUNCIL SUBMISSION
NOT FOR CONSTRUCTION

OWNER: The owner is responsible for maintenance of building and site. Refer to the CSIRO 'Guide to Home Owners on Foundation Maintenance and Performance'.

REV	BY	DATE	ISSUE / REVISION DESCRIPTION	CHK	APP	REV	BY	DATE	ISSUE / REVISION DESCRIPTION	CHK	APP	TITLE	NAME	DATE	NORTH	CLIENT	PROJECT	CLIENT REF. No.	
0	THT	15/11/2022	ISSUED FOR CDC	HC	GP							DRAFTER	THT	15/11/2022		MACASA HOMES PTY LTD		PROPOSED DEVELOPMENT AT LOT 9 NO. 9 RAVEN CIRCUIT, WARRIEWOOD. NSW COVER SHEET & DRAWING LIST	CLIENT REF. No.
1	DM	16/02/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP						DESIGNER	THT	15/11/2022	SCALE					
2	DM	24/04/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP						ENG. CHECK	HC	15/11/2022	STRUCterre JOB No.					
3	DM	19/05/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP						AUTHORISED BY:			3.22.11581.5					
4	DM	25/05/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP							GERVASE PURICH					DRAWING REF. No.	REV	
																		WAW0009-C-000	4

COPYRIGHT STRUCterre WBA PTY. LTD. - THESE DRAWINGS ARE SOLE PROPERTY OF STRUCterre WBA PTY. LTD. AND MAY NOT BE USED IN WHOLE OR IN PART WITHOUT WRITTEN OR FORMAL PERMISSION FROM STRUCterre WBA PTY. LTD.

SHEET SIZE: A1



(A): EASEMENT FOR ACCESS AND MAINTENANCE 0.9 WIDE

(B): EASEMENT FOR ACCESS AND MAINTENANCE 0.9 WIDE

NOTE: SURFACE DRAINAGE HAS BEEN TREATED AS UNCONTROLLED TO THE DISCHARGE POINT. OSD STORAGE VOLUME MODIFIED TO SUIT.

⊙ NB: PRECISE DETAILS OF ALL EXISTING SERVICES (PITS/PIPES ETC), SUCH AS DIAMETER, DEPTH, ALIGNMENTS ETC., TO BE OBTAINED ON SITE PRIOR TO COMMENCEMENT OF CONSTRUCTION. REFER ANY DISCREPANCIES TO THIS OFFICE PRIOR TO PROCEEDING.

OSD CALCULATIONS SUMMARY:

SSR = 9.0m³ (OR AS CLOSE AS POSSIBLE GIVEN LEVELS)
 PSD = 3.40L/s
 (AS PER COUNCIL RFI DATED 1 MARCH 2023)

SITE AREA SUMMARY:

TOTAL SITE AREA = 246.2m²
 PROPOSED ROOF AREA = 126.5m²
 PROPOSED PAVED AREA = 20m²
 TOTAL IMPERVIOUS AREA = 146.5m²
 TOTAL PERVIOUS AREA = 99.7m²

TOTAL INTO OSD = 224.0m³
 TOTAL BYPASS = 22.2m³ (9.0% OF TOTAL SITE AREA)

VOLUME CALCULATIONS:

OSD 1 VOLUME PROVIDED = 4.0m³
 OSD 2 VOLUME PROVIDED = 2.4m³
 TOTAL VOLUME PROVIDED = 6.4m³ (MAX POSSIBLE)

ORIFICE SIZING CALCULATIONS:

USING ORIFICE EQUATION

ORIFICE Ø = 21.9 x (PSD / (H)^{1.5})^{0.5} = 50.46mm
 WHERE PSD = 3.40 L/s, DEPTH TO ORIFICE (CL) = 0.41m (H), THEREFORE PROVIDE 50mm SHARP EDGED OPENING IN ORIFICE PLATE

GENERAL NOTES

- G1. THE DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL OTHER WORKING DRAWINGS AND SPECIFICATIONS AND SUCH OTHER WRITTEN INSTRUCTIONS AS MAY BE ISSUED DURING THE COURSE OF CONSTRUCTION. ALL DISCREPANCIES AND VARIATIONS SHALL BE REFERRED TO THE ENGINEER BEFORE PROCEEDING WITH THE WORK.
- G2. ALL STRUCTURAL WORK SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF ALL RELEVANT AND CURRENT CODES.
- G3. ALL DIMENSIONS RELEVANT TO SETTING OUT AND OFF-SITE WORK SHALL BE VERIFIED BEFORE CONSTRUCTION AND/OR FABRICATION IS COMMENCED.
- G4. DIMENSIONS SHALL NOT BE OBTAINED BY SCALING THE STRUCTURAL DRAWINGS.
- G5. DURING CONSTRUCTION THE STRUCTURE SHALL BE MAINTAINED IN A STABLE CONDITION AND NO PART SHALL BE OVERSTRESSED.
- G6. ALL PIPES, ORIFICE PLATES, FLAP VALVES ETC SHALL BE IN ACCORDANCE WITH HYDRAULIC DRAWINGS.

CONCRETE NOTES

- C1. ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH THE CURRENT EDITION OF AS 3600 AND OTHER RELEVANT CODES.

STORMWATER NOTES

- ST1. ALL DRAINAGE PIPES TO BE Ø100 SEWER GRADE uPVC AT 1% MIN. FALL, U.N.O.
- ST2. A CONTINUOUS SILT BARRIER FENCE IS TO BE PROVIDED ALONG LOWER BOUNDARIES FOR DURATION OF CONSTRUCTION - REFER DETAIL.
- ST3. HAYBALE BARRIERS TO BE PROVIDED AROUND INLET PITS FOR DURATION OF CONSTRUCTION - REFER DETAIL.
- ST4. DRAINAGE HAS BEEN DESIGNED IN ACCORDANCE WITH METHODS SET OUT IN 'AUSTRALIAN RAINFALL AND RUNOFF' (1987).
- ST5. ALL NECESSARY WORK INVOLVED IN THE CREATION OF EASEMENT/RIGHT OF CONNECTION TO ANY EXISTING SERVICES AND/OR COVENANTS/RESTRICTIONS TO USER SHALL BE THE RESPONSIBILITY OF THE OWNER/APPLICANT.

EROSION CONTROL NOTES

- E1. EROSION CONTROL MEASURES TO BE IN PLACE PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION WORK.
- E2. REHABILITATION INCLUDES COMPLETION OF ALL CONSTRUCTION WORK AND LANDSCAPING, SEEDING OR TURFING OF ALL BATTERS AND FILL AREAS.
- E3. A PROGRAM OF PROGRESSIVE REHABILITATION SHOULD BE IMPLEMENTED TO MINIMISE EROSION.
- E4. TOP SOIL STOCKPILES TO BE SOWN IF LEFT UNDISTURBED FOR MORE THAN FOUR WEEKS.
- E5. THE NEAREST COUNCIL PIT SHALL BE PROTECTED WITH SAND BAG SEDIMENT TRAPS AND TRAFFIC BARRIERS ACCORDING TO AS 1742.3 - 1985.
- E6. ONLY ONE CONSTRUCTION ENTRY/EXIT SHALL BE USED DURING CONSTRUCTION.
- E7. DURING WET WEATHER MUD IS TO BE HOSED OFF ON THE RAMP PRIOR TO VEHICLES LEAVING THE SITE.
- E8. EXTRA HAY BALES TO BE STORED AT SITE FOR THE USE OF ANY OPEN TRENCHES, PITS ETC.
- E9. SEDIMENT TRAPS SHALL BE INSPECTED AFTER EACH STORM. CLEAN OR REPLACE IF NECESSARY.
- E10. BALE BARRIERS TO BE REMOVED FOLLOWING COMPLETION OF ALL CONSTRUCTION WORKS, PAVEMENT AND LANDSCAPING AREAS, WITH COUNCIL APPROVAL.

LEGEND

- 40.0 - EXISTING CONTOURS
- 40.0 - PROPOSED CONTOURS
- DP Ø - PROPOSED DOWNPIPE (100x50/Ø90 U.N.O. - REFER DETAILS)
- - - - - PROPOSED PIPE (SIZES AS SHOWN ON PLAN/NOTES)
- - - - - PROPOSED PIPE SEALED TO TANK (SIZES AS SHOWN ON PLAN/NOTES)
- - - - - EXISTING PIPE
- - DIRECTION OF FALL (1% MIN U.N.O.)
- - - - - PROPERTY BOUNDARY
- ⊙ - INSPECTION RISER/CLEANING EYE (DIA. TO MATCH PIPE) WITH SEALED SCREWCAP LID.
- ×10.30 - EXISTING SPOT LEVEL
- ⊙10.52 - PROPOSED SPOT LEVEL
- ▣ - PROPOSED GRATED SURFACE INLET PIT (GSIP)
- ⊠ - PROPOSED JUNCTION PIT (JP)

CONCEPT PLAN FOR COUNCIL SUBMISSION
NOT FOR CONSTRUCTION

REV	BY	DATE	ISSUE / REVISION DESCRIPTION	CHK	APP
0	TH	14/11/2022	ISSUED FOR CDC	HC	GP
1	DM	16/02/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
2	DM	24/04/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
3	DM	19/05/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
4	DM	25/05/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP

REV	BY	DATE	ISSUE / REVISION DESCRIPTION	CHK	APP

TITLE	NAME	DATE	NORTH	CLIENT
DRAFTER	TH	15/11/2022		MACASA HOMES PTY LTD
DESIGNER	TH	15/11/2022		
ENG. CHECK	HC	15/11/2022		
AUTHORISED BY: GERVASE PURICH Project Chief NER BPS RBP RPO				

OWNER: The owner is responsible for maintenance of building and site. Refer to the CSIRO 'Guide to Home Owners on Foundation Maintenance and Performance'.

Structerre Consulting Engineers (NSW) Pty Ltd (ACN 131 748 260)
 SUITE 1, LEVEL 2, 42 BIRNIE AVENUE, LIDCOMBE NSW 2141
 TEL (02) 9475 3000 FAX (02) 9648 2311 EMAIL: sydney@structerre.com.au


PROJECT	PROPOSED DEVELOPMENT AT LOT 9 NO. 9 RAVEN CIRCUIT, WARRIEWOOD, NSW	CLIENT REF. No.	N/A
SCALE	1:100	STRUCTERRE JOB No.	3.22.11581.5
DRAWING REF. No.	WAW0009-C-401	REV	4

COPYRIGHT STRUCTERRE WBA PTY. LTD. - THESE DRAWINGS ARE SOLE PROPERTY OF STRUCTERRE WBA PTY. LTD. AND MAY NOT BE USED IN WHOLE OR IN PART WITHOUT WRITTEN OR FORMAL PERMISSION FROM STRUCTERRE WBA PTY. LTD.

(A): EASEMENT FOR ACCESS AND MAINTENANCE 0.9 WIDE

(B): EASEMENT FOR ACCESS AND MAINTENANCE 0.9 WIDE

NB: PRECISE DETAILS OF ALL EXISTING SERVICES (PITS/PIPES ETC), SUCH AS DIAMETER, DEPTH, ALIGNMENTS ETC., TO BE OBTAINED ON SITE PRIOR TO COMMENCEMENT OF CONSTRUCTION. REFER ANY DISCREPANCIES TO THIS OFFICE PRIOR TO PROCEEDING.



RAVEN CIRCUIT

OSD CALCULATIONS SUMMARY:

SSR = 9.0m³ (OR AS CLOSE AS POSSIBLE GIVEN LEVELS)
 PSD = 3.40L/s (AS PER COUNCIL RFI DATED 1 MARCH 2023)

SITE AREA SUMMARY:

TOTAL SITE AREA = 246.2m²
 PROPOSED ROOF AREA = 126.5m²
 PROPOSED PAVED AREA = 20m²
 TOTAL IMPERVIOUS AREA = 146.5m²
 TOTAL PERVIOUS AREA = 99.7m²

TOTAL INTO OSD = 224.0m²
 TOTAL BYPASS = 22.2m² (9.0% OF TOTAL SITE AREA)

VOLUME CALCULATIONS:

OSD 1 VOLUME PROVIDED = 4.0m³
 OSD 2 VOLUME PROVIDED = 2.4m³
 TOTAL VOLUME PROVIDED = 6.4m³ (MAX POSSIBLE)

ORIFICE SIZING CALCULATIONS:

USING ORIFICE EQUATION

ORIFICE ϕ = $21.9 \times (\text{PSD}/\text{H})^{0.5} = 50.46\text{mm}$
 WHERE PSD = 3.40 L/s, DEPTH TO ORIFICE CL = 0.41m (H), THEREFORE PROVIDE 50mm SHARP EDGED OPENING IN ORIFICE PLATE

GENERAL NOTES

- THE DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL OTHER WORKING DRAWINGS AND SPECIFICATIONS AND SUCH OTHER WRITTEN INSTRUCTIONS AS MAY BE ISSUED DURING THE COURSE OF CONSTRUCTION. ALL DISCREPANCIES AND VARIATIONS SHALL BE REFERRED TO THE ENGINEER BEFORE PROCEEDING WITH THE WORK.
- ALL STRUCTURAL WORK SHALL BE IN ACCORDANCE WITH THE REQUIREMENTS OF ALL RELEVANT AND CURRENT CODES.
- ALL DIMENSIONS RELEVANT TO SETTING OUT AND OFF SITE WORK SHALL BE VERIFIED BEFORE CONSTRUCTION AND/OR FABRICATION IS COMMENCED.
- DIMENSIONS SHALL NOT BE OBTAINED BY SCALING THE STRUCTURAL DRAWINGS.
- DURING CONSTRUCTION THE STRUCTURE SHALL BE MAINTAINED IN A STABLE CONDITION AND NO PART SHALL BE OVERSTRESSED.
- ALL PIPES, ORIFICE PLATES, FLAP VALVES ETC SHALL BE IN ACCORDANCE WITH HYDRAULIC DRAWINGS.

CONCRETE NOTES

- ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH THE CURRENT EDITION OF AS 3600 AND OTHER RELEVANT CODES.

STORMWATER NOTES

- ALL DRAINAGE PIPES TO BE ϕ 100 SEWER GRADE uPVC AT 1% MIN. FALL, U.N.O.
- A CONTINUOUS SILT BARRIER FENCE IS TO BE PROVIDED ALONG LOWER BOUNDARIES FOR DURATION OF CONSTRUCTION - REFER DETAIL.
- HAYBALE BARRIERS TO BE PROVIDED AROUND INLET PITS FOR DURATION OF CONSTRUCTION - REFER DETAIL.
- DRAINAGE HAS BEEN DESIGNED IN ACCORDANCE WITH METHODS SET OUT IN 'AUSTRALIAN RAINFALL AND RUNOFF' (1987).
- ALL NECESSARY WORK INVOLVED IN THE CREATION OF EASEMENT/RIGHT OF CONNECTION TO ANY EXISTING SERVICES AND/OR COVENANTS/RESTRICTIONS TO USER SHALL BE THE RESPONSIBILITY OF THE OWNER/APPLICANT.

EROSION CONTROL NOTES

- EROSION CONTROL MEASURES TO BE IN PLACE PRIOR TO COMMENCEMENT OF ANY CONSTRUCTION WORK.
- REHABILITATION INCLUDES COMPLETION OF ALL CONSTRUCTION WORK AND LANDSCAPING, SEEDING OR TURFING OF ALL BATTERS AND FILL AREAS.
- A PROGRAM OF PROGRESSIVE REHABILITATION SHOULD BE IMPLEMENTED TO MINIMISE EROSION.
- TOP SOIL STOCKPILES TO BE SOWN IF LEFT UNDISTURBED FOR MORE THAN FOUR WEEKS.
- THE NEAREST COUNCIL PIT SHALL BE PROTECTED WITH SAND BAG SEDIMENT TRAPS AND TRAFFIC BARRIERS ACCORDING TO AS 1742.3 - 1985.
- ONLY ONE CONSTRUCTION ENTRY/EXIT SHALL BE USED DURING CONSTRUCTION.
- DURING WET WEATHER MUD IS TO BE HOSED OFF ON THE RAMP PRIOR TO VEHICLES LEAVING THE SITE.
- EXTRA HAY BALES TO BE STORED AT SITE FOR THE USE OF ANY OPEN TRENCHES, PITS ETC.
- SEDIMENT TRAPS SHALL BE INSPECTED AFTER EACH STORM. CLEAN OR REPLACE IF NECESSARY.
- BALE BARRIERS TO BE REMOVED FOLLOWING COMPLETION OF ALL CONSTRUCTION WORKS, PAVEMENT AND LANDSCAPING AREAS, WITH COUNCIL APPROVAL.

LEGEND

- 40.0 - EXISTING CONTOURS
- 40.0 - PROPOSED CONTOURS
- DP ϕ - PROPOSED DOWNPIPE (100x50/290 U.N.O. - REFER DETAILS)
- - - - - PROPOSED PIPE (SIZES AS SHOWN ON PLAN/NOTES)
- - - - - PROPOSED PIPE SEALED TO TANK (SIZES AS SHOWN ON PLAN/NOTES)
- - - - - EXISTING PIPE
- ↘ - DIRECTION OF FALL (1% MIN U.N.O.)
- - - - - PROPERTY BOUNDARY
- ⊙ - INSPECTION RISER/CLEANING EYE (DIA. TO MATCH PIPE) WITH SEALED SCREWCAP LID.
- ⊙ - EXISTING SPOT LEVEL
- ⊙ - PROPOSED SPOT LEVEL
- ▣ - PROPOSED GRATED SURFACE INLET PIT (GSIP)
- ⊠ - PROPOSED JUNCTION PIT (JP)

CONCEPT PLAN FOR COUNCIL SUBMISSION
NOT FOR CONSTRUCTION

REV	BY	DATE	ISSUE / REVISION DESCRIPTION	CHK	APP
0	TH	14/11/2022	ISSUED FOR CDC	HC	GP
1	DM	16/02/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
2	DM	24/04/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
3	DM	19/05/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
4	DM	25/05/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP

REV	BY	DATE	ISSUE / REVISION DESCRIPTION	CHK	APP

OWNER: The owner is responsible for maintenance of building and site. Refer to the CSIRO 'Guide to Home Owners on Foundation Maintenance and Performance'.

TITLE	NAME	DATE	NORTH	CLIENT
DRAFTER	TH	15/11/2022	N	MACASA HOMES PTY LTD
DESIGNER	TH	15/11/2022		
ENG. CHECK	HC	15/11/2022		

AUTHORISED BY:
GERVASE PURICH
Rt. Const. Ofng. NER. 8PB. RPB. RPO.

STRUCterre consulting


Structerre Consulting Engineers (NSW) Pty Ltd (ACN 131 748 260)
 SUITE 1, LEVEL 2, 42 BIRNIE AVENUE, LIDCOMBE NSW 2141
 TEL (02) 9475 3000 FAX (02) 9648 2311 EMAIL: sydney@structerre.com.au

PROJECT: PROPOSED DEVELOPMENT AT LOT 9 NO. 9 RAVEN CIRCUIT, WARRIEWOOD, NSW


OSD CATCHMENT PLAN

CLIENT REF. No: N/A
 SCALE: 1:100
 STRUCterre JOB No: 3.22.11581.5
 DRAWING REF. No: WAW0009-C-402
 REV: 4


COPYRIGHT STRUCterre WBA PTY. LTD. - THESE DRAWINGS ARE SOLE PROPERTY OF STRUCterre WBA PTY. LTD. AND MAY NOT BE USED IN WHOLE OR IN PART WITHOUT WRITTEN OR FORMAL PERMISSION FROM STRUCterre WBA PTY. LTD.




ENLARGED PLAN - OSD
SCALE 1:50




JUNCTION/SURFACE INLET PIT
 NOT TO SCALE
 NB: PIT TO BE REINFORCED USING N12 BARS @ 200mm C/C BOTH WAYS, CENTRALLY PLACED. PROPRIETARY PRECAST CONCRETE OR FRC PITS MAY BE USED AS AN ALTERNATIVE, SUBJECT TO COUNCIL/ PCA APPROVAL.




SILT FENCE DETAIL
 NOT TO SCALE
 - STRING 16 GAUGE WIRE TIGHTLY BETWEEN STAKES
 - LAP BIDIM OVER 50MM & STITCH WITH TIE WIRE LOOPED AT 100MM CENTRES
 - REMOVE SILT AFTER EACH MAJOR STORM




TEMPORARY CONSTRUCTION EXIT
 NOT TO SCALE




PIT WITH PEBBLE/ MULCH LAYER (TYP)
 NOT TO SCALE
 NB: PIT TO BE REINFORCED USING N12 BARS @ 200mm C/C BOTH WAYS, CENTRALLY PLACED. PROPRIETARY PRECAST CONCRETE OR FRC PITS MAY BE USED




OSD ORIFICE PLATE DETAIL
 NOT TO SCALE



SECTION C-C OPEN AIR OSD BASIN TO TANK
 N.T.S.



SECTION A-A UNDERGROUND OSD STORAGE TANK
 N.T.S.



SECTION B-B OPEN AIR OSD BASIN TO TANK
 N.T.S.

CONCEPT PLAN FOR COUNCIL SUBMISSION
NOT FOR CONSTRUCTION

REV	BY	DATE	ISSUE / REVISION DESCRIPTION	CHK	APP
0	TH	14/11/2022	ISSUED FOR CDC	HC	GP
1	DM	16/02/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
2	DM	24/04/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
3	DM	19/05/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP
4	DM	25/05/2023	ISSUED FOR REVIEW AND COMMENT, NOT FOR CONSTRUCTION	DM	GP

REV	BY	DATE	ISSUE / REVISION DESCRIPTION	CHK	APP

TITLE	NAME	DATE
DRAFTER	TH	15/11/2022
DESIGNER	TH	15/11/2022
ENG. CHECK	HC	15/11/2022

AUTHORISED BY:
 GERVAISE PURICH
 Project Chief NER RPS RPS RPS

CLIENT
MACASA HOMES PTY LTD



PROJECT
PROPOSED DEVELOPMENT AT LOT 9 NO. 9 RAVEN CIRCUIT, WARRIEWOOD, NSW
OSD PLAN AND DETAILS

CLIENT REF. No.	N/A
SCALE	1:100
STRUCterre JOB No.	3.22.11581.5
DRAWING REF. No.	WAW0009-C-403
REV	4

COPYRIGHT STRUCterre WBA PTY. LTD. THESE DRAWINGS ARE SOLE PROPERTY OF STRUCterre WBA PTY. LTD. AND MAY NOT BE USED IN WHOLE OR IN PART WITHOUT WRITTEN OR FORMAL PERMISSION FROM STRUCterre WBA PTY. LTD.