

Environmental Health Referral Response - commercial use

Application Number:	Mod2018/0209

То:	Hugh Halliwell
• ` ` ,	Lot 1 DP 668492, 2 Beach Road PALM BEACH NSW 2108 Lot A DP 341607, 2 Beach Road PALM BEACH NSW 2108

Reasons for referral

This application seeks consent for one or more of the following:

- Food premises, or
- Backpackers/Boarding house, or
- Mortuary, or
- Skin penetration, accupuncture, tattoo, beauty salon, or
- Public pool

And as such, Council's Environmental Health and Protection officers are required to consider the likely impacts.

Officer comments

Are the reports undertaken by a suitably qualified consultant?	N/A
Have you considered the following?	NA
 Review Statement of Environmental Effects, consider ongoing use: Food Premises, use AS 4674 and Food Standards Code and BCA (re ventilation and toilets). Consider location of mechanical ventilation (AS 1668) and grease traps Backpackers/Boarding House, use Public Health Act and Local Gov Regulations and BCA. Mortuary, use Local Gov Regulations Skin penetration acupuncture, tattoo, beauty salon, use Local Gov Regulations Public pool, use Public Health Act Childcare, use AS 4674 (kitchen) and BCA toilets Consider waste disposal. All new food shops should have waste stored in rooms. Consider impact of noise, hours of operation, outdoor seating, location of equipment, times of deliveries, noise management plans, acoustic reports etc. Shop top housing must have separate waste storage for residential and commercial. EH&P don't look at residential waste areas or collection. 	

MOD2018/0209 Page 1 of 2



Environmental Health comments on the MOD are contained within the Industrial Referral -noise related

Recommendation APPROVAL - no conditions

Comments completed by: Anthony Foy

Date: 1 May 2018

Recommended Environmental Health and Protection Conditions:

Nil.

MOD2018/0209 Page 2 of 2