

Landscape Referral Response

Application Number:	REV2021/0034
Date:	12/11/2021
Responsible Officer:	Rebecca Englund
,	Lot B DP 316404 , 231 Whale Beach Road WHALE BEACH NSW 2107

Reasons for referral

This application seeks consent for the following:

- Construction / development works within 5 metres of a tree or
- New residential works with three or more dwellings. (RFB's, townhouses, seniors living, guesthouses, etc). or
- Mixed use developments containing three or more residential dwellings.
- New Dwellings or

Officer comments

The development application is for the demolition of existing structures and construction of a five-storey shop-top housing development, comprising five (5) residential apartments, three (3) retail premises, basement car parking, associated site and landscaping works and strata subdivision.

Council's Landscape Referral is assessed against State Environmental Planning Policy No. 65 Design Quality for Residential Apartment Development, Pittwater LEP Zone B1 Neighbourhood Centre, and the following Pittwater 21 DCP Controls: B4.22 Preservation of Trees and Bushland Vegetation; C2.1 Landscaping; C2.20 Public Road Reserve - Landscaping and Infrastructure; and D12 Palm Beach Locality, including D12.1 Character as viewed from a public place.

The SEPP 65 Design quality principles included in Schedule 1 that are relevant to the landscape outcomes of the proposal include: Principle 1: Context and neighbourhood character; Principle 4: Sustainability; and Principle 5: Landscape. In addition, under SEPP 65, the following provisions are to be considered: 3E: Deep Soil Zones; 3D:

Communal Open Space; and 3F: Visual Privacy.

The Review of Determination incorporates amended Landscape Plans by Trish Dobson and amended Arborist's Report by Urban Forestry Australia.

Review of the amendments proposed indicate that existing street trees are to be retained and improved landscape outcomes are provided to address the planning controls.

Some landscape works are included in the proposed works within the road reserves. Whilst not objected to in principle, approval of such works will be subject to a separate application under the Roads Act. Conditions have been included to address this aspect of the proposal.

Subject to specific conditions regarding tree protection and completion and ongoing maintenance of landscape works, the proposal is considered satisfactory in consideration of the relevant controls.

The proposal is therefore supported.

REV2021/0034 Page 1 of 6



Note: Should you have any concerns with the referral comments above, please discuss these with the Responsible Officer.

Recommended Landscape Conditions:

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

Public Domain Plan

A Public Domain Plan for works within the Whale Beach Road and Surf Road public road reserve, generally in accordance with the approved plans, and in compliance with Council's Northern Beaches Public Spaces Vision & Design Guidelines, shall be submitted as part of a Infrastructure Works on Council Roadway application under Section 138 of the Roads Act, for approval by Council, with sufficient detail design information including the following development requirements:

- i) all civil works shall be accompanied by Engineering drawings including existing and proposed levels, long and cross sections, proposed design layout and materials, for the works proposed within the road reserve.
- ii) proposed stormwater diversions works as required by the Development Engineer Referral response, iii) reinstatement of the existing driveway crossing along Whale Beach Road to kerb and footpath, including details plans and sections, and selection of materials, with proposed gradients no more than a 2.5% fall from building openings to top of kerb, and to match existing levels along adjoining properties, iv) footpath material shall comply with the Northern Beaches Public Spaces Vision & Design Guidelines applicable to the 'Beach' Character Area Map, requiring: insitu concrete, off-white cement, and broom finish.
- v) tactile ground surface indicators at kerb ramps crossings and crossovers in accordance with Australian Standard 1428.4.1-2009 Design for Access and Mobility,
- vi) details of any utility alignment and level changes,
- vii) existing street trees retained or removed, and any street tree replacement planting,
- viii) any proposed street tree planting within pavement shall be in accordance with Northern Beaches Council's Standard Drawing 1300 Tree Pit Details, and the tree species shall be at a pre-ordered 200 litre container,

The following works shall also be documented:

- ix) any public seating in accordance with Council's Northern Beaches Public Spaces Vision & Design Guidelines,
- x) any bicycle racks in accordance with Council's Northern Beaches Public Spaces Vision & Design Guidelines,
- xi) kerb ramps in accordance with Council's Northern Beaches Public Spaces Vision & Design Guidelines,
- xii) any other additional relevant works within the road reserve.

Any work carried out upon public land shall have all the necessary prior approvals and permits from Council and utility authorities in place prior to commencement to conduct such works.

Reason: compliance with Council standards for works on public land.

On Slab Landscape Works

Details shall be submitted to the Certifying Authority prior to the issue of the Construction Certificate indicating the proposed method of waterproofing and drainage to all planters over slab, over which soil and planting is being provided.

Landscape treatment details shall also be submitted to the Certifying Authority prior to the issue of the

REV2021/0034 Page 2 of 6



Construction Certificate indicating the proposed soil type, planting, automatic irrigation, services connections, and maintenance activity schedule.

The following soil depths are required to support landscaping as proposed:

- i) 300mm for lawn
- ii) 600mm for shrubs
- iii) 1m for small trees

Design certification shall be submitted to the Certifying Authority by a qualified Structural Engineer that the planters are designed structurally to support the 'wet' weight of landscaping (soil, materials and established planting).

For all new residential works with two or more dwellings and mixed use developments the maintenance activity schedule shall incorporate an on-going maintenance plan that shall be submitted to the Certifying Authority outlining a program to monitor and replenish soil levels as a result of soil shrinkage over time.

Reason: To ensure appropriate soil depth for planting and secure waterproofing and drainage is installed.

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

Project Arborist

- a) A Project Arborist, with minimum AQF Level 5 in arboriculture, shall be engaged to provide tree protection measures in accordance with the Arboricultural Impact Assessment dated July 2021 prepared by Urban Forestry Australia and Australian Standard 4970-2009 Protection of Trees on Development Sites. The Project Arborist is to specify and oversee all tree protection measures such as tree protection fencing, trunk and branch protection and ground protection.
- b) The Project Arborist is to supervise all demolition, excavation and construction works near all trees to be retained including construction methods near the existing trees to protect tree roots, trunks, branches and canopy. Where required, manual excavation is to occur ensuring no tree root at or >25mm (Ø) is damaged by works unless approved by the Project Arborist.
- c) Existing ground levels shall be maintained within the tree protection zone of trees to be retained unless authorised by the Project Arborist.
- d) All tree protection measures specified must:
- i) be in place before work commences on the site, and
- ii) be maintained in good condition during the construction period, and
- ii) remain in place for the duration of the construction works.
- e) The Project Arborist shall provide certification to the Certifying Authority that all recommendations listed for the protection of the existing tree(s) have been carried out satisfactorily to ensure no impact to the health of the tree(s). Photographic documentation of the condition of all trees to be retained shall be recorded including at commencement, during the works and at completion.

Note: i) A separate permit or development consent may be required if the branches or roots of a protected tree on the site or on an adjoining site are required to be pruned or removed.

REV2021/0034 Page 3 of 6



ii) Any potential impact to trees as assessed by the Project Arborist will require redesign of any approved component to ensure existing trees upon the subject site and adjoining properties are preserved and shall be the subject of a modification application where applicable.

Reason: Tree protection.

CONDITIONS TO BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK

Protection of Sites of Significance

- a) Should any Aboriginal Cultural Heritage items be uncovered during earthworks, works should cease in the area and the Aboriginal Heritage Office contacted to assess the finds.
- b) Under Section 89a of the NPW Act should the objects be found to be Aboriginal, NSW Biodiversity and Conservation Division, Heritage NSW and the Metropolitan Local Aboriginal Land Council (MLALC) should be contacted.

Reason: Preservation of significant environmental features.

Protection of Existing Street Trees

- a) All existing street trees in the vicinity of the works shall be retained during all construction stages and the street trees fronting the development site shall be protected by tree protection fencing in accordance with Australian Standard 4687-2007 Temporary Fencing and Hoardings and in accordance with the Arboricultural Impact Assessment dated July 2021 prepared by Urban Forestry Australia and Section 4 of Australian Standard 4970-2009 Protection of Trees on Development Sites.
- b) As a minimum, the tree protection fencing for street tree(s) fronting the development site shall consist of standard 2.4m panel length to four sides unless otherwise directed by an Arborist with minimum AQF Level 5 in arboriculture.
- c) All fencing shall be located to allow for unrestricted and safe pedestrian access upon the road verge.
- d) Should any problems arise with regard to the existing or proposed trees on public land during construction, Council's Tree Services section is to be contacted immediately to resolve the matter to Council's satisfaction and at the cost of the applicant.

Reason: Tree protection.

Tree and Vegetation Protection

- a) Existing trees and vegetation shall be retained and protected including:
 - i) all trees and vegetation within the site not indicated for removal on Tree Retention Plan Dwg No. DA L08C dated 24.4.20 Prepared by Trish Dobson, excluding exempt trees and vegetation under the relevant planning instruments of legislation,
 - ii) all trees and vegetation located on adjoining properties,
 - iii) all road reserve trees and vegetation.
- b) Tree protection shall be undertaken as follows:
 - tree protection shall be in accordance with the Arboricultural Impact Assessment dated July 2021 prepared by Urban Forestry Australia and Australian Standard 4970-2009 Protection of Trees on Development Sites including the provision of temporary

REV2021/0034 Page 4 of 6



- fencing to protect existing trees within 5 metres of development,
- ii) existing ground levels shall be maintained within the tree protection zone of trees to be retained unless authorised by the Project Arborist,
- iii) removal of existing tree roots at or >25mm (\emptyset) diameter is not permitted without consultation with the Project Arborist,
- iv) no excavated material, building material storage, site facilities, nor landscape materials are to be placed within the canopy dripline of trees and other vegetation required to be retained,
- v) structures are to bridge tree roots at or >25mm (\emptyset) diameter unless directed by the Project Arborist on site,
- vi) excavation for stormwater lines and all other utility services is not permitted within the tree protection zone without consultation with the Project Arborist including advice on root protection measures,
- vii) should either or all of v), vi) and vii) occur during site establishment and construction works, the Project Arborist shall provide recommendations for tree protection measures. Details including photographic evidence of works undertaken shall be submitted by the Arborist to the Certifying Authority,
- viii) any temporary access to or location of scaffolding within the tree protection zone of a protected tree or any other tree to be retained during the construction works is to be undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of Australian Standard 4970-2009 Protection of Trees on Development Sites,
- the activities listed in section 4.2 of Australian Standard 4970-2009 Protection of Trees on Development Sites shall not occur within the tree protection zone of any tree on the lot or any tree on an adjoining site,
- x) tree pruning from within the site to enable approved works shall not exceed 10% of any tree canopy and shall be in accordance with Australian Standard 4373-2007 Pruning of Amenity Trees,
- xi) the tree protection measures specified in this clause must: i) be in place before work commences on the site, and ii) be maintained in good condition during the construction period, and iii) remain in place for the duration of the construction works.

The Certifying Authority must ensure that:

c) The activities listed in section 4.2 of Australian Standard 4970-2009 Protection of Trees on Development Sites do not occur within the tree protection zone of any tree and any temporary access to or location of scaffolding within the tree protection zone of a protected tree or any other tree to be retained on the site during the construction is undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of that standard.

Note: All street trees within the road verge and trees within private property are protected under Northern Beaches Council development control plans except where Council's written consent for removal has been obtained. The felling, lopping, topping, ringbarking or removal of any tree (s) is prohibited.

Reason: Tree and vegetation protection.

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

REV2021/0034 Page 5 of 6



Required Planting

- a) Trees shrubs and groundcovers shall be planted in accordance with the Site Planting Plan Dwg No. DA-L02C dated 9.8.21 and Planting Schedule Dwg No. DA-L07C 24.4.20 Prepared by Trish Dobson
- b) Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any Occupation Certificate.

Note: Please consider registering your new tree through the link below to be counted as part of the NSW State Government's 5 Million trees initiative

https://5milliontrees.nsw.gov.au/

Reason: To maintain environmental amenity.

Landscape Completion

- a) Landscaping is to be implemented in accordance with the approved Landscape Plans.
- b) Prior to the issue of any Occupation Certificate details (from a qualified horticulturalist, landscape architect or landscape designer) shall be submitted to the Principal Certifying Authority certifying that the landscape works have been completed in accordance with any conditions of consent.

Reason: Environmental amenity.

Condition of Retained Vegetation - Project Arborist

Prior to the issue of any Occupation Certificate a report prepared by the project arborist shall be submitted to the Certifying Authority assessing the health and impact on all existing trees required to be retained including the following information:

- a) compliance to any Arborist recommendations for tree protection generally and during excavation works,
- b) extent of damage sustained by vegetation as a result of the construction works,
- c) any subsequent remedial works required to ensure the long term retention of the vegetation.

Reason: Tree protection.

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

Landscape Maintenance

- a) If any landscape materials/components or planting under this consent fails, they are to be replaced with similar materials/components. Trees, shrubs and groundcovers required to be planted under this consent are to be mulched, watered and fertilised as required at the time of planting.
- b) If any tree, shrub or groundcover required to be planted under this consent fails, they are to be replaced with similar species to maintain the landscape theme and be generally in accordance with the approved Landscape Plan and any conditions of consent.
- c) All weeds are to be removed and controlled in accordance with the NSW Biosecurity Act 2015.

Reason: To maintain local environmental amenity.

REV2021/0034 Page 6 of 6