

NOTES:

- * ALL WORKS ARE TO BE TO THE SATISFACTION OF THE LOCAL **GOVERNING AUTHORITIES**
- * ALL WORKS ARE TO BE IN ACCORDANCE WITH THE 'BUILDING CODE OF AUSTRALIA' AND ALL RELEVANT AUSTRALIAN STANDARDS
- * ALL MATERIALS AND FINISHES BOTH INTERNAL AND EXTERNAL ARE TO MATCH THOSE EXISTING
- * CONFIRM ALL DIMENSIONS ON SITE BEFORE PROCEEDING WITH WORKS AND ORDERING MATERIALS

UPPER GROUND FLOOR PLAN

SCALE 1:100

DENOTES - SMOKE ALARM TO COMPLY WITH AS 3786-2014

FLOOR AREA SCHEDULE

EXISTING LOWER GROUND FLOOR AREA = 118.217 SQM EXISTING VERANDAH AREA = 8.657 SQM EXISTING UPPER GROUND FLOOR AREA = 126.439 SQM

EXISTING CARPORT AREA = 37.600 SQM

PROPOSED TERRACE AREA = 38.507 SQM PROPOSED BALCONY/ALFRESCO AREA = 36.743 SQM

TOTAL FLOOR AREA = 366.163 SQM

ALL WORKS ARE TO BE IN CODE SERIES - BUILDING CODE OF AUSTRALIA (NCCS- BCA) 2019

NOTE:

* BAL PLEASE REFER TO THE ATTACHED ASSESSMENT BY "AUSTRALIAN BUSHFIRE CONSULTING SERVICES" RESULT BAL 19 BUILD TO COMPLY WITH AS 3959-2018 UNLESS AMENDED BY COUNCIL

NOTE:

ACCORDANCE WITH THE REQUIREMENTS OF VOLUME 2 NATIONAL CONSTRUCTION

ABSOLUTE BUILDING DESIGNERS

PO Box 318 Terrigal NSW 2260

NOTES:

SMOKE ALARMS

SURFACE WATER DRAINAGE PROVIDE STEPDOWN TO PREVENT INGRESS OF WATER AS PER CLAUSE

3.1.2.3 OF THE NCC BCA.

GUTTERING AND DOWNPIPES

PROVIDE OVERFLOW MEASURES TO COMPLY WITH PART 3.5.2 OF THE

TO BE INSTALLED IN ACCORDANCE

WITH PART 3.7.2 OF THE NCC BCA TO BE INTERCONNECTED AND CONNECTED

AND CONNECTED TO MAINS POWER.

TO BE INSTALLED IN ACCORDANCE

AND SLIP RESISTANCE TO BE IN

WITH PART 3.9.1 OF THE NCC BCA

ACCORDANCE WITH CLAUSE 3.9.1.4.

TO BE INSTALLED IN ACCORDANCE

WITH PART 3.9.2 OF THE NCC BCA AND COMPLY WITH CLAUSES 3.9.2.3 AND 3.9.2.4 AS APPLICABLE.

TO BE INSTALLED IN ACCORDANCE

WITH PART 3.9.2 OF THE NCC BCA AND COMPLY WITH CLAUSE 3.9.2.5

AS APPLICABLE. WINDOWS WITH (R)

SUFFIX DENOTES RESTRICTED OPENING

WINDOW OPENING DIMENSIONS REFER TO FRAME SIZE FRAMER TO ALLOW

CONCRETE FOOTINGS TO AS 2870.2011

FOR TOLERANCES, REVEALS ETC

FRAMING TO AS 1684.2010

PLUMBING TO AS 3500-2003

MASONRY TO AS 4773 & 3700

TERMITE CONTROL TO AS 3660 DPC & FLASHING TO AS 2094

NOTE SEWER CONNECTION: TO EXISTING CONNECTION

NOTE EXCAVATION:

NOTE LEVELS:

NOTE:

WITH AS3740

ALL STRUCTURAL WORKS:

DETAILS AND CERTIFICATION

NOTE:

DOORS AND WINDOWS TO AS 2047

NOTE STORMWATER CONNECTION:

NO BULK EXCAVATION REQUIRED

ALL RLS ARE TO AHD DATUM

TO EXISTING CONNECTION NO CHANGE

THE NEW WATER CLOSETS & BATHROOMS WILL BE CONSTRUCTED IN ACCORDANCE

TO CONSULTING STRUCTURAL ENGINEERS

STAIRS RAMPS AND LANDINGS

BARRIERS AND HANDRAILS

PROTECTION OF WINDOWS

NOTES:

NOTES:

Ph: (02) 4385 5000. Mob: 0409 837 241. ABN:61 862 850 105

C Copyright 2020 Reproduction in whole or part is forbidden

JOB: PROPOSED ADDITIONS AND ALTERATIONS


AT: No 188 McCarrs Creek Road, CHURCH POINT.


DATE DRAWN DESIGN REVISION DATE SCALE DRAWING No 06.05.21 AS BUILT DWG AS INSTRUCTED 18.05.20 THORP 2 OF 4 ΒВ 1:100 - A3

BUILDING DESIGNERS

FOR: Mr R, & Mrs R, THORP.

NOTE: ALL DIMENSIONS, SIZES, LEVELS AND HEIGHTS ARE NOMINAL





NOTES:

SURFACE WATER DRAINAGE PROVIDE STEPDOWN TO PREVENT INGRESS OF WATER AS PER CLAUSE 3.1.2.3 OF THE NCC BCA.

GUTTERING AND DOWNPIPES
PROVIDE OVERFLOW MEASURES TO
COMPLY WITH PART 3.5.2 OF THE
NCC BCA.

SMOKE ALARMS

TO BE INSTALLED IN ACCORDANCE WITH PART 3.7.2 OF THE NCC BCA TO BE INTERCONNECTED AND CONNECTED AND CONNECTED TO MAINS POWER.

STAIRS RAMPS AND LANDINGS
TO BE INSTALLED IN ACCORDANCE
WITH PART 3.9.1 OF THE NCC BCA
AND SLIP RESISTANCE TO BE IN
ACCORDANCE WITH CLAUSE 3.9.1.4.

BARRIERS AND HANDRAILS
TO BE INSTALLED IN ACCORDANCE
WITH PART 3.9.2 OF THE NCC BCA
AND COMPLY WITH CLAUSES 3.9.2.3
AND 3.9.2.4 AS APPLICABLE.

PROTECTION OF WINDOWS

TO BE INSTALLED IN ACCORDANCE
WITH PART 3.9.2 OF THE NCC BCA
AND COMPLY WITH CLAUSE 3.9.2.5
AS APPLICABLE. WINDOWS WITH (R)
SUFFIX DENOTES RESTRICTED OPENING

NOTES:

WINDOW OPENING DIMENSIONS REFER TO FRAME SIZE FRAMER TO ALLOW FOR TOLERANCES, REVEALS ETC FRAMING TO AS 1684.2010 CONCRETE FOOTINGS TO AS 2870.2011 PLUMBING TO AS 3500-2003 MASONRY TO AS 4773 & 3700 TERMITE CONTROL TO AS 3660 DPC & FLASHING TO AS 2094 DOORS AND WINDOWS TO AS 2047

NOTES:

NOTE SEWER CONNECTION: TO EXISTING CONNECTION

NOTE STORMWATER CONNECTION:
TO EXISTING CONNECTION NO CHANGE

NOTE EXCAVATION:

NO BULK EXCAVATION REQUIRED

NOTE LEVELS:

ALL RLS ARE TO AHD DATUM

NOTE:

THE NEW WATER CLOSETS & BATHROOMS WILL BE CONSTRUCTED IN ACCORDANCE WITH AS3740

NOTE:

ALL STRUCTURAL WORKS:
TO CONSULTING STRUCTURAL ENGINEERS
DETAILS AND CERTIFICATION

NOTES:

- * ALL WORKS ARE TO BE TO THE SATISFACTION OF THE LOCAL GOVERNING AUTHORITIES
- * ALL WORKS ARE TO BE IN ACCORDANCE WITH THE 'BUILDING CODE OF AUSTRALIA' AND ALL RELEVANT AUSTRALIAN STANDARDS
- * ALL MATERIALS AND FINISHES BOTH INTERNAL AND EXTERNAL ARE TO MATCH THOSE EXISTING
- * CONFIRM ALL DIMENSIONS ON SITE BEFORE PROCEEDING WITH WORKS AND ORDERING MATERIALS

NOTE:

* ALL WORKS ARE TO BE IN ACCORDANCE WITH THE REQUIREMENTS OF VOLUME 2 NATIONAL CONSTRUCTION CODE SERIES — BUILDING CODE OF AUSTRALIA (NCCS— BCA) 2019

NOTE:

* BAL PLEASE REFER TO THE ATTACHED ASSESSMENT BY "AUSTRALIAN BUSHFIRE CONSULTING SERVICES" RESULT BAL 19 BUILD TO COMPLY WITH AS 3959–2018 UNLESS AMENDED BY COUNCIL

NOTE: ALL DIMENSIONS, SIZES, LEVELS AND HEIGHTS ARE NOMINAL

ABSOLUTE BUILDING DESIGNERS

5m

SCALE

ABSOLUTE BUILDING DESIGNERS

PO Box 318 Terrigal NSW 2260
Ph: (02) 4385 5000. Mob: 0409 837 241. ABN:61 862 850 105
Copyright 2020 Reproduction in whole or part is forbidden

JOB: PROPOSED ADDITIONS AND ALTERATIONS

FOR: Mr R, & Mrs R, THORP.

AT: No 188 McCarrs Creek Road, CHURCH POINT.

DATE	REVISION	BY	DATE	DRAWN	DESIGN	SCALE	DRAWING No
06.05.21	AS BUILT DWG AS INSTRUCTED	B.B.	18.05.20.	B.B		1:100 - A3	THORP 4 OF 4