

SEDIMENT CONTROL:

- 1. INSTALL SEDIMENT CONTROL STRUCTURES IN LOCATIONS INDICATED ON DRAWINGS AND AS OTHERWISE REQUIRED TO CONTROL SEDIMENT DURING ALL EXCAVATIONS AND WHILST AREAS OF THE SITE ARE EXPOSED TO EROSION.
- 2. CONTROL STRUCTURES TO BE AS DETAILED OR AS OTHERWISE REQUIRED.
- 3. REVIEW CONTROL MEASURES AND MAINTAIN STRUCTURES DURING CONSTRUCTION.



SCHEDULE OF WORKS:

- 1. SILT FENCE AND ASSOCIATED WORKS INCLUDING INTERCEPTOR DRAIN IS TO BE INSTALLED BEFORE THE COMMENCEMENT OF ANY EXCAVATION.
- 2. CUTS TO BE EXECUTED TO THE REQUIRED LEVEL USING CONVENTIONAL EXCAVATION MACHINERY. INITIALLY THE DEPTH OF FILL/CLAY IS TO BE ESTABLISHED TO ENSURE NEIGHBOURING PROPERTIES ARE NOT ADVERSELY AFFECTED. EARTH BATTERS TO BE A MAXIMUM SLOPE OF 1.0 m VERT. TO 1.7 m HORIZ. (OR AS PER GEOTECHNICAL REPORT). ANY BATTERS GREATER THAN 1.0 m VERT. TO 1.7 m HORIZ. ARE TO BE ADEQUATELY SHORED IN ACCORDANCE WITH THE
- 3. ANY PERMANENT RETAINING STRUCTURE IS TO BE CONSTRUCTED IN ACCORDANCE WITH THE ENGINEERS DETAILS AND INSTRUCTIONS.
- 4. ALL PERMANENT RETAINING STRUCTURES ARE TO BE COMPLETED WITH MINIMUM DELAY FOLLOWING EXCAVATION.



SCALE = N.T.S.

SILT FENCE DETAIL SCALE = N.T.S.

SILT FENCE DETAIL 1

CONTRACTOR TO MAINTAIN SILT FENCE IN GOOD WORKING ORDER SECURED WITH PEGS

FILTER SYSTEM EQUAL TO GEOFABRICS "SILT FENCE 2000" SECURED WITH PEGS 200 x 200 TRENCH

SILT FENCE DETAIL (ALTERNATIVE)

IF ADDITIONAL MEASURES ARE REQUIRED FOR EROSION CONTROL OR BY COUNCIL REQUIREMENTS REFER TO "URBAN EROSION AND SEDIMENT CONTROL" GUIDELINES PREPARED BY THE DEPARTMENT OF CONSERVATION AND LAND MANAGEMENT.

New secondary dwelling

Mr. & Mrs. Rehde 19 Waterview Street Mona Vale NSW 2103

drawing title.

SEDIMENTATION DRAWING

scale.

date

NTS

FEB 2025

Draftperson

ANNA HENRY AH DESIGN

13 CAPRI CLOSE, AVALON BEACH NSW 2107 T 0415 559 737


Email: ahdesign@email.com

Information contained on this drawing is the copyright of AH DESIGN. Copying of this drawing or part without written permission infringes copyright.

project no.

SED-167

1/1



SEDIMENTATION PIT (ALTERNATIVE TO SETTLEMENT POND)