

PROPOSED ROOF PLAN 1:100

TRUE NORTH:

NOTES (E & OE)

All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.

specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed.

by a practicing engineer.


JJ Drafting ^{Australia} P/L.

26/90 Mona Vale Road, Mona Vale, NSW, 2103 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

REV:	DATE: 08.05.24	DESCRIPTION: DA SET 2ND ISSUE	PROPOSED ALTERATIONS AND ADDITIONS 18/23b-27 PINE AVENUE, BROOKVALE 2100 CLIENT: ANTONY
			DRAWING TITLE: PROPOSED ROOF PLAN



DATE:	DRAWN BY:	SCALE:
JAN/24	AN	1:100 @ A3
JOB No:	CHECKED BY:	DRAWING No:
1222/24	JJ	DA.02







NOTES (E & OE)

 All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.
 These drawings are to be read in conjunction with all other consultant's drawings and specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions

New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed.

by a practicing engineer.

II Decaftina	REV:	DATE:
JJ Drafting Australia P/L.	Α	08.05.24
Australia P/L.		
26/90 Mona Vale Road, Mona Vale, NSW, 2103		

PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

- 1	I \ L \ V .	DAIL.	DEGUNII HON.	PROPOSED ALTERATIONS AND
	Α	08.05.24	DA SET 2ND ISSUE	18/23b-27 PINE AVENUE. BROO
				, , , , , ,
.				CLIENT:
				ANTONY
- 1				
- 1	$\overline{}$			DRAWING TITLE:
				PROPOSED FLOOR PLAN


DESCRIPTION:

	PROPOSED ALTERATIONS AND ADDITIONS 18/23b-27 PINE AVENUE, BROOKVALE 2100	
	CLIENT: ANTONY	
1		

bdaa	
A C C R E D I T E D BUILDING DESIGNER	

DATE: JAN/24	DRAWN BY:	SCALE: 1:100 @ A3
JOB No: 1222/24	CHECKED BY:	DRAWING No: DA.04





- NOTES (E & OE)

 All structures including stormwater & drainage to engineer's details.

 Do not obtain dimensions by scaling drawings.

 All dimensions are to be checked on site prior to starting work.

 These drawings are to be read in conjunction with all other consultant's drawings and
- New materials are to be used throughout unless otherwise noted.
 Concrete footings, slab, structural beams or any other structural members are to be designed.
- by a practicing engineer.


JJ Drafting Australia P/L.

3 1003 01 000000 2 / 2.	
90 Mona Vale Road, Mona Vale, NSW, 2103	
PO Box 687, Dee Why, NSW, 2099	
Mob. 0414 717 541 ACN 651 693 346	
Email. enquiries@jjdrafting.com.au	
www.iidrafting.com.au	

REV:	DATE:	DESCRIPTION:	PROPOSED ALTERATIONS AND ADDITIONS	
Α	08.05.24	DA SET 2ND ISSUE	18/23b-27 PINE AVENUE, BROOKVALE 2100	
			CLIENT:	
			ANTONY	
			DRAWING TITLE:	
			ELEVATIONS SHEET 1	
			ELEVATIONS SHEET T	

bdoo
A C C R E D I T E D BUILDING DESIGNER

DATE:	DRAWN BY:	SCALE:
JAN/24	AN	1:100 @ A3
IOB No:	CHECKED BY:	DRAWING No:
1222/24	JJ	DA.05





PROPOSED WEST ELEVATION



Ш	<u>NOTES</u>	(E & OE)
---	--------------	----------

 All structures including stormwater & drainage to engineer's details.
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.
 These drawings are to be read in conjunction with all other consultant's drawings and specifications.

• All workmanship & materials shall be in accordance with the requirements of current editions.

All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.

New materials are to be used throughout unless otherwise noted.

Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.


JJ Drafting Australia P/L.

26/90 Mona Vale Road, Mona Vale, NSW, 2103 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

EV:	DATE: 08.05.24	DESCRIPTION: DA SET 2ND ISSUE	PROPOSED ALTERATIONS AND ADDITIONS 18/23b-27 PINE AVENUE, BROOKVALE 2100 CLIENT: ANTONY
			DRAWING TITLE: ELEVATIONS SHEET 2

_		_
	halaa	
		F
7	A C C R E D I T E D BUILDING DESIGNER	J
	BUILDING DESIGNER	

ATE:	DRAWN BY:	SCALE:
JAN/24	AN	1:100 @ A3
OB No:	CHECKED BY:	DRAWING No:
1222/24	JJ	DA.06



SPECIFICATION NOTES

INTERNAL LINING

PROVIDE PLASTERBOARD LINING.

EXTERNAL WALLS:

BRICK VENEER WALLS WITH SELECTED BRICKS TO DWELLING.

- ALL EXTERNAL WALL CLADDINGS MUST BE COMPLIANT WITH THE REQUIREMENTS OF NCC 2022 - ABCB HOUSING PROVISIONS PART 7, AS1684 AND ALL RELEVANT CODEMARK CERTIFICATES. - ROOF AND WALL CLADDING INSTALLATION TO NCC 2022 - ABCB HOUSING PROVISIONS PART 7 & AS 1562 DESIGN AND INSTALLATION OF SHEET ROOF AND WALL CLADDING.

CONDENSATION MANAGEMENT:
- CONDENSATION MANAGEMENT MUST BE ADHERED TO IN ACCORDANCE WITH NCC 2022 - HOUSING

GROUND FLOOR TO BE REINFORCED CONCRETE SLAB IN ACCORDANCE WITH NCC 2022.

- FIRST FLOOR TO BE TIMBER FRAMED FINISHED WITH T&G HARDWOOD FLOORING

- ALL WATERPROOFING TO NCC 2022 – ABCB HOUSING PROVISIONS PART 10, AS3740 AND PROVIDE A GUARANTEED FLEXIBLE WATERPROOF MEMBRANE TO ALL WET AREA FLOORS & SHOWER WALLS TO MANUFACTURED SPECIFICATIONS AND INSTALLATION INSTRUCTIONS

- WATERPROOF INSTALLATION NCC (2022): HOUSING PROVISIONS PART 10, AS 3740 WATERPROOFING OF DOMESTIC WET AREAS (INTERNAL) & AS 4654 WATERPROOF MEMBRANES FOR EXTERNAL USE.

- SHALL BE INSTALLED TO COMPLY WITH AS1684 AS AMENDED FOR TIMBER COMPONENTS OR AS3620 FOR LIGHTWEIGHT STEEL FRAMING SECTIONS OR AS PER THE NASH ALTERNATIVES TO AS 3623.

- SHALL BE INSTALLED IN ACCORDANCE WITH AS3660.

PROFILED STEEL ROOF:

COLORBOND ROOF CLADDING

- METAL ROOF DESIGN AND INSTALLATION SHALL BE IN ACCORDANCE WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 7, AS 1562.

ROOF TILES OR SHINGLES:

NCC VOL.2 PART 3.5.2.

- SHALL BE IN ACCORDANCE WITH NCC VOL.1 PART B1.4 OR VOL.2 PART 3.2.3.

- ALL WORKMANSHIP AND MATERIALS SHALL BE IN ACCORDANCE WITH CURRENT EDITIONS OF THE

- MASONRY STRUCTURES TO NCC 2022 - ABCB HOUSING PROVISIONS PART 5 & AS 3700 MASONRY

FOOTINGS:
-FOOTINGS TO BE IN ACCORDANCE WITH NCC 2022.
- RESIDENTIAL SLABS, FOOTINGS AND CONCRETE STRUCTURES TO NCC 2022 – ABCB HOUSING PROVISIONS PART 3 & 4, AS 2870 RESIDENTIAL SLABS AND FOOTING & AS 3600 CONCRETE

CARPENTRY

TO COMPLY WITH NCC 2022.

-TERMITE MANAGEMENT INSTALLATION OF PERIMETER & COLLARS TO NCC 2022 - ABCB HOUSING PROVISIONS PART 3.4 & AS 3660.1 TERMITE MANAGEMENT - NEW BUILDING WORK

-ALL EXTERNAL TIMBER FRAMED WALLS TO BE WRAPPED IN A BREATHABLE VAPOUR PERMEABLE MEMBRANE THAT COMPLIES, INSTALLED WITH AS/NZS 4200.1 & AS/NZS 4200.2.- TO COMPLY WITH

-TIMBER FRAMING INSTALLATION TO NCC 2022 - ABCB HOUSING PROVISIONS PART 6, AS 1684 RESIDENTIAL TIMBER FRAMED CONSTRUCTION & AS/NZS 1170 STRUCTURAL DESIGN ACTIONS. - GROUND FLOOR TIMBERS SHALL BE ONLY OF HARDWOOD, CYPRESS PINE OR PRESSURE TREATED RADIATA OR CANADA PINE BELOW A HEIGHT OF 300mm ABOVE FINISHED GROUND LEVEL AND MUST NOT BE BUILT INTO BRICKWORK.

- IN BUSHFIRE PRONE AREAS SPECIAL CONDITIONS APPLY. - WHERE TERMITE BARRIERS NEED TO BE INSPECTED, 400mm CLEARANCE IS REQUIRED BETWEEN

THE UNDERSIDE OF BEARER AND GROUND SURFACE.

- USE TREATED TIMBER WHERE REQUIRED FOR DURABILITY

- DO NOT USE TIMBER UNSUITABLE FOR EXPOSURE TO MOISTURE IN EXPOSED LOCATION.

- USE GALVANISED FIXINGS WHERE EXPOSED TO WEATHER.

ALL STEEL FRAMING TO NCC 2022 - ABCB HOUSING PROVISIONS PART 6, AS 4100 STEEL STRUCTURES, AS/NZS 4600 COLD-FORMED STEEL STRUCTURES & NASH STANDARD.

TERMITE CONTROL:
- TO BE IN ACCORDANCE WITH TO NCC2022.

FLASHING AND CAPPINGS:
- SELECTION AND INSTALLATION OF METAL RAINWATER GOODS
- FLASH PROJECTIONS ABOVE THE ROOF WITH TWO PART FLASHINGS CONSISTING OF AN APRON

FLASHING AND OVER FLASHING, WITH AT LEAST 100mm OVERLAP.
- PROVIDE FOR INDEPENDENT MOVEMENT BETWEEN ROOF AND PROJECTION.

- DAMP PROOF COURSE AND FLASHINGS TO NCC 2022 - ABCB HOUSING PROVISIONS PART 5, 7 & 12 & AS/NZS 2904 DAMP-PROOF COURSES AND FLASHINGS.

CONCRETE BLOCKS OR BRICKS: - TO COMPLY WITH TO NCC2022

<u>LIGHTING:</u>
- 40% OF NEW OR ALTERED LIGHT FIXTURES TO BE FITTED WITH FLUORESCENT, COMPACT FLUORESCENT, OR LIGHT-EMITTING-DIODE (LED) LAMPS

WATERPROOFING FOR EXTERNAL TILED BALCONIES:

- WATERPROOFING TO COMPLY WITH NCC2022

- ALL FRAMED WINDOWS SHALL BE INSTALLED IN ACCORDANCE WITH NCC2022 - ALUMINIUM WINDOWS AND TIMBER WINDOWS

- ALUMINIUM FRAMED WINDOWS AND DOORS

WEATHER STRIPPING IS TO BE PROVIDED TO ALL EXTERNAL WINDOWS AND DOORS.

ALL WINDOWS ARE TO BE RESTRICTED IN ACCORDANCE WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 11.3.7 & PART 11.3.8 PROTECTION OF OPENABLE WINDOWS WHERE SURFACE BELOW IS MORE

- PROVIDE LIFT-OFF HINGES WHERE THE TOILET PAN IS WITHIN 1.2 METRES OF THE HINGED SIDE OF THE DOOR IN ACCORDANCE WITH NCC 2022 – ABCB HOUSING PROVISIONS PART 10.4.

STAIRS, HANDRAILS AND BALUSTRADES:

- RELATIONSHIP OF RISER TO GOING SHALL BE BETWEEN 1:2 AND 1:1.35 UNLESS OTHERWISE DIRECTED TO GOING SHALL BE BETWEEN 1:2 AND 1:1.35 UNLESS OTHERWISE DIRECTED OR AS PERMITTED IN NCC2022.

BALUSTRADES SHALL BE PROVIDED TO ALL LANDINGS, RAMPS, DECKS, ROOFS AND OTHER ELEVATED PLATFORMS WHERE THE VERTICAL DISTANCE FROM THAT LEVEL IS MORE THAN 1m ABOVE THE ADJOINING FLOOR OR FINISHED GROUND LEVEL.

THE HEIGHT OF BALUSTRADE MUST BE A MINIMUM OF 1m HIGH ABOVE LANDING AND NOT LESS THAN 865mm ABOVE THE NOSINGS OF ANY STAIR TREADS OR FLOOR RAMP AND HAVE NO OPENING GREATER THAN 125mm

THE HEIGHT OF BALUSTRADE TO THE NEW STAIRCASES IS TO BE MEASURED A MINIMUM 865mm ABOVE THE NOSING LINE AND HAVE NO OPENING GREATER NO OPENING GREATER THAN 125mm

- ALL BALUSTRADES & PRIVACY SCREENS TO COMPLY WITH NCC 2022 – ABCB HOUSING PROVISIONS PART 11, AS 1684, AS 1170, AS 1288 & AS/NZS 2208

SLIP RESISTANCE:

- MATERIALS TO BE USED FOR SURFACES OF FLOORS, STAIR LANDING, STEPS AND NOSINGS SHALL BE IN ACCORDANCE WITH THE CLASSIFICATIONS FOR SLIP RESISTANCE AS APPLY IN NCC2022. ALL STAIRS PROVIDING ACCESS TO COMPLY WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 11, AS 4586 INCLUDING SLIP RESISTANCE P3 / R10 FOR DRY OR P4 / R11 FOR WET.

EAVES GUTTERS. VALLEY GUTTERS AND DOWPIPES

- IN ACCORDANCE WITH NCC 2022
- NEW DOWNPIPES TO BE CONNECTED INTO EXISTING STORMWATER LINE
- COLORBOND GUTTERS AND DOWNPIPES
- MINIMUM SLOPE OF EAVES AND GUTTERS 1:200

ALL WINDOW GLAZING AND DOOR GLAZING TO BE INSTALLED IN ACCORDANCE TO NCC 2022 - ABCB HOUSING PROVISIONS PART 8, AS 1288 GLASS IN BUILDINGS, AS/NZS 2208 SAFETY GLAZING MATERIALS IN BUILDINGS & AS 2047 WINDOWS AND EXTERNAL DOORS IN BUILDINGS

SHOWER SCREEN/MIRRORS / WARDROBE GLASS INSTALLATION TO NCC 2022 - HOUSING PROVISIONS PART 8. AS 1288 & AS/NZS 2208.

- GLASS BALUSTRADE INSTALLATION TO NCC 2022 - HOUSING PROVISIONS PART 11, AS 1288 GLASS IN BUILDINGS, AS/NZS 2208 SAFETY GLAZING MATERIALS IN BUILDINGS & AS 1170 STRUCTURAL DESIGN

FIRE SAFETY, SMOKE DETECTORS/ALARMS:

- PROVIDE HARDWIRED & INTERCONNECTED SMOKE ALARM DEVICES COMPLYING WITH THE REQUIREMENTS OF THE LOCAL GOVERNMENT ACT AND/OR STATE OR TERRITORY REGULATIONS MUST BE FITTED IN THE LOCATIONS REQUIRED AND APPROVED BY THE AUTHORITY. SMOKE ALARMS TO BE INSTALLED TO NCC 2022 - ABCB HOUSING PROVISIONS PART 3.7.5

- INSTALLATIONS IN BUILDINGS OTHER THAN CLASS 1a AND 1b MUST BE INSTALLED AND MANAGED TO COMPLY WITH NCC SECTIONS 3.7.5.3 and 3.7.5.4.

- FIRE SEPARATING WALL, A WALL WITHIN 900MM OF BOUNDARY INSTALLATION CERTIFICATE (FRL60/60/60) INCL ACOUSTIC SOUND (RW) + CTR50 TO NCC 2022 - ABCB HOUSING PROVISIONS - BUSHFIRE-PRONE AREAS CERTIFICATE FOR BUILDING - NCC 2022 - VOL. 2 PART NSW H7D4 CONSTRUCTION IN BUSHFIRE PRONE AREAS - AS 3959 CONSTRUCTION OF BUILDING IN BUSHFIRE-PRONE AREAS & PLANNING FOR BUSHFIRE PROTECTION 2019

- ALL WASTE SHALL BE TAKEN AWAY BY TRUCKS TO A SUITABLE LANDFILL OR RECYCLE DEPOT.

- ALL WASTE SHALL BE COVERED DURING TRANSPORTATION.
- WASTE GENERATED DURING CONSTRUCTION SHALL BE PLACED IN STEEL BINS AND TAKEN AWAY BY AN APPROVED CONTRACTOR TO A APPROVED LANDFILL SITE.

SEDIMENT CONTROL:

- A FILTER CLOTH SYSTEM SHALL BE INSTALLED TO STOP ANY SEDIMENT ENTERING COUNCILS STORMWATER SYSTEM.

SWIMMING POOLS & SAFETY:

-POOL PLUMBING/CIRCULATION TO COMPLY WITH NCC 2022 PART NSW H7D2, AS 1926.3 SWIMMING POOL SAFETY - WATER RECIRCULATION SYSTEMS

- ALL POOL FENCING TO BE INSTALLED TO: NCC 2022 NSW H7D2, AS 1926.1 - 2012 - SAFETY BARRIERS FOR SWIMMING POOLS, AS NCC2022 - LOCATION OF SAFETY BARRIERS FOR SWIMMING POOLS,

STRUCTURAL DESIGN ACTIONS AND IF GLASS POOL FENCING TO ADDITIONALLY COMPLY WITH NCC2022 - SAFETY GLASS.

- AS 2783 USE OF REINFORCED CONCRETE FOR SMALL SWIMMING POOLS

- ALLOW FOR SEPARATE TAPS FOR THE WASHING MACHINE AND KEEP THEM SEPARATE FROM THOSE OF THE LAUNDRY TUB. A DEDICATED LAUNDRY SPACE COMPRISING OF ONE WASHTUB AND A SPACE FOR A WASHING MACHINE MUST BE PROVIDED IN ACCORDANCE WITH NCC 2022 – ABCB HOUSING PROVISIONS

- GAS FIRE SUPPLY AND INSTALLATION TO COMPLY WITH NCC 2022 - ABCB HOUSING PROVISIONS PART 12.4, AS/NZS 5601 GAS INSTALLATIONS.

ALL PLANS ARE TO BE READ IN CONJUNCTION AND COMPLY WITH THE BASIX CERTIFICATE, BUSHFIRE AND GEOTECH REPORTS.

NOT	FS	Æ.	ጼ	OF)	

- All structures including stormwater & drainage to engineer's det
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work. These drawings are to be read in conjunction with all other consultant's drawings and
- All workmanship & materials shall be in accordance with the requirements of current editions cluding amendments of the National Construction Code, relevant Australian Standards & loca
- ouncil requirements.

 New materials are to be used throughout unless otherwise noted.

 Concrete footings, slab, structural beams or any other structural members are to be designed
- by a practicing engineer.

JJ Drafting Australia P/L.


0 Mona Vale Road, Mona Vale, NSW, 2103
PO Box 687, Dee Why, NSW, 2099
Mob. 0414 717 541 ACN 651 693 346
Email. enquiries@jjdrafting.com.au
www.jjdrafting.com.au

EV:	DATE:	DESCRIPTION:	PROPOSED ALTERATIONS AND ADDITIONS
Α	08.05.24	DA SET 2ND ISSUE	18/23b-27 PINE AVENUE, BROOKVALE 2100
			CLIENT:
			ANTONY
			DRAWING TITLE:
			SECTION / SPECIFICATIONS

_	
	bdaa
	A C C R E D I T E I BUILDING DESIGNE

	DATE:
	JAN/24
D	JOB No:
R	1222/24

Œ:	DRAWN BY:	SCALE:
JAN/24	AN	1:100 @ A3
N. N	CHECKED BY:	DRAWING No:
3 No:	CHECKED B1.	DRAWING No.
1222/24	JJ	DA.07





- NOTES (E & OE)

 All structures including stormwater & drainage to engineer's details.

 Do not obtain dimensions by scaling drawings.

 All dimensions are to be checked on site prior to starting work.

 These drawings are to be read in conjunction with all other consultant's drawings and apportentions.
- specifications.

 All workmanship & materials shall be in accordance with the requirements of current editions.

 Code relevant Australian Standards & local relevant Australian Stand All workmanship & materials shall be in accordance with the requirements of current editions including amendments of the National Construction Code, relevant Australian Standards & local council requirements.

 New materials are to be used throughout unless otherwise noted.

 Concrete footings, slab, structural beams or any other structural members are to be designed by a practicing engineer.


JJ Drafting Australia P/L.

26/90 Mona Vale Road, Mona Vale, NSW, 2103 PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

REV:	DATE:	DESCRIPTION:	PROPOSED ALTERATIONS AND ADDITIONS
A	08.05.24	DA SET 2ND ISSUE	18/23b-27 PINE AVENUE, BROOKVALE 2100 CLIENT: ANTONY
			DRAWING TITLE: FULL SECTION

00 1S	bdoo
	A C C R E D I T E D BUILDING DESIGNER

DATE:	DRAWN BY:	SCALE:
JAN/24	AN	1:100 @ A3
JOB No:	CHECKED BY:	DRAWING No:
1222/24	JJ	DA.08



NOTES

DESIGNATED SITE MANAGER/BUILDER

PRIOR TO COMMENCEMENT OF WORK A SITE MANAGER OR BUILDER MUST BE NOMINATED. THE SITE MANAGER OR BUILDER WILL BE RESPONSIBLE AND LIABLE FOR ALL WORKS CARRIED OUT ON THE SITE. THIS ASSUMES THE RESPONSIBILITY FOR THE ACTIONS OF ALL SUBCONTRACTED PARTIES AS WELL AS ADVISING THEM OF COUNCIL'S REQUIREMENTS WHEN CARRYING OUT WORKS.

TOPSOIL MANAGEMENT

NOT APPLICABLE - NO EARTHWORKS.

BUILDING MATERIAL STOCKPILING

SUFFICIENT AREA MUST BE ALLOCATED WITHIN THE SITE FOR SUCH STORAGE OF BUILDING MATERIALS, DEMOLITION WASTE, WASTE CONTAINERS, ETC. AS WILL BE REQUIRED.

SEDIMENT FENCES

NOT APPLICABLE - NO EARTHWORKS.

DUST CONTROL

ALL TRUCKS/UTES MUST COVER THEIR LOADS AT ALL TIMES. APPROPRIATE METHODS ARE TO BE EMPLOYED TO PREVENT BLOWING DUST CREATING AN UNACCEPTABLE HAZARD OR NUISANCE ON THE SITE OR DOWN WIND. PRODUCTION OF DUST IS TO BE MINIMISED.

EROSION & SEDIMENT CONTROLS NOT APPLICABLE - NO EARTHWORKS.

SEDIMENT TRAPS

NOT APPLICABLE - NO EARTHWORKS.


DIVERSION CHANNELS

NOT APPLICABLE - NO EARTHWORKS

VEHICLE MOVEMENTS

TO LIMIT DISTURBANCE TO THE SITE AND TRACKING OF MATERIAL ONTO THE STREET ALL VEHICLES AND PLANT EQUIPMENT ARE TO USE A SINGLE ENTRY/EXIT POINT UNLESS COUNCIL HAS APPROVED ALTERNATIVE ARRANGEMENTS. ACCESS POINTS AND PARKING AREAS ARE TO BE ESTABLISHED. IF SPILLAGE DOES OCCUR IT IS TO BE CONTAINED IMMEDIATELY AND CAREFULLY REMOVED. THE AREA AFFECTED IS TO BE RESTORED TO A STANDARD EQUAL TO OR BETTER THAN ITS PREVIOUS CONDITION, ALL VEHICLES ARE TO BE WASHED PRIOR TO EXITING THE SITE. THIS SERVES THE PURPOSE OF REMOVING SITE MATERIAL ON THE VEHICLE AND PREVENTS IT FROM BEING DEPOSITED ON THE ROAD NETWORK ADJACENT TO THE SITE AND THUS. THE STORMWATER SYSTEM, NO VEHICLE ASSOCIATED WITH THE WORK IS TO BE PARKED ON A FOOTPATH OR PUBLIC RESERVE. ALL VEHICLES VISITING THE SITE DURING CONSTRUCTION WORKS, ARE TO COMPLY WITH THE PARKING REQUIREMENTS IN THAT AREA.





TRUE NORTH:



- All structures including stormwater & drainage to engineer's de
 Do not obtain dimensions by scaling drawings.
 All dimensions are to be checked on site prior to starting work.
- These drawings are to be read in conjunction with all other consultant's drawings an
- council requirements

 New materials are to be used throughout unless otherwise noted.

 Concrete footings, slab, structural beams or any other structural members are to be designe

JJ Drafting ^{Australia} P/L.
26/90 Mona Vale Road, Mona Vale, NSW, 2103

PO Box 687, Dee Why, NSW, 2099 Mob. 0414 717 541 | ACN 651 693 346 Email. enquiries@jjdrafting.com.au www.jjdrafting.com.au

3	REV:	DATE: 08.05.24	DESCRIPTION: DA SET 2ND ISSUE	PROPOSED ALTERATION 18/23b-27 PINE AVENUE, I CLIENT: ANTONY
				DRAWING TITLE: STORMWATER CONCE MANAGEMENT PLAN

PROPOSED ALTERATIONS AND ADDITIONS 18/23b-27 PINE AVENUE, BROOKVALE 2100
CLIENT: ANTONY
DRAWING TITLE: STORMWATER CONCEPT & SITE



ATE:	DRAWN BY:	SCALE:
JAN/24	AN	1:100 @ A3
B No:	CHECKED BY:	DRAWING No:
1222/24	JJ	DA.09