



NEW  
PARADIGM  
DESIGN

DRAWING REGISTER (A3) & REVISION

LANDING PAGE	R	01
COVER PAGE	R	02
ARTIST IMPRESSIONS	Q	03
ARTIST IMPRESSIONS	Q	04
DEMOLITION SITE PLAN	Q	05
PROPOSED SITE PLAN	R	06
SITE ANALYSIS PLAN	Q	07
LANDSCAPE INTENT & OPEN SPACE PLAN	Q	08
FLOOR SPACE RATIO PLAN	Q	09
BASEMENT FLOOR PLAN	R	10
GROUND FLOOR PLAN	Q	11
FIRST FLOOR PLAN	Q	12
ELEVATION 1	Q	13
ELEVATION 2	Q	14
ELEVATION 3	Q	15
ELEVATION 4	Q	16
SECTION A-A	R	17
SECTION B-B	Q	18
SECTION C-C (POOL)	Q	19
SECTION V XO 1	R	20
SECTION V XO 2	R	21
BASEMENT SLAB / DRIVEWAY PLAN	R	22
SLAB PLAN GROUND	Q	23
UPPER FLOOR FRAMING PLAN	Q	24
ROOF PLAN	Q	25
ELECTRICAL PLAN BASEMENT	Q	26
ELECTRICAL PLAN GROUND	Q	27
ELECTRICAL FIRST FLOOR	Q	28
FLOOR COVERINGS BASEMENT	Q	29
FLOOR COVERINGS GROUND	Q	30
FLOOR COVERINGS FIRST FLOOR	Q	31
DOOR SCHEDULE	Q	32
WINDOW SCHEDULE	Q	33
SUN STUDY - JUNE	Q	34
SUN STUDY - DECEMBER	Q	35
DETAIL/CONTOUR SURVEY	Q	36



# PROPOSED NEW RESIDENCE

for Sophia & Stuart Naylor - 2 Prince Edward Rd Seaforth NSW



Artist Impressions are indicative only and construction detail is not to be assumed - final finishes & details may vary

REV. ID	ISSUE	DATE
G	PRELIMINARY WORKING DRAWINGS	6/11/2024
H	PRELIMINARY WORKING DRAWINGS	13/11/2024
I	PRELIMINARY WORKING DRAWINGS	20/1/2025
J	PLANNING ISSUE - RF1	7/4/2025
K	PLANNING ISSUE - RF1	14/4/2025
L	PLANNING / FSR PLAN	14/4/2025
M	DRIVE SECTION	22/4/2025
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025
R	ALIGN TO ENGINEER DWGS	12/6/2025

DA ISSUE REVISION R -  
Thursday, 12 June 2025



DA PRELIMINARY WORKING DRAWINGS ONLY - NOT FOR CONSTRUCTION OR TENDER



CORNER LISTER AVE &  
PRINCE EDWARD RD VIEW

Artist Impressions are indicative only and construction detail  
is not to be assumed - final finishes & details may vary

LISTER AVENUE VIEW



NEW  
PARADIGM  
DESIGN





PRINCE EDWARD RD VIEW


Artist Impressions are indicative only and construction detail is not to be assumed - final finishes & details may vary

PRINCE EDWARD RD VIEW





ADDRESS: 2 Prince Edward Rd Seaforth NSW  
SITE AREA: 494 M<sup>2</sup>  
LOT NUMBER: LOT 28F  
PLAN NUMBER: DP 16341  
PARISH: -  
COUNTY: -  
LOCAL AUTHORITY: Northern Beaches Council  
SITE COVERAGE: 51.7 %



# DEMOLITION SITE PLAN

200



SITE GENERAL NOTES:

1. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE.
2. BUILDER TO VERIFY ALL BOUNDARY CLEARANCES AND SITE SET OUT DIMENSIONS PRIOR TO COMMENCEMENT OF CONSTRUCTION.
3. LEVELS AND CONTOURS ARE BASED ON ASSUMED DATUM.
4. VEHICULAR CROSS OVERS TO BE CONSTRUCTED AS PER LOCAL COUNCIL REQUIREMENTS AND/OR APPROVAL.
5. THIS SITE PLAN IS A TRANSCRIPTION OF THE ORIGINAL CONTOUR/ID SURVEY OR SITE PLAN, THE BUILDER AND SUB-CONTRACTORS ARE TO VERIFY ALL INFORMATION CONTAINED HEREIN PRIOR TO SITE START AND ANY DISCREPANCY RESOLVE WITH THIS OFFICE PRIOR TO CONSTRUCTION.
6. IT IS REQUIRED TO PROVIDE NEW PARADIGM DESIGN A NEW CONTOUR AND/OR IDENTIFICATION SURVEY PLAN PRIOR TO FINALISATION OF WORK.
7. SEWER TO HOUSE CONNECTION SPIGOT AND WATER MAIN TO HOUSE CONNECTION PLOTTED FROM GCCC INFRASTRUCTURE ASSET MAPPING - INDICATIVE ONLY, WHERE NO DETAIL SURVEY PROVIDED. SUBJECT TO SURVEY AND SERVICE LOCATION.

SITE PREPARATION & DRAINAGE NOTES:


1. ROOFWATER TO BE PIPED VIA 100mm Ø PVC PIPE TO COUNCIL STORMWATER DRAINAGE SYSTEM OR ON SITE RAIN WATER TANKS IF APPLICABLE, WITH OVERFLOW TO DIRECT TO RUBBLE PITS OR COUNCIL DISCHARGE SYSTEM AS PER APPROVAL REQUIREMENTS.
2. ROOF AND SURFACE WATER TO COMPLY WITH COUNCIL PLUMBING AND DRAINAGE SERVICES CONDITIONS OF APPROVAL.
3. ALL HOUSEHOLD SEWER AND WASTE TO BE DISCHARGED TO COUNCIL SEWER SYSTEM OR ON SITE SEWERAGE FACILITY IF APPLICABLE - OSSFTO BE REVIEWED BY A QUALIFIED CONSULTANT
4. SITE CLASSIFICATION AND FOOTING/SLAB PREPARATION REFER [NCC 2022 VOL 2. HOUSING PROVISIONS PART 4.2.](#)
5. ALL GUTTERS AND DOWNPIPES TO ADHERE TO [NCC 2022 VOL 2. H2D6 & HOUSING PROVISIONS PART 7.4.](#)
6. ON SITE RAIN WATER HARVESTING WHERE NOT DIRECT LINES FROM ROOF/GUTTER TO HAVE CHARGED LINES. REFER MANUFACTURER INSTALLATION & SPECIFICATIONS.
7. ALL RETAINING WALLS GREATER THAN 1,000 IN HEIGHT TO BE DESIGNED BY A REGISTERED PRACTISING STRUCTURAL ENGINEER (RPEQ).

TERMITE PROTECTION:

1. TERMITE PROTECTION IS A VISUAL BARRIER SYSTEM WITH APPROVED COLLARS AT PENETRATIONS IN ACCORDANCE WITH AS3660 2014 & AS3600.1/2009. - REFER TO CONDITIONS OF APPROVAL
2. ALL TERMITE PROTECTION TO BE INSTALLED IN ACCORDANCE WITH MANUFACTURERS SPECIFICATIONS.
3. TERMITE MANAGEMENT SYSTEMS TO [NCC 2022 VOL 2 H1D3 & HOUSING PROVISIONS PART 3.4.2.](#)

REAL PROPERTY DESCRIPTION

ADDRESS: 2 Prince Edward Rd Seaforth NSW  
SITE AREA: 494 M<sup>2</sup>  
LOT NUMBER: LOT 28F  
PLAN NUMBER: DP 16341  
PARISH: -  
COUNTY: -  
LOCAL AUTHORITY: Northern Beaches Council  
SITE COVERAGE: 51.7 %



CURRENT CHANGES

- 11 GARAGE WALL MOVED  
GARAGE WALL MOVED BACK IN 1,500MM TO ALLOW FOR LESS GRADIENT DRIVEWAY
- 12 NEW LAUNDRY & WINE CELLAR LAYOUT  
LAUNDRY AND WINE CELLAR LAYOUT ADJUSTED WHEN FRONT GARAGE WALL MOVED BACK
- 13 VXO GRADIENT CHANGES  
NEW VXO HEIGHTS AS PER ENGINEER DETAIL
- 14 BASEMENT FL & CEILING HEIGHT CHANGE  
BASEMENT FL MOVED TO RL 81.270 AHD BRINGING THE CEILING HEIGHT OF THE GARAGE TO 2,480MM

GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH


1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025
R	ALIGN TO ENGINEER DWGS	12/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE:
PROPOSED SITE PLAN
SCALE: 1:200 A3





## SITE ANALYSIS PLAN

1: 200

### GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

### PROPOSED NEW RESIDENCE

CLIENT: Sophia & Stuart Naylor

SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW


### DRAWING TITLE:

SITE ANALYSIS PLAN

SCALE: 1:200 A3


### SHEET NO.





# LANDSCAPE INTENT PLAN

1: 200



TOTAL OPEN SPACE PLAN

1:200



FLOOR SPACE RATIO CALCULATIONS

AREA 'C' ON THE LEP LSZ MAP = 0.45 FSR

$0.45 \times 500\text{m}^2 = 225\text{m}^2 \text{ of GFA}$

BASEMENT AREAS (NOT INCLUDED)



PROPOSED BASEMENT = 74.16m<sup>2</sup>

GROSS FLOOR AREA CALCULATIONS



PROPOSED GROUND FLOOR = 162.97m<sup>2</sup>

PROPOSED FIRST FLOOR = 95.76m<sup>2</sup>

TOTAL PROPOSED GFA = 258.73m<sup>2</sup>


TOTAL ALLOWED = 225m<sup>2</sup>

$258.73\text{m}^2 - 225\text{m}^2 = 33.73\text{m}^2$

TOTAL VARIATION = 33.73m<sup>2</sup> (14.99%)


BASEMENT FLOOR SPACE RATIO PLAN

1: 200



GROUND FLOOR SPACE RATIO PLAN

1: 200



FIRST FLOOR SPACE RATIO PLAN

1: 200



GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE

CLIENT: Sophia & Stuart Naylor

SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW

DRAWING TITLE:


FLOOR SPACE RATIO PLAN


SCALE: 1:200 A3


SHEET NO.





FLOOR PLAN LEGEND


 SMOKE ALARM PHOTOELECTRIC

 DOWNPIPE LOCATION

 HOT WATER SERVICE

 ELECTRICAL METERBOARD TBD

 POOL FILTER

 3000L slimline RW tank RAINWATER TANKS

NB: SEE GENERAL NOTES FOR ABBREVIATIONS


- CURRENT CHANGES
- 11

GARAGE WALL MOVED  
GARAGE WALL MOVED BACK IN 1,500MM TO ALLOW FOR LESS GRADIENT DRIVEWAY
- 12

NEW LAUNDRY & WINE CELLAR LAYOUT  
LAUNDRY AND WINE CELLAR LAYOUT ADJUSTED WHEN FRONT GARAGE WALL MOVED BACK
- 13

VXO GRADIENT CHANGES  
NEW VXO HEIGHTS AS PER ENGINEER DETAIL
- 14

BASEMENT FL & CEILING HEIGHT CHANGE  
BASEMENT FL MOVED TO RL (CHECK SECTIONS) AHD



NEW PARADIGM DESIGN PTY LTD®

Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au

1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787

© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

- GENERAL NOTES:
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY

- WINDOWS DIMENSIONED AS HEIGHT x WIDTH

- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH
1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START

2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE

3. DO NOT SCALE FROM PLAN

4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY

5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)

6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025
R	ALIGN TO ENGINEER DWGS	12/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE: BASEMENT FLOOR PLAN
SCALE: 1:100, 1:1 A3

SHEET NO.



FLOOR AREA SCHEDULE

Basement Level		
New	Garage / Cellar	82.9
Ground Floor Level		
New	Balcony	23.4
New	Living	123.8
New	Outdoor Living	23.2
New	Second Dwelling Living	43.6
First Floor Level		
New	Balcony	6.8
New	Living	101.5
		405.2 m²


FLOOR PLAN LEGEND

- SMOKE ALARM PHOTOELECTRIC
  - DOWNPIPE LOCATION
  - HOT WATER SERVICE
  - ELECTRICAL METERBOARD TBD
  - POOL FILTER
  - RAINWATER TANKS
- NB: SEE GENERAL NOTES FOR ABBREVIATIONS

DA PRELIMINARY WORKING DRAWINGS ONLY - NOT FOR CONSTRUCTION OR TENDER

CURRENT CHANGES

- 11 GARAGE WALL MOVED  
GARAGE WALL MOVED BACK IN 1,500MM TO ALLOW FOR LESS GRADIENT DRIVEWAY
- 12 NEW LAUNDRY & WINE CELLAR LAYOUT  
LAUNDRY AND WINE CELLAR LAYOUT ADJUSTED WHEN FRONT GARAGE WALL MOVED BACK
- 13 VXO GRADIENT CHANGES  
NEW VXO HEIGHTS AS PER ENGINEER DETAIL
- 14 BASEMENT FL & CEILING HEIGHT CHANGE  
BASEMENT FL MOVED TO RL (CHECK SECTIONS) AHD



PROPOSED FLOOR PLAN

1:100



NEW PARADIGM DESIGN PTY LTD

Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787

© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

- 1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
- 2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
- 3. DO NOT SCALE FROM PLAN
- 4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
- 5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
- 6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE: GROUND FLOOR PLAN
SCALE: 1:100, 1:1 A3


SHEET NO.





FLOOR AREA SCHEDULE


Basement Level		
New	Garage / Cellar	82.9
Ground Floor Level		
New	Balcony	23.4
New	Living	123.8
New	Outdoor Living	23.2
New	Second Dwelling Living	43.6
First Floor Level		
New	Balcony	6.8
New	Living	101.5
		405.2 m²


FLOOR PLAN LEGEND


 SMOKE ALARM PHOTOELECTRIC

 DOWNPIPE LOCATION

 HOT WATER SERVICE


 ELECTRICAL METERBOARD TBD

 POOL FILTER

 RAINWATER TANKS

NB: SEE GENERAL NOTES FOR ABBREVIATIONS

DA PRELIMINARY WORKING DRAWINGS ONLY - NOT FOR CONSTRUCTION OR TENDER



PROPOSED FIRST FLOOR PLAN

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN


GENERAL NOTES:  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH  
1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE  
CLIENT: Sophia & Stuart Naylor  
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE: FIRST FLOOR PLAN  
SCALE: 1:100, 1:1 A3





ELEVATION 1


1:100

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE: ELEVATION 1
SCALE: 1:100 A3





NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH  
1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025


PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE: ELEVATION 2
SCALE: 1:100 A3





**A** 150mm white weathertex weathergroove smooth cladding



**B** white aluminium batten screening




**C** timber batten garage door



**D** rendered greenboard - painted white




**E** 1.8m high timber pailing fence to side boundaries - painted woodland grey



**F** feature stone



**G** formed concrete finish



ELEVATION 3

1:100



NEW PARADIGM DESIGN PTY LTD®

Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787

© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE

CLIENT: Sophia & Stuart Naylor

SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW

DRAWING TITLE:

ELEVATION 3


SCALE: 1:100 A3

SHEET NO.





**A** 150mm white weathertex weathergroove smooth cladding



**B** white aluminium batten screening




**C** timber batten garage door



**D** rendered greenboard - painted white





**E** 1.8m high timber pailing fence to side boundaries - painted woodland grey



**F** feature stone



**G** formed concrete finish



ELEVATION 4

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH  
1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE: ELEVATION 4
SCALE: 1:100 A3

SHEET NO.

FLOOR LEVELS & BALCONY STEPDOWNS

finished slab level and surrounding ground/slabs to [NCC 2022 Vol 2 Housing Provision part 3.3.3](#) - the height to the slab-on-ground (measured at the slab edge) above external finished surfaces must be not less than 150mm above finished ground level; or 100mm above sandy, well-drained areas; or 50 mm above paved or concreted areas that slope away from the building in accordance with NCC Vol 2 HP part 3.3.3.

Recommended balcony step downs/termination heights - N1 40mm, N2 50mm, N3 75mm, N4 100mm - Waterproofing membranes for external above ground use must comply with AS 4654.1 and AS 4654.2.

BOX GUTTER NOTES

1. the minimum width for domestic projects is 200mm
2. box gutters must be straight - no bends
3. sides must be vertical
4. gutter maintains a constant width
5. must have a constant slope between 1:40 and 1:100
6. downpipe must be vertical from sump
7. minimum sump length is 400mm

STRUCTURAL NOTE


all structural elements - tie down & bracing, footings, columns, roof framing and wall frame to be designed & sized by a registered practicing engineer queensland (RPEQ)

GENERAL NOTE

all details, dimensions, materials etc to be verified with designer & client prior to build and necessary alterations rectified prior to construction start on site

FRAMING NOTE

trusses, roof frame, wall frame, subfloor frame and tie down & bracing designed and installed in accordance with AS1684.2 2021 and manufacturers specifications



CURRENT CHANGES

- 11 GARAGE WALL MOVED  
GARAGE WALL MOVED BACK IN 1,500MM TO ALLOW FOR LESS GRADIENT DRIVEWAY
- 12 NEW LAUNDRY & WINE CELLAR LAYOUT  
LAUNDRY AND WINE CELLAR LAYOUT ADJUSTED WHEN FRONT GARAGE WALL MOVED BACK
- 13 VXO GRADIENT CHANGES  
NEW VXO HEIGHTS AS PER ENGINEER DETAIL
- 14 BASEMENT FL & CEILING HEIGHT CHANGE  
BASEMENT FL MOVED TO RL 81.270 AHD BRINGING THE CEILING HEIGHT OF THE GARAGE TO 2,480MM

TERMITE VISUAL BARRIER OR MANAGEMENT SYSTEMS

termite protection is a visual barrier system with approved collars at penetrations in accordance with AS 3600.1/2014 and [NCC 2022 Vol 2 HP part 3.4](#) (refer details page) - termite management system to [NCC 2022 VOL 2 HP PART 3.4.2](#) - all select barrier products refer to manufacturers specification and conditions of approval

SECTION A-A

1:100



NEW PARADIGM DESIGN PTY LTD®

Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787

© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.


REV. ID	ISSUE	DATE
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025
R	ALIGN TO ENGINEER DWGS	12/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE:
SECTION A-A
SCALE: 1:100 A3

SHEET NO.





**GENERAL NOTES:**

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE

CLIENT: Sophia & Stuart Naylor

SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW

DRAWING TITLE:


SECTION B-B

SCALE: 1:50 A3

SHEET NO.

**NOTE**  
all frameless glass pool barriers to  
comply with local authority  
requirements & Australian Standards

concrete pool to pool builder &  
engineer final detail



SECTION C-C (POOL)


1:50

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW


DRAWING TITLE: SECTION C-C (POOL)
SCALE: 1:50 A3





## SECTION VXO 1

50



REV. ID	ISSUE	DATE
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025
R	ALIGN TO ENGINEER DWGS	12/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE:
SECTION V XO 2
SCALE: 1:50 A3



ALL SITE PREPARATION, CUT/FILL AND  
EXCAVATION TO NCC VOL 2 PART 3.2.  
ALL FOOTINGS AND CONCRETE  
SLABS TO ADHERE TO **NCC 2022 VOL.  
2 & HOUSING PROVISIONS PART 4.2.**

ALL SLAB DIMENSIONS TO BE  
VERIFIED PRIOR TO SETOUT. SLAB  
AND FOOTINGS  
TO BE CONSTRUCTED TO ENGINEERS  
DETAIL AND IN ACCORDANCE WITH  
AS2870.

FOUNDATIONS OF FOOTING AND  
SLAB CONSTRUCTION TO COMPLY  
WITH NCC VOL 2. PART 3.2.5.


WET AREAS - ARE TO BE REBATED 45mm IN TO CONCRETE SLAB AT A MINIMUM. IT IS A REQUIREMENT TO REBATE TIMBER FLOOR JOISTS OR TRUSSES 45mm AS A MINIMUM. SUBJECT TO GRADIENTS OF PLUMBING REQUIREMENTS.

ENGINEER PROVIDED SUB-FLOOR  
LAYOUT SUPERSEDES SUBFLOOR  
LAYOUT SHOWN HERE.

FINISHED SLAB LEVEL TO COMPLY WITH NCC 2022 VOL 2 & HOUSING PROVISIONS PART 3.3.3. - THE HEIGHT TO THE SLAB ON GROUND (MEASURED AT THE SLAB EDGE) ABOVE EXTERNAL FINISHED SURFACES MUST BE NOT LESS THAN 150mm ABOVE FINISHED GROUND LEVEL; OR 100mm ABOVE SANDY, WELL DRAINED AREAS; OR 50mm ABOVE PAVED OR CONCRETED AREAS THAT SLOPE AWAY FROM THE BUILDING IN ACCORDANCE WITH NCC PART 3.3.3.

SLAB & FLOOR WASTE SYMBOLS ARE INDICATIVE ONLY AND SUBJECT TO FINAL FIXTURE SELECTION, THEIR MANUFACTURER SPECS. AND PLUMBER/BUILDER REQUIREMENTS

11	<b>GARAGE WALL MOVED</b> GARAGE WALL MOVED BACK IN 1,500MM TO ALLOW FOR LESS GRADIENT DRIVEWAY
12	<b>NEW LAUNDRY &amp; WINE CELLAR LAYOUT</b> LAUNDRY AND WINE CELLAR LAYOUT ADJUSTED WHEN FRONT GARAGE WALL MOVED BACK
13	<b>VXO GRADIENT CHANGES</b> NEW VXO HEIGHTS AS PER ENGINEER DETAIL
14	<b>BASEMENT FL &amp; CEILING HEIGHT CHANGE</b> BASEMENT FL MOVED TO RL 81.270 AHD BRINGING THE CEILING HEIGHT OF THE GARAGE TO 2,480MM



## SLAB PLAN BASEMENT

SLAB PLAN NOTES

ALL SITE PREPARATION, CUT/FILL AND EXCAVATION TO NCC VOL 2 PART 3.2. ALL FOOTINGS AND CONCRETE SLABS TO ADHERE TO [NCC 2022 VOL. 2 & HOUSING PROVISIONS PART 4.2.](#)

PLUMBER TO VERIFY ALL DIMENSIONS PRIOR TO POSITIONING UNDERSLAB POINTS. MEASUREMENTS MAY VARY. ALL PLUMBING AND DRAINAGE WORK TO COMPLY WITH AS3500-2003, [NCC 2022 VOL. 3, AND NCC 2022 VOL 2 & HOUSING PROVISIONS PART 3.3.](#)

ALL SLAB DIMENSIONS TO BE VERIFIED PRIOR TO SETOUT. SLAB AND FOOTINGS TO BE CONSTRUCTED TO ENGINEERS DETAIL AND IN ACCORDANCE WITH AS2870.

TERMITE PROTECTION IS A VISUAL BARRIER SYSTEM WITH APPROVED COLLARS AT PENETRATIONS IN ACCORDANCE WITH AS3600.1. AND [NCC 2022 VOL 2. & HOUSING PROVISIONS PART 3.4.](#)

FOUNDATIONS OF FOOTING AND SLAB CONSTRUCTION TO COMPLY WITH NCC VOL 2. PART 3.2.5.


ALL TIMBER SUB-FLOOR MEMBER SIZES AND SPANS SUBJECT TO ENGINEER DESIGN & SPECIFICATION AND TO BE COMPLIANT WITH AS1684.2-2021.

WET AREAS - ARE TO BE REBATED 45mm IN TO CONCRETE SLAB AT A MINIMUM. IT IS A REQUIREMENT TO REBATE TIMBER FLOOR JOISTS OR TRUSSES 45mm AS A MINIMUM. SUBJECT TO GRADIENTS OF PLUMBING REQUIREMENTS.

ENGINEER PROVIDED SUB-FLOOR LAYOUT SUPERSEDES SUBFLOOR LAYOUT SHOWN HERE.

FINISHED SLAB LEVEL TO COMPLY WITH [NCC 2022 VOL 2 & HOUSING PROVISIONS PART 3.3.3.](#) - THE HEIGHT TO THE SLAB ON GROUND (MEASURED AT THE SLAB EDGE) ABOVE EXTERNAL FINISHED SURFACES MUST BE NOT LESS THAN 150mm ABOVE FINISHED GROUND LEVEL; OR 100mm ABOVE SANDY, WELL DRAINED AREAS; OR 50mm ABOVE PAVED OR CONCRETED AREAS THAT SLOPE AWAY FROM THE BUILDING IN ACCORDANCE WITH NCC PART 3.3.3.

SLAB & FLOOR WASTE SYMBOLS ARE INDICATIVE ONLY AND SUBJECT TO FINAL FIXTURE SELECTION, THEIR MANUFACTURER SPECS. AND PLUMBER/BUILDER REQUIREMENTS



SLAB PLAN GROUND

1:100



NEW PARADIGM DESIGN PTY LTD®

Office 07 5654 5141 M 0412 495 878

hi@newparadigmdesign.com.au

1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218

QBCC LIC 1519 5787

© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START

2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE

3. DO NOT SCALE FROM PLAN

4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY

5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)

6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE

CLIENT: Sophia & Stuart Naylor

SITE ADDRESS: 2 Prince Edward Rd

Seaforth NSW

DRAWING TITLE:

SLAB PLAN GROUND

SCALE:

1:100 A3

SHEET NO.



**SLAB PLAN NOTES**

ALL SITE PREPARATION, CUT/FILL AND EXCAVATION TO NCC VOL 2 PART 3.2. ALL FOOTINGS AND CONCRETE SLABS TO ADHERE TO [NCC 2022 VOL 2 & HOUSING PROVISIONS PART 4.2.](#)

PLUMBER TO VERIFY ALL DIMENSIONS PRIOR TO POSITIONING UNDERSLAB POINTS. MEASUREMENTS MAY VARY. ALL PLUMBING AND DRAINAGE WORK TO COMPLY WITH AS3500-2003, [NCC 2022 VOL. 3, AND NCC 2022 VOL 2 & HOUSING PROVISIONS PART 3.3.](#)

ALL SLAB DIMENSIONS TO BE VERIFIED PRIOR TO SETOUT. SLAB AND FOOTINGS TO BE CONSTRUCTED TO ENGINEERS DETAIL AND IN ACCORDANCE WITH AS2870.

TERMITE PROTECTION IS A VISUAL BARRIER SYSTEM WITH APPROVED COLLARS AT PENETRATIONS IN ACCORDANCE WITH AS3600.1. AND [NCC 2022 VOL 2. & HOUSING PROVISIONS PART 3.4.](#)

FOUNDATIONS OF FOOTING AND SLAB CONSTRUCTION TO COMPLY WITH NCC VOL 2. PART 3.2.5.


ALL TIMBER SUB-FLOOR MEMBER SIZES AND SPANS SUBJECT TO ENGINEER DESIGN & SPECIFICATION AND TO BE COMPLIANT WITH AS1684.2-2021.

WET AREAS - ARE TO BE REBATED 45mm IN TO CONCRETE SLAB AT A MINIMUM. IT IS A REQUIREMENT TO REBATE TIMBER FLOOR JOISTS OR TRUSSES 45mm AS A MINIMUM. SUBJECT TO GRADIENTS OF PLUMBING REQUIREMENTS.

ENGINEER PROVIDED SUB-FLOOR LAYOUT SUPERSEDES SUBFLOOR LAYOUT SHOWN HERE.

FINISHED SLAB LEVEL TO COMPLY WITH [NCC 2022 VOL 2 & HOUSING PROVISIONS PART 3.3.3.](#) - THE HEIGHT TO THE SLAB ON GROUND (MEASURED AT THE SLAB EDGE) ABOVE EXTERNAL FINISHED SURFACES MUST BE NOT LESS THAN 150mm ABOVE FINISHED GROUND LEVEL; OR 100mm ABOVE SANDY, WELL DRAINED AREAS; OR 50mm ABOVE PAVED OR CONCRETED AREAS THAT SLOPE AWAY FROM THE BUILDING IN ACCORDANCE WITH NCC PART 3.3.3.

SLAB & FLOOR WASTE SYMBOLS ARE INDICATIVE ONLY AND SUBJECT TO FINAL FIXTURE SELECTION, THEIR MANUFACTURER SPECS. AND PLUMBER/BUILDER REQUIREMENTS



UPPER FLOOR FRAMING PLAN

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

**GENERAL NOTES:**

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH


1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE  
CLIENT: Sophia & Stuart Naylor  
SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW

DRAWING TITLE: UPPER FLOOR FRAMING PLAN  
SCALE: 1:100 A3

SHEET NO.



ROOF PLAN

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH  
1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW

DRAWING TITLE:
ROOF PLAN
SCALE: 1:100 A3


SHEET NO.



**NOTE**  
ALL ELECTRICAL EXCEPT SMOKE DETECTORS, IS INDICATIVE ONLY AND TO BE VERIFIED WITH OWNERS, AND BUILDER/ELECTRICIAN DURING QUOTING AND BUILDING STAGES

- ELECTRICAL PLAN NOTES**
1. ALL HEIGHTS ARE TO BE MEASURED FROM THE MAIN FLOOR LEVEL UNLESS OTHERWISE NOTED
  2. LIGHT SWITCHES @ 1300mm MAX ABOVE GROUND LEVEL
  3. TOP OF METER BOX TO BE 1900 mm MAX ABOVE GROUND LEVEL
  4. POWER OUTLETS ARE TO BE POSITIONED TO NEAREST STUD UNLESS OTHERWISE DIMENSIONED.
  5. PROVIDE SMOKE ALARMS / AUTOMATIC FIRE DETECTION SYSTEM IN ACCORDANCE WITH [NCC 2022 VOL 2 H3D6 AND HOUSING PROVISIONS PART 9.5.1](#) AND AS3786 - 2004. SMOKE DETECTORS 2 OR MORE SHALL BE INTERCONNECTED AS PER [NCC 2022 VOL 2 HOUSING PROVISIONS PART 9.5.1 \(d\)](#)
  6. ADDITIONAL SMOKE DETECTORS TO BE PLACED IN ALL BEDROOMS, HALLWAYS BETWEEN BEDROOMS, AT LEAST 1 ON EACH STOREY, AND INTERCONNECTED AS PER NCC REQUIREMENTS.
  7. L.E.D. LIGHTING IS RECOMMENDED TO ALL POSSIBLE APPLICATIONS.
  8. ALL ELECTRICAL WORK TO COMPLY TO AS3000 - 2003

ELECTRICAL LEGEND	
	GPO SPECIAL PT. - REFER STD. DETAILS
	DOUBLE GPO 300mm
	SINGLE GPO 1050mm
	DOUBLE GPO 1050mm
	DOUBLE GPO & USB POINT 1050mm
	DOUBLE GPO & USB PT. TO SUIT BED SIDE TABLE POSITIONS
	SOLAR LED
	LIGHT ON WALL
	DOWNLIGHT MOUNTED
	DOWNLIGHT RECESSED
	PENDANT LIGHT ADJUSTABLE
	SELECT BATHROOM WALL LIGHT
	FLURO CEILING 1200mm
	LED BATTEN CEILING 1200mm
	FLOOD LIGHT
	MOTION DETECTING SENSOR LIGHT
	ANTENNA POINT
	DATA/PHONE POINT
	EXHAUST FAN
	EXHAUST FAN W/ LIGHT
	HEAT LAMP/LIGHT/EXHAUST UNIT
	AIR CON DUCT OUTLET
	CEILING FAN 1200mm
	SMOKE DETECTOR PHOTO-ELECTRIC
	ELECTRICAL METERBOARD TBD



**ENERGY EFFICIENT LIGHTING**

THIS MEASURE APPLIES TO NEW CLASS 1 BUILDINGS AND SOLE OCCUPANCY UNITS IN CLASS 2 BUILDINGS. ENERGY EFFICIENT LIGHTING INCLUDES FLUORESCENT AND COMPACT FLUORESCENT LIGHTS. IT DOES NOT INCLUDE INCANDESCENT OR HALOGEN LIGHTS. COMPLIANCE IS ACHIEVED WHEN ENERGY EFFICIENT LIGHTING IS USED FOR AT LEAST 40% OF THE TOTAL FLOOR AREA OF THE BUILDING OR SOLE OCCUPANCY UNIT. (REFER TO DEFINITION OF FLOOR AREA IN PART 29 OF THE QUEENSLAND DEVELOPMENT CODE). THIS AREA INCLUDES ASSOCIATED GARAGES.

WHERE A PART OF A HOUSE IS LIT BY MORE THAN ONE LIGHT SOURCE, AND ONE OR MORE OF THOSE SOURCES IS NOT DEEMED TO BE EFFICIENT LIGHTING, THEN THAT PART OF THE HOUSE IS NOT CONSIDERED TO HAVE EFFICIENT LIGHTING AND THEREFORE DOES NOT QUALIFY TOWARDS THE 40% EFFICIENT LIGHTING REQUIREMENT. FOR EXAMPLE, IF A KITCHEN HAS A FLUORESCENT LIGHT AS ITS CENTRAL LIGHT SOURCE AND HALOGEN LIGHTS PROVIDING TASK LIGHTING FOR A KITCHEN BENCH, THEN THE FLOOR AREA OF THE KITCHEN BENCH SHOULD BE SUBTRACTED FROM THE KITCHEN FLOOR AREA WHEN CALCULATING FLOOR AREA LIT BY EFFICIENT LIGHTING.

FINAL ASSESSMENT UPON COMPLETION OF THE BUILDING WILL REQUIRE CONFIRMATION THAT THE CORRECT LIGHTING HAS BEEN INSTALLED IN THE APPROPRIATE LIGHT FITTINGS. IT IS REASONABLE TO ACCEPT THIS CONFIRMATION FROM THE ELECTRICIAN WHO INSTALLED THE LIGHT FITTINGS.

ELECTRICAL PLAN BASEMENT

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

**GENERAL NOTES:**  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE	
CLIENT:	Sophia & Stuart Naylor
SITE ADDRESS:	2 Prince Edward Rd Seaforth NSW

DRAWING TITLE:  
**ELECTRICAL PLAN BASEMENT**  
SCALE:  
1:100, 1:11 A3


SHEET NO.

**NOTE**  
ALL ELECTRICAL EXCEPT SMOKE DETECTORS, IS INDICATIVE ONLY AND TO BE VERIFIED WITH OWNERS, AND BUILDER/ELECTRICIAN DURING QUOTING AND BUILDING STAGES

- ELECTRICAL PLAN NOTES**
1. ALL HEIGHTS ARE TO BE MEASURED FROM THE MAIN FLOOR LEVEL UNLESS OTHERWISE NOTED
  2. LIGHT SWITCHES @ 1300mm MAX ABOVE GROUND LEVEL
  3. TOP OF METER BOX TO BE 1900 mm MAX ABOVE GROUND LEVEL
  4. POWER OUTLETS ARE TO BE POSITIONED TO NEAREST STUD UNLESS OTHERWISE DIMENSIONED.
  5. PROVIDE SMOKE ALARMS / AUTOMATIC FIRE DETECTION SYSTEM IN ACCORDANCE WITH [NCC 2022 VOL 2 H3D6 AND HOUSING PROVISIONS PART 9.5.1](#). AND AS3786 - 2004. SMOKE DETECTORS 2 OR MORE SHALL BE INTERCONNECTED AS PER [NCC 2022 VOL 2 HOUSING PROVISIONS PART 9.5.1 \(d\)](#)
  6. ADDITIONAL SMOKE DETECTORS TO BE PLACED IN ALL BEDROOMS, HALLWAYS BETWEEN BEDROOMS, AT LEAST 1 ON EACH STOREY, AND INTERCONNECTED AS PER NCC REQUIREMENTS.
  7. L.E.D. LIGHTING IS RECOMMENDED TO ALL POSSIBLE APPLICATIONS.
  8. ALL ELECTRICAL WORK TO COMPLY TO AS3000 - 2003

DA PRELIMINARY WORKING DRAWINGS ONLY - NOT FOR CONSTRUCTION OR TENDER

ELECTRICAL LEGEND		
	Cat 6 Data Pt.	3
	Ceiling Fan	7
	Downlight LED Recessed	41
	Exhaust Fan w/LED	2
	GPO Bedside Height	4
	GPO Double 300mm	8
	GPO Double 1050mm	3
	GPO Double 1050mm w/USB	2
	GPO refer standard heights	2
	Smoke Detector Photo-Electric	5
	Special Pendant	3
	TV Antenna Pt.	3
	TV height GPO Double	6



**ENERGY EFFICIENT LIGHTING**

THIS MEASURE APPLIES TO NEW CLASS 1 BUILDINGS AND SOLE OCCUPANCY UNITS IN CLASS 2 BUILDINGS. ENERGY EFFICIENT LIGHTING INCLUDES FLUORESCENT AND COMPACT FLUORESCENT LIGHTS. IT DOES NOT INCLUDE INCANDESCENT OR HALOGEN LIGHTS. COMPLIANCE IS ACHIEVED WHEN ENERGY EFFICIENT LIGHTING IS USED FOR AT LEAST 40% OF THE TOTAL FLOOR AREA OF THE BUILDING OR SOLE OCCUPANCY UNIT. (REFER TO DEFINITION OF FLOOR AREA IN PART 29 OF THE QUEENSLAND DEVELOPMENT CODE). THIS AREA INCLUDES ASSOCIATED GARAGES.

WHERE A PART OF A HOUSE IS LIT BY MORE THAN ONE LIGHT SOURCE, AND ONE OR MORE OF THOSE SOURCES IS NOT DEEMED TO BE EFFICIENT LIGHTING, THEN THAT PART OF THE HOUSE IS NOT CONSIDERED TO HAVE EFFICIENT LIGHTING AND THEREFORE DOES NOT QUALIFY TOWARDS THE 40% EFFICIENT LIGHTING REQUIREMENT. FOR EXAMPLE, IF A KITCHEN HAS A FLUORESCENT LIGHT AS ITS CENTRAL LIGHT SOURCE AND HALOGEN LIGHTS PROVIDING TASK LIGHTING FOR A KITCHEN BENCH, THEN THE FLOOR AREA OF THE KITCHEN BENCH SHOULD BE SUBTRACTED FROM THE KITCHEN FLOOR AREA WHEN CALCULATING FLOOR AREA LIT BY EFFICIENT LIGHTING.

FINAL ASSESSMENT UPON COMPLETION OF THE BUILDING WILL REQUIRE CONFIRMATION THAT THE CORRECT LIGHTING HAS BEEN INSTALLED IN THE APPROPRIATE LIGHT FITTINGS. IT IS REASONABLE TO ACCEPT THIS CONFIRMATION FROM THE ELECTRICIAN WHO INSTALLED THE LIGHT FITTINGS.

**ELECTRICAL PLAN GROUND**

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

**GENERAL NOTES:**  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE  
CLIENT: Sophia & Stuart Naylor  
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW


DRAWING TITLE: ELECTRICAL PLAN GROUND  
SCALE: 1:111, 1:100 A3

SHEET NO.




**NOTE**  
ALL ELECTRICAL EXCEPT SMOKE DETECTORS, IS INDICATIVE ONLY AND TO BE VERIFIED WITH OWNERS, AND BUILDER/ELECTRICIAN DURING QUOTING AND BUILDING STAGES

- ELECTRICAL PLAN NOTES**
1. ALL HEIGHTS ARE TO BE MEASURED FROM THE MAIN FLOOR LEVEL UNLESS OTHERWISE NOTED
  2. LIGHT SWITCHES @ 1300mm MAX ABOVE GROUND LEVEL
  3. TOP OF METER BOX TO BE 1900 mm MAX ABOVE GROUND LEVEL
  4. POWER OUTLETS ARE TO BE POSITIONED TO NEAREST STUD UNLESS OTHERWISE DIMENSIONED.
  5. PROVIDE SMOKE ALARMS / AUTOMATIC FIRE DETECTION SYSTEM IN ACCORDANCE WITH [NCC 2022 VOL 2 H3D6 AND HOUSING PROVISIONS PART 9.5.1](#). AND AS3786 - 2004. SMOKE DETECTORS 2 OR MORE SHALL BE INTERCONNECTED AS PER [NCC 2022 VOL 2 HOUSING PROVISIONS PART 9.5.1 \(d\)](#)
  6. ADDITIONAL SMOKE DETECTORS TO BE PLACED IN ALL BEDROOMS, HALLWAYS BETWEEN BEDROOMS, AT LEAST 1 ON EACH STOREY, AND INTERCONNECTED AS PER NCC REQUIREMENTS.
  7. L.E.D. LIGHTING IS RECOMMENDED TO ALL POSSIBLE APPLICATIONS.
  8. ALL ELECTRICAL WORK TO COMPLY TO AS3000 - 2003



DA PRELIMINARY WORKING DRAWINGS ONLY - NOT FOR CONSTRUCTION OR TENDER

ELECTRICAL LEGEND		
	Cat 6 Data Pt.	1
	Ceiling Fan	3
	Downlight LED Recessed	26
	Exhaust Fan Only	2
	Exhaust Fan w/LED	2
	GPO Bedside Height	6
	GPO Double 300mm	6
	GPO Double 1050mm	4
	Smoke Detector Photo-Electric	5
	TV Antenna Pt.	1
	TV height GPO Double	2



**ENERGY EFFICIENT LIGHTING**

THIS MEASURE APPLIES TO NEW CLASS 1 BUILDINGS AND SOLE OCCUPANCY UNITS IN CLASS 2 BUILDINGS. ENERGY EFFICIENT LIGHTING INCLUDES FLUORESCENT AND COMPACT FLUORESCENT LIGHTS. IT DOES NOT INCLUDE INCANDESCENT OR HALOGEN LIGHTS. COMPLIANCE IS ACHIEVED WHEN ENERGY EFFICIENT LIGHTING IS USED FOR AT LEAST 40% OF THE TOTAL FLOOR AREA OF THE BUILDING OR SOLE OCCUPANCY UNIT. (REFER TO DEFINITION OF FLOOR AREA IN PART 29 OF THE QUEENSLAND DEVELOPMENT CODE). THIS AREA INCLUDES ASSOCIATED GARAGES.

WHERE A PART OF A HOUSE IS LIT BY MORE THAN ONE LIGHT SOURCE, AND ONE OR MORE OF THOSE SOURCES IS NOT DEEMED TO BE EFFICIENT LIGHTING, THEN THAT PART OF THE HOUSE IS NOT CONSIDERED TO HAVE EFFICIENT LIGHTING AND THEREFORE DOES NOT QUALIFY TOWARDS THE 40% EFFICIENT LIGHTING REQUIREMENT. FOR EXAMPLE, IF A KITCHEN HAS A FLUORESCENT LIGHT AS ITS CENTRAL LIGHT SOURCE AND HALOGEN LIGHTS PROVIDING TASK LIGHTING FOR A KITCHEN BENCH, THEN THE FLOOR AREA OF THE KITCHEN BENCH SHOULD BE SUBTRACTED FROM THE KITCHEN FLOOR AREA WHEN CALCULATING FLOOR AREA LIT BY EFFICIENT LIGHTING.

FINAL ASSESSMENT UPON COMPLETION OF THE BUILDING WILL REQUIRE CONFIRMATION THAT THE CORRECT LIGHTING HAS BEEN INSTALLED IN THE APPROPRIATE LIGHT FITTINGS. IT IS REASONABLE TO ACCEPT THIS CONFIRMATION FROM THE ELECTRICIAN WHO INSTALLED THE LIGHT FITTINGS.

**ELECTRICAL PLAN UPPER**

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

**GENERAL NOTES:**  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH


1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025


PROPOSED NEW RESIDENCE  
CLIENT: Sophia & Stuart Naylor  
SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW

DRAWING TITLE: ELECTRICAL FIRST FLOOR  
SCALE: 1:1, 1:100, 1:111, 1:110 A3



SHEET NO.



SELECT POLISHED  
CONCRETE



HONED CONCRETE  
EXTERIOR



FLOOR COVERING & TILING NOTES:

- 1. FLOOR TILE HATCHING SHOWN - INDICATES AREA TO BE TILED ONLY AND NOT THE FINISHED LAYOUT
- 2. THESE DIMENSIONS ARE A PRICING GUIDE ONLY AND ALL AREAS AND SIZES MUST BE CHECK MEASURED ON SITE PRIOR TO FABRICATION OR CUTTING
- 3. TRANSITIONS BETWEEN FLOOR COVERINGS TO BE CENTRALISED WITH DOOR THICKNESS
- 4. ALL FLOOR COVERING SELECTIONS ARE TO BE VERIFIED WITH PROPERTY OWNER/CLIENT AND BUILDING CONTRACTOR PRIOR TO ORDERING MATERIALS

FLOOR COVERINGS BASEMENT

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH  
1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.


REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW  
RESIDENCE  
CLIENT: Sophia & Stuart Naylor  
SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW

DRAWING TITLE:  
FLOOR COVERINGS  
BASEMENT  
SCALE:  
1:100 A3

SHEET NO.





**FLOOR COVERING & TILING NOTES:**

1. FLOOR TILE HATCHING SHOWN - INDICATES AREA TO BE TILED ONLY AND NOT THE FINISHED LAYOUT

2. THESE DIMENSIONS ARE A PRICING GUIDE ONLY AND ALL AREAS AND SIZES MUST BE CHECK MEASURED ON SITE PRIOR TO FABRICATION OR CUTTING

3. TRANSITIONS BETWEEN FLOOR COVERINGS TO BE CENTRALISED WITH DOOR THICKNESS

4. ALL FLOOR COVERING SELECTIONS ARE TO BE VERIFIED WITH PROPERTY OWNER/CLIENT AND BUILDING CONTRACTOR PRIOR TO ORDERING MATERIALS

FLOOR COVERINGS GROUND

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

**GENERAL NOTES:**

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START

2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE

3. DO NOT SCALE FROM PLAN

4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY

5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)

6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW  
RESIDENCE


CLIENT:  
Sophia & Stuart Naylor

SITE ADDRESS:  
2 Prince Edward Rd  
Seaforth NSW


DRAWING TITLE:  
FLOOR COVERINGS  
GROUND

SCALE:  
1:100 A3


SHEET NO.




SELECT POLISHED  
CONCRETE




HONED CONCRETE  
EXTERIOR




SELECT WET AREA TILES





SELECT ENGINEERED  
TIMBER FLOOR



SELECT CARPET



SELECT NON-SLIP  
OUTDOOR TILE



FLOOR COVERING & TILING NOTES:

- 1. FLOOR TILE HATCHING SHOWN - INDICATES AREA TO BE TILED ONLY AND NOT THE FINISHED LAYOUT
- 2. THESE DIMENSIONS ARE A PRICING GUIDE ONLY AND ALL AREAS AND SIZES MUST BE CHECK MEASURED ON SITE PRIOR TO FABRICATION OR CUTTING
- 3. TRANSITIONS BETWEEN FLOOR COVERINGS TO BE CENTRALISED WITH DOOR THICKNESS
- 4. ALL FLOOR COVERING SELECTIONS ARE TO BE VERIFIED WITH PROPERTY OWNER/CLIENT AND BUILDING CONTRACTOR PRIOR TO ORDERING MATERIALS

FLOOR COVERINGS UPPER

1:100



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY  
FORBIDDEN

GENERAL NOTES:  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND  
WASHING MACHINE SYMBOLS ARE FOR  
POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS  
WIDTH  
1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN  
STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL  
STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.











REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025














PROPOSED NEW RESIDENCE
CLIENT: Sophia & Stuart Naylor
SITE ADDRESS: 2 Prince Edward Rd Seaforth NSW






DRAWING TITLE: FLOOR COVERINGS FIRST FLOOR
SCALE: 1:100 A3

SHEET NO.



DOOR SCHEDULE										
ID	D-02	D-03	D-04	D-05	D-06	D-08	D-09	D-10	D-11	D-12
										
Door Type										
Library Part Name	Door 27	Door 27	Door 27	Sliding Robe Doors	Cl Tools Garage Door	Door 27	Cl Tools Door Exterior	Door 27	Cl Tools Door Exterior	Cl Tools Door Exterior
Quantity	1	1	1	1	1	1	1	1	1	1
Height	2,100	2,100	2,340	2,100	2,250	2,340	2,775	2,340	2,400	2,775
Width	920	820	920	1,800	5,010	820	6,000	770	1,020	6,000
To Room Number	001	001	001	001	001	001	001	001	001	001
Comments				---	---		---			
Home Story Name	Basement Level	Basement Level	Basement Level	Basement Level	Basement Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level
Renovation Status	New	New	New	New	New	New	New	New	New	New
Specific Notes										

DOOR SCHEDULE													
ID	D-13	D-14	D-15	D-16	D-17	D-18	D-19	D-20	D-21	D-21	D-22	D-23	D-24
													
Door Type													
Library Part Name	Cl Tools Door Exterior	Cl Tools Door Exterior	Sliding Robe Doors	Sliding Robe Doors	Cavity Sliding Door	Double Door 27	Arch Door 27	Door 27	Cl Tools Door Exterior	Cavity Sliding Door	Sliding Robe Doors	Door 27	Sliding Robe Doors
Quantity	1	1	1	1	1	1	1	1	1	1	1	1	1
Height	2,400	2,400	2,100	2,400	2,340	2,400	2,400	2,340	2,400	2,340	2,100	2,340	2,100
Width	3,010	3,010	2,930	3,400	770	1,640	820	820	3,610	770	2,360	820	2,360
To Room Number	001	001	001	001	001	001	001	001	002	001	002	002	002
Comments	---	---	---	---					---		---		---
Home Story Name	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	First Floor Level	Ground Floor Level	First Floor Level	First Floor Level	First Floor Level
Renovation Status	New	New	New	New	New	New	New	New	New	New	New	New	New
Specific Notes													

DOOR SCHEDULE					
ID	D-25	D-26	D-27	D-29	D-30
					
Door Type					
Library Part Name	Door 27	Door 27	Door 27	Door 27	Sliding Robe Doors
Quantity	1	1	1	1	1
Height	2,340	2,340	2,340	2,340	2,400
Width	820	820	820	920	1,800
To Room Number	002	002	002	002	002
Comments					---
Home Story Name	First Floor Level	First Floor Level	First Floor Level	First Floor Level	First Floor Level
Renovation Status	New	New	New	New	New
Specific Notes					

DOOR SCHEDULE



NEW PARADIGM DESIGN PTY LTD®

Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787

© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

- BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
- WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
- DO NOT SCALE FROM PLAN
- ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
- TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
- ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE	
CLIENT:	Sophia & Stuart Naylor
SITE ADDRESS:	2 Prince Edward Rd Seaforth NSW

DRAWING TITLE:
DOOR SCHEDULE
SCALE:
1:124 A3

SHEET NO.

WINDOW SCHEDULE												
ID	W-02	W-03	W-04	W-05	W-06	W-07	W-08	W-09	W-10	W-11	W-12	W-13
Window Type												
Window Name	Cl Tools Window	Aluminium Sliding	Aluminium Fixed	Aluminium Sliding	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window
Quantity	1	1	1	1	1	1	1	1	1	1	1	1
Height	1800	1200	700	600	1200	2100	2740	2100	1200	600	2100	2100
Width	1210	2110	3010	1510	1510	3010	2400	950	600	2710	1800	600
Window head height	2100	2400	1650	2400	2400	2400	2740	2400	2400	2400	2400	2400
Window sill height	300	1200	950	1800	1200	300	0	300	1200	1800	300	300
Location	Basement Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level	Ground Floor Level
Renovation Status	New	New	New	New	New	Existing	New	New	New	New	New	New
Specific Notes												
2D Symbol												
Elevation												

WINDOW SCHEDULE												
ID	W-14	W-15	W-16	W-17	W-18	W-19	W-20	W-21	W-22	W-23	W-24	W-25
Window Type												
Window Name	Cl Tools Window	Cl Tools Window	Cl Tools Window	Aluminium Sliding	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window	Cl Tools Window
Quantity	1	1	1	1	1	1	1	1	1	1	1	1
Height	2100	2100	1200	900	1200	1800	1200	1200	1200	1800	1800	1800
Width	610	610	1810	1810	2410	1210	2410	2410	1510	3610	3810	514
Window head height	2400	2400	2400	2400	2400	2400	2400	2400	2400	2400	2400	2400
Window sill height	300	300	1200	1500	1200	600	1200	1200	1200	600	600	600
Location	Ground Floor Level	Ground Floor Level	Ground Floor Level	First Floor Level	First Floor Level	First Floor Level	First Floor Level	First Floor Level	First Floor Level	First Floor Level	First Floor Level	First Floor Level
Renovation Status	New	New	New	New	New	New	New	New	New	New	New	New
Specific Notes												
2D Symbol												
Elevation												

WINDOW SCHEDULE			
ID	W-26	W-28	
Window Type			
Window Name	Aluminium Fixed	Aluminium Sliding	
Quantity	1	1	26
Height	1800	900	
Width	1810	910	
Window head height	2400	2400	
Window sill height	600	1500	
Location	First Floor Level	First Floor Level	
Renovation Status	New	New	
Specific Notes			
2D Symbol			
Elevation			



## WINDOW SCHEDULE



NEW PARADIGM DESIGN PTY LTD®  
Office 07 5654 5141 M 0412 495 878  
hi@newparadigmdesign.com.au  
1/2544 GOLD COAST HIGHWAY MERMAID BEACH 4218  
QBCC LIC 1519 5787  
© 2023 REPRODUCTION IN PART OR WHOLE IS STRICTLY FORBIDDEN

GENERAL NOTES:  
- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY  
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH  
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START  
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE  
3. DO NOT SCALE FROM PLAN  
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY  
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)  
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.


REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW RESIDENCE	
CLIENT:	Sophia & Stuart Naylor
SITE ADDRESS:	2 Prince Edward Rd Seaforth NSW

DRAWING TITLE:	WINDOW SCHEDULE
SCALE:	1:147 A3


SHEET NO.






21st JUNE - 9AM

N/A




21st JUNE - 12PM

N/A



21st JUNE - 3PM

N/A



GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW  
RESIDENCE

CLIENT: Sophia & Stuart Naylor


SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW

DRAWING TITLE:

SUN STUDY - JUNE


SCALE:  
1:400 A3

SHEET NO.




21st DECEMBER - 9AM

N/A




21st DECEMBER - 12PM

N/A



21st DECEMBER - 3PM

N/A



GENERAL NOTES:

- REFRIGERATORS, DISHWASHERS, FREEZERS AND WASHING MACHINE SYMBOLS ARE FOR POSITIONING PURPOSES ONLY
- WINDOWS DIMENSIONED AS HEIGHT x WIDTH
- DOORS AND CUPBOARDS DIMENSIONED AS WIDTH

1. BUILDER TO VERIFY ALL DETAILS AND DIMENSIONS PRIOR TO SITE START
2. WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE
3. DO NOT SCALE FROM PLAN
4. ALL WORK TO COMPLY WITH THE PROVISIONS OF THE BUILDING CODE OF AUSTRALIA, AUSTRALIAN STANDARDS AND ANY BYLAWS OR REQUIREMENTS OF THE LOCAL AUTHORITY
5. TERMITE PROTECTION: TREATMENT AS PER AS 3660 - 2004 & AS3600.1/2009(A)&(B)
6. ALL PROPOSED WORKS TO BE APPROVED BY A LICENCED CERTIFIER PRIOR TO CONSTRUCTION & ALL STRUCTURAL WORK SUBJECT TO ENGINEER DESIGN & SPECS.

REV. ID	ISSUE	DATE
N	BASEMENT LIFT	8/5/2025
O	FSR CALCULATIONS	12/5/2025
P	BASEMENT FL	3/6/2025
Q	BASEMENT FL	5/6/2025

PROPOSED NEW  
RESIDENCE

CLIENT: Sophia & Stuart Naylor

SITE ADDRESS: 2 Prince Edward Rd  
Seaforth NSW


DRAWING TITLE:

SUN STUDY - DECEMBER

SCALE:  
1:400 A3

SHEET NO.

1600  
1580  
1560  
1540  
1520  
1500  
1480  
1460  
1440  
1420  
1400  
1380  
1360  
1340  
1320  
1300  
1280  
1260  
1240  
1220  
1200  
1180  
1160  
1140  
1120  
1100  
1080  
1060  
1040  
1020  
1000  
980  
960  
940  
920  
900  
880  
860  
840  
820  
800  
780  
760  
740  
720  
700  
680  
660  
640  
620  
600  
580  
560  
540  
520  
500  
480  
460  
440  
420  
400  
380  
360  
340  
320  
300  
280  
260  
240  
220  
200  
180  
160  
140  
120  
100  
80  
60  
40  
20  
0  
-10  
-20  
-30  
-40  
-50  
-60  
-70  
-80  
-90  
-100  
-110  
-120  
-130  
-140  
-150  
-160  
-170  
-180  
-190  
-200  
-210  
-220  
-230  
-240  
-250  
-260  
-270  
-280  
-290  
-300  
-310  
-320  
-330  
-340  
-350  
-360  
-370  
-380  
-390  
-400  
-410  
-420  
-430  
-440  
-450  
-460  
-470  
-480  
-490  
-500  
-510  
-520  
-530  
-540  
-550  
-560  
-570  
-580  
-590  
-600  
-610  
-620  
-630  
-640  
-650  
-660  
-670  
-680  
-690  
-700  
-710  
-720  
-730  
-740  
-750  
-760  
-770  
-780  
-790  
-800  
-810  
-820  
-830  
-840  
-850  
-860  
-870  
-880  
-890  
-900  
-910  
-920  
-930  
-940  
-950  
-960  
-970  
-980  
-990  
-1000



- FL FLOOR LEVEL
- HYD HYDRANT
- KO KERB OUTLET
- MH MANHOLE
- OHCP OVERHEAD CABLE POWER
- PP POWER POLE
- P100IL530 1000 PIPE INVERT LEVEL
- 530mm BELOW SURFACE LEVEL
- TP TOP OF GUTTER

OHCP OVERHEAD CABLE

0.3 TRUNK DIAMETER/3m RADIUS/8m HEIGHT  
27.63 RL AT BASE OF TREE  
TREE SIZES ARE ESTIMATES ONLY

NOTES

PROPERTY LINES SHOWN HEREON HAVE BEEN DERIVED FROM SITE SURVEY. NO BOUNDARIES HAVE BEEN MARKED. UNLESS NOTED OTHERWISE THE POSITION OF IMPROVEMENTS RELATIVE TO BOUNDARIES SHOWN HEREON IS DIAGRAMMATIC ONLY.

BEARINGS SHOWN ON THIS PLAN ARE ORIENTATED TO MGA NORTH. IF SHADOW DIAGRAMS ARE TO BE CALCULATED THEY MUST BE CALCULATED USING TRUE NORTH.

NO INVESTIGATION OF UNDERGROUND SERVICES UNDERTAKEN IN THE PREPARATION OF THIS PLAN. WHERE THE EXACT LOCATION OF UNDERGROUND SERVICES IS CRITICAL TO THE DESIGN OR CONSTRUCTION THE PARTY MUST CONTACT SERVICE PROVIDERS. UNDERTAKE FURTHER INVESTIGATION AND UNDERTAKE AN AUDIT OF UNDERGROUND SERVICES TO DETERMINE THE EXACT SERVICE LOCATION. A CURRENT DIAL BEFORE YOU DIG SEARCH MUST BE UNDERTAKEN PRIOR TO ANY EXCAVATION.

THIS PLAN DOES NOT DEFINE THE LOCATION OF BURIED SERVICES. ALL SERVICE LINES SHOWN CONNECTING UNDERGROUND SERVICE CAPS / PITS / RISERS ARE INDICATIVE AND SHOULD NOT BE RELIED UPON.

CONTOURS ARE DIAGRAMMATIC OF LANDFORM ONLY. PREFERENCE SHOULD BE GIVEN TO SPOT HEIGHTS THAT ARE ACCURATE WITHIN THE PURPOSE FOR WHICH THEY HAVE BEEN PROVIDED.

CONTOUR INTERVAL 1.0m MAJOR, 0.5m MINOR.

This plan has been prepared to satisfy the project specific brief provided by the client contained in the title block and should not be relied upon by any third party.

This plan and the information contained herein remains the property of Usher & Company Pty Ltd until fees are paid in full.

Usher & Company Pty Ltd retains copyright to all plans, electronic files and survey data. Usher & Company Pty Ltd agrees to grant a limited licence for the restricted use of the plans and data by the client identified on the plan and their appointed designers for the intended use only.

Unless agreed to by license any plans, electronic files and survey data cannot be reproduced, relied upon or amended without the express permission of Usher & Company Pty Ltd.

Amendments		
ISSUE	DATE	DETAILS
INITIAL	19-12-2022	

PLAN:

SHOWING DETAIL AND LEVELS  
AT No.2 PRINCE EDWARD ROAD, SEAFORTH  
BEING LOT 28F IN DP 16341

LGA: NORTHERN BEACHES

SUBURB: SEAFORTH

ORIGIN: PM 349  
RL 80.942 AHD  
CLASS LC  
SCMS 15/11/2022

REDUCTION RATIO: 1:100

DATUM: AHD

DATE OF SURVEY: 28-11-2022

SURVEYED BY: PE

DRAWN BY: . . .

CLIENT: NAYCON BUILDING SOLUTIONS

PLAN REFERENCE: 6533-DET

**B1**

ISSUE: INITIAL