

**ACID SULPHATE: NA** 

BAS/BOS: NA

BAL RATING: NA

FLOOD: NA

HERITAGE: NA


ALL RETAINING WALLS BY OWNER AFTER HANDOVER UNLESS NOTED OTHERWISE

### SITE INDUCTION

BEFORE ENTERING SITE PLEASE REVIEW AND MAKE YOURSELF FAMILIAR WITH EMERGENCY CONTACTS. SITE SPECIFIC HAZARDS AND THE SITE SPECIFIC INDUCTION INFORMATION THAT IS LOCATED ON THE SITE INDUCTION SIGN. IF YOU HAVE ANY TROUBLE UNDERSTANDING THIS INSTRUCTION, CONTACT THE SITE SUPERVISOR OR EMERGENCY CONTACT NUMBER LOCATED ON THE SIGN

SITE CALCULATION	s.	· DA	
SITE AREA		352.5	m²
GROUND FLOOR		109.61	m²
FIRST FLOOR		136.55	m²
GARAGE		18.78	m²
BUILDING FOOTPRINT		160.13	m²
DRIVEWAY AREA		28.33	m²
CROSSOVER		NA	m²
TOTAL LANDSCAPE AREA		164.04	m²
LANDSCAPE AREA (%)		46.54	%
FLOOR SPACE RATIO		0.70:1	
SITE COVERAGE		53.46	%
AREA SCHEDU	LE		
FIRST FLOOR		136.5	5
GROUND FLOOR	Т	109.6	1
AFRESCO	Т	27.32	
GARAGE	Т	18.78	
PORCH		4.42	
	2	96.68	m²

 $\Box$ Un-Regd. VACANT VACANT VACANT VACANT -CONCRETE PATH - GATE PRIVATE OPEN 6,193 SPACE (4m x 6m MIN) (Xellow) FRONT RL=5.32 (AHD) BW NAIL TOP KERB S7.6E 305,38,20, 5,000 PORCH RL: 5.60 DEB 10 MAILBOX PROPOSED BY NSH RESIDENCE FFL: 5,920 FGL: 5,610 GARAGE FFL: 5.845 GARAGE O ACU (o/ /RWT/ 6, 88.8£ 122°38'50" D 9,319 REAR -COLOURED CONCRETE DRIVEWAY 10,963 FF REAR Un-Regd. DP VACANT



northern beaches

THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT **CONSENT** 

DA2019/0770

www.dialbeforeyoudig.com.au DIAL1100 BEFORE YOU DIG



# DIMENSIONS TO BE READ IN PREFERENCE TO SCALING

© Copyright - All Rights Reserved This design and documentation remains the property of NEW SOUTH HOMES PTY LTD Any copying of this drawing shall not be undertaken without prior written permission from NEW SOUTH HOMES PTY LTD

PRODUCT:

**CUSTOM DWELLING CUSTOM FACADE** SINGLE GARAGE

SITE ADDRE
41 WAR
, WARRII

SITE PLAN		
DRAWN:	DATE:	Rev:
#Drawn By	15/11/2019	_
RATIO @ A3:	CHECKED:	<b> -</b>
1:200	JC	
SHEET:	JOB No: N195509	
	#Drawn By RATIO @ A3: 1:200	DRAWN:

0.29m OF FALL ACCROSS THE **BUILDING ENVELOPE** 

#### NOTES:

- 2100H SQ SET OPENINGS THROUGHOUT UNLESS
- **NOTED OTHERWISE** - 2340H FLUSH PANEL DOORS TO GROUND FLOOR
- UNLESS NOTED OTHERWISE
- 2040H FLUSH PANEL DOORS TO FIRST FLOOR UNLESS NOTED OTHERWISE
- LIFT OFF HINDGES TO BATHROOMS AS REQUIRED 2143H STANDARD HEAD HEIGHTS TO ALL WINDOWS UNLESS NOTED OTHERWISE




WINDOW SCHEDULE					-
ID	HEIGHT	WIDTH	WINDOW TYPE	GLAZING	-
W1	1,200	2,410	Aluminium Fixed Window	Glass - Clear	
W2	772	730	Aluminium Sliding Window	Glass - Clear	ļ
W3	772	850	Aluminium Awning Window	Glass - Obscure	ļ
W4	857	1,810	Aluminium Sliding Window	Glass - Clear	ļ
W5	857	1,810	Aluminium Sliding Window	Glass - Clear	ļ
W6	1,800	850	Aluminium Sliding Window	Glass - Clear	I
W7	1,800	850	Aluminium Sliding Window	Glass - Clear	ļ
W8	2,100	4,304	Sliding Door 22	Glass - Clear	ļ
W9	1,200	2,170	Window 22	Glass - Clear	ļ
W10	600	1,810	Window 22	Glass - Clear	ļ
W11	600	1,210	Aluminium Sliding Window	Glass - Clear	I
W12	1,200	1,810	Aluminium Sliding Window	Glass - Clear	-
W13	1,200	1,810	Aluminium Sliding Window	Glass - Clear	-

	WINDOW SCHEDULE					
ID	HEIGHT	WIDTH	WINDOW TYPE	GLAZING		
W13A	1,200	850	Aluminium Fixed Window	Glass - Clear		
W14	1,029	730	Aluminium Sliding Window	Glass - Obscure		
W14A	1,200	850	Aluminium Fixed Window	Glass - Clear		
W15	1,029	730	Aluminium Sliding Window	Glass - Obscure		
W16	1,029	1,570	Aluminium Sliding Window	Glass - Clear		
W17	1,029	730	Aluminium Sliding Window	Glass - Obscure		
W18	170	1,690	Aluminium Fixed Window	Glass - Obscure		
W19	343	850	Aluminium Sliding Window	Glass - Clear		
W20	1,029	3,010	Aluminium Sliding Window	Glass - Clear		
W20A	600	1,570	Aluminium Sliding Window	Glass - Clear		
W21	1,029	1,810	Aluminium Sliding Window	Glass - Clear		
W22	1,029	1,810	Aluminium Sliding Window	Glass - Clear		
W23	1,370	850	Aluminium Awning Window	Glass - Clear		
	•					

GLAZING NOTES

ALL GLAZING TO COMPLY WITH AS1288 & BASIX CERTIFICATE
ALL WINDOWS WILL HAVE A FIXED PANEL ON THE RIGHT AND
OPENING PANEL ON THE LEFT, WHEN VIEWED FROM THE
OUTSIDE, UNLESS REQUESTED OTHERWISE. SLIDING DOORS
WILL OPEN IN DIRECTION AS SHOWN ON PLAN.





THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

DA2019/0770



# DIMENSIONS TO BE READ IN PREFERENCE TO SCALING

© Copyright - All Rights Reserved This design and documentation remains the property of NEW SOUTH HOMES PTY LTD Any copying of this drawing shall not be undertaken without prior written permission from NEW SOUTH HOMES PTY LTD

PRODUCT:


**CUSTOM DWELLING CUSTOM FACADE** SINGLE GARAGE

CLIENT: CRAIG & PAULA WALKER	G	ROUND FLOOR	
	DRAWN:	DATE:	Rev:
SITE ADDRESS:	#Drawn By	15/11/2019	_
41 WARRIEWOOD ROAD,	RATIO @ A3: 1:100	CHECKED:	F
, WARRIEWOOD	SHEET:	JOB No: N195509	

#### NOTES:

- 2100H SQ SET OPENINGS THROUGHOUT UNLESS NOTED OTHERWISE
- 2340H FLUSH PANEL DOORS TO GROUND FLOOR
- UNLESS NOTED OTHERWISE - 2040H FLUSH PANEL DOORS TO FIRST FLOOR
- UNLESS NOTED OTHERWISE
- LIFT OFF HINDGES TO BATHROOMS AS REQUIRED - 2143H STANDARD HEAD HEIGHTS TO ALL WINDOWS UNLESS NOTED OTHERWISE







THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

DA2019/0770



# DIMENSIONS TO BE READ IN PREFERENCE TO SCALING

© Copyright - All Rights Reserved This design and documentation remains the property of NEW SOUTH HOMES PTY LTD Any copying of this drawing shall not be undertaken without prior written permission from NEW SOUTH HOMES PTY LTD

PRODUCT:

Master Issued: NA


**CUSTOM DWELLING CUSTOM FACADE** SINGLE GARAGE

CLIENT: CRAIG & PAULA WALKER		FIRST FLOOR	
	DRAWN:	DATE:	Rev:
SITE ADDRESS:	#Drawn By	15/11/2019	_
41 WARRIEWOOD ROAD,	RATIO @ A3: 1:100	CHECKED:	-
, WARRIEWOOD	SHEET:	JOB No: N195509	




THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

DA2019/0770



## **ELEVATION - EAST**



LANDSCAPE NOTE
UNLESS SPECIFIED IN YOUR CONTRACT, NO LANDSCAPING WORKS HAVE BEEN ALLOWED FOR AROUND THE BUILDING. AT COMPLETION OF LANDSCAPE WORKS, THE SLAB HEIGHT MUST REMAIN A MIN. OF 75MM ABOVE THE FINISHED LANDSCAPE LEVEL.

### **GUTTER NOTE**

WHEN BUILDING NEAR TREES, WE STRONGLY RECOMMEND YOU INSTALL GUTTER-GUARD OR A SIMILAR PRODUCT IN ALL GUTTERS AND VALLEYS, TO PREVENT LEAF BUILD-UP AND WATER TO OVERFLOW UNDER THE ROOF TILES OR SHEETING.

## **FLOOR LEVELS NOTE**

THE NATURAL GROUND LEVEL SHOWN ON THE ELEVATIONS MAY VARY SLIGHTLY ON SITE, DUE TO SITE CONDITIONS AND FINAL LEVELS AFTER DEMOLITION, EXCAVATION OR SOIL REMOVAL.

## **ELEVATION - NORTH**



# DIMENSIONS TO BE READ IN PREFERENCE TO SCALING

© Copyright - All Rights Reserved This design and documentation remains the property of NEW SOUTH HOMES PTY LTD Any copying of this drawing shall not be undertaken without prior written permission from NEW SOUTH HOMES PTY LTD

**CUSTOM FACADE** SINGLE GARAGE


**CUSTOM DWELLING** 

CLIENT: CRAIG & PAULA WALKER			
	DRAWN:	DATE:	Rev:
SITE ADDRESS:	#Drawn By	15/11/2019	_
41 WARRIEWOOD ROAD,	RATIO @ A3: 1:100	CHECKED:	<b> -</b>
, WARRIEWOOD	SHEET:	JOB No: N195509	




THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

DA2019/0770



**ELEVATION - WEST** 



# **ELEVATION - SOUTH**

LANDSCAPE NOTE
UNLESS SPECIFIED IN YOUR CONTRACT, NO LANDSCAPING WORKS HAVE BEEN ALLOWED FOR AROUND THE BUILDING. AT COMPLETION OF LANDSCAPE WORKS, THE SLAB HEIGHT MUST REMAIN A MIN. OF 75MM ABOVE THE FINISHED LANDSCAPE LEVEL.

## **GUTTER NOTE**

WHEN BUILDING NEAR TREES, WE STRONGLY RECOMMEND YOU INSTALL GUTTER-GUARD OR A SIMILAR PRODUCT IN ALL GUTTERS AND VALLEYS, TO PREVENT LEAF BUILD-UP AND WATER TO OVERFLOW UNDER THE ROOF TILES OR SHEETING.

## **FLOOR LEVELS NOTE**

THE NATURAL GROUND LEVEL SHOWN ON THE ELEVATIONS MAY VARY SLIGHTLY ON SITE, DUE TO SITE CONDITIONS AND FINAL LEVELS AFTER DEMOLITION, EXCAVATION OR SOIL REMOVAL.



# DIMENSIONS TO BE READ IN PREFERENCE TO SCALING

© Copyright - All Rights Reserved This design and documentation remains the property of NEW SOUTH HOMES PTY LTD Any copying of this drawing shall not be undertaken without prior written permission from NEW SOUTH HOMES PTY LTD


PRODUCT: **CUSTOM DWELLING** 

**CUSTOM FACADE** SINGLE GARAGE

Master Issued: NA

CRAIG & PAULA WALKER	ELEVATIONS 2		
SITE ADDRESS:	DRAWN: #Drawn By	DATE: 15/11/2019	F
41 WARRIEWOOD ROAD,	RATIO @ A3: 1:100	CHECKED:	
WARRIEWOOD	SHEET:	JOB No: N195509	

INSULATION NOTE:
R3.5 CEILING INSULATION (EXCLUDING GARAGE)
R2.5HP WALL INSULATION TO EXTERNAL WALLS (EXCLUDING GARAGE)





THIS PLAN IS TO BE READ IN **CONJUNCTION WITH** THE CONDITIONS OF DEVELOPMENT CONSENT

DA2019/0770



# DIMENSIONS TO BE READ IN PREFERENCE TO SCALING

© Copyright - All Rights Reserved This design and documentation remains the property of NEW SOUTH HOMES PTY LTD Any copying of this drawing shall not be undertaken without prior written permission from NEW SOUTH HOMES PTY LTD

PRODUCT:

**CUSTOM DWELLING** CUSTOM FACADE SINGLE GARAGE

Master Issued: NA

CLIENT: CRAIG & PAULA WALKER	SEC	CTIONS & DETAI	LS
	DRAWN:	DATE:	Rev:
SITE ADDRESS:	#Drawn By	15/11/2019	_
41 WARRIEWOOD ROAD,	RATIO @ A3: 1:100	CHECKED:	<b> -</b>
, WARRIEWOOD	SHEET:	JOB No: N195509	