WARRIEWOOD VALLEY LAND RELEASE NARRABEEN CREEK BELOW BRANDS LANE

PRE-CONSTRUCTION WATER QUALITY MONITORING DATA FOR 53A WARRIEWOOD ROAD FOR THE PERIOD NOVEMBER 2017 TO JUNE 2019 PLUS MAY 2021



Lower portion of undeveloped No 53A Warriewood Rd, on 27 May 21, showing placed berm between the block and construction works underway at No 53A (left).

Report Prepared for Craig & Rhodes

Marine Pollution Research Pty Ltd June 2021

TABLE OF CONTENTS

1	INTRO	DDUC	ΓΙΟΝ	1			
2	SAMP	LING	RESULTS – NOV 2017 TO JUN 2019 & MAY 21	3			
	2.1	Sampli	ing Weather Conditions	3			
	2.2	Event	Sampling Results	7			
		2.2.1	November 2017 Dry Weather Sampling	7			
		2.2.2	November 2017 Wet Weather Falling Limb Sampling	8			
		2.2.3	February 2018 Annual Dry Weather Sampling	9			
		2.2.4	March 2018 Wet Weather Sampling	11			
		2.2.5	May 2018 Wet Weather Sampling	12			
		2.2.6	August 2018 Dry Weather Sampling	13			
		2.2.7	September 2018 Wet Weather Sampling	14			
		2.2.8	November 2018 Dry Weather Sampling	16			
		2.2.9	November 2018 Wet Weather Sampling	17			
		2.2.10	February 2019 Annual Dry Weather Sampling	19			
		2.2.11	May 2019 Dry Weather Sampling	21			
		2.2.12	June 2019 Wet Weather Sampling	22			
		2.2.13	May 2021 Dry Weather & Annual Sampling Run	24			
3	REFE	EFERENCES					
API	PENDIX	A	SITE PHOTOS	30			
API	PENDIX	B	LABORATORY CHEMICAL ANALYSIS REPORTS	87			

FIGURES

Title	Lower portion of No 53A during Annual Dry Weather sampling on 27 May 21	Cover
1	Aerial view of Lower Creek showing combined project WMS sites	2
2	Hourly Rainfall for Warriewood for March 2018	5
4	Hourly Rainfall for Warriewood 20 to 24 March 2018	5
5	Hourly Rainfall for Warriewood 26 to 29 November 2018	17
6	Hourly Rainfall for Warriewood May to June 2019	22
7	Hourly Rainfall for Warriewood 2 to 7 June 2019	2

TABLES

1	Creek Annual WMS Sampling Schedule	1
2	Rainfall data, June 17 to June 18 (BoM Station 66126)	4
3	Rainfall data, Jun7 18 to June 19 (BoM Station 66126)	6
4	Lower Narrabeen Ck Field Comments Dry Weather Sampling Nov 2017	7
5	Lower Narrabeen Ck Dry Weather Metered Water Quality Results Nov 2017	7
6	Lower Narrabeen Ck Field Comments Wet Weather Nov 2017	8
7	Lower Narrabeen Ck Falling Limb Metered Water Quality Results Nov 2017	8
8	Lower Narrabeen Ck Dry Weather Sampling Field Comments Feb 2018	9
9	Lower Narrabeen Ck Annual Dry Weather Metered Water Quality Feb 2018	9
10	Lower Narrabeen Ck Annual Dry Weather RBA Sampling Results Feb 2018	10
11	Lower Narrabeen Ck Wet Weather Sampling Field Comments March 2018	11
12	Lower Narrabeen Ck Wet Weather Metered Water Quality March 2018	12
13	Lower Narrabeen Ck Dry Weather Sampling Field Comments May 2018	12
14	Lower Narrabeen Ck Dry Weather Metered Water Quality May 2018	13
15	Lower Narrabeen Ck Dry Weather Field Comments August 2018	13
16	Lower Narrabeen Ck Dry Weather Metered Water Quality Results Aug 18	14
17	Lower Narrabeen Ck Wet Weather Sampling Field Comments Sep 2018	15
18	Lower Narrabeen Ck Wet Weather Metered Water Quality Results Sep 2018	15
19	Lower Narrabeen Ck Field Comments Dry Weather Sampling Nov 2018	16
20	Lower Narrabeen Ck Dry Weather Metered Water Quality Results Nov 2018	17
21	Lower Narrabeen Ck Field Comments Wet Weather Nov 2018	18
22	Lower Narrabeen Ck Wet Weather Metered Water Quality Results Nov 2018	18
23	Lower Narrabeen Ck Dry Weather Sampling Field Comments Feb 2019	19
24	Lower Narrabeen Ck Annual Dry Weather Metered Water Quality Feb 2019	19
25	Lower Narrabeen Ck Annual Dry Weather RBA Sampling Results Feb 2019	20
26	Lower Narrabeen Ck Dry Weather Sampling Field Comments May 2019	21
27	Lower Narrabeen Ck Dry Weather Metered Water Quality May 2019	22
28	Lower Narrabeen Ck Field Comments Wet Weather June 2019	23
29	Lower Narrabeen Ck Wet Weather Metered Water Quality Results June 2019	24
30	2021 Daily Rainfall Mona Vale Golf Course	25
31	Lower Narrabeen Ck Dry Weather Sampling Field Comments June 2021	26
32	Lower Narrabeen Ck Annual Dry Weather Metered Water Quality June 2021	26
33	Lower Narrabeen Ck Annual Dry Weather RBA Sampling Results June 2021	27

1 INTRODUCTION

There are several urban construction projects underway or in the planning stage for lands alongside the lower section of Narrabeen Creek between Brands Lane and McPherson Street Warriewood, and Marine Pollution Research Pty Ltd (MPR) was originally commissioned to undertake a combined water quality, annual sediment and RBA monitoring program for several of these developments, as per the Pittwater Council Water Management Specification (WMS) prepared by Lawson & Treloar (2001). Following an agreement with Pittwater (now Northern Beaches) Council, the combined Lower Narrabeen Creek projects share a common set of three Upstream, Mid-Stream and Down Stream in-stream sites (see MPR 2016c). **Table 1** shows the annual WMS sampling schedule for this program.

	Tabl	e 1 Lov	ver Na	rabee	n Creek	x Annu	al WM	IS Samp	oling So	chedule	9	
	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun
Water Sample	s											
Creek Dry WQ		r				1						-
NC3		D			D			D+			D	
NC4	NC4 D D+ D											
NC5 D D+ D												
Creek Wet WQ												
NC3 2W+ 2W+ 2W+												
NC4	NC4 2W+ 2W+ 2W+											
NC5		21	V+			2V	V+			2	2W+	
RBA & Sedim	ent C	hemica	ls (R+S	5)					1			
NC3								R+S				
NC4								R+S				
NC5								R+S				
Notes:												
Dry = Routine	Creek	Water	Sample	s over a	all Cons	struction	n Phas	es				
Dry+ = Annual	Creel	k Dry W	ater Sa	mples	- Pre-C	onstruc	tion &	Constru	ction P	hases		
Dry++ = Annua	al Cre	ek Dry	Water S	Sample	s Post-C	Constru	ction P	hase On	ly			
Wet $+ =$ SQID a	& Rou	itine We	et Weat	her san	nples (w	ith F c	oliforn	ns)				
Wet - = ESC W	et We	eather sa	amples	(- F co	liforms)						
R = Annual Ra	pid Bi	iologica	l Asses	sment -	+ algae	counts	& S =	Annual	Sedime	nts		

Craig & Rhodes has requested MPR to provide a report on the MPR WMS sampling results for Narrabeen Creek upstream, adjacent to, and downstream of a new development currently being proposed at No 53A Warriewood Road Warriewood to meet the conditions of a Northern Beaches Council Request for water quality monitoring data to meet the WMS requirements set out in Section 4.2 of the WMS. As MPR combined project work for this section of the creek ceased in June 2019, it was recommended that MPR undertake a full annual survey to bridge the gap between the last sampling and now.

Following client approval, this catch-up survey was undertaken on **27 May 2021.** The catchup survey sampled the original three in-stream sites and the relationship of these sites to the property is shown in **Figure 1**.

For reference, the pre-2021 data provided in this report were previously supplied by MPR as four-monthly reports to Pittwater (now Northern Beaches) Council as MPR (2015, 2016a to c, 2017a-c, 2018a-c and 2019a&b).

It is noted that on 27 May 2021, the property was still undeveloped with no construction apparent. The land slopes down from road and comprises a series of grassed terraces and transverse swales feeding into a main down-slope swale drain along the southern side of the property (see **Frontis** photo) that terminates in a small ditch with pooled water that supported some small *Cyprus*, *Ludwigia*, and *Persicaria* macrophytes. This ponded water is then piped to Narrabeen Creek which is a probable future ESC site (here nominated as 52A ESC). Note that present site condition photographs are appended at the end of **Appendix A**.



Figure 1 Location of Narrabeen Creek Designated Water Quality, Sediment Quality and Rapid Biological Assessment sampling sites for projects in the lower creek.

The 52A Warriewood Road Project site is located downstream of Creek sites NC3 and upstream of creek site NC4 with current runoff via site 52AESC.

2 WATER QUALITY RESULTS - NOV 2017 TO JUN 2019 & MAY 21

2.1 Sampling Weather Conditions

Tables 2 and 3 provide daily rainfall data measured at Long Reef Golf Club for the period July 2017 to June 2019 with sampling dates highlighted in yellow:

- The period July to October 2017 was notable for an almost complete lack of rainfall in September and very low rainfall for the rest of the period (**Table 2**) and no WMS sampling was undertaken.
- The short rain events in late October 2017 restored some flow and depth to the creek and the scheduled November dry weather sample was obtained on 3 November 2017.
- Whilst there were daily high rainfall volumes recorded at Long Reef on 5 and 6
 November this did not penetrate to Warriewood where that gauge indicated only 16mm
 between midnight and 10am on the 5th, and 16.5mm between 4 am and 6 am on the 6th.
 Notwithstanding, there was sufficient rain predicted to attempt a wet weather raising
 limb sample on the 6th November, but with no actual follow-up rain, the sample became a
 minor falling limb sample for the previous rainfall. There was insufficient rainfall to
 trigger a runoff event from the property through 53B-ESC, which remained dry.
- Whilst the next two months had closer to normal rainfall distribution, the monthly volumes were still reduced. Notwithstanding, there was more or less continuous flow through Narrabeen Creek over Christmas 2017 and the scheduled February 2018 Dry Weather sampling run including annual aquatic ecology and sediment sampling was undertaken on 6 February 2018.
- Even though there was considerable rainfall over the period March to June 2018 the majority of storm events were short thunderstorms in late afternoon/evening or they had raising limbs over weekends (when sampling is not permitted by Council).
- Further, rainfall that reached Long Reef does not necessarily continue to Warriewood. From hourly rainfall records at Warriewood for March 2018, it is clear that the 67 mm rain indicated for the 13th and 14th March was actually confined to midnight to 07:00 on the 13th - see **Figure 2**.
- July to September 2018 were very dry with little opportunity for wet weather sampling. An opportunity was seized when a small rain event was forecast for the 20th and 21st of September 18. Whilst there was 10mm at Long Reef, Warriewood ended up receiving only 5.5mm over 3hrs on the 20th September 2018.

	Table 2 Daily Rainfall June 2017 to June 2018 (Long Reef Golf Club Station BoM 66126) (Note that daily rainfall is for the 24 hours up to 9AM on the date indicated)													
Day	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	
1st	0	0	4.8	1.2	0	0	0	0	0.4	0	0	0	0	
2nd	0	0	0	0	0	0	0	0	13.4	0	0	0	0	
3rd	0	0	0	0	0	0	11.8	1	10.6	0	2.2	0	1.2	
4th	1.2	1	10.4	0	0	4	0	0	0.8	0	0	0	0.4	
5th	0	0	0	0	0	24	6.2	0	0	0	0	0	17.2	
6th	0	0	0	0	0	22.8	0	0	0	8.4	0	0	34.6	
7th	42.4	0	0	0	0	5.4	14.6	0	0	3.6	0	0	17.4	
8th	64.8	0	0	0	0	0	0	0	0	0	0	0	1.2	
9th	8.8	0	0	0	0.2	0	0	38.8	0	0	0	0	3.2	
10th	9.2	0	0	0	0	0	0	0.6	2	0	0	0	3.6	
11th	5.8	0	0	0	1.6	0	0	0	32	0	0	0	7.2	
12th	0	10.6	0	0	1.2	0	0	0	0	0	0	4.2	0	
13th	0	10.2	0	0	0	0	0	0	0	50.8	0	0.4	0	
1.5th	5.2	0	0	0	1	0	0	5.5	0	17.8	0	10.8	0	
15th	0	0	0	0	0.4	0	0	2.5	0	0	0	0	0	
15th	0	0	0.6	0	0	0	0	0	0	0	0	0.4	0	
17th	2.6	0	0	0	0	0	0	0	0	0	0	0	0	
17th	0.2	0	0	0	0	0.4	0	0	0	0	0	0	0	
10th	11	0	0	0	0	0.2	2.4	0	0	0	0	0	20.2	
20th	2.6	0	0	0	6	4.2	0	0	0	0	0	0	43.2	
2011 21st	0	0	0	0	7.4	0	7.6	0	0	1.2	0	0	4.2	
21st 22nd	0	0	0	0	0	0	0	0	0	0.8	0	0	0	
2211d	0	0	0	0	4.4	0	0	0	0	0.8	0	0	0	
2.51u 24th	0	0	0	0	0	0	0	0	0	0	0	0	0	
24th	0	0	2	0	0	0	0	0	0	1.0	0	0	0	
25th	0	0	0	0	0	0	2.6	0	46.2	15.4	0	0	0	
2011 27th	0	0	0	0	7.4	0	3.4	0	2.6	0	2.6	0	2.4	
2/tn	0	0	1	0	0	0	0	0	0	0	1.6	0	27.2	
28th	3	0	0	0	0	3	0	0	U	0	8.2	0	7.6	
29th	0	0	0	0	0	7.4	5	0		0	31.6	4.2	0	
30th	_	0	0	0	0	_	0.6	2.2		0		2.8	5	
31st	156.8	21.8	18.8	1.2	29.6	71.4	54.2	50.6	00.2	99.8	46.2	2.0	100.0	
Total									80.2			22.8	190.8	

Marine Pollution Research Pty Ltd



Figure 2 Hourly Rainfall for Warriewood for March 2018.



Figure 3 Hourly Rainfall at Warriewood 20 to 24 March 2018

- 5 -

	Table 3 Daily Rainfall June 2018 to June 2019 (Long Reef Golf Club Station BoM 66126).(Note that daily rainfall is for the 24 hours up to 9AM on the date indicated)														
Day	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun		
1st	0	0	0	1	0	0	0	2	0	0	0	0	0		
2nd	0	1.2	0	0	0	0	0	0	4	3.8	7.2	0	0		
3rd	1.2	1	0	3.6	0	2.4	0	0	0	2	1	0	0		
4th	0.4	0	0	4.2	2.2	0	0	0	0	0	0	19.4	14.8		
5th	17.2	0	0	0	23.4	0	0	0	0	0	9.8	0	25.4		
6th	34.6	0	0	1.8	13.4	0	0	9.8	0.8	0	0	7	9.2		
7th	17.4	0	0	3.8	1.6	0	0	0	0	2.8	0	0	1.4		
8th	1.2	0	0	1.6	15.6	14.4	0	2.6	0	0	0	0	6		
9th	3.2	0	0	1.2	2	0	0	4.4	16	0	0	0	0		
10th	3.6	0	0	0	0	0	0	0	0	0.8	0.4	0	0		
11th	7.2	0	0	0	10.2	0	0	0	0	0	0	0	0		
12th	0	0	0	0	7	0	0	1.8	0	0	0	0	0		
13th	0	0	0	0	1.8	0	0	0	0	0	0	0	0		
14th	0	0	0	0	25.4	0	2	0	0	13.2	0	0	0		
15th	0	0	0	0	7.2	0	10	0	0	61.2	0	0	0		
16th	0	0	0	0	8.4	3.4	12.2	0	0	5.4	0	0	14.8		
17th	0	0	0	0	0	0	0	0	0	15.2	0	0	6.4		
18th	0	0	0	0	1.8	7.6	0	0	0	65.8	0	0	26.6		
19th	20.2	0	0	0	0	0	0	0	0	2.2	0	0			
20th	43.2	0	0	9	0	0	12	0	9.6	5.2	0	0			
21st	4.2	0	0	2.4	3.2	0	18.8	2.2	3.4	1.4	0	0			
22nd	0	0	0	0	0	0	1	0	3.4	1.2	0	0			
23rd	0	0	0	0	0	0	6.4	0	9.6	0	0	0			
24th	0	0	7.2	1.2	0	0	0	0	5.2	2.8	0	0			
25th	0	0	3	4.8	0.4	0	0	0	0	2.6	0	0			
26h	0	0	0	4.6	0	1.2	0	0	0	0	0	0			
27th	2.4	0	2.8	11.6	0	0	0	0	0	0	0	0			
28th	27.2	0	0	0	2.8	27.2	0	8.4	4.8	0	0	0			
29th	7.6	0.4	0	0	0	26.4	0	0		0	0	0			
30th	0	0	0	0	0		0	0		24.4	0	0			
31st		0	0		0		0	0		1.2		0			
Total	190.8	2.6	13	50.8	126.4	82.6	62.4	31.2	56.8	211.2	18.4	26.4	104.6		

- Owing to the defaulting on payments for water quality sampling by the proponents for both No 53+53AB, and No 53C, water quality sampling for laboratory analysis at site NC3 was discontinued in November 2018 with full sampling at sites NC4, NC4.5 and NC5 sampling continued for the lower creek project at Nos 23-27 Warriewood Road.
- Observational data from site NC3 through to NC4 was still collected and added to field notes over this latter period.

2.2 Event Sampling Results

The following sub-sections provide the field notes and metered water quality results for each survey plus the results of annual RBAs where applicable. Site photographs for each of the surveys are provided in **Appendix A** and each sub-section references the relevant ALS laboratory reports, with the full laboratory reports attached at **Appendix B**.

2.2.1 November 2017 Dry Weather Sampling

Dry weather sampling was undertaken on the 3rd of November 2017. **Table 4** below provides field notes recorded during the dry sampling, and **Table 5** provides the metered water quality results for the dry sampling event. The chemical analysis results (**ALS Report ES1727600**) for collected water samples (TDS, TSS, nutrients, and faecal coliform counts) are attached in **Appendix B** to this report.

	Table 4 Field Comments – November 2017 Dry Weather
Site	Comments
NC3	Water was relatively clear with a very low flow throughout site length. Bank vegetation was still
	mostly cleared. Macrophytes observed included: Percicaria deipiens (Slender Knot Weed),
	Ludwigia periviana (Peruvian Primrose), Nastertiom officinalle (Watercress) and Ludwigia
	peploides (Floating Water Primrose). No filamentous green alga was observed.
NC4	Water was fairly clear with a low flow throughout site. Vegetation was cleared on both banks as in
	former survey. Macrophytes observed: River Clubrush, Slender Knot Weed, Watercress and
	Myriophyllum sp and Ludwigia peploides (Floating Water Primrose). Filamentous green alga was
	not observed.
NC5	Water was slightly turbid with no observable surface flow through the site. No macrophytes were
	observed. Site consisted of muddy channel with leafy debris scattered throughout. Filamentous
	green alga not observed.

Tał	Table 5 Lower Narrabeen Creek Dry Weather Sample 3rd November 18 - Metered Water Quality														
Site	Time	Depth	Temp	Cond	DO	pН	Turb	Chann	el (cm)	Flow	Flow				
		(m)	°C	µS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec				
NC3	14:23	0.1	26.51	489	135.5	6.83	7.1	20	250	0.14					
NC4	14:12	0.1	20.14	480	18.7	6.22	4.7	40	100	0.14					
NC5	13:14	0.3	18.79	392	1.7	6.2	2.6	0.9	250	0.00					

53A Warriewood Rd WMS Pre-develop Report MPR 1273

Marine Pollution Research Pty Ltd

2.2.2 November 2017 Wet Weather Sampling

Wet weather sampling was undertaken on the 6th of November 2017. Whilst this sample was to be a Raising Limb there was no follow-up rainfall so the sample became a Falling Limb sample for the rainfall flows from the previous two days, as per the WMS. As noted above, there was no flow from ESC-53B.

Table 6 below provides field notes recorded during the wet weather sampling. In addition to the sampling site notes provided below it was also noted that construction works were underway along the riparian bank for the development downstream at Nos 29 to 31 Warriewood Road.

	Table 6 Field Comments – November 2017 Wet Weather										
Site	Comments										
NC3-U	Water was clear with a low flow through site. Vegetation still fairly clear along the banks.										
	Macrophytes observed included: Percicaria deipiens (Slender Knot Weed), Ludwigia periviana										
	(Peruvian Primrose), Carex, Nastertiom officinalle (Watercress) and Ludwigia peploides (Floating										
	Water Primrose). No filamentous green alga was observed.										
NC4-U	Water was relatively clear, however dark in colour. Site had a low flow throughout. Vegetation										
	was cleared on both banks. Macrophytes observed: River Clubrush, Ludwigia peploides (Floating										
	Water Primrose), Slender Knot Weed, Watercress and Myriophyllum sp. Filamentous green alga										
	was not observed.										
NC5-U	Water was dark in colour no observable surface flow. Site conditions similar to previous surveys.										
	Filamentous green alga not observed.										
53B-	No flow entering Narrabeen creek via 53B. No observable surface flow in Narrabeen Creek.										
ESC											

Table 7 provides the metered water quality results for the falling wet weather sampling event. The chemical analysis results (**ALS Report ES1727794**) for collected water samples (TDS, TSS, nutrients, and faecal coliform counts) are attached in **Appendix B** to this report.

Table 7 Creek Wet Weather Samples 6th November 2017 - Metered Water Quality													
Site	Time	Depth	Temp	Cond	DO	pН	Turb	Chann	el (cm)	Fle	ow		
Falling Limb	19th May	(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec		
NC3	13:18	0.1	20.88	266	100.7	6.57	16.5	40	240	0.1			
NC4	13:30	0.1	19.94	220	65.9	6.42	16.7	50	100	0.5			
53C-ESC	14:17	0.1	20.62	259	73.2	6.61	32.1				0		
NC5	13:49	0.1	19.56	198	55.1	6.25	32	80	300	0.00			

2.2.3 February 2018 Annual Dry Weather Sampling

Table 8 provides field notes recorded during the annual dry weather sampling on 6th of February 2018 and **Table 9** provides the metered water quality results. **Table 10** provides the results of the annual Rapid Biological Assessment (RBA) sampling. The chemical analysis results (ALS Report **ES1804021**) for collected water and sediment samples and for algae speciation plus counts are attached in **Appendix B** to this report.

	Table 8 Field Comments – February 2018 Dry Weather Sampling
Site	Comments
NC3	Water was clear with a low flow throughout site length. Large proliferation of Watercress along the bank. Macrophytes observed included: <i>Nastertiom officinalle</i> (Watercress), <i>Percicaria deipiens</i> (Slender Knot Weed), <i>Ludwigia periviana</i> (Peruvian Primrose) and <i>Ludwigia peploides</i> (Floating Water Primrose). Filamentous green alga was abundant.
NC4	Water was relatively clear with no observable surface flow throughout. Increased masses of macrophytes, choking sections of the site, particularly downstream. Macrophytes included: Peruvian Primrose, <i>Carex</i> , River Clubrush, Slender Knot Weed, Watercress and <i>Myriophyllum sp</i> . Filamentous green alga was abundant.
NC5	Similar site conditions to previous survey. Water was fairly clear with with no observable surface flow. Still plenty of canopy cover. Lots of <i>Lemna</i> (Duck Weed) covering the surface of the water. Filamentous green alga was present in small amounts.

Ta	Table 9 Lower Narrabeen Creek Dry Weather Sample 06 February 18 - Metered Water Quality														
Site	Time	Depth	Temp	Cond	DO	pН	Turb	Channe	el (cm)	Flow	Flow				
		(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec				
NC3	13:53	0.1	28.6	412	153.8	7.43	3.9	0.1	70	0.08					
NC4	15:24	0.1	23	289	29.4	6.53	5	20	80	0.00					
NC5	15:29	0.1	23.36	549	4.7	7.26	18.1	0.6	250	0.00					

Table 10 Aquatic	Macroinverteb	rate Sampling Results	s Narrabeen Cree	ek 6 Februar	y 2018					
Phylum	Class				Common	19/2/18	19/2/18	19/2/18		
		Family	Sub-Family	Species	Name	NC3	NC4	NC5	Occur	SIG-2
Arthropoda	Insecta	Dytiscidae			Diving Beetles		1	1	2	2
Arthropoda	Insecta	Ceratopogonidae			Biting Midges				0	4
Arthropoda	Insecta	Chironomidae	Chironominae		Bloodworms			1	1	3
Arthropoda	Insecta	Gelastocoridae			Toad Bugs		1		1	5
Arthropoda	Insecta	Gerridae			Pond Skaters	1		1	2	4
Arthropoda	Insecta	Veliidae			Small Water Treaders	1	1	1	3	3
Arthropoda	Insecta	Aeshnidae			Dragonflies	1			1	4
Arthropoda	Insecta	Hemicorduliidae			Dragonflies		1		1	5
Arthropoda	Insecta	Coenagrionidae			Damselflies		1		1	2
Arthropoda	Insecta	Megapodagrionidae			Damselflies				0	5
Arthropoda	Insecta	Sciritidae			Marsh beetles			1	1	6
Arthropoda	Insecta	Sciritidae			Crane flies			1	1	5
Arthropoda	Arachnida				Freshwater Mites	1	1	1	3	6
Arthropoda	Crustacea	Cyclopidae			Copepods	1	1		2	*
Arthropoda	Ostracoda				Seed Shrimps	·		1	1	*
Annelida	Oligochaeta				Freshwater Worms	1	1	1	3	2
Annelida	Hirudinea	Glossiphoniidae			Leeches				0	1
Mollusca		Hydrobiidae			Freshwater Snails	1			1	4
Mollusca		Physidae			Freshwater Snails	1			1	1
Mollusca		Lymnaeidae			Freshwater Snails	1		1	2	2
Mollusca	Bivalva	Sphaeriidae			Freshwater Bivalve	8			0	5
Platyhelminthes		Dugesiidae			Flatworms	1			1	2
Chordata	Osteichtyes	Poeciliidae	Gambusia holbr	ooki	Plague Minnow	1	1	1	2	*
				Total number	er of invertebrate taxa:	10	8	10	18	16
				Site SIGNAI	scores:	3.11	3.57	3.67		3.50

2.2.4 March 2018 Wet Weather Sampling

Wet weather sampling was undertaken on the 21st of March 2018 (rising limb) and on the 23rd of March 2018 (falling limb). **Table 11** provides field notes recorded during the wet sampling and site photographs for both the rising and falling limb surveys are attached in **Appendix A**. There was no overland flow from the No 563B property and no flow from the ESC-53B location. Whilst there were construction works underway at the adjoining ARH site at Number 53C Warriewood Road, no discharge flow from ESC-53C was observed during the rising or falling limb surveys. In addition to the sampling site notes provided below it was also noted that construction works were underway along the riparian bank for the development at Nos 29 to 31 Warriewood Road. These works were noted to have contributed turbid waters to the creek downstream.

Table 12 provides the metered water quality results for the wet sampling event. The chemical analysis results (ALS Reports ES1808499 & ES1808753) for collected water samples (TDS, TSS, nutrients, and faecal coliform counts) are attached in Appendix B to this report.

	Table 11 Field Comments – March 2018 Wet Weather Rising
Site	Comments
NC3-U	Water was clear with a low flow through site. Vegetation had been cleared like previous survey.
	Soft sands in the upstream sections of site. Orange staining found in upstream sections.
	Macrophytes observed included: Percicaria deipiens (Slender Knot Weed), Ludwigia periviana
	(Peruvian Primrose), Nastertiom officinalle (Watercress) and Ludwigia peploides (Floating Water
	Primrose). Moderate Filamentous green alga observed.
NC4-U	Water fairly clear and dark in colour. Vegetation was cleared on both banks as in former surveys.
	Macrophytes observed: River Clubrush, Slender Knot Weed, Watercress and Myriophyllum sp.
	Filamentous green alga was not observed.
NC5-U	Water was dark in colour. Very low surface flow. Traces of Duck weed, Lemna. Filamentous green
	algae not observed.
NC3-D	Conditions like the rising limb sample. Water clear, with a greater flow throughout site.
	Filamentous green alga not observed.
NC4-D	Water fairly clear. Slightly greater flow through site. Filamentous green alga not observed.
NC5-D	Water dark in colour. Similar conditions with an increased flow. Filamentous green alga not
	observed.

Table 12 Lower Narrabeen Creek Wet Weather Samples 21st and 23rd March 18 - Metered Water Quality													
Site	Time	Depth	Temp	Cond	DO	pН	Turb	Chann	el (cm)	Flow	Flow		
Sample		(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec		
NC3-U	12:38	0.1	20.98	325	84	7.01	4.5	30	70	0.14			
NC4-U	12:56	0.02	21.09	308	27.8	6.74	8	25	70	0.16			
NC5-U	13:12	0.11	20.91	362	22.4	6.46	7.8	0.9	250	0.00			
ESC-53C										No flow			
Falling Samp	ole 23 rd N	March 20	018										
NC3-D	10:33	0.12	20.48	338	95.8	7.05	4.1	30	180	0.2			
NC4-D	10:49	0.05	20.1	281	35.7	6.5	6.6	40	120	0.2			
NC5-D	11:36	0.09	20.04	308	24.1	6.47	6.9	80	300	0.14			
ESC-53C										No flow			

2.2.5 May 2018 Dry Weather Sampling

Table 13 provides field notes recorded during the final annual dry weather sampling on 11th of May 2018 and site photographs for survey are attached in **Appendix A**. **Table 14** provides the metered water quality results. The chemical analysis results (ALS Report **ES1813538**) for collected water samples are attached in **Appendix B** to this report.

Table 13 Field Comments – May 2018 Dry Weather Sampling											
Site	Comments										
NC3	Water was clear with a low flow and brown silt covering most of the rocky sediment. An										
	established sandbar was present just downstream of the sediment curtain that is in place. In the										
	deeper sections of the creek the water was turbid and a yellowish-grey in colour.										
	Macrophytes observed included: Nastertiom officinalle (Watercress), Percicaria deipiens (Slender										
	Knot Weed), Ludwigia periviana (Peruvian Primrose), Ludwigia peploides (Floating Water										
	Primrose), Typha sp. (Cumbunji) and River Clubrush. No filamentous green algae observed.										

NC4	Very low flow with the downstream section chocked by Myriophyllum sp. The water was turbid
	with a thin layer of scum on the surface. Water levels were lower than previous surveys.
	Macrophytes included: Floating Water Primrose, River Clubrush, Slender Knot Weed, Watercress,
	Juncas acutus sp and Myriophyllum sp. Downstream sections choked with Watercress and
	Myriophyllum sp. Filamentous green alga was not observed.
NC5	Substrate covered in a brown silt. Filamentous green alga was present in moderate amounts. There
	was a small amount of water entering the site from a storm water pipe. Macrophytes started to
	grow in-between rocks. Water levels were low with a small amount of water trickling through the
	rock riffle. Water was clear and not turbid.
	Macrophytes observed included: Slender Knot Weed, Carex, Peruvian Primrose and Cyprus

Т	Table 14 Lower Narrabeen Creek Dry Weather Sample 11th May 18 - Metered Water Quality													
Site	Time	Depth	Temp	Cond	DO	pН	Turb	Channel (cm)		Flow	Flow			
		(m)	°C	µS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec			
NC3	12:46	0.1	12.2	514	105.6	7.47	4.3	15	1.5	0.1				
NC4	13:00	0.1	14.82	495	27.9	7.19	9.2			-				
NC5	13:18	0.1	13.34	564	34.1	7.34	7.6			-				

2.2.6 August 2018 Dry Weather Sampling

Table 15 provides field notes recorded during the dry weather sampling on 14th of August 2018 and site photographs for survey are attached in **Appendix A**. **Table 16** provides the metered water quality results. The chemical analysis results (ALS Report **ES1823842**) for collected water samples are attached in **Appendix B** to this report.

	Table 15 Field Comments – August 2018 Dry Weather Sampling										
Site	Comments										
NC3	Water fairly clear with a low flow throughout the site length. Macrophytes observed included:										
	Nastertiom officinalle (Watercress), Percicaria deipiens (Slender Knot Weed), Ludwigia periviana										
	(Peruvian Primrose), Ludwigia peploides (Floating Water Primrose), Typha sp. (Cumbungi) and										
	River Clubrush. Filamentous green alga was present in small amounts										

NC4	Water fairly clear with no observable surface flow. Creek choked with macrophytes: Floating
	Water Primrose, River Clubrush, Slender Knot Weed, Watercress, Pennywort and Myriophyllum
	sp. Downstream sections choked with Watercress and Myriophyllum sp. Filamentous green alga
	was present in small amounts.
NC4.5	Water very turbid, with no observable surface flow. Upstream sections choked with macrophytes.
	Small traces of ferny Azolla.
NC5	Water slightly turbid with a very low flow. alga was present in moderate amounts. Increase in
	macrophytes. Macrophytes observed included: Slender Knot Weed, Carex, Peruvian Primrose and
	Cyprus. Substrate covered in a brown silt. Filamentous green alga present in small amounts.

Table 16 Lower Narrabeen Creek Dry Weather Sample 14th August 18 - Metered Water Quality													
Site	Time	Depth	Temp	Cond	DO	pН	Turb	Channel (cm)		Flow	Flow		
		(m)	°C	µS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec		
NC3	15:57	0.1	11.76	554	71.6	6.28	12.2	10	1.1				
NC4	11.92	0.1	11.92	520	50.8	6.3	6.5	10	60				
NC4.5	15:08	0.1	15.76	545	74.9	5.92	100	50	600				
NC5	15:23	0.1	12.27	576	49.5	6.19	53.3	60	300	0.045			

2.2.7 September 2018 Wet Weather Sample

Wet sampling was undertaken on the 20th of September 2018 (rising limb) and on the 20th of September 2018 (falling limb). **Table 17** below provides field notes recorded during the wet sampling and site photographs for both the rising and falling limb surveys are attached in **Appendix A**. In addition to the sampling site notes provided below it was also noted that construction works were underway along the riparian bank for the development at Nos 29 to 31 Warriewood Road. Whilst there were construction works underway at Number 53C Warriewood Road there was no flow from ESC-53C observed during the rising or falling limb surveys.

Table 18 provides the metered water quality results for the wet sampling event. The chemical analysis results (ALS Report ES1827935 & ES1828050) for collected water samples (TDS, TSS, nutrients, and faecal coliform counts) are attached in Appendix B to this report.

	Table 17 Field Comments – September 2018 Wet Weather Rising
Site	Comments
NC3-U	Water was slightly turbid with a low flow through site. Vegetation had been cleared like previous
	survey. Orange staining found in upstream sections. Macrophytes observed included: Percicaria
	decipiens (Slender Knot Weed), Schoenoplectus Validus (River Club Rush), Ludwigia periviana
	(Peruvian Primrose), Nastertiom officinalle (Watercress), Ludwigia peploides (Floating Water
	Primrose) and Typha .Sp (Cumbungi). Substrates covered in brown silt. Small amounts of
	Filamentous green alga observed.
NC4-U	Water fairly clear with good flow. Vegetation was cleared on both banks as in former surveys.
	Macrophytes observed: River Clubrush, Floating Water Primrose, Hydrocotyle bonariensis
	(Pennywort), Watercress and Myriophyllum sp. Filamentous green alga was not observed.
NC4.5-D	Low flow with water slightly turbid. Upstream sections with less canopy cover have an increase
	in macrophytes: Watercress, Slender Knot Weed and Cumbungi.
NC5-U	Water is slightly turbid, with the increased flow stirring the silt/algal matrix that situs upon the
	rock substrates upstream. Sand coming from the stormwater pipe under the road bridge. Increase
	of instream macrophytes: Slender Knot Weed, Peruvian Primrose, Water cress, Cumbungi and
	Carex .Sp.
NC3-D	Conditions like the rising limb sample. Water clear, with no flow throughout site. Filamentous
	green alga present in small amounts.
NC4-D	Water fairly clear. No flow through site. Filamentous green alga not observed.
NC4.5-D	Water fairly clear. No flow through site. Filamentous green alga not observed.
NC5-D	Similar conditions with clear water and a slightly lesser flow. Filamentous green alga not
	observed

Table 18 Lower Narrabeen Creek Wet Weather Rising Sample 20th and 21st September 18 - Metered Water														
	Quality													
Site	Time	Depth	Temp	Cond	DO	pН	Turb	Channel (cm)		Flow	Flow			
		(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec			
NC3-U	15:21	0.1	15.96	314	87.3	7.39	9.9	15	200	0.06				
NC4-U	13:49	0.1	14.79	476	37.7	7.28	10.2	12	80	0.14				
NC4.5-U	13:15	0.1	14.27	448	34.9	7.27	12.6	70	600	0.03				
NC5-U	14:23	0.1	15.10	518	41.7	7.41	9.1	20	400	0.09				

Marine Pollution Research Pty Ltd

Falling Sample 21 st September 2018												
NC3-D	11:42	0.1	13.03	405	73.0	7.23	6.4	10	190			
NC4-D	12:16	0.1	15.43	387	46.9	7.22	8.3	12	60			
NC4.5-D	12:07	0.1	13.04	449	33.8	7.32	6.2	60	600			
NC5-D	12.31	0.1	14.71	494	40.5	7.36	6.7	80	300	0.03		

2.2.8 November 2018 Dry Weather Sampling

Table 19 provides field notes recorded during the dry weather sampling on 26th of November 2018 and site photographs for survey are attached in **Appendix A**. **Table 20** provides the metered water quality results. The chemical analysis results (ALS Report **ES1835246**) for collected water samples are attached in **Appendix B** to this report.

	Table 19 Field Comments – November 2018 Dry Weather Sampling
Site	Comments
NC3	Water fairly clear with a low flow throughout the site length. Orange Precipitate found throughout
	channel sections. Macrophytes observed included: Nastertiom officinalle (Watercress), Percicaria
	deipiens (Slender Knot Weed), Ludwigia periviana (Peruvian Primrose), Ludwigia peploides
	(Floating Water Primrose), Typha sp. (Cumbungi) and River Clubrush. Filamentous green alga was
	present in moderate amounts
NC4	Water slightly turbid with an unmeasurable flow. Downstream sections had a slight scum or sheen
	on the surface. Iron precipitate coming from the inner channel. Contractors pulling out trees on the
	northern bank. Creek choked with macrophytes: Floating Water Primrose, River Clubrush, Slender
	Knot Weed, Watercress, Pennywort and Myriophyllum sp. Downstream sections choked with
	Watercress and Myriophyllum sp. Filamentous green alga was abundant.
NC4.5	No observable surface flows. Water was slightly turbid with surface sheen/scum on the bank
	edges. Macrophytes upstream of the site, chocking channel sections. Filamentous green alga was
	abundant.
NC5	Water slightly turbid with a very low flow. Iron precipitate and staining throughout the site.
	Surface/sheen on the surface of most waters. Macrophytes observed included: Percicaria deipiens
	(Slender Knot Weed), Ludwigia periviana (Peruvian Primrose), Ludwigia peploides (Floating
	Water Primrose), Typha sp. (Cumbungi) and River Clubrush. Large proliferation of Peruvian
	Primrose in the upstream sections. Filamentous green alga was abundant.

Table	Table 20 Lower Narrabeen Creek Dry Weather Sample 26th November 18 - Metered Water Quality											
Site	Time	Depth	Temp	Cond	DO	рН	Turb	Channel (cm)		Flow	Flow	
		(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec	
NC4	12:03	0.1	18.79	488	25.3	6.77	10	0.2	0.3	N/A		
NC4.5	12:26	0.1	18.09	545	8.5	6.81	12.5	0.5	3.0	N/A		
NC5	13:01	0.1	23.69	533	67.5	6.8	12.6	0.5	2.5	N/A		

2.2.9 November 2018 Wet Weather Sampling

Wet sampling was undertaken on the 28th of November 2018 (rising limb) and on the 29th of November 2018 (falling limb). **Figure 5** shows hourly rainfall for Warriewood in November, and **Table 21** provides field notes recorded during the wet sampling rising and falling. Site photographs for both wet rising and falling limb surveys are attached in **Appendix A**. **Table 22** provides the metered water quality results for the wet sampling event (rising and falling). The chemical analysis results (ALS Report **ES1835494 & ES1835745**) for collected water samples (TDS, TSS, nutrients, and faecal coliform counts) are attached in **Appendix B** to this report.





	Table 21 Field Comments – November 2018 Wet Weather Rising										
Site	Comments										
NC4-U	Water fairly clear with low - moderate flow. Vegetation was cleared on both banks as in former										
	surveys. Macrophytes observed: River Clubrush, Floating Water Primrose, Hydrocotyle										
	bonariensis (Pennywort), Watercress and Myriophyllum sp. Filamentous green alga was not										
	observed.										
NC4.5-D	Unmeasurable flow with water slightly turbid. Upstream sections with less canopy cover have										
	slight increase in macrophytes: Watercress, Slender Knot Weed and Cumbungi.										
NC5-U	Water is slightly turbid, with a low to moderate flow, most of the flow from the ESC. Sand										
	coming from the stormwater pipe under the road bridge with flow. Increase of instream										
	macrophytes: Slender Knot Weed, Peruvian Primrose, Water cress, Cumbungi and Carex .Sp.										
	Filamentous green alga present in small amounts. Algae being stirred up and taken downstream.										
NC3-D	Conditions like the rising limb sample, with elevated water levels. Evidence of water levels 20-										
	30cm greater than current. Water slightly turbid. Filamentous green alga present in small										
	amounts.										
NC4-D	Water slightly turbid covering entire site width. Slightly greater flow. Filamentous green alga not										
	observed.										
NC4.5-D	Water turbid with no measurable flow. Filamentous green alga not observed.										
NC5-D	Similar conditions with fairly clear water. Sand sediments have benn pushed futher downstream.										
	Water covering full riffle sections under the bridge. Storm water pipe flowing. Filamentous green										
	alga present in small amounts.										

Table 22 Lower Narrabeen Creek Wet Weather Rising Sample 28 th November 18- Metered Water Quality											
Site	Time	Depth	Temp	Cond	DO	pН	Turb	Chann	Channel (cm)		Flow
		(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec
NC4-U	6:33	0.1	19.14	489	9.2	6.68	10.2	0.2	1.2	N/A	
NC4.5-U	6:18	0.1	19.44	553	6.2	6.77	11.6	0.5	3.0	N/A	
NC5-U	5:57	0.1	20.16	434	39.6	6.92	98.5	0.37	1	0.11	
Falling Sample 29 th November 2018											
NC4-D	14:32	0.1	18.94	292	38.9	6.83	11	0.5	0.8	0.25	
NC4.5-D	14:11	0.1	18.51	288	37.5	6.92	12.2	0.5	3.0	0.13	
NC5-D	14:50	0.1	18.7	298	41	6.9	18.6	2.5	0.3	0.13	

Marine Pollution Research Pty Ltd

2.2.10 February 2019 Dry Weather Sampling

Table 23 provides field notes recorded during the annual dry weather sampling on 4th of February 2019 and site photographs for survey are attached in **Appendix A**. **Table 24** provides the metered water quality results. **Table 25** provides the results of the annual Rapid Biological Assessment (RBA) sampling. The chemical analysis results (ALS Report **ES1903393**) for collected water and sediment samples and for algae speciation plus counts are attached in **Appendix B** to this report.

Table 23 Field Comments – February 2019 Dry Weather									
Site	Comments								
NC4	Water fairly clear with no observed surface flow. Small surface sheen throughout. Water levels								
	lower compared to former surveys. Increased amounts of macrophytes throughout especially								
	Myriophyllum sp and Persicaria decipiens. Vegetation was cleared on northern banks as in								
	former surveys. Macrophytes observed: River Clubrush, Floating Water Primrose, Hydrocotyle								
	bonariensis (Pennywort), Watercress and Myriophyllum sp. Filamentous green alga was								
	moderate to abundant (greater in areas of sunlight).								
NC4.5	No observable with water slightly turbid. Upstream sections with less canopy cover have an								
	increase in macrophytes: Watercress, Slender Knot Weed and Cumbungi.								
NC5	Water was clear with a small trickle flow. Large increase in macrophytes especially								
	Myriophyllum sp. downstream and 100% cover of Peruvian Primrose upstream. Increase of								
	instream macrophytes: Slender Knot Weed, Peruvian Primrose, Water cress, Cumbungi and								
	Carex .Sp. Greater amounts of silt and algae throughout. Filamentous green alga was abundant.								

Table	Table 24 Lower Narrabeen Creek Dry Weather Sample 4th February 19 - Metered Water Quality												
Site	Time	Depth	Temp	Cond	DO	рН	Turb	Channe	Channel (cm)		Flow		
		(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec		
NC4-U	11:07	0	24.17	349	11.5	6.81	8.4	0.2	1.2	N/A			
NC4.5-U	14:09	0	23.77	379	7.3	6.94	13.4	0.5	3.0	N/A			
NC5-U	12:39	0	24.44	380	26.9	7.02	9.7	0.3	1.0	N/A			

		Table 25 Macroin	vertebrate and Fish S	ampling Results Na	nrabeen Creek 4 February 201	9			
Phylum	Class				Common	4/2/19	4/2/19	Total	
		Family	Sub-Family	Species	Name	NC4	NC5	Occur	SIG-2
Arthropoda	Insecta	Dytiscidae			Diving Beetles	1		1	2
Arthropoda	Insecta	Ceratopogonidae			Biting Midges	1	1	2	4
Arthropoda	Insecta	Chironomidae	Chironominae		Bloodworms	1	1	2	3
Arthropoda	Insecta	Chironomidae	Orthocladiinae		Bloodworms	1		1	4
Arthropoda	Insecta	Culicidae			Mosquitoes	1		1	3
Arthropoda	Insecta	Belostomatidae			Giant Water Bugs		1	1	1
Arthropoda	Insecta	Veliidae			Small Water Treaders	1	1	2	3
Arthropoda	Insecta	Libellulidae			Dragonflies	1	1	2	4
Arthropoda	Insecta	Coenagrionidae			Damselflies	1	1	2	2
Arthropoda	Insecta	Sciomyzidae			Marsh Flies	1		1	2
Arthropoda	Arachnida				Freshwater Mites	1	1	2	6
Arthropoda	Crustacea	Cyclopidae			Copepods	1		1	*
Annelida	Oligochaeta				Freshwater Worms	1	1	2	2
Annelida	Hirudinea	Glossiphoniidae			Leeches	1		1	1
Mollusca		Lymnaeidae			Freshwater Snails	1	1	2	2
Platyhelminthes		Dugesiidae			Flatworms	1		1	2
Chordata	Osteichtyes	Poeciliidae	Gambusia holbrooki		Plague Minnow	1	1	2	*
Chordata	Osteichtyes	Gobiidae	Hypseleotris compres.	sa	Empirefish	1		1	
Chordata	Osteichtyes	Gobiidae	Gobiomorphus austra	lis	Striped Gudgeon	1		1	
				Total number of in	nvertebrate taxa:	15	9	16	
					Site SIGNAL scores:	2.86	3.00		2.73

2.2.11 May 2019 Dry Weather Sampling

Table 26 provides field notes recorded during the dry weather sampling on 1st of May 2019 and site photographs for survey are attached in **Appendix A**. **Table 27** provides the metered water quality results. The chemical analysis results (ALS Report **ES1913104**) for collected water samples are attached in **Appendix B** to this report.

	Table 26 Field Comments – May 2019 Dry Weather Sampling									
Site	Comments									
NC4	Water fairly clean, however a thin layer of scum was present on the surface of the site. There was									
	no observable flow and water levels were significantly lower than previous surveys. The banks									
	were fairly eroded. Fish species Gambusia was also observed. Filamentous green algae was present									
	in moderate amounts, downstream was chocked with Macrophytes. Macrophytes that were									
	observed include: Nastertiom officinalle (Watercress), Percicaria deipiens (Slender Knot Weed),									
	Ludwigia peruviana (Peruvian Primrose), Ludwigia peploides (Floating Water Primrose),									
	Myriophyllum (Milfoil), Schoenoplectus Validus (River Clubrush) and Hydrocotyle bonariensis									
	(Kurnell Curse).									
NC4.5	There was no observable surface flow and water was fairly turbid. Appears as though works had									
	been initiated, with banks being widened and 21tabilization works had been put in place. The									
	clearing of shrubs and plants on the construction side of the bank paired with the widening of the									
	bank will increase the sunlight that the river has previously had, likely to produce a greater growth									
	in macrophytes. Filamentous green algae on the Northern bank was abundant, due to high exposure									
	to sunlight and high disturbance from construction works. Water levels were significantly low. On									
	the south bank there were small amounts of Persicaria decipiens (slender knot weed) and Carex.									
	There were also traces of Lemna (Duck weed) throughout the site.									
NC5	Water was heavily choked by mcrophytes downstream, flow was low. Water was slightly turbid									
	with a layer on scum on the surface. The water escape had no flow coming from it. Substrates were									
	covered in brown silt, filamentous green algae was present in small amounts. The macrophytes									
	observed at this site include: Ludwigia peruviana (Peruvian Primrose), Myriophyllum, Carex and									
	Cumbunji. There were small amounts of Lemna (Duck weed) gathered in eddy's downstream.									
	Gambusia fish were also observed in small amounts in shallow areas. Macrophytes on the South									
	bank upstream have all grown significantly, possibly due to the clearing on the North side and									
	widening, increasing the sunlight exposure.									

Table 27 Lower Narrabeen Creek Dry Weather Sample 1 st May 19 – Metered Water Quality											
Site	Time	Depth	Temp	Cond	DO	рН	Turb	Channel (cm)		Flow	Flow
		(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec
NC4	16:02	0.14	17.36	517	12.9	7.12	8.3	0.2	0.3	N/A	
NC4.5	16:16	0.1	18.64	582	12	7.08	31.8	0.5	3.0	N/A	
NC5	16:36	0.25	19.95	594	69.9	7.33	32.6	0.5	3	0.8	

2.2.12 June 2019 Wet Weather Sampling

Wet sampling was undertaken on the 4th of June 2019 (rising limb) and on the 5th of June 2019 (falling limb). **Figures 6** and **7** shows hourly rainfall for Warriewood in from May through to June, and **Table 28** provides field notes recorded during the wet sampling rising and falling. Site photographs for both wet rising and falling limb surveys are attached in **Appendix A**. **Table 29** provides the metered water quality results for the wet sampling event (rising and falling). The chemical analysis results (ALS Reports **ES1917059 & ES1917222**) for collected water samples (TDS, TSS, nutrients, and faecal coliform counts) are attached in **Appendix B** to this report.







Figure 7 Hourly Rainfall at Warriewood 2 to 7 June 2019

	Table 28 Field Comments – June 2019 Wet Weather Rising & Falling Limbs
Site	Comments
NC4-U	Water fairly clear with a moderate - high flow. Water was spilling over and flowing through the inner channel. Vegetation was cleared on both banks as in former surveys. Macrophytes observed: River Clubrush, Slender Knot Weed, Floating Water Primrose, <i>Hydrocotyle</i>
	bonariensis (Pennywort), Watercress and Myriophyllum sp.
NC4.5-U	Low flow with water slightly turbid. Upstream sections with less canopy cover have slight increase in macrophytes: Watercress, Slender Knot Weed and Cumbungi. The creek section is wider with the bank work complete on the eastern side. Filamentous green alga was not observed.
NC5-U	Water was slightly turbid, with a moderate flow. The escape pipe (NC5-ESC) has turbid water entering NC5. Sand coming from the stormwater pipe under the road bridge with flow. Increase of instream macrophytes: Slender Knot Weed, Peruvian Primrose, Water cress, Cumbungi and <i>Carex .Sp</i> . Filamentous green alga present in small amounts.
NC4-D	Water slightly turbid covering entire site width. High flow throughout. Water spilling over the bank and into the cleared dirt patch on the northern bank. Filamentous green alga not observed.

NC4.5-D	Water slightly turbid with a low flow. Very similar to the rising limb conditions. Filamentous
	green alga not observed.
NC5-D	Water turbid with a high flow throughout. Water covering full riffle sections under the bridge.
	Storm water pipe flowing with extremely turbid waters. The Mericon site to the west did not
	seem to have efficient runoff measures. Numerous points were observed where water flowing
	over dirt was entering Narrabeen creek from the Mericon site. Creek waters did start to clear up
	within the short time present while sampling.

Table 29											
Lower Narrabeen Creek Wet Weather Rising Sample 4 th June 2019 - Metered Water Quality											
Site	Time	Depth	Temp	Cond	DO	рН	Turb	Chann	el (m)	Flow	Flow
		(m)	°C	μS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec
NC4-U	12:50	0.18	11.28	129	81.5	6.41	17.9	0.6	1.3	0.5	
NC4.5-U	13:15	0.2	11.30	177	67.0	6.40	17.5	0.5	12	0.07	
NC5-U	13:35	0.16	11.39	175	77.2	6.52	63.4	0.37	2	0.5	
NC5-ESC-U	13:38	0.24	13.00	380	96.4	8.98	49.4	0.4	0.8	0.1	
			Fallina	Limh Sa	mnle 5 th	June 201	19				
NC4 D	12.02	0.42	11 74	162	0 en	6 12	15.9	0.6	2.0	0.5	
NC4-D	12:05	0.45	11./4	102		0.42	13.8	0.0	2.0	0.5	
NC4.5-D	12:44	0.39	12.07	220	74.4	6.48	11.5	0.5	12	0.08	
NC5-D	12:23	0.34	11.87	208	82.1	6.56	161.8	0.4	4.0	0.67	
NC5-ESC-U	12:27	0.43	12.34	200	98.6	8.9	577.3	0.8	0.8	0.2	

2.2.13 May 2021 Dry Weather Sampling

Table 30 shows daily rainfall at Mona Vale Golf Club for 2021 leading up to the sampling date of 27 May. Table 31 provides field notes recorded during the annual dry weather sampling on 27 May of 2021 and site photographs for survey are attached in Appendix A. Table 32 provides the metered water quality results. Table 33 provides the results of the annual Rapid Biological Assessment (RBA) sampling. The chemical analysis results (ALS Report ES2120014) for collected water and sediment samples and for algae speciation plus counts are attached in Appendix B to this report.

Table 30 Daily Rainfall at Mona Vale Golf Course 2021									
Date	Jan	Feb	Mar	Apr	May	Jun			
1st	0	1.2	0	5.2	0.2	0.2			
2nd	3.6	9	0	0.2	0.2	0			
3rd	8.4	4.2	3.4	0.4	0.4	0.4			
4th	0.2	0	0.6	0.2	0.2	10.4			
5th	9.8	0	0	0.2	13.4	0			
6th	2.4	0	0.6	0.2	16.2	0			
7th	0.2	5.2	0	0.2	11	0			
8th	2.8	0	0	6.8	0	0			
9th	0	0	0	0.2	0	10.8			
10th	0	2	2.6	0.4	0.2	0.6			
11th	0.2	0	3	0	0.2	6.4			
12th	0	0	0.6	0	0	0			
13th	0.2	36.6	2.6	0	4.2	0			
14th	0	14	19	0	0	0			
15th	17.8	0	35	0	0	0			
16th	0	7.2	0	0	0	0.4			
17th	0	0	3.4	0	0	5.4			
18th	0	0	13	0	0	0			
19th	0.2	5.4	61.6	0.2	0.2	1.4			
20th	1.6	4.4	42	0.2	0.2	9			
21st	0.2	4	105	0.2	0.8	32.8			
22nd	0	0.6	44.4	0	1				
23rd	0.8	0.8	60.6	0	0.2				
24th	0	18.6	21.4	0	11.2				
25th	0	0.4	0	0	0.4				
26th	0.2	1.8	0.2	0.2	0	1			
27th	0	0.6	0	0.2	0				
28th	9.4	0.2	0	0	0				
29th	10.2		0	0.4	0				
30th	32.4		2.2	0.6	0				
31st	0.8		5.2		0				

Table 31 Field Comments – 27/5/21 Annual Dry Weather						
Site	Comments					
NC3	Water was slightly turbid with a low flow throughout the site length. Channel sections were					
	deeper than former surveys. Upstream the channel was still shallow with less sands and increased					
	boulder rock. Sediments were mostly clay with sands and small boulders and cobbles. Maximum					
	width was to 2m with an average width of 1.3m. The maximum depth was to 1.3m with an					
	average depth of 0.6m. A foot bridge had been built across the site since previous surveys.					
	Habitats sample were: undercut banks, macrophytes, detritus and trailing bank vegetation.					
	Macrophytes included: River Clubrush Schoenoplectus validus, Floating Water Primrose					
	Ludwigia peploides, Pest weed – Ludwigia peruviana Watercress Nasturtium officinale,					
	Cumbungi Typha sp. and Myriophyllum sp. Filamentous green alga was moderate to abundant					
	(greater in areas of sunlight).					
NC4	Water was slightly turbid with a low flow throughout the site. Sediments mainly consisted of					
	sands and silts. Downstream, sections were choked with macrophytes, Nasturtium officinale and					
	Myriophyllum sp. Macrophytes observed: Kurnell curse Hydrocotyle bonariensis, Slender knot					
	weed Persicaria Decipiens, River Clubrush Schoenoplectus validus, Pest weed – Ludwigia					
	peruviana, Watercress Nasturtium officinale, Cumbungi Typha sp. and Myriophyllum sp.					
	Filamentous green alga was moderate.					
NC5	Water was slightly turbid with a low flow. Upstream sections were choked with macrophytes,					
	particularly cumbungi. Down stream sections were similar to former surveys, though macrophyte					
	coverage had increased. Sediments consisted of sands, silts boulders and cobbles. Brown silts					
	covered most substrates. Maximum width was to 4m with and average width of 1.2m. Maximum					
	depth was 0.9m with an average depth of 0.5m. Habitats sample were: macrophytes, detritus and					
	trailing bank vegetation. Macrophytes included: Slender knot weed Persicaria Decipiens, River					
	Clubrush Schoenoplectus validus, Pest weed – Ludwigia peruviana, Watercress Nasturtium					
	officinale, Cumbungi Typha sp. and Myriophyllum sp. Filamentous green alga was abundant					

Table 32 Lower Narrabeen Creek Annual Dry Weather Sample 27 May 21 - Metered Water Quality											
Site	Time	Depth	Temp	Cond	DO	рН	Turb	Channel (cm)		Flow	Flow
		(m)	°C	µS/cm	%Sat	Units	NTU	Depth	Width	m/sec	L/sec
NC3	12:45	0.1	14.73	503	52.2	7.33	3.4	0.20	1.2	0.16	
NC4	12:15	0.1	14.28	418	41.4	7.27	9.6	0.18	1.0	0.11	
NC5	14:15	0.1	14.43	307	61.2	7.58	6.1	0.20	1.0	0.16	

		Table	33 Macroinverte	ebrate Results	Narrabeen Creek 27 May 2021				
Phylum	Class				Common	27/5/21	27/5/21	Combined	
		Family	Sub-Family	Species	Name	NC3	NC5	Occur	SIG-2
Arthropoda	Insecta	Ceratopogonidae			Biting Midges	1		1	4
Arthropoda	Insecta	Chironomidae	Chironominae		Bloodworms	1	1	2	3
Arthropoda	Insecta	Simuliidae			Black Flies		1	1	5
Arthropoda	Insecta	Gerridae			Water Striders	1		1	4
Arthropoda	Insecta	Libellulidae			Dragonflies	1	1	2	4
Arthropoda	Insecta	Argiolestidae			Damselflies	1		1	5
Arthropoda	Insecta	Coenagrionidae			Damselflies	1	1	2	2
Arthropoda	Arachnida				Freshwater Mites	1		1	6
Arthropoda	Crustacea	Cyclopidae			Copepods		1	1	*
Annelida	Oligochaeta				Freshwater Worms	1	1	2	2
Annelida	Hirudinea	Glossiphoniidae			Leeches		1	1	1
Mollusca		Physidae			Freshwater Snails	1	1	2	1
Platyhelminthes		Dugesiidae			Flatworms	1	1	2	2
Chordata	Osteichtyes	Poeciliidae	Gambusia holbrooki		Plague Minnow	1	1	2	*
	-								
					Total number of invertebrate taxa:	10	9		12
					Site SIGNAL scores:	3.30	2.50		3.25

3 REFERENCES

DECC (2004)

New South Wales Australian River Assessment System (AUSRIVAS) Sampling and Processing Manual 2004. NSW Department of Environment & Conservation.

Fisheries NSW (2013)

Policy and Guidelines for Fish Habitat Conservation and Management (2013 update), NSW Department of Primary Industries, June 2013.

Lawson & Trelore (2001)

Warriewood Valley Urban Land Release Water Management Specification. Revised Version, February 2001. Prepared for Pittwater Council.

MPR (2015)

Warriewood Land Release Sector 4, ARV Stage 3 & 4 Construction Water Quality Monitoring, July to October 2015. Report 20, prepared for GHD Sydney, Marine Pollution Research Pty Ltd, October 2015.

MPR 2016a)

Warriewood Land Release Sector 4, ARV Stage 3 & 4 Construction Water Quality Monitoring, November 2015 To February 2016. Report 21, prepared for GHD Sydney, Marine Pollution Research Pty Ltd, February 2016.

MPR (2016b)

Warriewood Land Release Sector 4, ARV Stage 3 & 4 Construction Water Quality Monitoring, March 2016 to June 2016. Report No 22, prepared for GHD Sydney, Marine Pollution Research Pty Ltd, June 2016.

MPR (2016c)

Northern Beaches Council Warriewood Valley Water Management Specification (WMS) Narrabeen Creek WMS Data – Sites NC3 And NC4, November 2015 To June 2016. Report prepared for Merrin Developments, Arcare (Knowles Group) and ARH.

MPR (2017a)

Warriewood Land Release Narrabeen Ck Below Brands Lane, Pre-construction Water Quality Monitoring, July 2016 to December 2016. Report No 02; prepared for Arcare (Knowles Group) by Marine Pollution Research Pty Ltd, March 2017.

MPR (2017b)

Warriewood Land Release Narrabeen Ck Below Brands Lane, Construction Water Quality Monitoring, January 2017 to March 2017. Report No 03; prepared for Arcare (Knowles Group) by Marine Pollution Research Pty Ltd, April 2017.

MPR (2017c)

Warriewood Land Release Narrabeen Ck Below Brands Lane, Construction Water Quality Monitoring, April 2017 to June 2017. Report No 04; prepared for Arcare (Knowles Group) by Marine Pollution Research Pty Ltd, July 2017.

MPR (2018a)

Warriewood Land Release Narrabeen Ck Below Brands Lane, Construction Water Quality Monitoring, July 2017 to February 2018. Report No 05&06; prepared for Arcare (Knowles Group) by Marine Pollution Research Pty Ltd, June 2018.

MPR (2018b)

Warriewood Land Release Narrabeen Ck Below Brands Lane, Construction Water Quality Monitoring, March 2018 to June 2018. Report No 07; prepared for Arcare (Knowles Group) by Marine Pollution Research Pty Ltd, May 2018.

MPR (2018c)

Warriewood Land Release Narrabeen Ck Below Brands Lane, Construction Water Quality Monitoring, July 2018 to Oct 2018. Report No 08; prepared for Arcare (Knowles Group) by Marine Pollution Research Pty Ltd, Oct 2018.

MPR (2019a)

Warriewood Land Release Narrabeen Ck Below Brands Lane, Post-construction Water Quality Monitoring, Nov 2018 to Feb 2019. Report No 09; prepared for Arcare (Knowles Group) by Marine Pollution Research Pty Ltd, Feb 2019.

MPR (2019b)

Warriewood Land Release Narrabeen Ck Below Brands Lane, Post-construction Water Quality Monitoring, March to June 2019. Report No 10; prepared for Arcare (Knowles Group) by Marine Pollution Research Pty Ltd, July 2019.

APPENDIX A

WARRIEWOOD VALLEY LOWER NARRABEEN CREEK MONITORING

SITE PHOTOGRAPHS FOR THE PERIOD OCT 16 TO JUNE 19 & FOR 27 MAY 21

Dry Weather November 2017 Wet Weather Falling Limb November 2017 Annual Dry Weather February 2018 Wet Weather Rising Limb March 2018 Wet Weather Falling Limb March 2018 Dry Weather May 2018 Dry Weather August 2018 Wet Weather Rising Limb September 2018 Wet Weather Falling Limb September 2018 Dry Weather November 2018 Wet Weather Rising Limb November 2018 Wet Weather Falling Limb November 2018 Annual Dry Weather February 2019 Dry Weather May 2019 Wet Weather Rising Limb June 2019 Wet Weather Falling Limb June 2019 Annual Dry Weather May 2021



SITE PHOTOGRAPHS - DRY WEATHER SAMPLING NOVEMBER 2017

Plate 1: Looking upstream at site NC3 during dry sample on 03/11/17



Plate 2: Looking downstream at site NC3 during dry weather sampling 03/11/17.



Plate 3: Looking across NC4 during the dry sample on 03/11/17.



Plate 4: Looking upstream NC4 during the dry sample on 03/11/17.



Plate 5: Dry weather sample, looking downstream at NC5 on the 03/11/17.



Plate 6: Site 53C-ESC during dry sample 03/11/17


SITE PHOTOGRAPHS - WET WEATHER SAMPLING NOVEMBER 2017



Plate 7: Looking upstream at site NC3 during wet weather sampling, falling limb on 06/11/17.

Plate 8: Looking downstream at site NC3 during wet weather sampling, falling limb on 06/11/17.



Plate 9: Looking upstream at site NC4 during the wet weather sample, falling limb on 06/11/17.



Plate 10: Looking across NC4 during the wet weather sample, falling limb on 06/11/17.



Plate 11: Wet weather sample during falling limb, looking downstream at NC5 on the 06/11/17.



Plate 12: Upstream at Site 53B-ESC during the wet weather falling limb 06/11/17.



SITE PHOTOGRAPHS – ANNUAL DRY WEATHER SAMPLING FEBRUARY 2018

Plate 13: Looking upstream at site NC3 during dry weather sampling, 6/02/17.



Plate 14: Looking downstream at site NC3 during dry weather sampling, 6/02/17.



Plate 15: Looking downstream at site NC4 during dry weather sampling, 6/02/17.



Plate 16: Looking upstream at site NC4 during dry weather sampling, 6/02/17.



Plate 17: Looking downstream at site NC5 during dry weather sampling, 6/02/17.

SITE PHOTOGRAPHS - WET WEATHER RISING SAMPLES 21st MARCH 2018



Plate 1: Looking upstream at site NC3 during rising wet sample on 21/03/18



Plate 2: Looking downstream at site NC3 during rising wet sample on 21/03/18



Plate 3: Looking across NC4 during rising wet sample on 21/03/18



Plate 4: Looking upstream NC4 during rising wet sample on 21/03/18



Plate 5: Dry weather sample, looking downstream during rising wet sample on 21/03/18



SITE PHOTOGRAPHS – WET WEATHER SAMPLING MARCH 2018

Plate 6: Looking upstream at site NC3 during wet weather sampling, falling limb on 23/03/18.



Plate 7: Looking downstream at site NC3 during wet weather sampling, falling limb on 23/03/18.



Plate 8: Looking upstream at site NC4 during the wet weather sample, falling limb on 23/03/18.



Plate 9: Looking downstream at site NC4 during the wet weather sample, falling limb on 23/03/18.



Plate 10: Wet weather sample during falling limb, looking downstream at NC5 on the 23/03/18.



Plate 11: Site 53B (looking upstream) during the wet weather falling limb 23/03/18.



Plate 12: Site 53C-ESC during the wet weather falling limb 23/03/18.



SITE PHOTOGRAPHS – DRY WEATHER SAMPLING MAY 2018

Plate 13: Looking upstream at site NC3 during dry weather sampling 11/05/18.



Plate 14: Looking downstream at site NC3 during dry weather sampling, 11/05/18.



Plate 15: Looking downstream at site NC4 during dry weather sampling, 11/05/18.



Plate 16: Looking upstream at site NC4 during dry weather sampling, 11/05/18.



Plate 17: Looking downstream at site NC5 during dry weather sampling, 11/05/18.



SITE PHOTOGRAPHS –DRY WEATHER SAMPLING AUGUST 2018

Plate 1: Looking upstream at site NC3 during dry weather sampling 14/08/18.



Plate 2: Looking downstream at site NC3 during dry weather sampling, 14/08/18.



Plate 3: Looking downstream at site NC4 during dry weather sampling, 14/08/18.



Plate 4: Looking upstream at site NC4 during dry weather sampling, 14/08/18.



Plate 5: Looking downstream at site NC4.5 during dry weather sampling, 14/08/18.



Plate 6: Looking upstream at site NC4.5 during dry weather sampling, 14/08/18.



Plate 7: Looking downstream at site NC5 during dry weather sampling, 14/08/18.



Plate 8: Looking across site NC5 during dry weather sampling, 14/08/18.



SITE PHOTOGRAPHS - WET WEATHER RISING SAMPLES 20th SEP 2018

Plate 9: Looking upstream at site NC3 during rising wet sample on 20/09/18



Plate 10: Looking downstream at site NC3 during rising wet sample on 20/09/18



Plate 11: Looking across NC4 during rising wet sample on 20/09/18



Plate 12: Looking upstream NC4 during rising wet sample on 20/09/18



Plate 13: Looking across site NC4.5 during rising wet sample on 20/09/18



Plate 14: Looking downstream at site NC4.5 during rising wet sample on 20/09/18



Plate 15: Stormwater outlet at site NC5 during rising wet sample on 20/09/18



Plate 16: Looking downstream at site NC5 during rising wet sample on 20/09/18



Plate 17: Looking downstream at site 53C-ESC during rising wet sample on 20/09/18



Plate 18: Looking upstream at site NC3 during wet weather sampling, falling limb on 21/09/18.



Plate 19: Looking downstream at site NC3 during wet weather sampling, falling limb on 21/09/18.



Plate 20: Looking upstream at site NC4 during the wet weather sample, falling limb on 21/09/18.



Plate 21: Looking downstream at site NC4 during the wet weather sample, falling limb on 21/09/18.



Plate 22: Wet weather sample during falling limb, looking across NC4.5 on the 21/09/18.



Plate 23: Looking upstream at NC5 during the wet weather falling limb 21/09/18.



Plate 24: Site NC5 during the wet weather falling limb 21/09/18.



Plate 25: 53C-ESC during the wet weather falling limb 21/09/18.

DRY WEATHER SAMPLING NOVEMBER 2018



Plate 1: Looking downstream at site NC4 during dry weather sampling, 26/11/18.



Plate 2: Looking upstream at site NC4 during dry weather sampling, 26/11/18.



Plate 3: Looking downstream at site NC4.5 during dry weather sampling, 26/11/18.



Plate 4: Looking upstream at site NC4.5 during dry weather sampling, 26/11/18.



Plate 5: Looking downstream at site NC5 during dry weather sampling, 26/11/18.



Plate 6: Looking upstream at site NC5 during dry weather sampling, 26/11/18.



WET WEATHER RISING SAMPLES 28th NOVEMBER 2018

Plate 7: Looking across NC4 during rising wet sample on 28/11/18.



Plate 8: Looking upstream NC4 during rising wet sample on 28/11/18.



Plate 9: Looking across site NC4.5 during rising wet sample on 28/11/18.



Plate 10: Looking downstream at site NC4.5 during rising wet sample on 28/11/18.



Plate 11: Stormwater outlet at site NC5 during rising wet sample on 28/11/18.



Plate 12: Looking downstream at site NC5 during rising wet sample on 28/11/18.

WET WEATHER FALLING LIMB 29th Nov 2018



Plate 13: Looking upstream at site NC4 during the wet weather sample, falling limb on 29/11/18.



Plate 14: Looking downstream at site NC4 during the wet weather sample, falling limb on 29/11/18.



Plate 15: Wet weather sample during falling limb, looking across NC4.5 on the 29/11/18.



Plate 16: Wet weather sample during falling limb, looking downstream at NC4.5 on the 29/11/18.



Plate 17: Looking upstream at NC5 during the wet weather falling limb 29/11/18.



Plate 18: Site NC5 during the wet weather falling limb 29/11/18.



DRY WEATHER SAMPLING 4th FEBRUARY 2019

Plate 19: Looking downstream at site NC4 during dry weather sampling, 04/02/19


Plate 20: Looking upstream at site NC4 during dry weather sampling, 04/02/19



Plate 21: Looking downstream at site NC4.5 during dry weather sampling, 04/02/19



Plate 22: Looking across site NC4.5 during dry weather sampling, 04/02/19



Plate 23: Looking downstream at site NC5 during dry weather sampling, 04/02/19



Plate 24: Looking upstream at site NC5 during dry weather sampling, 04/02/19



SITE PHOTOGRAPHS –DRY WEATHER SAMPLING MAY 2019

Plate 1: Looking downstream at site NC4 during dry weather sampling, 01/05/19.



Plate 2: Looking upstream at site NC4 during dry weather sampling, 01/05/19.



Plate 3: Looking downstream at site NC4.5 during dry weather sampling, 01/05/19.



Plate 4: Looking upstream at site NC4.5 during dry weather sampling, 01/05/19.



Plate 5: Looking downstream at site NC5 during dry weather sampling, 01/05/19.



Plate 6: Looking upstream at site NC5 during dry weather sampling, 01/05/19.

WET WEATHER RISING SAMPLES 4th JUNE 2019



Plate 7: Looking across NC4 during rising wet sample on 04/06/19.



Plate 8: Looking upstream NC4 during rising wet sample on 04/06/19.



Plate 9: Looking across site NC4.5 during rising wet sample on 04/06/19.



Plate 10: Looking downstream at site NC4.5 during rising wet sample on 04/06/19



Plate 11: Stormwater outlet at site NC5 during rising wet sample on 04/06/19.



Plate 12: Looking downstream at site NC5 during rising wet sample on 04/06/19.





Plate 13: Looking upstream at site NC4 during the wet weather sample, falling limb on 05/06/19.



Plate 14: Looking downstream at site NC4 during the wet weather sample, falling limb on 05/06/19.



Plate 15: Wet weather sample during falling limb, looking across NC4.5 on the 05/06/19.



Plate 16: Wet weather sample during falling limb, looking downstream at NC4.5 on the 05/06/19.



Plate 17: Looking upstream at NC5 during the wet weather falling limb 05/06/19.



Plate 18: Site NC5 during the wet weather falling limb 05/06/19.



Plate 19: Site NC5 during the wet weather falling limb 05/06/19.



ANNUAL DRY WEATHER SAMPLING 27 MAY 2021

Figure 1: NC3 looking upstream.



Figure 2: NC3 looking Down stream



Figure 3: NC4 looking upstream



Figure 4: NC4 looking downstream



Figure 5: NC5 looking upstream



Figure 6: NC5 looking downstream



Figure 7: No 53, at Narrabeen Creek Bankm Looking Back up the Block (No 53 to the left and No 53B to right. Note drainage swale along right hand side.



Figure 8: No 53A, overgrown Narrabeen Creek bank



Figure 9: Looking upstream at No 53A left and No 53B right, showing constructed berm between the two properties.



Figure 10: View down No 53A side swale drain showing ponded water and macrophytes

APPENDIX B

WARRIEWOOD VALLEY LOWER NARRABEEN CREEK MONITORING

LABORATORY CHEMICAL ANALYSIS REPORTS FOR THE PERIOD OCT 17 TO JUN 19:

Legacy Data 2017 to 2019:

ES1727600	Dry Weather November 2017
ES1727794	Wet Weather Falling Limb November 2017
ES1804021	Annual Dry Weather February 2018
ES1808499	Wet Weather Rising Limb March 2018
ES1808753	Wet Weather Falling Limb March 2018
ES1813538	Dry Weather May 2018
ES1823842	Dry Weather August 2018
ES1827935	Wet Weather Rising Limb September 2018
ES1828050	Wet Weather Falling Limb September 2018
ES1835246	Dry Weather November 2018
ES1835494	Wet Weather Rising Limb November 2018
ES1835745	Wet Weather Falling Limb November 2018
ES1903393	Annual Dry Weather February 2019
ES1913104	Dry Weather May 2019
ES1917059	Wet Weather Rising Limb June 2019
ES1917222	Wet Weather Falling Limb June 2019

New Data for No 53A 2Warriewood Road May 2021:

ES2120014 Annual Dry Weather May 2021



CERTIFICATE OF ANALYSIS

Work Order	ES1727600	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	: Environmental Division Sydney
Contact	: MR PAUL ANINK (imetro)	Contact	: Customer Services ES
Address	PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 03-Nov-2017 16:15
Order number	:	Date Analysis Commenced	: 03-Nov-2017
C-O-C number	:	Issue Date	: 13-Nov-2017 10:24
Sampler	: Jacob Broom		Hac-MRA NATA
Site	:		
Quote number	: SYBQ/360/17		Accordition No. 825
No. of samples received	: 3		Accredited for compliance with
No. of samples analysed	: 3		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ashesh Patel	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Somlok Chai	Microbiologist	Sydney Microbiology, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC3	NC4	NC5	
	Clie	ent samplii	ng date / time	03-Nov-2017 00:00	03-Nov-2017 00:00	03-Nov-2017 00:00	
Compound	CAS Number	LOR	Unit	ES1727600-001	ES1727600-002	ES1727600-003	
				Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	0 ± 5 °C						
Total Dissolved Solids @180°C		10	mg/L	254	239	206	
EA025: Total Suspended Solids dried at 1	04 ± 2°C						
Suspended Solids (SS)		5	mg/L	<5	<5	9	
EK055G: Ammonia as N by Discrete Analy	yser						
Ammonia as N	7664-41-7	0.01	mg/L	0.03	0.10	0.19	
EK057G: Nitrite as N by Discrete Analyse	er						
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analys	er						
Nitrate as N	14797-55-8	0.01	mg/L	0.06	<0.01	<0.01	
EK059G: Nitrite plus Nitrate as N (NOx) to	by Discrete Anal	yser					
Nitrite + Nitrate as N		0.01	mg/L	0.06	<0.01	<0.01	
EK061G: Total Kjeldahl Nitrogen By Discr	ete Analyser						
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.4	0.5	1.0	
EK062G: Total Nitrogen as N (TKN + NOx)) by Discrete Ana	alyser					
^ Total Nitrogen as N		0.1	mg/L	0.5	0.5	1.0	
EK067FG: Filtered Total Phosphorus as P	by Discrete Ana	alyser					
Filtered Total Phosphorus as P		0.01	mg/L	0.02	0.03	0.10	
EK067G: Total Phosphorus as P by Discre	ete Analyser						
Total Phosphorus as P		0.01	mg/L	0.02	0.04	0.14	
EK071G: Reactive Phosphorus as P by di	screte analyser						
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.01	<0.01	0.02	
MW006: Faecal Coliforms & E.coli by MF							
Faecal Coliforms		1	CFU/100mL	160	82	72	



CERTIFICATE OF ANALYSIS

Work Order	ES1727794	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR PAUL ANINK (imetro)	Contact	: Customer Services ES
Address	: PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 06-Nov-2017 16:15
Order number	:	Date Analysis Commenced	: 07-Nov-2017
C-O-C number	:	Issue Date	: 24-Nov-2017 14:09
Sampler	: JACOB BROOM (gmail)		Hac-MRA NATA
Site	:		
Quote number	: SYBQ/360/17		According No. 825
No. of samples received	: 4		Accreditation No. 825
No. of samples analysed	: 4		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ashesh Patel	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- TDS by method EA-015 may bias high due to the presence of fine particulate matter, which may pass through the prescribed GF/C paper.
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1727794 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Cli	ent sample ID	NC3-U	NC4-U	NC5-U	53C-ESC-U	
	Cli	ent sampli	ing date / time	06-Nov-2017 00:00	06-Nov-2017 00:00	06-Nov-2017 00:00	06-Nov-2017 00:00	
Compound	CAS Number	LOR	Unit	ES1727794-001	ES1727794-002	ES1727794-003	ES1727794-004	
				Result	Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	0 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	187	153	124	178	
EA025: Total Suspended Solids dried at 1	04 ± 2°C							
Suspended Solids (SS)		5	mg/L	7	7	11	14	
EK055G: Ammonia as N by Discrete Analy	yser							
Ammonia as N	7664-41-7	0.01	mg/L	0.15	0.06	0.04	0.05	
EK057G: Nitrite as N by Discrete Analyse	r							
Nitrite as N	14797-65-0	0.01	mg/L	0.02	0.02	0.02	0.04	
EK058G: Nitrate as N by Discrete Analyse	er							
Nitrate as N	14797-55-8	0.01	mg/L	0.60	0.50	0.39	0.60	
EK059G: Nitrite plus Nitrate as N (NOx) b	by Discrete Anal	lyser						
Nitrite + Nitrate as N		0.01	mg/L	0.62	0.52	0.41	0.64	
EK061G: Total Kjeldahl Nitrogen By Discr	ete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.4	0.4	0.4	0.5	
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete An	alyser						
^ Total Nitrogen as N		0.1	mg/L	1.0	0.9	0.8	1.1	
EK067FG: Filtered Total Phosphorus as P	by Discrete An	alyser						
Filtered Total Phosphorus as P		0.01	mg/L	0.03	0.06	0.08	0.06	
EK067G: Total Phosphorus as P by Discre	ete Analyser							
Total Phosphorus as P		0.01	mg/L	0.07	0.10	0.11	0.09	
EK071G: Reactive Phosphorus as P by dis	screte analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms		1	CFU/100mL	~14000	4500	1600	7600	

ALS Laboratory Group

ANALYTICAL CHEMISTRY & TESTING SERVICES

\$.



CERTIFICATE OF ANALYSIS

BATCH NUMBER: CLIENT: ES1727794 MARINE POLLUTION RESEARCH PTY LTD

ADDRESS:

CONTACT:

PO BOX 279 CHURCH POINT: SYDNEY NSW 2105 MR PAUL ANINK (imetro)

ANALYSIS: Non Filterable Phosphorus

Sub-Matrix			WATER	WATER	WATER	WATER
Sample Name	Sample Name		NC3-U	NC4-U	NC5-U	53C-ESC-U
Depth Type						
Depth in metres		····				
Analyte			6/11/2017	6/11/2017	6/11/2017	6/11/2017
			0:00	0:00	0:00	0:00
	Units [°]	Rep.	ES1727794-	ES1727794-	ES1727794-	ES1727794-
		LOR	001	002	003	004
Non Filterable	mg/L	0.01	0.04	0.04	0.03	0.03
Phosphorus						
(mg/L)						



CERTIFICATE OF ANALYSIS

Work Order	ES1804021	Page	: 1 of 11
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	: Environmental Division Sydney
Contact	: MR PAUL ANINK	Contact	: Customer Services ES
Address	: PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 06-Feb-2018 16:45
Order number	:	Date Analysis Commenced	: 07-Feb-2018
C-O-C number	:	Issue Date	: 12-Feb-2018 17:12
Sampler	: JACOB BROOM (gmail)		Hac-MRA NATA
Site	:		
Quote number	: EN/222/17		The Adult
No. of samples received	: 6		Accreditation No. 825
No. of samples analysed	: 6		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW
Sunitha Kannampilli	Phycologist	Sydney Phycology, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

- ø = ALS is not NATA accredited for these tests
- ~ = Indicates an estimated value.
- Results apply to sample(s) as submitted.
- MF = membrane filtration
- CFU = colony forming unit
- It has been noted that filtered TP is greater than Reactive P for sample 1, however this difference is within the limits of experimental variation.
- KEY: PTP=Potential Toxin Producers
 ; ND=Not Detected; NS=Not Specified
 : cf. = comparable from
- Samples were preserved with Lugols lodine solution.
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- Membrane filtration results for MW006 for No. 3 are reported as an estimate (~) due to the presence of many non-target organism colonies that may have inhibited the growth of the target organisms on the filter membrane. It may be informative to record this fact.
- Note: Recent reports from Australia have included Geitlerinema spp. as a Potential Toxin Producer (PTP); however, the toxins produced by this spp. is currently unknown
- Under microscopic observation, debris present is sample#01, #02 and #03
- MW006 is ALS's internal code and is equivalent to AS4276.7.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero.

Page : 3 of 11 Work Order : ES1804021 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: SEDIMENT (Matrix: SOIL)	Client sample ID		NC3	NC4	NC5				
	Cli	ient sampliı	ng date / time	06-Feb-2018 00:00	06-Feb-2018 00:00	06-Feb-2018 00:00			
Compound	CAS Number	LOR	Unit	ES1804021-004	ES1804021-005	ES1804021-006			
				Result	Result	Result			
EA055: Moisture Content (Dried @ 105-1	10°C)								
Moisture Content		1.0	%	22.1	28.8	43.4			
EG005T: Total Metals by ICP-AES									
Arsenic	7440-38-2	5	mg/kg	<5	<5	<5			
Chromium	7440-47-3	2	mg/kg	<2	<2	8			
Copper	7440-50-8	5	mg/kg	<5	<5	25			
Lead	7439-92-1	5	mg/kg	<5	<5	19			
Zinc	7440-66-6	5	mg/kg	14	24	255			
EG035T: Total Recoverable Mercury by I	FIMS								
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	<0.1			
EP066: Polychlorinated Biphenyls (PCB)									
Total Polychlorinated biphenyls		0.1	mg/kg	<0.1	<0.1	<0.1			
EP068A: Organochlorine Pesticides (OC)									
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.05			
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.05			
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.05			
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.05			
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.05			
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.05			
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.05			
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.05			
^ Total Chlordane (sum)		0.05	mg/kg	<0.05	<0.05	<0.05			
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	<0.05			
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.05			
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	<0.05			
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05			
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.05			
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.05			
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.05			
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	<0.05			
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.05			
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.05			
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.05			
4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	<0.2			
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	<0.05			

Page : 4 of 11 Work Order : ES1804021 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: SEDIMENT (Matrix: SOIL)		Clie	ent sample ID	NC3	NC4	NC5	
	Cli	ient sampli	ng date / time	06-Feb-2018 00:00	06-Feb-2018 00:00	06-Feb-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1804021-004	ES1804021-005	ES1804021-006	
				Result	Result	Result	
EP068A: Organochlorine Pesticides	(OC) - Continued						
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	<0.2	
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5	0.05	mg/kg	<0.05	<0.05	<0.05	
	0-2						
EP066S: PCB Surrogate							
Decachlorobiphenyl	2051-24-3	0.1	%	115	130	103	
EP068S: Organochlorine Pesticide S	urrogate						
Dibromo-DDE	21655-73-2	0.05	%	92.1	110	108	
EP068T: Organophosphorus Pesticio							
DEF	78-48-8	0.05	%	73.3	86.1	87.9	

Page : 5 of 11 Work Order : ES1804021 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	Client sample ID			NC3	NC4	NC5		
	Cl	ient sampli	ng date / time	06-Feb-2018 00:00	06-Feb-2018 00:00	06-Feb-2018 00:00		
Compound	CAS Number	LOR	Unit	ES1804021-001	ES1804021-002	ES1804021-003		
				Result	Result	Result		
EA015: Total Dissolved Solids dried at	180 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	189	192	171		
EA025: Total Suspended Solids dried a	t 104 ± 2°C							
Suspended Solids (SS)		5	mg/L	<5	<5	6		
ED093F: SAR and Hardness Calculation	าร							
Total Hardness as CaCO3		1	mg/L	100	69	61		
EG020T: Total Metals by ICP-MS								
Arsenic	7440-38-2	1	μg/L	1	<1	5		
Chromium	7440-47-3	1	μg/L	<1	<1	<1		
Copper	7440-50-8	1	μg/L	2	<1	<1		
Lead	7439-92-1	1	μg/L	<1	<1	<1		
Zinc	7440-66-6	5	µg/L	7	<5	9		
EG035T: Total Recoverable Mercury by	/ FIMS							
Mercury	7439-97-6	0.1	µg/L	<0.1	<0.1	<0.1		
EK055G: Ammonia as N by Discrete An	alyser							
Ammonia as N	7664-41-7	0.01	mg/L	<0.01	0.03	0.02		
EK057G: Nitrite as N by Discrete Analy	ser							
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01		
EK058G: Nitrate as N by Discrete Analy	/ser							
Nitrate as N	14797-55-8	0.01	mg/L	0.01	<0.01	<0.01		
EK059G: Nitrite plus Nitrate as N (NOx)	by Discrete Ana	lyser						
Nitrite + Nitrate as N		0.01	mg/L	0.01	<0.01	<0.01		
EK061G: Total Kieldahl Nitrogen By Dis	crete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.4	0.6	0.5		
EK062G: Total Nitrogen as N (TKN + NC	() () by Discrete Ar	nalvser						
^ Total Nitrogen as N		0.1	mg/L	0.4	0.6	0.5		
EK067FG: Filtered Total Phosphorus as	P by Discrete An	nalvser						
Filtered Total Phosphorus as P		10	µg/L	<10	50	100		
EK067G: Total Phosphorus as P by Dis	crete Analyser							
Total Phosphorus as P		10	µg/L	20	80	120		
EK071G: Reactive Phosphorus as P by	discrete analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.01	0.02	0.03		
EP008: Chlorophyll a & Pheophytin a	i i melitika til							
Chlorophyll a		0.001	mg/L	0.009	0.003	0.006		
· · ·			-		Į	<u>.</u>	<u>.</u>	

Page : 6 of 11 Work Order : ES1804021 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	Client sample ID			NC3	NC4	NC5	
	Client sampling date / time		06-Feb-2018 00:00	06-Feb-2018 00:00	06-Feb-2018 00:00	 	
Compound	CAS Number	LOR	Unit	ES1804021-001	ES1804021-002	ES1804021-003	
				Result	Result	Result	
EP020: Oil and Grease (O&G)							
Oil & Grease		5	mg/L	<5	<5	<5	
EP066: Polychlorinated Biphenyls (PCB)							
Total Polychlorinated biphenyls		1	µg/L	<1	<1	<1	
EP068A: Organochlorine Pesticides (OC)							
alpha-BHC	319-84-6	0.5	µg/L	<0.5	<0.5	<0.5	
Hexachlorobenzene (HCB)	118-74-1	0.5	µg/L	<0.5	<0.5	<0.5	
beta-BHC	319-85-7	0.5	µg/L	<0.5	<0.5	<0.5	
gamma-BHC	58-89-9	0.5	µg/L	<0.5	<0.5	<0.5	
delta-BHC	319-86-8	0.5	µg/L	<0.5	<0.5	<0.5	
Heptachlor	76-44-8	0.5	µg/L	<0.5	<0.5	<0.5	
Aldrin	309-00-2	0.5	µg/L	<0.5	<0.5	<0.5	
Heptachlor epoxide	1024-57-3	0.5	µg/L	<0.5	<0.5	<0.5	
trans-Chlordane	5103-74-2	0.5	µg/L	<0.5	<0.5	<0.5	
alpha-Endosulfan	959-98-8	0.5	µg/L	<0.5	<0.5	<0.5	
cis-Chlordane	5103-71-9	0.5	µg/L	<0.5	<0.5	<0.5	
Dieldrin	60-57-1	0.5	µg/L	<0.5	<0.5	<0.5	
4.4`-DDE	72-55-9	0.5	µg/L	<0.5	<0.5	<0.5	
Endrin	72-20-8	0.5	µg/L	<0.5	<0.5	<0.5	
beta-Endosulfan	33213-65-9	0.5	µg/L	<0.5	<0.5	<0.5	
4.4`-DDD	72-54-8	0.5	µg/L	<0.5	<0.5	<0.5	
Endrin aldehyde	7421-93-4	0.5	µg/L	<0.5	<0.5	<0.5	
Endosulfan sulfate	1031-07-8	0.5	µg/L	<0.5	<0.5	<0.5	
4.4`-DDT	50-29-3	2.0	µg/L	<2.0	<2.0	<2.0	
Endrin ketone	53494-70-5	0.5	µg/L	<0.5	<0.5	<0.5	
Methoxychlor	72-43-5	2.0	µg/L	<2.0	<2.0	<2.0	
^ Total Chlordane (sum)		0.5	µg/L	<0.5	<0.5	<0.5	
^ Sum of DDD + DDE + DDT 7	2-54-8/72-55-9/5	0.5	µg/L	<0.5	<0.5	<0.5	
	0-2						
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.5	µg/L	<0.5	<0.5	<0.5	
EP068B: Organophosphorus Pesticides (OP)						
Dichlorvos	62-73-7	0.5	µg/L	<0.5	<0.5	<0.5	
Demeton-S-methyl	919-86-8	0.5	µg/L	<0.5	<0.5	<0.5	
Monocrotophos	6923-22-4	2.0	µg/L	<2.0	<2.0	<2.0	
Dimethoate	60-51-5	0.5	µg/L	<0.5	<0.5	<0.5	

Page : 7 of 11 Work Order : ES1804021 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	Cl	ient sample ID	NC3	NC4	NC5	
	Client samp	ling date / time	06-Feb-2018 00:00	06-Feb-2018 00:00	06-Feb-2018 00:00	
Compound CAS Num	er LOR	Unit	ES1804021-001	ES1804021-002	ES1804021-003	
			Result	Result	Result	
EP068B: Organophosphorus Pesticides (OP) - Continu	ed					
Diazinon 333-4	-5 0.5	µg/L	<0.5	<0.5	<0.5	
Chlorpyrifos-methyl 5598-1	-0 0.5	µg/L	<0.5	<0.5	<0.5	
Parathion-methyl 298-0	-0 2.0	µg/L	<2.0	<2.0	<2.0	
Malathion 121-7	-5 0.5	µg/L	<0.5	<0.5	<0.5	
Fenthion 55-3	-9 0.5	µg/L	<0.5	<0.5	<0.5	
Chlorpyrifos 2921-8	-2 0.5	µg/L	<0.5	<0.5	<0.5	
Parathion 56-3	-2 2.0	µg/L	<2.0	<2.0	<2.0	
Pirimphos-ethyl 23505-4	-1 0.5	µg/L	<0.5	<0.5	<0.5	
Chlorfenvinphos 470-9	-6 0.5	µg/L	<0.5	<0.5	<0.5	
Bromophos-ethyl 4824-7	-6 0.5	µg/L	<0.5	<0.5	<0.5	
Fenamiphos 22224-9	-6 0.5	µg/L	<0.5	<0.5	<0.5	
Prothiofos 34643-4	-4 0.5	µg/L	<0.5	<0.5	<0.5	
Ethion 563-1	-2 0.5	µg/L	<0.5	<0.5	<0.5	
Carbophenothion 786-1	-6 0.5	µg/L	<0.5	<0.5	<0.5	
Azinphos Methyl 86-5	-0 0.5	µg/L	<0.5	<0.5	<0.5	
EP075(SIM)A: Phenolic Compounds						
Phenol 108-9	-2 1.0	µg/L	<1.0	<1.0	<1.0	
2-Chlorophenol 95-5	-8 1.0	µg/L	<1.0	<1.0	<1.0	
2-Methylphenol 95-4	-7 1.0	µg/L	<1.0	<1.0	<1.0	
3- & 4-Methylphenol 1319-7	-3 2.0	µg/L	<2.0	<2.0	<2.0	
2-Nitrophenol 88-7	-5 1.0	µg/L	<1.0	<1.0	<1.0	
2.4-Dimethylphenol 105-6	-9 1.0	µg/L	<1.0	<1.0	<1.0	
2.4-Dichlorophenol 120-8	-2 1.0	µg/L	<1.0	<1.0	<1.0	
2.6-Dichlorophenol 87-6	-0 1.0	µg/L	<1.0	<1.0	<1.0	
4-Chloro-3-methylphenol 59-5	-7 1.0	µg/L	<1.0	<1.0	<1.0	
2.4.6-Trichlorophenol 88-0	-2 1.0	µg/L	<1.0	<1.0	<1.0	
2.4.5-Trichlorophenol 95-9	-4 1.0	µg/L	<1.0	<1.0	<1.0	
Pentachlorophenol 87-8	-5 2.0	µg/L	<2.0	<2.0	<2.0	
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons						
Naphthalene 91-2	-3 1.0	µg/L	<1.0	<1.0	<1.0	
Acenaphthylene 208-9	-8 1.0	µg/L	<1.0	<1.0	<1.0	
Acenaphthene 83-3	-9 1.0	µg/L	<1.0	<1.0	<1.0	
Fluorene 86-7	-7 1.0	µg/L	<1.0	<1.0	<1.0	
Phenanthrene 85-0	-8 1.0	μg/L	<1.0	<1.0	<1.0	

Page : 8 of 11 Work Order : ES1804021 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC3	NC4	NC5	
	Client sampling date / time		06-Feb-2018 00:00	06-Feb-2018 00:00	06-Feb-2018 00:00	 	
Compound CAS	Number	LOR	Unit	ES1804021-001	ES1804021-002	ES1804021-003	
				Result	Result	Result	
EP075(SIM)B: Polynuclear Aromatic Hydrocarbo	ns - Conti	nued					
Anthracene	20-12-7	1.0	µg/L	<1.0	<1.0	<1.0	
Fluoranthene 2	06-44-0	1.0	µg/L	<1.0	<1.0	<1.0	
Pyrene	29-00-0	1.0	µg/L	<1.0	<1.0	<1.0	
Benz(a)anthracene	56-55-3	1.0	µg/L	<1.0	<1.0	<1.0	
Chrysene 2	18-01-9	1.0	µg/L	<1.0	<1.0	<1.0	
Benzo(b+j)fluoranthene 205-99-2 2	05-82-3	1.0	µg/L	<1.0	<1.0	<1.0	
Benzo(k)fluoranthene	07-08-9	1.0	µg/L	<1.0	<1.0	<1.0	
Benzo(a)pyrene	50-32-8	0.5	μg/L	<0.5	<0.5	<0.5	
Indeno(1.2.3.cd)pyrene	93-39-5	1.0	μg/L	<1.0	<1.0	<1.0	
Dibenz(a.h)anthracene	53-70-3	1.0	μg/L	<1.0	<1.0	<1.0	
Benzo(g.h.i)perylene	91-24-2	1.0	µg/L	<1.0	<1.0	<1.0	
^ Sum of polycyclic aromatic hydrocarbons		0.5	µg/L	<0.5	<0.5	<0.5	
^ Benzo(a)pyrene TEQ (zero)		0.5	µg/L	<0.5	<0.5	<0.5	
MW006: Faecal Coliforms & E.coli by MF							
Faecal Coliforms		1	CFU/100mL	~18000	420	~230	
MW024: Bacillariophytes (Diatoms) - Centrales							
Cyclotella spp.		5	cells/ml	25	75	50	
Melosira spp.		5	cells/ml	150			
MW024: Bacillariophytes (Diatoms) - Pennales							
Amphora spp.		5	cells/ml	50			
Cylindrotheca closterium		5	cells/ml	125	25		
Fragilaria spp.		5	cells/ml	225			
Navicula spp.		5	cells/ml	25		50	
Nitzschia spp.		5	cells/ml	350	25	15	
MW024: Bacillariophytes (Diatoms) - TOTAL BAC	ILLARIC	PHYTES					
Total Bacillariophytes		5	cells/ml	950	125	115	
MW024: Chlorophytes (Green Algae) - Chlorococ	cales						
Ankistrodesmus spp.		5	cells/ml	100			
Coelastrum spp.		5	cells/ml	175			
Dictyosphaerium spp.		5	cells/ml	450		400	
Kirchneriella spp.		5	cells/ml	75			
Monoraphidium spp.		5	cells/ml	75	25		
Oocystis spp.		5	cells/ml	75	50	25	
Scenedesmus spp.		5	cells/ml	700	575	175	

Page : 9 of 11 Work Order : ES1804021 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	Client sample ID			NC3	NC4	NC5	
	Client sampling date / time			06-Feb-2018 00:00	06-Feb-2018 00:00	06-Feb-2018 00:00	
Compound C.	AS Number	LOR	Unit	ES1804021-001	ES1804021-002	ES1804021-003	
				Result	Result	Result	
MW024: Chlorophytes (Green Algae) - Chloro	coccales - C	ontinued					
Sphaerocystis spp.		5	cells/ml	25	25		
Tetraedron spp.		5	cells/ml	25			
MW024: Chlorophytes (Green Algae) - TOTAL	CHLOROPI	HYTES					
Total Chlorophytes		5	cells/ml	1880	705	600	
MW024: Chlorophytes (Green Algae) - Volvoc	ales						
Chlamydomonas spp.		5	cells/ml	175	25		
MW024: Chlorophytes (Green Algae) - Zygnen	natales						
Closterium spp.		5	cells/ml	10	5		
MW024: Cyanophytes (Blue Green Algae) - Ch	nroococcale	s					
Chroococcus spp.		5	cells/ml	100			
Merismopedia spp.		5	cells/ml	100			
Microcystis spp.		5	cells/ml	600			
Radiocystis spp.		5	cells/ml			750	
Total Chroococcales		5	cells/ml	800		1600	
Aphanocapsa spp. > 2µm		5	cells/ml			850	
MW024: Cyanophytes (Blue Green Algae) - No	ostocales						
Unidentified Nostocales		5	cells/ml		90		
Total Nostocales		5	cells/ml		90		
MW024: Cyanophytes (Blue Green Algae) - Os	scillatoriales	5					
Geitlerinema spp.		5	cells/ml		480		
Pseudanabaena spp.		5	cells/ml	1100	825	450	
Total Oscillatoriales		5	cells/ml	1100	1300	450	
MW024: Cyanophytes (Blue Green Algae) - TC	OTAL CYAN	OPHYTE	6				
Total Cyanophytes		5	cells/ml	1900	1400	2050	
MW024: Cyanophytes (Blue Green Algae) - TC	OTAL POTE	TIALLY	TOXIC CYANG	OPHYTES			
Total Potentially Toxic Cyanophytes		5	cells/ml	<5	480	<5	
MW024: Flagellates - Cryptophytes							
Chroomonas spp.		5	cells/ml			25	
Cryptomonas spp.		5	cells/ml	50	100	75	
MW024: Flagellates - Euglenophytes							
Euglena spp.		5	cells/ml	25	50	175	
Phacus spp.		5	cells/ml			25	
Trachelomonas spp.		5	cells/ml	25			

Page : 10 of 11 Work Order : ES1804021 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	Client sample ID			NC3	NC4	NC5		
	Client sampling date / time			06-Feb-2018 00:00	06-Feb-2018 00:00	06-Feb-2018 00:00		
Compound	CAS Number	LOR	Unit	ES1804021-001	ES1804021-002	ES1804021-003		
				Result	Result	Result		
MW024: Flagellates - TOTAL FLAGELLAT	ES							
Total Flagellates		5	cells/ml	100	150	300		
MW024T: TOTAL ALGAE								
Total Algae Count		5	cells/ml	4840	2380	3060		
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	1	%	127	118	104		
EP068S: Organochlorine Pesticide Surrogate								
Dibromo-DDE	21655-73-2	0.5	%	105	104	91.0		
EP068T: Organophosphorus Pesticide Su	urrogate							
DEF	78-48-8	0.5	%	106	97.9	83.7		
EP075(SIM)S: Phenolic Compound Surroy	gates							
Phenol-d6	13127-88-3	1.0	%	22.0	18.5	19.6		
2-Chlorophenol-D4	93951-73-6	1.0	%	49.8	46.2	50.6		
2.4.6-Tribromophenol	118-79-6	1.0	%	48.8	44.1	43.6		
EP075(SIM)T: PAH Surrogates								
2-Fluorobiphenyl	321-60-8	1.0	%	71.3	61.2	71.2		
Anthracene-d10	1719-06-8	1.0	%	96.2	91.8	67.6		
4-Terphenyl-d14	1718-51-0	1.0	%	96.8	92.5	85.6		



Surrogate Control Limits

Sub-Matrix: SEDIMENT		Recover	y Limits (%)
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	39	149
EP068S: Organochlorine Pesticide Surro	ogate		
Dibromo-DDE	21655-73-2	49	147
EP068T: Organophosphorus Pesticide S	urrogate		
DEF	78-48-8	35	143
Sub-Matrix: WATER		Recover	y Limits (%)
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	29	129
EP068S: Organochlorine Pesticide Surro	ogate		
Dibromo-DDE	21655-73-2	67	111
EP068T: Organophosphorus Pesticide S	urrogate		
DEF	78-48-8	67	111
EP075(SIM)S: Phenolic Compound Surro	ogates		
Phenol-d6	13127-88-3	10	44
2-Chlorophenol-D4	93951-73-6	14	94
2.4.6-Tribromophenol	118-79-6	17	125
EP075(SIM)T: PAH Surrogates			
2-Fluorobiphenyl	321-60-8	20	104
Anthracene-d10	1719-06-8	27	113
4-Terphenyl-d14	1718-51-0	32	112


Work Order	ES1808499	Page	: 1 of 3
Client	: MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR PAUL ANINK	Contact	: Customer Services ES
Address	PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project		Date Samples Received	: 21-Mar-2018 15:00
Order number	:	Date Analysis Commenced	: 22-Mar-2018
C-O-C number	:	Issue Date	: 28-Mar-2018 19:03
Sampler	: JACOB BROOM (gmail)		Hac-MRA NATA
Site	:		
Quote number	: EN/222/17		The Adult
No. of samples received	: 3		Accredited for compliance with
No. of samples analysed	: 3		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC3-U	NC4-U	NC5-U	
	Clie	ent sampli	ng date / time	21-Mar-2018 00:00	21-Mar-2018 00:00	21-Mar-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1808499-001	ES1808499-002	ES1808499-003	
				Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	0 ± 5 °C						
Total Dissolved Solids @180°C		10	mg/L	202	204	221	
EA025: Total Suspended Solids dried at 1	04 ± 2°C						
Suspended Solids (SS)		5	mg/L	<5	<5	<5	
EK055G: Ammonia as N by Discrete Analy	/ser						
Ammonia as N	7664-41-7	0.01	mg/L	0.02	0.02	<0.01	
EK057G: Nitrite as N by Discrete Analyse	r						
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyse	ər						
Nitrate as N	14797-55-8	0.01	mg/L	0.11	0.18	0.14	
EK059G: Nitrite plus Nitrate as N (NOx) b	y Discrete Anal	yser					
Nitrite + Nitrate as N		0.01	mg/L	0.11	0.18	0.14	
EK061G: Total Kjeldahl Nitrogen By Discr	ete Analyser						
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.3	0.4	0.4	
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete Ana	alyser					
^ Total Nitrogen as N		0.1	mg/L	0.4	0.6	0.5	
EK067FG: Filtered Total Phosphorus as P	by Discrete Ana	alyser					
Filtered Total Phosphorus as P		0.01	mg/L	0.01	0.03	0.03	
EK067G: Total Phosphorus as P by Discre	ete Analyser						
Total Phosphorus as P		0.01	mg/L	0.02	0.04	0.04	
EK071G: Reactive Phosphorus as P by dis	screte analyser						
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.01	0.02	0.02	
MW006: Faecal Coliforms & E.coli by MF							
Faecal Coliforms		1	CFU/100mL	1400	2800	2000	



Work Order	ES1808753	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR PAUL ANINK (imetro)	Contact	: Customer Services ES
Address	: PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project		Date Samples Received	: 23-Mar-2018 13:09
Order number	:	Date Analysis Commenced	: 23-Mar-2018
C-O-C number	;	Issue Date	29-Mar-2018 18:05
Sampler	: JACOB BROOM (hotmail)		HALA NALA
Site	:		
Quote number	: EN/222/17		According No. 825
No. of samples received	: 3		Accreditation No. 825
No. of samples analysed	: 3		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Somlok Chai	Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1808753 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC3-D	NC4-D	NC5-D	
	Clie	ent samplii	ng date / time	23-Mar-2018 00:00	23-Mar-2018 00:00	23-Mar-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1808753-001	ES1808753-002	ES1808753-003	
				Result	Result	Result	
EA015: Total Dissolved Solids dried at 180) ± 5 °C						
Total Dissolved Solids @180°C		10	mg/L	224	206	202	
EA025: Total Suspended Solids dried at 10	04 ± 2°C						
Suspended Solids (SS)		5	mg/L	<5	<5	<5	
EK055G: Ammonia as N by Discrete Analy	vser						
Ammonia as N	7664-41-7	0.01	mg/L	0.05	0.12	0.06	
EK057G: Nitrite as N by Discrete Analyse	r						
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	0.02	<0.01	
EK058G: Nitrate as N by Discrete Analyse	r						
Nitrate as N	14797-55-8	0.01	mg/L	0.06	0.05	0.05	
EK059G: Nitrite plus Nitrate as N (NOx) b	y Discrete Anal	yser					
Nitrite + Nitrate as N		0.01	mg/L	0.06	0.07	0.05	
EK061G: Total Kjeldahl Nitrogen By Discre	ete Analyser						
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.2	0.3	0.1	
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete An	alyser					
^ Total Nitrogen as N		0.1	mg/L	0.3	0.4	0.2	
EK067FG: Filtered Total Phosphorus as P	by Discrete An	alyser					
Filtered Total Phosphorus as P		0.01	mg/L	0.01	0.02	0.04	
EK067G: Total Phosphorus as P by Discre	te Analyser						
Total Phosphorus as P		0.01	mg/L	0.02	0.03	0.05	
EK071G: Reactive Phosphorus as P by dis	screte analyser						
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	<0.01	
MW006: Faecal Coliforms & E.coli by MF							
Faecal Coliforms		1	CFU/100mL	330	710	270	



Work Order	ES1813538	Page	: 1 of 3	
Client	: MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney	
Contact	: MR PAUL ANINK (imetro)	Contact	: Customer Services ES	
Address	: PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia	2164
	SYDNEY NSW 2105			
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555	
Project	:	Date Samples Received	: 11-May-2018 13:20	
Order number	:	Date Analysis Commenced	12-May-2018	
C-O-C number	:	Issue Date	17-May-2018 15:18	NATA
Sampler	: JACOB BROOM (gmail)		Hac-MRA	NAIA
Site	:			
Quote number	: EN/222/17		" International States	Appreditation No. 825
No. of samples received	: 3		Accredi	ited for compliance with
No. of samples analysed	: 3			ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1813538 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC3	NC4	NC5	
	Clie	ent samplii	ng date / time	11-May-2018 00:00	11-May-2018 00:00	11-May-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1813538-001	ES1813538-002	ES1813538-003	
				Result	Result	Result	
EA015: Total Dissolved Solids dried at 180) ± 5 °C						
Total Dissolved Solids @180°C		10	mg/L	294	278	324	
EA025: Total Suspended Solids dried at 10	04 ± 2°C						
Suspended Solids (SS)		5	mg/L	<5	<5	<5	
EK055G: Ammonia as N by Discrete Analy	vser						
Ammonia as N	7664-41-7	0.01	mg/L	0.04	0.39	0.09	
EK057G: Nitrite as N by Discrete Analyser	r						
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyse	r						
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	<0.01	0.07	
EK059G: Nitrite plus Nitrate as N (NOx) b	y Discrete Analy	yser					
Nitrite + Nitrate as N		0.01	mg/L	<0.01	<0.01	0.07	
EK061G: Total Kjeldahl Nitrogen By Discre	ete Analyser						
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.3	0.6	0.3	
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete Ana	alyser					
^ Total Nitrogen as N		0.1	mg/L	0.3	0.6	0.4	
EK067FG: Filtered Total Phosphorus as P	by Discrete Ana	alyser					
Filtered Total Phosphorus as P		0.01	mg/L	<0.01	0.03	0.01	
EK067G: Total Phosphorus as P by Discre	te Analyser						
Total Phosphorus as P		0.01	mg/L	0.02	0.06	0.02	
EK071G: Reactive Phosphorus as P by dis	screte analyser						
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.01	0.01	<0.01	
MW006: Faecal Coliforms & E.coli by MF							
Faecal Coliforms		1	CFU/100mL	65	~16000	42	



Work Order	ES1823842	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	: Environmental Division Sydney
Contact	: MR PAUL ANINK	Contact	: Customer Services ES
Address	: PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 14-Aug-2018 16:15
Order number	:	Date Analysis Commenced	: 15-Aug-2018
C-O-C number	:	Issue Date	: 17-Aug-2018 20:25
Sampler	: Jacob Broom		Hac-MRA NATA
Site	:		
Quote number	: EN/222/17		Apprediction No. 835
No. of samples received	: 4		Accredited for compliance with
No. of samples analysed	: 4		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1823842 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Cli	ent sample ID	NC3	NC4	NC4.5	NC5	
	Cli	ent sampli	ng date / time	14-Aug-2018 00:00	14-Aug-2018 00:00	14-Aug-2018 00:00	14-Aug-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1823842-001	ES1823842-002	ES1823842-003	ES1823842-004	
				Result	Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	0 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	336	310	361	364	
EA025: Total Suspended Solids dried at 1	04 ± 2°C							
Suspended Solids (SS)		5	mg/L	<5	<5	52	12	
EK055G: Ammonia as N by Discrete Analy	yser							
Ammonia as N	7664-41-7	0.01	mg/L	0.31	0.01	0.06	0.05	
EK057G: Nitrite as N by Discrete Analyse	r							
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyse	er							
Nitrate as N	14797-55-8	0.01	mg/L	0.11	0.01	0.03	0.10	
EK059G: Nitrite plus Nitrate as N (NOx) b	by Discrete Ana	lyser						
Nitrite + Nitrate as N		0.01	mg/L	0.11	0.01	0.03	0.10	
EK061G: Total Kjeldahl Nitrogen By Discr	ete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.4	0.1	1.8	0.6	
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete An	alyser						
^ Total Nitrogen as N		0.1	mg/L	0.5	0.1	1.8	0.7	
EK067FG: Filtered Total Phosphorus as P	by Discrete An	alyser						
Filtered Total Phosphorus as P		0.01	mg/L	0.02	0.02	0.06	0.03	
EK067G: Total Phosphorus as P by Discre	ete Analyser							
Total Phosphorus as P		0.01	mg/L	0.02	0.02	0.23	0.07	
EK071G: Reactive Phosphorus as P by dis	screte analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms		1	CFU/100mL	~8	<1	100	50	



Work Order	ES1827935	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR PAUL ANINK	Contact	: Customer Services ES
Address	EPO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project		Date Samples Received	: 20-Sep-2018 15:34
Order number	:	Date Analysis Commenced	: 21-Sep-2018
C-O-C number	:	Issue Date	26-Sep-2018 18:45
Sampler	: JACOB BROOM		Hac-MRA NATA
Site			
Quote number	: EN/222		Appreciation No. 825
No. of samples received	: 4		Accreditation No. 825
No. of samples analysed	: 4		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1827935 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC3	NC4	NC4.5	NC5	
	Clie	ent sampli	ng date / time	20-Sep-2018 00:00	20-Sep-2018 00:00	20-Sep-2018 00:00	20-Sep-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1827935-001	ES1827935-002	ES1827935-003	ES1827935-004	
				Result	Result	Result	Result	
EA015: Total Dissolved Solids dried at 1	80 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	198	289	269	314	
EA025: Total Suspended Solids dried at	104 ± 2°C							
Suspended Solids (SS)		5	mg/L	<5	<5	<5	18	
EK055G: Ammonia as N by Discrete Ana	lyser							
Ammonia as N	7664-41-7	0.01	mg/L	0.04	0.02	0.03	0.04	
EK057G: Nitrite as N by Discrete Analys	er							
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analys	ser							
Nitrate as N	14797-55-8	0.01	mg/L	0.05	0.06	0.09	0.04	
EK059G: Nitrite plus Nitrate as N (NOx)	by Discrete Anal	yser						
Nitrite + Nitrate as N		0.01	mg/L	0.05	0.06	0.09	0.04	
EK061G: Total Kjeldahl Nitrogen By Disc	rete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.2	0.3	0.3	0.3	
EK062G: Total Nitrogen as N (TKN + NO)	<) by Discrete An	alyser						
^ Total Nitrogen as N		0.1	mg/L	0.2	0.4	0.4	0.3	
EK067FG: Filtered Total Phosphorus as	P by Discrete An	alyser						
Filtered Total Phosphorus as P		0.01	mg/L	0.03	0.04	0.03	0.03	
EK067G: Total Phosphorus as P by Disc	rete Analyser							
Total Phosphorus as P		0.01	mg/L	0.04	0.05	0.04	0.05	
EK071G: Reactive Phosphorus as P by d	liscrete analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	0.02	0.01	<0.01	
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms		1	CFU/100mL	1800	~1100	540	210	



Work Order	ES1828050	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR JACOB BROOM (gmail)	Contact	: Customer Services ES
Address	EPO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 21-Sep-2018 12:50
Order number	:	Date Analysis Commenced	: 21-Sep-2018
C-O-C number	:	Issue Date	27-Sep-2018 16:05
Sampler	: JACOB BROOM (gmail)		Hac-MRA NATA
Site	:		
Quote number	: EN/222		According to A
No. of samples received	: 4		Accredited for compliance with
No. of samples analysed	: 4		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1828050 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER		Cli	ent sample ID	NC3-D	NC4-D	NC4.5-D	NC5-D	
	Cli	ient sampli	ing date / time	21-Sep-2018 00:00	21-Sep-2018 00:00	21-Sep-2018 00:00	21-Sep-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1828050-001	ES1828050-002	ES1828050-003	ES1828050-004	
				Result	Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	30 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	215	240	274	290	
EA025: Total Suspended Solids dried at	104 ± 2°C							
Suspended Solids (SS)		5	mg/L	<5	<5	<5	9	
EK055G: Ammonia as N by Discrete Anal	yser							
Ammonia as N	7664-41-7	0.01	mg/L	0.09	<0.01	0.03	0.04	
EK057G: Nitrite as N by Discrete Analyse	er							
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analys	er							
Nitrate as N	14797-55-8	0.01	mg/L	0.04	0.01	<0.01	0.05	
EK059G: Nitrite plus Nitrate as N (NOx)	by Discrete Ana	lyser						
Nitrite + Nitrate as N		0.01	mg/L	0.04	0.01	<0.01	0.05	
EK061G: Total Kjeldahl Nitrogen By Disc	rete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.2	0.3	0.3	0.3	
EK062G: Total Nitrogen as N (TKN + NOx) by Discrete An	nalyser						
^ Total Nitrogen as N		0.1	mg/L	0.2	0.3	0.3	0.4	
EK067FG: Filtered Total Phosphorus as I	P by Discrete An	alyser						
Filtered Total Phosphorus as P		0.01	mg/L	<0.01	0.01	0.01	0.01	
EK067G: Total Phosphorus as P by Discr	ete Analyser							
Total Phosphorus as P		0.01	mg/L	0.01	0.02	0.01	0.02	
EK071G: Reactive Phosphorus as P by d	iscrete analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	<0.01	<0.01	
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms		1	CFU/100mL	250	430	170	40	



Work Order	ES1835246	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR PAUL ANINK	Contact	: Customer Services ES
Address	EPO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project		Date Samples Received	: 26-Nov-2018 19:20
Order number	:	Date Analysis Commenced	: 27-Nov-2018
C-O-C number	:	Issue Date	: 03-Dec-2018 13:02
Sampler	: JACOB BROOM (gmail)		Hac-MRA NATA
Site	:		
Quote number	: EN/222		Apprediction No. 835
No. of samples received	: 3		Accredited for compliance with
No. of samples analysed	: 3		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Sarah Griffiths	Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- EK067G/EK067FG: It is recognised that Total Phosphorus is less than Filtered Total Phosphorus for samples 1 & 2. However, the difference is within experimental variation of the methods.
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1835246 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC 4	NC 4.5	NC 5	
	Clie	ent samplii	ng date / time	26-Nov-2018 00:00	26-Nov-2018 00:00	26-Nov-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1835246-001	ES1835246-002	ES1835246-003	
				Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	0 ± 5 °C						
Total Dissolved Solids @180°C		10	mg/L	298	335	366	
EA025: Total Suspended Solids dried at 1	04 ± 2°C						
Suspended Solids (SS)		5	mg/L	<5	8	6	
EK055G: Ammonia as N by Discrete Analy	/ser						
Ammonia as N	7664-41-7	0.01	mg/L	0.02	0.06	0.06	
EK057G: Nitrite as N by Discrete Analyse	r						
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01	
EK058G: Nitrate as N by Discrete Analyse	ər						
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	<0.01	<0.01	
EK059G: Nitrite plus Nitrate as N (NOx) b	y Discrete Anal	yser					
Nitrite + Nitrate as N		0.01	mg/L	<0.01	<0.01	<0.01	
EK061G: Total Kjeldahl Nitrogen By Discr	ete Analyser						
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.3	0.3	0.5	
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete Ana	alyser					
^ Total Nitrogen as N		0.1	mg/L	0.3	0.3	0.5	
EK067FG: Filtered Total Phosphorus as P	by Discrete Ana	alyser					
Filtered Total Phosphorus as P		0.01	mg/L	0.04	0.11	0.06	
EK067G: Total Phosphorus as P by Discre	ete Analyser						
Total Phosphorus as P		0.01	mg/L	0.04	0.11	0.08	
EK071G: Reactive Phosphorus as P by dis	screte analyser						
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	0.01	0.02	
MW006: Faecal Coliforms & E.coli by MF							
Faecal Coliforms		1	CFU/100mL	110	140	210	



Work Order	ES1835494	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR JACOB BROOM (gmail)	Contact	: Customer Services ES
Address	: PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 28-Nov-2018 11:00
Order number	:	Date Analysis Commenced	: 28-Nov-2018
C-O-C number	:	Issue Date	: 04-Dec-2018 17:32
Sampler	: JACOB BROOM (gmail)		Hac-MRA NATA
Site	:		
Quote number	: EN/222		Appreciation No. 835
No. of samples received	: 4		Accreditation No. 825
No. of samples analysed	: 4		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Sarah Griffiths	Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1835494 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Cli	ent sample ID	NC4_M	NC45_M	NC5_M	NC5_ESC_M	
	Cli	ient sampli	ing date / time	28-Nov-2018 00:00	28-Nov-2018 00:00	28-Nov-2018 00:00	28-Nov-2018 00:00	
Compound	CAS Number	LOR	Unit	ES1835494-001	ES1835494-002	ES1835494-003	ES1835494-004	
				Result	Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	0 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	302	330	324	310	
EA025: Total Suspended Solids dried at 1	04 ± 2°C							
Suspended Solids (SS)		5	mg/L	<5	17	71	143	
EK055G: Ammonia as N by Discrete Analy	yser							
Ammonia as N	7664-41-7	0.01	mg/L	0.04	0.11	0.06	0.05	
EK057G: Nitrite as N by Discrete Analyse	r							
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.01	0.03	
EK058G: Nitrate as N by Discrete Analyse	er							
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	0.02	0.57	1.20	
EK059G: Nitrite plus Nitrate as N (NOx) b	by Discrete Ana	lyser						
Nitrite + Nitrate as N		0.01	mg/L	<0.01	0.02	0.58	1.23	
EK061G: Total Kjeldahl Nitrogen By Discr	ete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.3	0.4	0.5	1.0	
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete An	nalyser						
^ Total Nitrogen as N		0.1	mg/L	0.3	0.4	1.1	2.2	
EK067FG: Filtered Total Phosphorus as P	by Discrete An	alyser						
Filtered Total Phosphorus as P		0.01	mg/L	0.03	0.16	0.27	0.24	
EK067G: Total Phosphorus as P by Discre	ete Analyser							
Total Phosphorus as P		0.01	mg/L	0.04	0.20	0.39	0.25	
EK071G: Reactive Phosphorus as P by di	screte analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	0.03	0.15	0.22	
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms		1	CFU/100mL	380	320	4800	8400	



Work Order	ES1835745	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR PAUL ANINK	Contact	: Customer Services ES
Address	EPO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 29-Nov-2018 16:15
Order number	:	Date Analysis Commenced	: 30-Nov-2018
C-O-C number	:	Issue Date	: 05-Dec-2018 16:10
Sampler	: JACOB BROOM		Hac-MRA NATA
Site	:		
Quote number	: EN/222		Appreciation No. 825
No. of samples received	: 4		Accreditation No. 825
No. of samples analysed	: 4		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Somlok Chai	Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- Membrane filtration results for MW006 are reported as an estimate (~) due to the growth of bacteria on the filter membrane being counted <10cfu and/or >100cfu and due to the presence of many non-target
 organism colonies that may have inhibited the growth of the target organisms on the filter membrane. It may be informative to record this fact.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1835745 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER		Cli	ent sample ID	NC4-D	NC4-5-D	NC5-ESC-D	NC5-D			
	Cl	ient sampli	ing date / time	29-Nov-2018 00:00	29-Nov-2018 00:00	29-Nov-2018 00:00	29-Nov-2018 00:00			
Compound	CAS Number	LOR	Unit	ES1835745-001	ES1835745-002	ES1835745-003	ES1835745-004			
				Result	Result	Result	Result			
EA015: Total Dissolved Solids dried at 180 ± 5 °C										
Total Dissolved Solids @180°C		10	mg/L	201	194	472	109			
EA025: Total Suspended Solids dried at	104 ± 2°C									
Suspended Solids (SS)		5	mg/L	<5	<5	<5	<5			
EK055G: Ammonia as N by Discrete Ana	lyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.01	0.02	0.10	0.04			
EK057G: Nitrite as N by Discrete Analyse	er									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.23	<0.01			
EK058G: Nitrate as N by Discrete Analys	er									
Nitrate as N	14797-55-8	0.01	mg/L	0.18	0.16	3.33	0.23			
EK059G: Nitrite plus Nitrate as N (NOx)	by Discrete Ana	lyser								
Nitrite + Nitrate as N		0.01	mg/L	0.18	0.16	3.56	0.23			
EK061G: Total Kjeldahl Nitrogen By Disc	rete Analyser									
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.5	0.5	1.2	0.5			
EK062G: Total Nitrogen as N (TKN + NOx) by Discrete Ar	nalyser								
^ Total Nitrogen as N		0.1	mg/L	0.7	0.7	4.8	0.7			
EK067FG: Filtered Total Phosphorus as I	P by Discrete An	alyser								
Filtered Total Phosphorus as P		0.01	mg/L	0.04	0.04	0.10	0.04			
EK067G: Total Phosphorus as P by Discr	rete Analyser									
Total Phosphorus as P		0.01	mg/L	0.05	0.05	0.12	0.06			
EK071G: Reactive Phosphorus as P by d	iscrete analyser									
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.03	0.03	0.10	0.03			
MW006: Faecal Coliforms & E.coli by MF										
Faecal Coliforms		1	CFU/100mL	~400	~480	~360	~100			



Work Order	ES1903393	Page	: 1 of 11
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR PAUL ANINK	Contact	: Customer Services ES
Address	: PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 04-Feb-2019 16:06
Order number	:	Date Analysis Commenced	: 05-Feb-2019
C-O-C number	:	Issue Date	: 13-Feb-2019 14:53
Sampler	: JACOB BROOM (gmail)		Hac-MRA NATA
Site	:		
Quote number	: EN/222		Appreciation No. 825
No. of samples received	: 6		Accreditation No. 825
No. of samples analysed	: 6		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Sunitha Kannampilli	Phycologist	Sydney Phycology, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

- ø = ALS is not NATA accredited for these tests
- ~ = Indicates an estimated value.
- Results apply to sample(s) as submitted.
- MF = membrane filtration
- CFU = colony forming unit
- EP068: LOR for sample raised due to the high amount of moisture present.
- EK067FG: It has been noted that Filtered Total P is greater than Total P on sample No 2, however this difference is within the limits of experimental variation.
- KEY: PTP=Potential Toxin Producers
 ; ND=Not Detected; NS=Not Specified
 ; cf. = comparable from
- Samples were preserved with Lugols lodine solution.
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- Under microscopic observation, debris present in sample #01, #02 and #03
- MW006 is ALS's internal code and is equivalent to AS4276.7.
- Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.

Page : 3 of 11 Work Order : ES1903393 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: SOIL (Matrix: SOIL)	Client sample ID			NC4	NC4-5	NC5						
	Cli	ient samplii	ng date / time	04-Feb-2019 00:00	04-Feb-2019 00:00	04-Feb-2019 00:00						
Compound	CAS Number	LOR	Unit	ES1903393-004	ES1903393-005	ES1903393-006						
				Result	Result	Result						
EA055: Moisture Content (Dried @ 105-1	EA055: Moisture Content (Dried @ 105-110°C)											
Moisture Content		0.1	%	35.7	25.8	79.2						
EG005T: Total Metals by ICP-AES												
Arsenic	7440-38-2	5	mg/kg	<5	<5	42						
Chromium	7440-47-3	2	mg/kg	4	7	30						
Copper	7440-50-8	5	mg/kg	7	<5	92						
Lead	7439-92-1	5	mg/kg	6	8	104						
Zinc	7440-66-6	5	mg/kg	86	21	868						
EG035T: Total Recoverable Mercury by	FIMS											
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.1						
EP066: Polychlorinated Biphenyls (PCB)												
Total Polychlorinated biphenyls		0.1	mg/kg	<0.1	<0.1	<0.1						
EP068A: Organochlorine Pesticides (OC)											
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	<0.06						
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	<0.06						
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	<0.06						
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	<0.06						
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	<0.06						
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	<0.06						
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	<0.06						
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	<0.06						
^ Total Chlordane (sum)		0.05	mg/kg	<0.05	<0.05	<0.05						
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	<0.06						
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	<0.06						
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	<0.06						
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	<0.06						
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	<0.06						
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	<0.06						
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	<0.06						
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05	<0.05						
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	<0.06						
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	<0.06						
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	<0.06						
4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	<0.3						
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	<0.06						

Page : 4 of 11 Work Order : ES1903393 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: SOIL (Matrix: SOIL)	Client sample ID			NC4	NC4-5	NC5		
	Cli	ent sampli	ng date / time	04-Feb-2019 00:00	04-Feb-2019 00:00	04-Feb-2019 00:00		
Compound	CAS Number	LOR	Unit	ES1903393-004	ES1903393-005	ES1903393-006		
				Result	Result	Result		
EP068A: Organochlorine Pesticides (OC) - Continued								
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	<0.3		
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	<0.05	<0.05		
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5	0.05	mg/kg	<0.05	<0.05	<0.05		
	0-2							
EP066S: PCB Surrogate								
Decachlorobiphenyl	2051-24-3	0.1	%	81.0	72.9	72.9		
EP068S: Organochlorine Pesticide S	urrogate							
Dibromo-DDE	21655-73-2	0.05	%	114	126	116		
EP068T: Organophosphorus Pesticide Surrogate								
DEF	78-48-8	0.05	%	80.9	72.6	76.8		

Page : 5 of 11 Work Order : ES1903393 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	Client sample ID			NC4	NC4-5	NC5				
	Cl	Client sampling date / time		04-Feb-2019 00:00	04-Feb-2019 00:00	04-Feb-2019 00:00				
Compound	CAS Number	LOR	Unit	ES1903393-001	ES1903393-002	ES1903393-003				
				Result	Result	Result				
EA015: Total Dissolved Solids dried at 1	180 ± 5 °C									
Total Dissolved Solids @180°C		10	mg/L	164	194	188				
EA025: Total Suspended Solids dried at	: 104 ± 2°C									
Suspended Solids (SS)		5	mg/L	<5	<5	<5				
ED093F: SAR and Hardness Calculation	IS									
Total Hardness as CaCO3		1	mg/L	78	80	80				
EG020T: Total Metals by ICP-MS										
Arsenic	7440-38-2	0.001	mg/L	<0.001	0.001	<0.001				
Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	<0.001				
Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	<0.001				
Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	<0.001				
Zinc	7440-66-6	0.005	mg/L	<0.005	0.006	<0.005				
EG035T: Total Recoverable Mercury by FIMS										
Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	<0.0001				
EK055G: Ammonia as N by Discrete Ana	alyser									
Ammonia as N	7664-41-7	0.01	mg/L	0.06	0.08	0.07				
EK057G: Nitrite as N by Discrete Analys	ser									
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01				
EK058G: Nitrate as N by Discrete Analy	vser									
Nitrate as N	14797-55-8	0.01	mg/L	<0.01	<0.01	<0.01				
EK059G: Nitrite plus Nitrate as N (NOx)	by Discrete Ana	lyser								
Nitrite + Nitrate as N		0.01	mg/L	<0.01	<0.01	<0.01				
EK061G: Total Kjeldahl Nitrogen By Dis	crete Analyser									
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.4	0.4	0.4				
EK062G: Total Nitrogen as N (TKN + NO	(x) by Discrete Ar	nalyser								
^ Total Nitrogen as N		0.1	mg/L	0.4	0.4	0.4				
EK067FG: Filtered Total Phosphorus as	P by Discrete Ar	nalyser								
Filtered Total Phosphorus as P		0.01	mg/L	0.09	0.17	0.20				
EK067G: Total Phosphorus as P by Disc	crete Analyser									
Total Phosphorus as P		0.01	mg/L	0.10	0.16	0.20				
EK071G: Reactive Phosphorus as P by	discrete anal <u>vse</u> r	r								
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.02	0.05	0.13				
EP008: Chlorophyll a & Pheophytin a										
Chlorophyll a		1	mg/m ³	5	3	2				
					·	1				

Page : 6 of 11 Work Order : ES1903393 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	Client sample ID			NC4	NC4-5	NC5	
	Cli	ent samplii	ng date / time	04-Feb-2019 00:00	04-Feb-2019 00:00	04-Feb-2019 00:00	
Compound	CAS Number	LOR	Unit	ES1903393-001	ES1903393-002	ES1903393-003	
				Result	Result	Result	
EP020: Oil and Grease (O&G)							
Oil & Grease		5	mg/L	5	<5	<5	
EP066: Polychlorinated Biphenyls (PCB)							
^ Total Polychlorinated biphenyls		1	µg/L	<1	<1	<1	
EP068A: Organochlorine Pesticides (OC)							
alpha-BHC	319-84-6	0.5	µg/L	<0.5	<0.5	<0.5	
Hexachlorobenzene (HCB)	118-74-1	0.5	µg/L	<0.5	<0.5	<0.5	
beta-BHC	319-85-7	0.5	µg/L	<0.5	<0.5	<0.5	
gamma-BHC	58-89-9	0.5	µg/L	<0.5	<0.5	<0.5	
delta-BHC	319-86-8	0.5	µg/L	<0.5	<0.5	<0.5	
Heptachlor	76-44-8	0.5	µg/L	<0.5	<0.5	<0.5	
Aldrin	309-00-2	0.5	µg/L	<0.5	<0.5	<0.5	
Heptachlor epoxide	1024-57-3	0.5	µg/L	<0.5	<0.5	<0.5	
trans-Chlordane	5103-74-2	0.5	µg/L	<0.5	<0.5	<0.5	
alpha-Endosulfan	959-98-8	0.5	µg/L	<0.5	<0.5	<0.5	
cis-Chlordane	5103-71-9	0.5	µg/L	<0.5	<0.5	<0.5	
Dieldrin	60-57-1	0.5	µg/L	<0.5	<0.5	<0.5	
4.4`-DDE	72-55-9	0.5	µg/L	<0.5	<0.5	<0.5	
Endrin	72-20-8	0.5	µg/L	<0.5	<0.5	<0.5	
beta-Endosulfan	33213-65-9	0.5	µg/L	<0.5	<0.5	<0.5	
4.4`-DDD	72-54-8	0.5	µg/L	<0.5	<0.5	<0.5	
Endrin aldehyde	7421-93-4	0.5	µg/L	<0.5	<0.5	<0.5	
Endosulfan sulfate	1031-07-8	0.5	µg/L	<0.5	<0.5	<0.5	
4.4`-DDT	50-29-3	2.0	µg/L	<2.0	<2.0	<2.0	
Endrin ketone	53494-70-5	0.5	µg/L	<0.5	<0.5	<0.5	
Methoxychlor	72-43-5	2.0	µg/L	<2.0	<2.0	<2.0	
^ Total Chlordane (sum)		0.5	µg/L	<0.5	<0.5	<0.5	
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5	0.5	µg/L	<0.5	<0.5	<0.5	
	0-2						
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.5	µg/L	<0.5	<0.5	<0.5	
EP068B: Organophosphorus Pesticides	(OP)						
Dichlorvos	62-73-7	0.5	µg/L	<0.5	<0.5	<0.5	
Demeton-S-methyl	919-86-8	0.5	µg/L	<0.5	<0.5	<0.5	
Monocrotophos	6923-22-4	2.0	µg/L	<2.0	<2.0	<2.0	
Dimethoate	60-51-5	0.5	µg/L	<0.5	<0.5	<0.5	

Page : 7 of 11 Work Order : ES1903393 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	С	lient sample ID	NC4	NC4-5	NC5						
	Client sampling date / time			04-Feb-2019 00:00	04-Feb-2019 00:00						
Compound CAS Nun	ber LOR	Unit	ES1903393-001	ES1903393-002	ES1903393-003						
			Result	Result	Result						
EP068B: Organophosphorus Pesticides (OP) - Continued											
Diazinon 333-	1-5 0.5	µg/L	<0.5	<0.5	<0.5						
Chlorpyrifos-methyl 5598-	3-0 0.5	µg/L	<0.5	<0.5	<0.5						
Parathion-methyl 298-	0-0 2.0	µg/L	<2.0	<2.0	<2.0						
Malathion 121-	5-5 0.5	µg/L	<0.5	<0.5	<0.5						
Fenthion 55-	8-9 0.5	µg/L	<0.5	<0.5	<0.5						
Chlorpyrifos 2921-	8-2 0.5	µg/L	<0.5	<0.5	<0.5						
Parathion 56-	8-2 2.0	µg/L	<2.0	<2.0	<2.0						
Pirimphos-ethyl 23505-	1-1 0.5	µg/L	<0.5	<0.5	<0.5						
Chlorfenvinphos 470-	0-6 0.5	µg/L	<0.5	<0.5	<0.5						
Bromophos-ethyl 4824-	8-6 0.5	µg/L	<0.5	<0.5	<0.5						
Fenamiphos 22224-	2-6 0.5	µg/L	<0.5	<0.5	<0.5						
Prothiofos 34643-	6-4 0.5	µg/L	<0.5	<0.5	<0.5						
Ethion 563-	2-2 0.5	µg/L	<0.5	<0.5	<0.5						
Carbophenothion 786-	9-6 0.5	µg/L	<0.5	<0.5	<0.5						
Azinphos Methyl 86-	0-0 0.5	µg/L	<0.5	<0.5	<0.5						
EP075(SIM)A: Phenolic Compounds											
Phenol 108-	5-2 1.0	µg/L	<1.0	<1.0	<1.0						
2-Chlorophenol 95-	7-8 1.0	µg/L	<1.0	<1.0	<1.0						
2-Methylphenol 95-	8-7 1.0	µg/L	<1.0	<1.0	<1.0						
3- & 4-Methylphenol 1319-	7-3 2.0	µg/L	<2.0	<2.0	<2.0						
2-Nitrophenol 88-	5-5 1.0	µg/L	<1.0	<1.0	<1.0						
2.4-Dimethylphenol 105-	7-9 1.0	µg/L	<1.0	<1.0	<1.0						
2.4-Dichlorophenol 120-	3-2 1.0	µg/L	<1.0	<1.0	<1.0						
2.6-Dichlorophenol 87-	5-0 1.0	µg/L	<1.0	<1.0	<1.0						
4-Chloro-3-methylphenol 59-	0-7 1.0	µg/L	<1.0	<1.0	<1.0						
2.4.6-Trichlorophenol 88-	6-2 1.0	µg/L	<1.0	<1.0	<1.0						
2.4.5-Trichlorophenol 95-	5-4 1.0	µg/L	<1.0	<1.0	<1.0						
Pentachlorophenol 87-	6-5 2.0	µg/L	<2.0	<2.0	<2.0						
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons											
Naphthalene 91-	0-3 1.0	µg/L	<1.0	<1.0	<1.0						
Acenaphthylene 208-	6-8 1.0	µg/L	<1.0	<1.0	<1.0						
Acenaphthene 83-	2-9 1.0	µg/L	<1.0	<1.0	<1.0						
Fluorene 86-	3-7 1.0	µg/L	<1.0	<1.0	<1.0						
Phenanthrene 85-	1-8 1.0	µg/L	<1.0	<1.0	<1.0						

Page : 8 of 11 Work Order : ES1903393 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)	Client sample ID		NC4	NC4-5	NC5	 	
	Cli	ent sampli	ng date / time	04-Feb-2019 00:00	04-Feb-2019 00:00	04-Feb-2019 00:00	
Compound C.	AS Number	LOR	Unit	ES1903393-001	ES1903393-002	ES1903393-003	
				Result	Result	Result	
EP075(SIM)B: Polynuclear Aromatic Hydrocar							
Anthracene	120-12-7	1.0	µg/L	<1.0	<1.0	<1.0	
Fluoranthene	206-44-0	1.0	µg/L	<1.0	<1.0	<1.0	
Pyrene	129-00-0	1.0	μg/L	<1.0	<1.0	<1.0	
Benz(a)anthracene	56-55-3	1.0	μg/L	<1.0	<1.0	<1.0	
Chrysene	218-01-9	1.0	µg/L	<1.0	<1.0	<1.0	
Benzo(b+j)fluoranthene 205-99	-2 205-82-3	1.0	µg/L	<1.0	<1.0	<1.0	
Benzo(k)fluoranthene	207-08-9	1.0	µg/L	<1.0	<1.0	<1.0	
Benzo(a)pyrene	50-32-8	0.5	μg/L	<0.5	<0.5	<0.5	
Indeno(1.2.3.cd)pyrene	193-39-5	1.0	μg/L	<1.0	<1.0	<1.0	
Dibenz(a.h)anthracene	53-70-3	1.0	μg/L	<1.0	<1.0	<1.0	
Benzo(g.h.i)perylene	191-24-2	1.0	µg/L	<1.0	<1.0	<1.0	
^ Sum of polycyclic aromatic hydrocarbons		0.5	µg/L	<0.5	<0.5	<0.5	
^ Benzo(a)pyrene TEQ (zero)		0.5	µg/L	<0.5	<0.5	<0.5	
MW006: Faecal Coliforms & E.coli by MF							
Faecal Coliforms		1	CFU/100mL	280	720	770	
MW024: Bacillariophytes (Diatoms) - Pennales	s						
Navicula spp.		5	cells/ml		25	25	
Pinnularia spp.		5	cells/ml			50	
MW024: Bacillariophytes (Diatoms) - TOTAL E	BACILLARIC	PHYTES					
Total Bacillariophytes		5	cells/ml		25	75	
MW024: Chlorophytes (Green Algae)							
Chlamydomonas spp.		5	cells/ml	75	25	25	
Kirchneriella spp.		5	cells/ml			25	
Oocystis spp.		5	cells/ml	75			
Scenedesmus spp.		5	cells/ml	450	225		
MW024: Chlorophytes (Green Algae) - TOTAL	CHLOROPI	HYTES					
Total Chlorophytes		5	cells/ml	600	250	50	
MW024: Cyanophytes (Blue Green Algae)							
Anabaena spp. (straight)		5	cells/ml	600			
Cyanogranis libera		5	cells/ml			375	
Planktolyngbya minor		5	cells/ml			250	
Pseudanabaena spp.		5	cells/ml	1550	1080	1250	
Merismopedia spp.		5	cells/ml			200	
Romeria spp.		5	cells/ml			100	

Page : 9 of 11 Work Order : ES1903393 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC4	NC4-5	NC5				
	Client sampling date / time			04-Feb-2019 00:00	04-Feb-2019 00:00	04-Feb-2019 00:00				
Compound	CAS Number	LOR	Unit	ES1903393-001	ES1903393-002	ES1903393-003				
				Result	Result	Result				
MW024: Cyanophytes (Blue Green Algae) - Continued										
Microcystis spp.		5	cells/ml			175				
Rhabdoderma spp.		5	cells/ml			300				
Synechococcus spp.		5	cells/ml		250					
Geitlerinema spp. (possible PTP)		5	cells/ml	225						
MW024: Cyanophytes (Blue Green Algae) - TOTAL CYANOPHYTES										
Total Cyanophytes		5	cells/ml	2380	1330	2650				
MW024: Cyanophytes (Blue Green Algae) - TOTAL POTE	NTIALLY	TOXIC CYAN	OPHYTES						
Total Potentially Toxic Cyanophytes		5	cells/ml	225	<5	<5				
MW024: Flagellates - Cryptophytes										
Chroomonas spp.		5	cells/ml	25						
Cryptomonas spp.		5	cells/ml	175	50	25				
MW024: Flagellates - Euglenophytes										
Euglena spp.		5	cells/ml	50	25	75				
Strombomonas spp.		5	cells/ml	50						
Trachelomonas spp.		5	cells/ml	75	75					
MW024: Flagellates - Pyrrophytes										
Peridinium spp.		5	cells/ml	5						
MW024: Flagellates - TOTAL FLAGELLA	TES									
Total Flagellates		5	cells/ml	380	150	100				
MW024T: TOTAL ALGAE										
Total Algae Count		5	cells/ml	3360	1760	2880				
EP066S: PCB Surrogate										
Decachlorobiphenyl	2051-24-3	1	%	93.8	81.9	112				
EP068S: Organochlorine Pesticide Surro	ogate									
Dibromo-DDE	21655-73-2	0.5	%	70.4	78.8	77.1				
EP068T: Organophosphorus Pesticide S	urrogate									
DEF	78-48-8	0.5	%	100	83.8	106				
EP075(SIM)S: Phenolic Compound Surro	ogates									
Phenol-d6	13127-88-3	1.0	%	19.6	20.3	25.5				
2-Chlorophenol-D4	93951-73-6	1.0	%	43.3	48.4	60.1				
2.4.6-Tribromophenol	118-79-6	1.0	%	41.7	44.1	64.6				
EP075(SIM)T: PAH Surrogates										
2-Fluorobiphenyl	321-60-8	1.0	%	65.4	72.6	86.7				
· ·					1	1	1			
Page : 10 of 11 Work Order : ES1903393 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC4	NC4-5	NC5	
	Cli	ent sampli	ng date / time	04-Feb-2019 00:00	04-Feb-2019 00:00	04-Feb-2019 00:00	
Compound	CAS Number	LOR	Unit	ES1903393-001	ES1903393-002	ES1903393-003	
				Result	Result	Result	
EP075(SIM)T: PAH Surrogates - Continued							
Anthracene-d10	1719-06-8	1.0	%	91.1	95.4	88.0	
4-Terphenyl-d14	1718-51-0	1.0	%	74.8	76.8	85.9	



Surrogate Control Limits

Sub-Matrix: SOIL		Recovery	/ Limits (%)
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	39	149
EP068S: Organochlorine Pesticide Surrog	jate		
Dibromo-DDE	21655-73-2	49	147
EP068T: Organophosphorus Pesticide Su	rrogate		
DEF	78-48-8	35	143
Sub-Matrix: WATER		Recovery	/ Limits (%)
Compound	CAS Number	Low	High
EP066S: PCB Surrogate			
Decachlorobiphenyl	2051-24-3	29	129
EP068S: Organochlorine Pesticide Surrog	jate		
Dibromo-DDE	21655-73-2	67	111
EP068T: Organophosphorus Pesticide Su	rrogate		
DEF	78-48-8	67	111
EP075(SIM)S: Phenolic Compound Surrog	gates		
Phenol-d6	13127-88-3	10	44
2-Chlorophenol-D4	93951-73-6	14	94
2.4.6-Tribromophenol	118-79-6	17	125
EP075(SIM)T: PAH Surrogates			
2-Fluorobiphenyl	321-60-8	20	104
Anthracene-d10	1719-06-8	27	113
4-Terphenyl-d14	1718-51-0	32	112



CERTIFICATE OF ANALYSIS

Work Order	ES1913104	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR JACOB BROOM (gmail)	Contact	: Customer Services ES
Address	PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	:	Date Samples Received	: 01-May-2019 16:50
Order number	:	Date Analysis Commenced	: 02-May-2019
C-O-C number	:	Issue Date	07-May-2019 21:16
Sampler	:		Hac-MRA NATA
Site	:		
Quote number	: EN/222		Accreditation No. 825
No. of samples received	: 3		Accredited for compliance with
No. of samples analysed	: 3		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- EK067FG: It has been noted that Filtered Total P is greater than Total P on sample No 1, however this difference is within the limits of experimental variation.
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.

Page : 3 of 3 Work Order : ES1913104 Client : MARINE POLLUTION RESEARCH PTY LTD Project : ---



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC 4	NC 4.5	NC 5		
	Clie	ent sampli	ng date / time	01-May-2019 00:00	01-May-2019 00:00	01-May-2019 00:00		
Compound	CAS Number	LOR	Unit	ES1913104-001	ES1913104-002	ES1913104-003		
				Result	Result	Result		
EA015: Total Dissolved Solids dried at 180) ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	264	299	310		
EA025: Total Suspended Solids dried at 10	04 ± 2°C							
Suspended Solids (SS)		5	mg/L	<5	16	7		
EK055G: Ammonia as N by Discrete Analy	vser							
Ammonia as N	7664-41-7	0.01	mg/L	0.08	0.06	0.02		
EK057G: Nitrite as N by Discrete Analyse	r							
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01		
EK058G: Nitrate as N by Discrete Analyser								
Nitrate as N	14797-55-8	0.01	mg/L	0.08	0.01	0.06		
EK059G: Nitrite plus Nitrate as N (NOx) b	y Discrete Anal	lyser						
Nitrite + Nitrate as N		0.01	mg/L	0.08	0.01	0.06		
EK061G: Total Kjeldahl Nitrogen By Discre	ete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.4	0.6	0.5		
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete An	alyser						
^ Total Nitrogen as N		0.1	mg/L	0.5	0.6	0.6		
EK067FG: Filtered Total Phosphorus as P	by Discrete An	alyser						
Filtered Total Phosphorus as P		0.01	mg/L	0.06	0.05	0.05		
EK067G: Total Phosphorus as P by Discre	ete Analyser							
Total Phosphorus as P		0.01	mg/L	0.04	0.08	0.09		
EK071G: Reactive Phosphorus as P by dis	screte analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	<0.01		
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms		1	CFU/100mL	200	210	190		



CERTIFICATE OF ANALYSIS

Work Order	ES1917059	Page	: 1 of 3	
Client	: MARINE POLLUTION RESEARCH PTY LTD	Laboratory	: Environmental Division Sydne	ey .
Contact	: MR PAUL ANINK	Contact	: Customer Services ES	-
Address	PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smi	thfield NSW Australia 2164
	SYDNEY NSW 2105			
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555	
Project	: Warriwood	Date Samples Received	: 04-Jun-2019 13:55	ANUTUR.
Order number	:	Date Analysis Commenced	: 05-Jun-2019	antille Aller
C-O-C number	:	Issue Date	: 11-Jun-2019 17:35	A NIATA
Sampler	: JACOB BROOM (gmail)			Hac-MRA NAIA
Site	:			
Quote number	: EN/222			Manufacture Accorditation Ma and
No. of samples received	: 4			Accredited for compliance with
No. of samples analysed	: 4			ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Dian Dao		Sydney Inorganics, Smithfield, NSW
Vyoma Tailor	Microbiologist	Sydney Microbiology, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW006 is ALS's internal code and is equivalent to AS4276.7.



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC4-u	NC45-u	NC5-ESS-u	NC5-u	
	Clie	ent sampli	ng date / time	04-Jun-2019 00:00	04-Jun-2019 00:00	04-Jun-2019 00:00	04-Jun-2019 00:00	
Compound	CAS Number	LOR	Unit	ES1917059-001	ES1917059-002	ES1917059-003	ES1917059-004	
				Result	Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	0 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	116	168	262	133	
EA025: Total Suspended Solids dried at 1	04 ± 2°C							
Suspended Solids (SS)		5	mg/L	10	14	20	22	
EK055G: Ammonia as N by Discrete Analy	yser							
Ammonia as N	7664-41-7	0.01	mg/L	0.09	0.13	0.13	0.22	
EK057G: Nitrite as N by Discrete Analyse	er							
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.02	0.01	
EK058G: Nitrate as N by Discrete Analyse	er							
Nitrate as N	14797-55-8	0.01	mg/L	0.30	0.35	0.35	0.36	
EK059G: Nitrite plus Nitrate as N (NOx) b	by Discrete Anal	yser						
Nitrite + Nitrate as N		0.01	mg/L	0.30	0.35	0.37	0.37	
EK061G: Total Kjeldahl Nitrogen By Discr	ete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.4	0.5	0.7	0.5	
EK062G: Total Nitrogen as N (TKN + NOx)	by Discrete Ana	alyser						
^ Total Nitrogen as N		0.1	mg/L	0.7	0.8	1.1	0.9	
EK067FG: Filtered Total Phosphorus as P	by Discrete Ana	alyser						
Filtered Total Phosphorus as P		0.01	mg/L	0.06	0.08	0.15	0.12	
EK067G: Total Phosphorus as P by Discre	ete Analyser							
Total Phosphorus as P		0.01	mg/L	0.07	0.09	0.16	0.15	
EK071G: Reactive Phosphorus as P by di	screte analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.06	0.08	0.14	0.08	
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms		1	CFU/100mL	4500	6400	280	4800	



CERTIFICATE OF ANALYSIS

Work Order	ES1917222	Page	: 1 of 3
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: MR PAUL ANINK	Contact	: Customer Services ES
Address	EPO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	: 02 9997 6541	Telephone	: +61-2-8784 8555
Project	: Warriewood	Date Samples Received	: 05-Jun-2019 13:15
Order number	:	Date Analysis Commenced	: 06-Jun-2019
C-O-C number	:	Issue Date	: 12-Jun-2019 19:27
Sampler	: JACOB BROOM (gmail)		Hac-MRA NAIA
Site	:		
Quote number	: EN/222		The Adult
No. of samples received	: 4		Accreditation No. 825 Accredited for compliance with
No. of samples analysed	: 4		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Tony DeSouza	Senior Microbiologist	Sydney Microbiology, Smithfield, NSW



General Comments

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

^ = This result is computed from individual analyte detections at or above the level of reporting

- ø = ALS is not NATA accredited for these tests.
- ~ = Indicates an estimated value.
- MF = membrane filtration
- CFU = colony forming unit
- EK067FG/EK071G: It has been noted that Reactive Phosphorus is greater than Filtered Total Phosphorus on samples 1 & 2, however this difference is within the limits of experimental variation.
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- Membrane filtration results for MW006 No. 4 are reported as an estimate (~) due to the presence of many non-target organism colonies that may have inhibited the growth of the target organisms on the filter membrane. It may be informative to record this fact.
- MW006 is ALS's internal code and is equivalent to AS4276.7.



Sub-Matrix: WATER (Matrix: WATER)		Clie	ent sample ID	NC4-D	NC45-D	NC5-ESC-D	NC5-D	
	Clie	ent sampli	ng date / time	05-Jun-2019 00:00	05-Jun-2019 00:00	05-Jun-2019 00:00	05-Jun-2019 00:00	
Compound	CAS Number	LOR	Unit	ES1917222-001	ES1917222-002	ES1917222-003	ES1917222-004	
				Result	Result	Result	Result	
EA015: Total Dissolved Solids dried at 18	30 ± 5 °C							
Total Dissolved Solids @180°C		10	mg/L	109	136	196	162	
EA025: Total Suspended Solids dried at ⁴	104 ± 2°C							
Suspended Solids (SS)		5	mg/L	10	7	115	55	
EK055G: Ammonia as N by Discrete Anal	lyser							
Ammonia as N	7664-41-7	0.01	mg/L	0.09	0.04	0.06	0.02	
EK057G: Nitrite as N by Discrete Analyse	er							
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.01	<0.01	
EK058G: Nitrate as N by Discrete Analys	ser							
Nitrate as N	14797-55-8	0.01	mg/L	0.32	0.22	0.54	0.26	
EK059G: Nitrite plus Nitrate as N (NOx)	by Discrete Analy	yser						
Nitrite + Nitrate as N		0.01	mg/L	0.32	0.22	0.55	0.26	
EK061G: Total Kjeldahl Nitrogen By Disc	rete Analyser							
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.1	0.3	1.0	0.5	
EK062G: Total Nitrogen as N (TKN + NOx) by Discrete Ana	alyser						
^ Total Nitrogen as N		0.1	mg/L	0.4	0.5	1.6	0.8	
EK067FG: Filtered Total Phosphorus as I	P by Discrete Ana	alyser						
Filtered Total Phosphorus as P		0.01	mg/L	0.08	0.04	0.15	0.10	
EK067G: Total Phosphorus as P by Discr	rete Analyser							
Total Phosphorus as P		0.01	mg/L	0.25	0.08	0.28	0.18	
EK071G: Reactive Phosphorus as P by d	iscrete analyser							
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.09	0.06	0.10	0.07	
MW006: Faecal Coliforms & E.coli by MF								
Faecal Coliforms		1	CFU/100mL	6600	2000	2700	~4600	



CERTIFICATE OF ANALYSIS

Work Order	ES2120014	Page	: 1 of 10
Client	MARINE POLLUTION RESEARCH PTY LTD	Laboratory	Environmental Division Sydney
Contact	: Paul Anink	Contact	: Customer Services ES
Address	: PO BOX 279 CHURCH POINT	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
	SYDNEY NSW 2105		
Telephone	:	Telephone	: +61-2-8784 8555
Project	: Warriewood	Date Samples Received	: 27-May-2021 16:00
Order number	:	Date Analysis Commenced	: 28-May-2021
C-O-C number	:	Issue Date	07-Jun-2021 18:57
Sampler	: Jacob Broom		Hac-MRA NATA
Site	:		
Quote number	: EN/222		Accordition No. 825
No. of samples received	: 5		Accredited for compliance with
No. of samples analysed	: 5		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Certificate of Analysis contains the following information:

- General Comments
- Analytical Results
- Surrogate Control Limits

Additional information pertinent to this report will be found in the following separate attachments: Quality Control Report, QA/QC Compliance Assessment to assist with Quality Review and Sample Receipt Notification.

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW
Somlok Chai	Microbiologist	Sydney Microbiology, Smithfield, NSW
Sunitha Kannampilli	Phycologist	Sydney Phycology, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis.

Where the LOR of a reported result differs from standard LOR, this may be due to high moisture content, insufficient sample (reduced weight employed) or matrix interference.

When sampling time information is not provided by the client, sampling dates are shown without a time component. In these instances, the time component has been assumed by the laboratory for processing purposes.

Where a result is required to meet compliance limits the associated uncertainty must be considered. Refer to the ALS Contact for details.

- Key: CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.
 - LOR = Limit of reporting
 - ^ = This result is computed from individual analyte detections at or above the level of reporting
 - ø = ALS is not NATA accredited for these tests
 - ~ = Indicates an estimated value.
- Results apply to sample(s) as submitted.
- MF = membrane filtration
- CFU = colony forming unit
- EP075 (SIM): Where reported, Benzo(a)pyrene Toxicity Equivalent Quotient (TEQ) per the NEPM (2013) is the sum total of the concentration of the eight carcinogenic PAHs multiplied by their Toxicity Equivalence Factor (TEF) relative to Benzo(a)pyrene. TEF values are provided in brackets as follows: Benz(a)anthracene (0.1), Chrysene (0.01), Benzo(b+j) & Benzo(k)fluoranthene (0.1), Benzo(a)pyrene (1.0), Indeno(1.2.3.cd)pyrene (0.1), Dibenz(a.h)anthracene (1.0), Benzo(g.h.i)perylene (0.01). Less than LOR results for 'TEQ Zero' are treated as zero.
- EP068: Where reported, Total Chlordane (sum) is the sum of the reported concentrations of cis-Chlordane and trans-Chlordane at or above the LOR.
- EP068: Where reported, Total OCP is the sum of the reported concentrations of all Organochlorine Pesticides at or above LOR.
- EP075(SIM): Where reported, Total Cresol is the sum of the reported concentrations of 2-Methylphenol and 3- & 4-Methylphenol at or above the LOR.
- KEY: PTP=Potential Toxin Producers ; ND=Not Detected; NS=Not Specified
 - ; cf. = comparable form
- Samples were preserved with Lugols lodine solution.
- Microbiological Comment: In accordance with ALS work instruction QWI-MIC/04, membrane filtration result is reported an approximate (~) when the count of colonies on the filtered membrane is outside the range
 of 10 100cfu.
- MW024: Under microscopic observation, debris present in sample #01 and #03
- MW024: Under microscopic observation, 'No Algae' detected in sample #01
- MW006 is ALS's internal code and is equivalent to AS4276.7.
- Sodium Adsorption Ratio (where reported): Where results for Na, Ca or Mg are <LOR, a concentration at half the reported LOR is incorporated into the SAR calculation. This represents a conservative approach for Na relative to the assumption that <LOR = zero concentration and a conservative approach for Ca & Mg relative to the assumption that <LOR is equivalent to the LOR concentration.

Page : 3 of 10 Work Order : ES2120014 Client : MARINE POLLUTION RESEARCH PTY LTD Project : Warriewood



Sub-Matrix: SOIL (Matrix: SOIL)			Sample ID	NC3	NC5					
		Samplii	ng date / time	27-May-2021 00:00	27-May-2021 00:00					
Compound	CAS Number	LOR	Unit	ES2120014-004	ES2120014-005					
				Result	Result					
EA055: Moisture Content (Dried @ 105-1	10°C)									
Moisture Content		0.1	%	28.5	60.1					
EG005(ED093)T: Total Metals by ICP-AE	S									
Arsenic	7440-38-2	5	mg/kg	<5	<5					
Chromium	7440-47-3	2	mg/kg	8	4					
Copper	7440-50-8	5	mg/kg	<5	16					
Lead	7439-92-1	5	mg/kg	13	9					
Zinc	7440-66-6	5	mg/kg	<5	79					
EG035T: Total Recoverable Mercury by FIMS										
Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1					
EP066: Polychlorinated Biphenyls (PCB)										
Total Polychlorinated biphenyls		0.1	mg/kg	<0.1	<0.1					
EP068A: Organochlorine Pesticides (OC)										
alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05					
Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05					
beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05					
gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05					
delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05					
Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05					
Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05					
Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05					
^ Total Chlordane (sum)		0.05	mg/kg	<0.05	<0.05					
trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05					
alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05					
cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05					
Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05					
4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05					
Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05					
beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05					
^ Endosulfan (sum)	115-29-7	0.05	mg/kg	<0.05	<0.05					
4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05					
Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05					
Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05					
4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2					
Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05					

Page : 4 of 10 Work Order : ES2120014 Client : MARINE POLLUTION RESEARCH PTY LTD Project : Warriewood



Sub-Matrix: SOIL (Matrix: SOIL)			Sample ID	NC3	NC5				
		Sampli	ng date / time	27-May-2021 00:00	27-May-2021 00:00				
Compound	CAS Number	LOR	Unit	ES2120014-004	ES2120014-005				
				Result	Result				
EP068A: Organochlorine Pesticides (OC) - Continued									
Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2				
^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.05	mg/kg	<0.05	<0.05				
^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5	0.05	mg/kg	<0.05	<0.05				
	0-2								
EP066S: PCB Surrogate									
Decachlorobiphenyl	2051-24-3	0.1	%	108	99.7				
EP068S: Organochlorine Pesticide S	urrogate								
Dibromo-DDE	21655-73-2	0.05	%	93.1	76.6				
EP068T: Organophosphorus Pesticio	de Surrogate								
DEF	78-48-8	0.05	%	93.3	82.1				

Page : 5 of 10 Work Order : ES2120014 Client : MARINE POLLUTION RESEARCH PTY LTD Project : Warriewood



Sub-Matrix: WATER (Matrix: WATER)			Sample ID	NC3	NC4	NC5				
		Sampli	ng date / time	27-May-2021 00:00	27-May-2021 00:00	27-May-2021 00:00				
Compound	CAS Number	LOR	Unit	ES2120014-001	ES2120014-002	ES2120014-003				
				Result	Result	Result				
EA025: Total Suspended Solids dried at 104	± 2°C									
Suspended Solids (SS)		5	mg/L	6	7	<5				
EA065: Total Hardness as CaCO3										
Total Hardness as CaCO3		1	mg/L	139		85				
EG020T: Total Metals by ICP-MS										
Arsenic	7440-38-2	0.001	mg/L	<0.001		<0.001				
Chromium	7440-47-3	0.001	mg/L	<0.001		<0.001				
Copper	7440-50-8	0.001	mg/L	0.002		0.002				
Lead	7439-92-1	0.001	mg/L	<0.001		<0.001				
Zinc	7440-66-6	0.005	mg/L	0.013		0.006				
EG035T: Total Recoverable Mercury by FIMS										
Mercury	7439-97-6	0.0001	mg/L	<0.0001		<0.0001				
EK055G: Ammonia as N by Discrete Analyse	er									
Ammonia as N	7664-41-7	0.01	mg/L	0.16	0.07	0.06				
EK057G: Nitrite as N by Discrete Analyser										
Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	<0.01				
EK058G: Nitrate as N by Discrete Analyser										
Nitrate as N	14797-55-8	0.01	mg/L	0.40	0.39	0.12				
EK059G: Nitrite plus Nitrate as N (NOx) by I	Discrete Ana	lyser								
Nitrite + Nitrate as N		0.01	mg/L	0.40	0.39	0.12				
EK061G: Total Kjeldahl Nitrogen By Discrete	Analyser									
Total Kjeldahl Nitrogen as N		0.1	mg/L	0.2	0.1	0.2				
EK062G: Total Nitrogen as N (TKN + NOx) by	/ Discrete Ar	nalyser								
^ Total Nitrogen as N		0.1	mg/L	0.6	0.5	0.3				
EK067FG: Filtered Total Phosphorus as P by	/ Discrete An	alyser								
Filtered Total Phosphorus as P		0.01	mg/L	0.03	0.03	<0.01				
EK067G: Total Phosphorus as P by Discrete	Analyser									
Total Phosphorus as P		0.01	mg/L	0.05	0.06	0.04				
EK071G: Reactive Phosphorus as P by discr	rete analyser									
Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	<0.01	<0.01				
EP020: Oil and Grease (O&G)										
Oil & Grease		5	mg/L	<5		<5				
EP066: Polychlorinated Biphenyls (PCB)										
^ Total Polychlorinated biphenyls		1	µg/L	<1		<1				

Page : 6 of 10 Work Order : ES2120014 Client : MARINE POLLUTION RESEARCH PTY LTD Project : Warriewood



Sampling date / time 27 May-2021 00:00 27 May-2021 00:00 27 May-2021 00:00 Compound CAS Number LOR UR ES212014-001 ES212014-002 ES212014-003 EPOSA-Corganochiorine Pesticidas (OC) Reult Reult Reult Reult Reult EPOSA-Corganochiorine Pesticidas (OC) 118-74-1 0.5 µpl,L <-0.5 <-0.5 apha-BHC 318-84-0 0.5 µpl,L <-0.5 <-0.5 gamma-BHC 58-89.0 0.5 µpl,L <-0.5 < < < < < < < < < <	Sub-Matrix: WATER (Matrix: WATER)			Sample ID	NC3	NC4	NC5		
Compound CAS Number LOR Unit ES2120014-001 ES2120014-003 ES2120014-003			Sampli	ng date / time	27-May-2021 00:00	27-May-2021 00:00	27-May-2021 00:00		
Result Result<	Compound	CAS Number	LOR	Unit	ES2120014-001	ES2120014-002	ES2120014-003		
EPB6A: Organochlorine Posticides (OC) alpha-BHC 319-84-6 0.5 µg/L <0.5					Result	Result	Result		
alpha-BHC 319-84-6 0.5 µg/L 40.5 <th< th=""><th>EP068A: Organochlorine Pesticides</th><th>(OC)</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></th<>	EP068A: Organochlorine Pesticides	(OC)							
Hexachlorobenzene (HCB) 118-4:1 0.5 µg/L <0.5	alpha-BHC	319-84-6	0.5	µg/L	<0.5		<0.5		
beta-BIC 319-857 0.5 µg/L <0.5	Hexachlorobenzene (HCB)	118-74-1	0.5	µg/L	<0.5		<0.5		
gamma-BHC 58-89-9 0.5 µg/L <0.5	beta-BHC	319-85-7	0.5	µg/L	<0.5		<0.5		
delta-BHC 319-86-8 0.5 µg/L <0.5	gamma-BHC	58-89-9	0.5	µg/L	<0.5		<0.5		
Heptachlor 76.44.8 0.5 µg/L <0.5	delta-BHC	319-86-8	0.5	µg/L	<0.5		<0.5		
Addin 309-002 0.5 μg/L <0.5	Heptachlor	76-44-8	0.5	µg/L	<0.5		<0.5		
Heptachlor epoxide 1024-57.3 0.5 μg/L <0.5	Aldrin	309-00-2	0.5	µg/L	<0.5		<0.5		
trans-Chiordane 5103-74-2 0.5 µg/L <0.5	Heptachlor epoxide	1024-57-3	0.5	µg/L	<0.5		<0.5		
alpha-Endosulfan 959-98-8 0.5 µg/L <0.5	trans-Chlordane	5103-74-2	0.5	µg/L	<0.5		<0.5		
cis-Chlordane 5103-71-9 0.5 µg/L <0.5	alpha-Endosulfan	959-98-8	0.5	µg/L	<0.5		<0.5		
Dieldrin 60-67-1 0.5 µg/L <0.5	cis-Chlordane	5103-71-9	0.5	µg/L	<0.5		<0.5		
4.4·DDE 72:55.9 0.5 µg/L <0.5	Dieldrin	60-57-1	0.5	µg/L	<0.5		<0.5		
Endrin 72-20-8 0.5 µg/L <0.5	4.4`-DDE	72-55-9	0.5	µg/L	<0.5	<0.5			
beta-Endosulfan 33213-65-9 0.5 μg/L <0.5	Endrin	72-20-8	0.5	µg/L	<0.5		<0.5		
4.4'-DDD 72-54-8 0.5 μg/L <0.5	beta-Endosulfan	33213-65-9	0.5	µg/L	<0.5		<0.5		
Endrin aldehyde 7421-93-4 0.5 µg/L <0.5	4.4`-DDD	72-54-8	0.5	µg/L	<0.5		<0.5		
Endosulfan sulfate 1031-07-8 0.5 μg/L <0.5	Endrin aldehyde	7421-93-4	0.5	µg/L	<0.5		<0.5		
4.4`-DDT 50-29-3 2.0 μg/L <2.0	Endosulfan sulfate	1031-07-8	0.5	µg/L	<0.5		<0.5		
Endrin ketone 53494-70-5 0.5 μg/L <0.5	4.4`-DDT	50-29-3	2.0	µg/L	<2.0		<2.0		
Methoxychlor 72-43-5 2.0 μg/L <2.0	Endrin ketone	53494-70-5	0.5	µg/L	<0.5		<0.5		
^ Total Chlordane (sum) 0.5 μg/L <0.5	Methoxychlor	72-43-5	2.0	µg/L	<2.0		<2.0		
^ Sum of DDD + DDE + DDT 72-54-8/72-55-9/5 0.5 μg/L <0.5	^ Total Chlordane (sum)		0.5	µg/L	<0.5		<0.5		
0-2 0-2 <th>^ Sum of DDD + DDE + DDT</th> <th>72-54-8/72-55-9/5</th> <th>0.5</th> <th>µg/L</th> <th><0.5</th> <th></th> <th><0.5</th> <th></th> <th></th>	^ Sum of DDD + DDE + DDT	72-54-8/72-55-9/5	0.5	µg/L	<0.5		<0.5		
EP068B: Organophosphorus Pesticides (OP) Visit of the second secon	^ Sum of Aldrin + Dieldrin	309-00-2/60-57-1	0.5	μg/L	<0.5		<0.5		
Dichlorvos 62-73-7 0.5 μg/L <0.5	EP068B: Organophosphorus Pesticio	des (OP)							
	Dichlorvos	62-73-7	0.5	µg/L	<0.5		<0.5		
Demeton-S-methyl 919-86-8 0.5 µg/L <0.5 <0.5	Demeton-S-methyl	919-86-8	0.5	μg/L	<0.5		<0.5		
Monocrotophos 6923-22-4 2.0 μg/L <2.0 <2.0 <2.0	Monocrotophos	6923-22-4	2.0	μg/L	<2.0		<2.0		
Dimethoate 60-51-5 0.5 µg/L <0.5 <0.5	Dimethoate	60-51-5	0.5	µg/L	<0.5		<0.5		
Diazinon 333-41-5 0.5 μg/L <0.5 <0.5	Diazinon	333-41-5	0.5	µg/L	<0.5		<0.5		
Chlorpyrifos-methyl 5598-13-0 0.5 μg/L <0.5	Chlorpyrifos-methyl	5598-13-0	0.5	µg/L	<0.5		<0.5		
Parathion-methyl 298-00-0 2.0 μg/L <2.0 <2.0	Parathion-methyl	298-00-0	2.0	µg/L	<2.0		<2.0		
Malathion 121-75-5 0.5 μg/L <0.5 <0.5	Malathion	121-75-5	0.5	µg/L	<0.5		<0.5		
Fenthion 55-38-9 0.5 μg/L <0.5	Fenthion	55-38-9	0.5	µg/L	<0.5		<0.5		

Page : 7 of 10 Work Order : ES2120014 Client : MARINE POLLUTION RESEARCH PTY LTD Project : Warriewood



Sub-Matrix: WATER (Matrix: WATER)			Sample ID	NC3	NC4	NC5		
		Samplii	ng date / time	27-May-2021 00:00	27-May-2021 00:00	27-May-2021 00:00		
Compound CAS	S Number	LOR	Unit	ES2120014-001	ES2120014-002	ES2120014-003		
				Result	Result	Result		
EP068B: Organophosphorus Pesticides (OP) - C	Continued							
Chlorpyrifos 2	2921-88-2	0.5	µg/L	<0.5		<0.5		
Parathion	56-38-2	2.0	µg/L	<2.0		<2.0		
Pirimphos-ethyl 23	3505-41-1	0.5	µg/L	<0.5		<0.5		
Chlorfenvinphos	470-90-6	0.5	µg/L	<0.5		<0.5		
Bromophos-ethyl 4	4824-78-6	0.5	µg/L	<0.5		<0.5		
Fenamiphos 22	2224-92-6	0.5	µg/L	<0.5		<0.5		
Prothiofos 34	4643-46-4	0.5	µg/L	<0.5		<0.5		
Ethion	563-12-2	0.5	µg/L	<0.5		<0.5		
Carbophenothion	786-19-6	0.5	µg/L	<0.5		<0.5		
Azinphos Methyl	86-50-0	0.5	µg/L	<0.5		<0.5		
EP075(SIM)A: Phenolic Compounds								
Phenol	108-95-2	1.0	µg/L	<1.0		<1.0		
2-Chlorophenol	95-57-8	1.0	µg/L	<1.0		<1.0		
2-Methylphenol	95-48-7	1.0	µg/L	<1.0	<1.0			
3- & 4-Methylphenol 1	1319-77-3	2.0	µg/L	<2.0	<2.0			
2-Nitrophenol	88-75-5	1.0	µg/L	<1.0	<1.0			
2.4-Dimethylphenol	105-67-9	1.0	µg/L	<1.0		<1.0		
2.4-Dichlorophenol	120-83-2	1.0	µg/L	<1.0		<1.0		
2.6-Dichlorophenol	87-65-0	1.0	µg/L	<1.0		<1.0		
4-Chloro-3-methylphenol	59-50-7	1.0	µg/L	<1.0		<1.0		
2.4.6-Trichlorophenol	88-06-2	1.0	µg/L	<1.0		<1.0		
2.4.5-Trichlorophenol	95-95-4	1.0	µg/L	<1.0		<1.0		
Pentachlorophenol	87-86-5	2.0	µg/L	<2.0		<2.0		
EP075(SIM)B: Polynuclear Aromatic Hydrocarbo	ons							
Naphthalene	91-20-3	1.0	µg/L	<1.0		<1.0		
Acenaphthylene	208-96-8	1.0	µg/L	<1.0		<1.0		
Acenaphthene	83-32-9	1.0	µg/L	<1.0		<1.0		
Fluorene	86-73-7	1.0	µg/L	<1.0		<1.0		
Phenanthrene	85-01-8	1.0	µg/L	<1.0		<1.0		
Anthracene	120-12-7	1.0	µg/L	<1.0		<1.0		
Fluoranthene	206-44-0	1.0	µg/L	<1.0		<1.0		
Pyrene	129-00-0	1.0	µg/L	<1.0		<1.0		
Benz(a)anthracene	56-55-3	1.0	µg/L	<1.0		<1.0		
Chrysene	218-01-9	1.0	µg/L	<1.0		<1.0		

Page : 8 of 10 Work Order : ES2120014 Client : MARINE POLLUTION RESEARCH PTY LTD Project : Warriewood



Sub-Matrix: WATER (Matrix: WATER)			Sample ID	NC3	NC4	NC5				
		Sampli	ng date / time	27-May-2021 00:00	27-May-2021 00:00	27-May-2021 00:00				
Compound	CAS Number	LOR	Unit	ES2120014-001	ES2120014-002	ES2120014-003				
				Result	Result	Result				
EP075(SIM)B: Polynuclear Aromatic Hy	ydrocarbons - Cont	inued								
Benzo(b+j)fluoranthene	205-99-2 205-82-3	1.0	µg/L	<1.0		<1.0				
Benzo(k)fluoranthene	207-08-9	1.0	µg/L	<1.0		<1.0				
Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5		<0.5				
Indeno(1.2.3.cd)pyrene	193-39-5	1.0	µg/L	<1.0		<1.0				
Dibenz(a.h)anthracene	53-70-3	1.0	µg/L	<1.0		<1.0				
Benzo(g.h.i)perylene	191-24-2	1.0	µg/L	<1.0		<1.0				
^ Sum of polycyclic aromatic hydrocarbons	s	0.5	µg/L	<0.5		<0.5				
^ Benzo(a)pyrene TEQ (zero)		0.5	µg/L	<0.5		<0.5				
MW006: Faecal Coliforms & E.coli by MF										
Faecal Coliforms		1	CFU/100mL	110	100	180				
Escherichia coli		1	CFU/100mL	110	100	180				
MW024: Bacillariophytes (Diatoms) - Centrales										
Cyclotella spp.		5	cells/ml			25				
MW024: Bacillariophytes (Diatoms) - TOTAL BACILLARIOPHYTES										
Total Bacillariophytes		5	cells/ml			25				
MW024: Chlorophytes (Green Algae)										
Mougeotia spp.		5	cells/ml			50				
MW024: Chlorophytes (Green Algae) -	TOTAL CHLOROP	HYTES								
Total Chlorophytes		5	cells/ml			50				
MW024: Cyanophytes (Blue Green Alg	ae) - TOTAL CYAN	OPHYTE	S							
Total Cyanophytes		5	cells/ml	<5		<5				
MW024: Cyanophytes (Blue Green Alg	ae) - TOTAL POTE	NTIALLY	TOXIC CYAN	OPHYTES						
Total Potentially Toxic Cyanophytes		5	cells/ml	<5		<5				
MW024: Flagellates - Euglenophytes										
Euglena spp.		5	cells/ml			50				
Trachelomonas spp.		5	cells/ml			25				
MW024: Flagellates - TOTAL FLAGELL	ATES									
Total Flagellates		5	cells/ml			75				
MW024T: TOTAL ALGAE										
Total Algae Count		5	cells/ml	<5		150				
EP066S: PCB Surrogate										
Decachlorobiphenyl	2051-24-3	1	%	82.6		91.3				
EP068S: Organochlorine Pesticide Sur	rogate									

Page : 9 of 10 Work Order : ES2120014 Client : MARINE POLLUTION RESEARCH PTY LTD Project : Warriewood



Sub-Matrix: WATER (Matrix: WATER)		Sample ID		NC3	NC4	NC5	
		Sampli	ng date / time	27-May-2021 00:00	27-May-2021 00:00	27-May-2021 00:00	
Compound	CAS Number	LOR	Unit	ES2120014-001	ES2120014-002	ES2120014-003	
				Result	Result	Result	
EP068S: Organochlorine Pesticide Su	rrogate - Continued						
Dibromo-DDE	21655-73-2	0.5	%	111		102	
EP068T: Organophosphorus Pesticid	e Surrogate						
DEF	78-48-8	0.5	%	86.2		80.4	
EP075(SIM)S: Phenolic Compound Su							
Phenol-d6	13127-88-3	1.0	%	35.2		36.9	
2-Chlorophenol-D4	93951-73-6	1.0	%	63.8		66.8	
2.4.6-Tribromophenol	118-79-6	1.0	%	68.0		67.2	
EP075(SIM)T: PAH Surrogates							
2-Fluorobiphenyl	321-60-8	1.0	%	82.8		88.7	
Anthracene-d10	1719-06-8	1.0	%	108		110	
4-Terphenyl-d14	1718-51-0	1.0	%	98.4		89.9	



Surrogate Control Limits

Sub-Matrix: SOIL		Recovery	Limits (%)		
Compound	CAS Number	Low	High		
EP066S: PCB Surrogate					
Decachlorobiphenyl	2051-24-3	39	149		
EP068S: Organochlorine Pesticide Surrogate					
Dibromo-DDE	21655-73-2	49	147		
EP068T: Organophosphorus Pesticide Surrogate					
DEF	78-48-8	35	143		
Sub-Matrix: WATER	[Recovery Limits (%)			
Compound	CAS Number	Low	High		
EP066S: PCB Surrogate					
Decachlorobiphenyl	2051-24-3	45	134		
EP068S: Organochlorine Pesticide Surrogate					
Dibromo-DDE	21655-73-2	67	111		
EP068T: Organophosphorus Pesticide Surrogate					
DEF	78-48-8	67	111		
EP075(SIM)S: Phenolic Compound Surrogates					
Phenol-d6	13127-88-3	10	44		
2-Chlorophenol-D4	93951-73-6	14	94		
2.4.6-Tribromophenol	118-79-6	17	125		
EP075(SIM)T: PAH Surrogates					
2-Fluorobiphenyl	321-60-8	20	104		
Anthracene-d10	1719-06-8	27	113		
4-Terphenyl-d14	1718-51-0	32	112		



QUALITY CONTROL REPORT

Work Order	: ES2120014	Page	: 1 of 10
Client	: MARINE POLLUTION RESEARCH PTY LTD	Laboratory	: Environmental Division Sydney
Contact	: Paul Anink	Contact	: Customer Services ES
Address	: PO BOX 279 CHURCH POINT SYDNEY NSW 2105	Address	: 277-289 Woodpark Road Smithfield NSW Australia 2164
Telephone	:	Telephone	: +61-2-8784 8555
Project	: Warriewood	Date Samples Received	: 27-May-2021
Order number	:	Date Analysis Commenced	: 28-May-2021
C-O-C number	:	Issue Date	: 07-Jun-2021
Sampler	: Jacob Broom		Hac-MRA NATA
Site	:		
Quote number	: EN/222		Accreditation No. 825
No. of samples received	: 5		Accredited for compliance with
No. of samples analysed	: 5		ISO/IEC 17025 - Testing

This report supersedes any previous report(s) with this reference. Results apply to the sample(s) as submitted, unless the sampling was conducted by ALS. This document shall not be reproduced, except in full.

This Quality Control Report contains the following information:

- Laboratory Duplicate (DUP) Report; Relative Percentage Difference (RPD) and Acceptance Limits
- Method Blank (MB) and Laboratory Control Spike (LCS) Report; Recovery and Acceptance Limits
- Matrix Spike (MS) Report; Recovery and Acceptance Limits

Signatories

This document has been electronically signed by the authorized signatories below. Electronic signing is carried out in compliance with procedures specified in 21 CFR Part 11.

Signatories	Position	Accreditation Category
Ankit Joshi	Inorganic Chemist	Sydney Inorganics, Smithfield, NSW
Celine Conceicao	Senior Spectroscopist	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Inorganics, Smithfield, NSW
Edwandy Fadjar	Organic Coordinator	Sydney Organics, Smithfield, NSW
Ivan Taylor	Analyst	Sydney Inorganics, Smithfield, NSW
Somlok Chai	Microbiologist	Sydney Microbiology, Smithfield, NSW
Sunitha Kannampilli	Phycologist	Sydney Phycology, Smithfield, NSW



General Comments

The analytical procedures used by ALS have been developed from established internationally recognised procedures such as those published by the USEPA, APHA, AS and NEPM. In house developed procedures are fully validated and are often at the client request.

Where moisture determination has been performed, results are reported on a dry weight basis.

Where a reported less than (<) result is higher than the LOR, this may be due to primary sample extract/digestate dilution and/or insufficient sample for analysis. Where the LOR of a reported result differs from standard LOR, this may be due to high

Key : Anonymous = Refers to samples which are not specifically part of this work order but formed part of the QC process lot

CAS Number = CAS registry number from database maintained by Chemical Abstracts Services. The Chemical Abstracts Service is a division of the American Chemical Society.

LOR = Limit of reporting

RPD = Relative Percentage Difference

= Indicates failed QC

Laboratory Duplicate (DUP) Report

The quality control term Laboratory Duplicate refers to a randomly selected intralaboratory split. Laboratory duplicates provide information regarding method precision and sample heterogeneity. The permitted ranges for the Relative Percent Deviation (RPD) of Laboratory Duplicates are specified in ALS Method QWI-EN/38 and are dependent on the magnitude of results in comparison to the level of reporting: Result < 10 times LOR: No Limit; Result between 10 and 20 times LOR: 0% - 50%; Result > 20 times LOR: 0% - 20%.

Sub-Matrix: SOIL				Laboratory Duplicate (DUP) Report					
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EG005(ED093)T: Tot	al Metals by ICP-AES (QC L	ot: 3717867)							
ES2120014-004	NC3	EG005T: Chromium	7440-47-3	2	mg/kg	8	9	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	13	12	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	<5	10	70.4	No Limit
ES2120032-032	Anonymous	EG005T: Chromium	7440-47-3	2	mg/kg	<2	<2	0.0	No Limit
		EG005T: Arsenic	7440-38-2	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Copper	7440-50-8	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Lead	7439-92-1	5	mg/kg	<5	<5	0.0	No Limit
		EG005T: Zinc	7440-66-6	5	mg/kg	16	11	36.9	No Limit
EA055: Moisture Co	ntent (Dried @ 105-110°C) (0								
ES2120032-024	Anonymous	EA055: Moisture Content		0.1	%	6.7	6.3	6.2	0% - 20%
ES2120032-035	Anonymous	EA055: Moisture Content		0.1	%	3.0	3.4	11.5	0% - 20%
EG035T: Total Reco	verable Mercury by FIMS (C	QC Lot: 3717866)							
ES2120014-004	NC3	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
ES2120032-032	Anonymous	EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EP066: Polychlorina	ted Biphenyls (PCB) (QC Lo	vt: 3710476)							
ES2120146-002	Anonymous	EP066: Total Polychlorinated biphenyls		0.1	mg/kg	<0.1	<0.1	0.0	No Limit
ES2120206-001	Anonymous	EP066: Total Polychlorinated biphenyls		0.1	mg/kg	<0.1	<0.1	0.0	No Limit
EP068A: Organochlo	orine Pesticides (OC) (QC L	ot: 3710475)							
ES2120146-002	Anonymous	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit

Page	3 of 10
Work Order	ES2120014
Client	MARINE POLLUTION RESEARCH PTY LTD
Project	Warriewood



Sub-Matrix: SOIL						Laboratory L	Duplicate (DUP) Report		
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EP068A: Organochloi	rine Pesticides (OC) (QC Lo	ot: 3710475) - continued							
ES2120146-002	Anonymous	EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: 4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: 4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: 4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
ES2120206-001	Anonymous	EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: 4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: 4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	<0.05	0.0	No Limit
		EP068: 4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
		EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	<0.2	0.0	No Limit
Sub-Matrix: WATER						Laboratory L	Duplicate (DUP) Report		
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)

Page	: 4 of 10
Work Order	: ES2120014
Client	: MARINE POLLUTION RESEARCH PTY LTD
Project	: Warriewood



Sub-Matrix: WATER						Laboratory L	Duplicate (DUP) Report		
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	LOR	Unit	Original Result	Duplicate Result	RPD (%)	Acceptable RPD (%)
EA025: Total Suspen	ded Solids dried at 104 ± 2°0	C (QC Lot: 3714384)							
ES2119941-003	Anonymous	EA025H: Suspended Solids (SS)		5	mg/L	4540	4630	1.9	0% - 20%
ES2120052-001	Anonymous	EA025H: Suspended Solids (SS)		5	mg/L	13	8	47.6	No Limit
EG020T: Total Metals	by ICP-MS (QC Lot: 371468	34)							
ES2119867-001	Anonymous	EG020A-T: Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	0.0	No Limit
		EG020A-T: Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.0	No Limit
		EG020A-T: Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.0	No Limit
		EG020A-T: Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.0	No Limit
		EG020A-T: Zinc	7440-66-6	0.005	mg/L	<0.005	<0.005	0.0	No Limit
ES2120166-002	Anonymous	EG020A-T: Arsenic	7440-38-2	0.001	mg/L	<0.001	<0.001	0.0	No Limit
		EG020A-T: Chromium	7440-47-3	0.001	mg/L	<0.001	<0.001	0.0	No Limit
		EG020A-T: Copper	7440-50-8	0.001	mg/L	<0.001	<0.001	0.0	No Limit
		EG020A-T: Lead	7439-92-1	0.001	mg/L	<0.001	<0.001	0.0	No Limit
		EG020A-T: Zinc	7440-66-6	0.005	mg/L	0.070	0.067	4.8	0% - 50%
EG035T: Total Recov	verable Mercury by FIMS (Q	C Lot: 3715633)							
ES2118655-052	Anonymous	EG035T: Mercury	7439-97-6	0.0001	mg/L	0.0002	0.0002	0.0	No Limit
ES2120200-003	Anonymous	EG035T: Mercury	7439-97-6	0.0001	mg/L	<0.0001	<0.0001	0.0	No Limit
EK055G: Ammonia as	N by Discrete Analyser (Q	C Lot: 3716083)							
ES2119688-001	Anonymous	EK055G: Ammonia as N	7664-41-7	0.01	mg/L	0.05	0.05	0.0	No Limit
ES2119688-010	Anonymous	EK055G: Ammonia as N	7664-41-7	0.01	mg/L	<0.01	<0.01	0.0	No Limit
EK057G: Nitrite as N	by Discrete Analyser (QC L	_ot: 3705742)							
ES2119687-001	Anonymous	EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.0	No Limit
ES2119688-010	Anonymous	EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	<0.01	0.0	No Limit
EK059G: Nitrite plus	Nitrate as N (NOx) by Discr	rete Analyser (QC Lot: 3716085)							
ES2119814-007	Anonymous	EK059G: Nitrite + Nitrate as N		0.01	mg/L	11.0	10.7	2.3	0% - 20%
ES2120239-001	Anonymous	EK059G: Nitrite + Nitrate as N		0.01	mg/L	1.86	1.86	0.0	0% - 20%
EK061G: Total Kjelda	hl Nitrogen By Discrete Ana	ılyser (QC Lot: 3716081)							
ES2119814-007	Anonymous	EK061G: Total Kjeldahl Nitrogen as N		0.1	mg/L	9.4	8.9	5.4	No Limit
EK067FG: Filtered To	tal Phosphorus as P by Dis	crete Analyser (QC Lot: 3718379)							
ES2120014-001	NC3	EK067FG: Filtered Total Phosphorus as P		0.01	mg/L	0.03	0.03	0.0	No Limit
EK067G: Total Phosp	horus as P by Discrete Ana	lyser (QC Lot: 3716080)							
ES2119814-001	Anonymous	EK067G: Total Phosphorus as P		0.01	mg/L	0.08	0.06	18.1	No Limit
ES2120014-002	NC4	EK067G: Total Phosphorus as P		0.01	mg/L	0.06	0.08	32.4	No Limit
EK071G: Reactive Ph	osphorus as P by discrete a	analyser (QC Lot: 3705741)							
ES2119687-001	Anonymous	EK071G: Reactive Phosphorus as P	14265-44-2	0.01	mg/L	0.02	0.02	0.0	No Limit



Method Blank (MB) and Laboratory Control Sample (LCS) Report

The quality control term Method / Laboratory Blank refers to an analyte free matrix to which all reagents are added in the same volumes or proportions as used in standard sample preparation. The purpose of this QC parameter is to monitor potential laboratory contamination. The quality control term Laboratory Control Sample (LCS) refers to a certified reference material, or a known interference free matrix spiked with target analytes. The purpose of this QC parameter is to monitor method precision and accuracy independent of sample matrix. Dynamic Recovery Limits are based on statistical evaluation of processed LCS.

Sub-Matrix: SOIL				Method Blank (MB)	Laboratory Control Spike (LCS) Report			
				Report	Spike	Spike Recovery (%)	Acceptable	Limits (%)
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	Low	High
EG005(ED093)T: Total Metals by ICP-AES (QCLot	: 3717867)							
EG005T: Arsenic	7440-38-2	5	mg/kg	<5	121.1 mg/kg	88.1	88.0	113
EG005T: Chromium	7440-47-3	2	mg/kg	<2	19.6 mg/kg	85.7	68.0	132
EG005T: Copper	7440-50-8	5	mg/kg	<5	52.9 mg/kg	95.2	89.0	111
EG005T: Lead	7439-92-1	5	mg/kg	<5	60.8 mg/kg	88.1	82.0	119
EG005T: Zinc	7440-66-6	5	mg/kg	<5	139.3 mg/kg	78.5	66.0	133
EG035T: Total Recoverable Mercury by FIMS (QC	Lot: 3717866)							
EG035T: Mercury	7439-97-6	0.1	mg/kg	<0.1	0.087 mg/kg	75.9	70.0	125
EP066: Polychlorinated Biphenyls (PCB) (QCLot:	3710476)							
EP066: Total Polychlorinated biphenyls		0.1	mg/kg	<0.1	1 mg/kg	85.8	62.0	126
EP068A: Organochlorine Pesticides (OC) (QCLot:	3710475)							
EP068: alpha-BHC	319-84-6	0.05	mg/kg	<0.05	0.5 mg/kg	81.3	69.0	113
EP068: Hexachlorobenzene (HCB)	118-74-1	0.05	mg/kg	<0.05	0.5 mg/kg	77.8	65.0	117
EP068: beta-BHC	319-85-7	0.05	mg/kg	<0.05	0.5 mg/kg	82.7	67.0	119
EP068: gamma-BHC	58-89-9	0.05	mg/kg	<0.05	0.5 mg/kg	82.7	68.0	116
EP068: delta-BHC	319-86-8	0.05	mg/kg	<0.05	0.5 mg/kg	82.5	65.0	117
EP068: Heptachlor	76-44-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.9	67.0	115
EP068: Aldrin	309-00-2	0.05	mg/kg	<0.05	0.5 mg/kg	81.3	69.0	115
EP068: Heptachlor epoxide	1024-57-3	0.05	mg/kg	<0.05	0.5 mg/kg	80.6	62.0	118
EP068: trans-Chlordane	5103-74-2	0.05	mg/kg	<0.05	0.5 mg/kg	82.2	63.0	117
EP068: alpha-Endosulfan	959-98-8	0.05	mg/kg	<0.05	0.5 mg/kg	82.5	66.0	116
EP068: cis-Chlordane	5103-71-9	0.05	mg/kg	<0.05	0.5 mg/kg	80.0	64.0	116
EP068: Dieldrin	60-57-1	0.05	mg/kg	<0.05	0.5 mg/kg	85.3	66.0	116
EP068: 4.4`-DDE	72-55-9	0.05	mg/kg	<0.05	0.5 mg/kg	83.0	67.0	115
EP068: Endrin	72-20-8	0.05	mg/kg	<0.05	0.5 mg/kg	79.7	67.0	123
EP068: beta-Endosulfan	33213-65-9	0.05	mg/kg	<0.05	0.5 mg/kg	85.2	69.0	115
EP068: 4.4`-DDD	72-54-8	0.05	mg/kg	<0.05	0.5 mg/kg	84.2	69.0	121
EP068: Endrin aldehyde	7421-93-4	0.05	mg/kg	<0.05	0.5 mg/kg	102	56.0	120
EP068: Endosulfan sulfate	1031-07-8	0.05	mg/kg	<0.05	0.5 mg/kg	92.9	62.0	124
EP068: 4.4`-DDT	50-29-3	0.2	mg/kg	<0.2	0.5 mg/kg	89.9	66.0	120
EP068: Endrin ketone	53494-70-5	0.05	mg/kg	<0.05	0.5 mg/kg	95.8	64.0	122
EP068: Methoxychlor	72-43-5	0.2	mg/kg	<0.2	0.5 mg/kg	89.0	54.0	130
Sub-Matrix: WATER				Method Blank (MB)		Laboratory Control Spike (LCS	S) Report	
				Report	Spike	Spike Recovery (%)	Acceptable	Limits (%)
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	Low	High

Page	: 6 of 10
Work Order	: ES2120014
Client	: MARINE POLLUTION RESEARCH PTY LTD
Project	: Warriewood



Result Space Space Space Space Concentration (p) Acceptable Link (p) EAA25: Total Suspended Solids (rise) at 104 2 °C (CCLot: 3714384) -	Sub-Matrix: WATER				Method Blank (MB)	Laboratory Control Spike (LCS) Report				
Number Case LOR Unit Peaked Conservation LCS Low Mappendial Solidi Solidi Al 14 ± 2°C (CGL 01: 3714384) EA025: Total Mendia Solidi S(S) 5 mgL -S 150 mgL 100 mgL 100 8.3.0 129 EA025: Total Mendia Solidi S(S) 5 mgL -S 150 mgL 100 8.3.0 129 EC0201: Total Mendia Solidi S(S) 5 mgL -S 150 mgL 100 8.3.0 118 EC0201: Total Mendia Solidi S(S) 5 mgL -S 100 mgL 0.01 0.1 mgL 98.5.0 55.0 118 EC020A: Total Mendia Solidi S(CGL C1 3714684) 0.001 mgL -0.01 0.1 mgL 96.5.0 85.0 118 EC020A: Total Mencip My FIGS (CGL C1 3714583) 100 11 mgL 96.5.0 85.0 118 EC020A: Total Mencip My FIGS (CGL C1 3714583) 110 110 110 110 110 110 </td <td></td> <td></td> <td></td> <td></td> <td>Report</td> <td>Spike</td> <td>Spike Recovery (%)</td> <td>Acceptable</td> <td>Limits (%)</td>					Report	Spike	Spike Recovery (%)	Acceptable	Limits (%)	
EAO2: Total Supponded Solids of did at 104 ± 2*C (QCLot: 3744384) S mgl. 500 mgl. 106 6.3.0 129 EAO2: Total Musipended Solids (68) 5 mgl. <5	Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	Low	High	
EA023H: Suspended Solits (SS)	EA025: Total Suspended Solids dried at 104 ± 2°C((QCLot: 3714384)								
45 1000 mgL 1000 mgL 1000 mgL 1000 mgL 82.0 110 EG0201-7: Arsine 7440 38-2 0.001 mgL 4-0.001 0.1 mgL 98.3 114 E0020A1: Chromium 7440 38-2 0.001 mgL 4-0.001 0.1 mgL 98.4 86.0 114 E0020A1: Chromium 7440 47-3 0.001 mgL 4-0.001 0.1 mgL 98.4 88.0 118 E0020A1: Chromium 7440 46-7 0.001 mgL 4-0.001 0.1 mgL 98.4 88.0 118 E0020A1: Chromium 740 466 0.005 mgL 4-0.001 0.1 mgL 98.4 79.0 117 E0020A1: Chromium as N by Discrete Analyser (QCLot: 374683) Trease N (0.01 mgL 90.0 114 117 E0057: Write as N (0.01 by Discrete Analyser (QCLot: 374683) 0.01 mgL 4-0.01 1 mgL 90.0 114 E0057: Write as N (0.01 by Discrete Analyser (QCLot: 374683) 0.01 mgL 4-0.01 0.01 mgL 100 114 E005	EA025H: Suspended Solids (SS)		5	mg/L	<5	150 mg/L	106	83.0	129	
Co2001: Total Matals by ICP-MS (QCL01: 371488)					<5	1000 mg/L	102	82.0	110	
EG0201: Total Metals by ICP-MS (QCLot: 374884) 98.9 82.0 114 EG020A: T: Asenic 7440-47.3 0.001 mg/L <0.001					<5	463 mg/L	109	83.0	118	
Clocols T440-38-2 0.001 mgL -0.001 0.1 mgL 98.9 82.0 114 Clocols T-Amanda 740-93.4 0.001 mgL -0.001 0.1 mgL 98.9 88.0 116 Clocols T-Amanda 7439-824 0.001 mgL -0.001 0.1 mgL 96.5 88.0 116 Clocols T-Amanda 7439-824 0.001 mgL -0.005 0.1 mgL 96.5 88.0 117 EGOST Trade 7449-864 0.005 mgL -0.005 0.1 mgL 96.4 70.0 117 EGOST Microbal Ban Y439-74 0.001 mgL -0.001 1 mgL 98.3 80.0 114 EKOSGS Ammonia Ban N by Discrete Analyser (QCLot: 37642) 1 1 mgL -0.01 mgL -0.01 0.5 mgL 103 82.0 114 EKOSGS Nimic Hais Nith as N 1 fif77.65.0 0.01 mgL -0.01 ngL -0.01 0.5 mgL	EG020T: Total Metals by ICP-MS (QCLot: 3714684)									
Ed020Art: Chromium 7440-47-3 0.001 mgL 4-0.001 0.1 mgL 0.01 mgL 6-0.001 0.1 mgL 0.01 mgL 6-0.001 0.01 mgL 0.05. 0.8.0 118 E0020Art: Lead 7439-92-1 0.001 mgL <-0.001	EG020A-T: Arsenic	7440-38-2	0.001	mg/L	<0.001	0.1 mg/L	98.9	82.0	114	
Edeg20Ar: Copper 7440-50-8 0.001 mgL 0.01 mgL 0.1 mgL 0.01 mgL 0.01 mgL 0.01 mgL 0.01 mgL 0.01 mgL 0.001 0.1 mgL 0.01 mgL 0.01 mgL 0.01 mgL 0.001 0.01 mgL 0.01 mgL 0.001 0.01 mgL 0.001 0.01 mgL 0.001 0.01 mgL 0.001 0.01 mgL 0.01 mgL <td>EG020A-T: Chromium</td> <td>7440-47-3</td> <td>0.001</td> <td>mg/L</td> <td><0.001</td> <td>0.1 mg/L</td> <td>94.9</td> <td>86.0</td> <td>116</td>	EG020A-T: Chromium	7440-47-3	0.001	mg/L	<0.001	0.1 mg/L	94.9	86.0	116	
EG020A.T:Lead 7439 92.1 0.001 mg/L	EG020A-T: Copper	7440-50-8	0.001	mg/L	<0.001	0.1 mg/L	95.1	83.0	118	
EQ020Art: Zinc 7440-865 0.005 mg/L <0.05 0.1 mg/L 68.4 78.0 117 EQ03517: Marcary FM30-071683)	EG020A-T: Lead	7439-92-1	0.001	mg/L	<0.001	0.1 mg/L	96.5	85.0	115	
EG0351: Total Recoverable Marcury by FIMS (QCLot: 371633) EC0351: Total Recoverable Marcury by FIMS (QCLot: 371603) mg/L <0.001	EG020A-T: Zinc	7440-66-6	0.005	mg/L	<0.005	0.1 mg/L	96.4	79.0	117	
EC0357: Netrolary 7439978 0.0001 mg/L <0.001 0.0.1 mg/L 0.98.3 77.0 111 EK0356: Ammonia as N by Discrete Analyser (QCLot: 3716083) r064-41-7 0.01 mg/L <0.01	EG035T: Total Recoverable Mercury by FIMS (QCL	ot: 3715633)								
EK655: Annmonia as N by Discrete Analyser (QCLot: 3716083) EK0556: Annmonia as N 7664417 0.01 mg/L <0.01	EG035T: Mercury	7439-97-6	0.0001	mg/L	<0.0001	0.01 mg/L	98.3	77.0	111	
EK03GG: Ammonia as N 768441-7 0.01 mg/L <0.01 1 mg/L 99.3 90.0 114 EK03GG: Nitrite as N bj Discrete Analyser (QCL0: 3705742) <t< td=""><td>EK055G: Ammonia as N by Discrete Analyser (QCL</td><td>.ot: 3716083)</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>	EK055G: Ammonia as N by Discrete Analyser (QCL	.ot: 3716083)								
EK057G: Nitrite as N by Discrete Analyser (QCLot: 3705742) EK057G: Nitrite as N (NOx) by Discrete Analyser (QCLot: 370685) 0.01 mg/L <0.01	EK055G: Ammonia as N	7664-41-7	0.01	mg/L	<0.01	1 mg/L	99.3	90.0	114	
EKoS7G: Nitrite as N 14797-65-0 0.01 mg/L <0.01 0.5 mg/L 103 82.0 114 EKOS9G: Nitrite hus Nitrate as N (NOx) by Discrete Analyser (QCLot: 3716085)	EK057G: Nitrite as N by Discrete Analyser (QCLot:	3705742)								
EK059G: Nitrite plus Nitrate as N (NOX) by Discrete Analyser (QCLot: 3716085) mg/L <0.01 mg/L <0.01 0.5 mg/L 104 91.0 113 EK061G: Total Kjeldahi Nitrogen By Discrete Analyser (QCLot: 3716081) mg/L <0.01	EK057G: Nitrite as N	14797-65-0	0.01	mg/L	<0.01	0.5 mg/L	103	82.0	114	
EK039G: Nitrite + Nitrate as N 0.01 mg/L <0.01	EK059G: Nitrite plus Nitrate as N (NOx) by Discret	e Analyser (QCLot: 37	16085)							
EK061G: Total Kjeldahl Nitrogen By Discrete Analyser (QCLot: 3716081) mg/L <0.1 mg/L <0.1 10 mg/L 100 mg/L 100 69.0 101 EK061G: Total Kjeldahl Nitrogen as N 0.1 mg/L <0.1	EK059G: Nitrite + Nitrate as N		0.01	mg/L	<0.01	0.5 mg/L	104	91.0	113	
EKKöriG: Total Kijeldahi Nitrogen as N 0.1 mg/L <0.1 10 mg/L 100 mg/L 100 69.0 101 EKKöriG: Total Kijeldahi Nitrogen as N 0.1 mg/L <0.1	EK061G: Total Kieldahl Nitrogen By Discrete Analys	ser (QCI of: 3716081)								
Construction 1 mg/L 117 70.0 118 EK067FG: Filtered Total Phosphorus as P by Discrete Analyser (QCLot: 3718379) E 5 5 95.1 70.0 130 EK067FG: Filtered Total Phosphorus as P 0.01 mg/L <0.01	EK061G: Total Kieldahl Nitrogen as N		0.1	mg/L	<0.1	10 mg/L	100	69.0	101	
cd <0.1 5 mg/L 95.1 70.0 130 EK067FG: Filtered Total Phosphorus as P by Discrete Analyser (QCLot: 3718379) EK067FG: Filtered Total Phosphorus as P 0.01 mg/L <0.01					<0.1	1 mg/L	117	70.0	118	
EK067FG: Filtered Total Phosphorus as P by Discrete Analyser (QCLot: 3718379) EK067FG: Filtered Total Phosphorus as P 0.01 mg/L <0.01					<0.1	5 mg/L	95.1	70.0	130	
EK067FG: Filtered Total Phosphorus as P 0.01 mg/L <0.01 4.42 mg/L 89.4 71.0 115 EK067G: Total Phosphorus as P by Discrete Analyser (QCLot: 3716080) 0.01 mg/L <0.01	EK067FG: Filtered Total Phosphorus as P by Discre	ete Analyser (QCLot: 3	718379)							
EK067G: Total Phosphorus as P by Discrete Analyser (QCLot: 3716080) EK067G: Total Phosphorus as P 0.01 mg/L <0.01	EK067FG: Filtered Total Phosphorus as P		0.01	mg/L	<0.01	4.42 mg/L	89.4	71.0	115	
EK067G: Total Phosphorus as P 0.01 mg/L <0.01 4.42 mg/L 97.3 71.0 101 <0.01	EK067G: Total Phosphorus as P by Discrete Analys	er (QCLot: 3716080)								
Construction Construction Construction O.442 mg/L 1 mg/L 107 1 mg/L 72.0 108 111 108 130 EK071G: Reactive Phosphorus as P by discrete analyser (QCLot: 3705741) EK071G: Reactive Phosphorus as P 14265-44-2 0.01 mg/L <0.01	EK067G: Total Phosphorus as P		0.01	mg/L	<0.01	4.42 mg/L	97.3	71.0	101	
Image: Constraint of the system of					<0.01	0.442 mg/L	107	72.0	108	
EK071G: Reactive Phosphorus as P by discrete analyser (QCLot: 3705741)EK071G: Reactive Phosphorus as P14265-44-20.01mg/L<0.01					<0.01	1 mg/L	111	70.0	130	
EK071G: Reactive Phosphorus as P 14265-44-2 0.01 mg/L <0.01 0.5 mg/L 101 85.0 117 EP020: Oil and Grease (O&G) (QCLot: 3716384) EP020: Oil & Grease 5 mg/L <5 5000 mg/L 98.2 81.0 121 EP020: Oil & Grease 5 mg/L <5 5000 mg/L 98.2 81.0 121 EP066: Polychlorinated Biphenyls (PCB) (QCLot: 3704591) 1 µg/L <1 10 µg/L 88.4 68.9 113 EP066: Total Polychlorinated Biphenyls (OC) (QCLot: 3704592) EP068: alpha-BHC 5 µg/L <0.5 5 µg/L 84.8 64.9 107 EP068: alpha-BHC 319-84-6 0.5 µg/L <0.5 5 µg/L 93.7 58.3 111 EP068: Hexachlorobenzene (HCB) 118-74-1 0.5 µg/L <0.5 5 µg/L 90.5 69.0 117	EK071G: Reactive Phosphorus as P by discrete ana	alyser (QCLot: 370574	1)							
EP020: Oil and Grease (O&G) (QCLot: 3716384) EP020: Oil & Grease 5 mg/L <5	EK071G: Reactive Phosphorus as P	14265-44-2	0.01	mg/L	<0.01	0.5 mg/L	101	85.0	117	
EP020: Oil & Grease5mg/L<55000 mg/L98.281.0121EP020: Oil & Grease5mg/L<55000 mg/L98.281.0121EP066: Polychlorinated Biphenyls (PCB) (QCLot: 3704591)EP066: Total Polychlorinated biphenyls1μg/L<110 μg/L88.468.9113EP068: Organochlorine Pesticides (OC) (QCLot: 3704592)EP068: alpha-BHC319-84-60.5μg/L<0.55 μg/L84.864.9107EP068: Hexachlorobenzene (HCB)118-74-10.5μg/L<0.55 μg/L93.758.3111EP068: beta-BHC319-85-70.5μg/L<0.55 μg/L90.569.0117	EP020: Oil and Grease (O&G) (QCLot: 3716384)									
EP066: Polychlorinated Biphenyls (PCB) (QCLot: 3704591) EP066: Total Polychlorinated biphenyls 1 μg/L <1	EP020: Oil & Grease		5	mg/L	<5	5000 mg/L	98.2	81.0	121	
EP066: Total Polychlorinated biphenyls 1 μg/L <1 10 μg/L 88.4 68.9 113 EP068: Organochlorine Pesticides (OC) (QCLot: 3704592) EP068: alpha-BHC 319-84-6 0.5 μg/L <0.5 5 μg/L 84.8 64.9 107 EP068: Hexachlorobenzene (HCB) 118-74-1 0.5 μg/L <0.5 5 μg/L 93.7 58.3 111 EP068: beta-BHC 319-85-7 0.5 μg/L <0.5 5 μg/L 90.5 69.0 117	EP066: Polychlorinated Binhenyls (PCB) (OCI of: 3	704591)								
EP068A: Organochlorine Pesticides (OC) (QCLot: 3704592) EP068: alpha-BHC 319-84-6 0.5 μg/L <0.5	EP066: Total Polychlorinated biphenyls		1	μg/L	<1	10 µg/L	88.4	68.9	113	
EP068: alpha-BHC 319-84-6 0.5 μg/L <0.5 5 μg/L 84.8 64.9 107 EP068: Hexachlorobenzene (HCB) 118-74-1 0.5 μg/L <0.5	EP068A: Organochlorine Pesticides (OC) (OCI of: 3	3704592)								
EP068: Hexachlorobenzene (HCB) 118-74-1 0.5 μg/L <0.5 5 μg/L 93.7 58.3 111 EP068: beta-BHC 319-85-7 0.5 μg/L <0.5	EP068: alpha-BHC	319-84-6	0.5	μg/L	<0.5	5 µg/L	84.8	64.9	107	
EP068: beta-BHC 319-85-7 0.5 μg/L <0.5 5 μg/L 90.5 69.0 117	EP068: Hexachlorobenzene (HCB)	118-74-1	0.5	μg/L	<0.5	5 μg/L	93.7	58.3	111	
	EP068: beta-BHC	319-85-7	0.5	μg/L	<0.5	5 µg/L	90.5	69.0	117	

Page	: 7 of 10
Work Order	: ES2120014
Client	: MARINE POLLUTION RESEARCH PTY LTD
Project	: Warriewood



Sub-Matrix: WATER				Method Blank (MB)	Laboratory Control Spike (LCS) Report			
				Report	Spike	Spike Recovery (%)	Acceptable	ə Limits (%)
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	Low	High
EP068A: Organochlorine Pesticides (OC)(QCLot: 3704592) - continued							
EP068: gamma-BHC	58-89-9	0.5	μg/L	<0.5	5 µg/L	90.4	70.0	112
EP068: delta-BHC	319-86-8	0.5	µg/L	<0.5	5 µg/L	98.3	68.9	110
EP068: Heptachlor	76-44-8	0.5	µg/L	<0.5	5 µg/L	86.1	65.2	108
EP068: Aldrin	309-00-2	0.5	μg/L	<0.5	5 µg/L	88.9	65.8	109
EP068: Heptachlor epoxide	1024-57-3	0.5	μg/L	<0.5	5 µg/L	89.8	67.1	107
EP068: trans-Chlordane	5103-74-2	0.5	µg/L	<0.5	5 µg/L	87.0	64.1	110
EP068: alpha-Endosulfan	959-98-8	0.5	μg/L	<0.5	5 μg/L	107	66.7	112
EP068: cis-Chlordane	5103-71-9	0.5	µg/L	<0.5	5 µg/L	87.7	63.2	111
EP068: Dieldrin	60-57-1	0.5	μg/L	<0.5	5 µg/L	89.7	65.2	113
EP068: 4.4`-DDE	72-55-9	0.5	μg/L	<0.5	5 μg/L	93.8	66.0	112
EP068: Endrin	72-20-8	0.5	µg/L	<0.5	5 µg/L	88.6	65.2	113
EP068: beta-Endosulfan	33213-65-9	0.5	μg/L	<0.5	5 µg/L	92.4	67.3	114
EP068: 4.4`-DDD	72-54-8	0.5	µg/L	<0.5	5 µg/L	91.4	72.0	122
EP068: Endrin aldehyde	7421-93-4	0.5	μg/L	<0.5	5 µg/L	92.6	66.9	109
EP068: Endosulfan sulfate	1031-07-8	0.5	μg/L	<0.5	5 µg/L	84.0	65.2	112
EP068: 4.4`-DDT	50-29-3	2	μg/L	<2.0	5 µg/L	85.6	65.2	112
EP068: Endrin ketone	53494-70-5	0.5	µg/L	<0.5	5 µg/L	84.0	63.8	110
EP068: Methoxychlor	72-43-5	2	μg/L	<2.0	5 µg/L	85.1	61.1	114
EP068B: Organophosphorus Pesticides (OP	P) (QCLot: 3704592)							
EP068: Dichlorvos	62-73-7	0.5	μg/L	<0.5	5 µg/L	85.1	65.6	114
EP068: Demeton-S-methyl	919-86-8	0.5	μg/L	<0.5	5 µg/L	103	63.7	113
EP068: Monocrotophos	6923-22-4	2	μg/L	<2.0	5 μg/L	23.5	19.7	48.0
EP068: Dimethoate	60-51-5	0.5	μg/L	<0.5	5 μg/L	99.8	69.5	110
EP068: Diazinon	333-41-5	0.5	μg/L	<0.5	5 µg/L	90.1	71.1	110
EP068: Chlorpyrifos-methyl	5598-13-0	0.5	μg/L	<0.5	5 µg/L	92.1	77.0	119
EP068: Parathion-methyl	298-00-0	2	µg/L	<2.0	5 µg/L	93.0	70.0	124
EP068: Malathion	121-75-5	0.5	μg/L	<0.5	5 µg/L	97.4	68.4	116
EP068: Fenthion	55-38-9	0.5	µg/L	<0.5	5 µg/L	89.0	68.6	112
EP068: Chlorpyrifos	2921-88-2	0.5	µg/L	<0.5	5 µg/L	92.7	75.0	119
EP068: Parathion	56-38-2	2	μg/L	<2.0	5 µg/L	89.2	67.0	121
EP068: Pirimphos-ethyl	23505-41-1	0.5	µg/L	<0.5	5 µg/L	89.0	69.0	121
EP068: Chlorfenvinphos	470-90-6	0.5	µg/L	<0.5	5 µg/L	100	71.8	110
EP068: Bromophos-ethyl	4824-78-6	0.5	µg/L	<0.5	5 µg/L	89.6	67.5	112
EP068: Fenamiphos	22224-92-6	0.5	μg/L	<0.5	5 µg/L	98.4	64.1	116
EP068: Prothiofos	34643-46-4	0.5	μg/L	<0.5	5 µg/L	93.9	67.8	114
EP068: Ethion	563-12-2	0.5	μg/L	<0.5	5 μg/L	94.6	74.0	120
EP068: Carbophenothion	786-19-6	0.5	μg/L	<0.5	5 μg/L	105	66.2	114
EP068: Azinphos Methyl	86-50-0	0.5	μg/L	<0.5	5 μg/L	75.6	51.6	128
EP075(SIM)A: Phenolic Compounds (QCLot	t: 3704590)							

Page	: 8 of 10
Work Order	: ES2120014
Client	: MARINE POLLUTION RESEARCH PTY LTD
Project	: Warriewood



Sub-Matrix: WATER				Method Blank (MB)	Laboratory Control Spike (LCS) Report				
				Report	Spike	Spike Recovery (%)	Acceptable	e Limits (%)	
Method: Compound	CAS Number	LOR	Unit	Result	Concentration	LCS	Low	High	
EP075(SIM)A: Phenolic Compounds (QCLot: 3	704590) - continued								
EP075(SIM): Phenol	108-95-2	1	µg/L	<1.0	5 µg/L	33.2	24.5	61.9	
EP075(SIM): 2-Chlorophenol	95-57-8	1	μg/L	<1.0	5 µg/L	58.0	52.0	90.0	
EP075(SIM): 2-Methylphenol	95-48-7	1	μg/L	<1.0	5 µg/L	53.9	51.0	91.0	
EP075(SIM): 3- & 4-Methylphenol	1319-77-3	2	µg/L	<2.0	10 µg/L	46.4	44.0	88.0	
EP075(SIM): 2-Nitrophenol	88-75-5	1	µg/L	<1.0	5 μg/L	65.0	48.0	100	
EP075(SIM): 2.4-Dimethylphenol	105-67-9	1	µg/L	<1.0	5 μg/L	61.8	49.0	99.0	
EP075(SIM): 2.4-Dichlorophenol	120-83-2	1	µg/L	<1.0	5 μg/L	68.4	53.0	105	
EP075(SIM): 2.6-Dichlorophenol	87-65-0	1	µg/L	<1.0	5 μg/L	63.7	57.0	105	
EP075(SIM): 4-Chloro-3-methylphenol	59-50-7	1	µg/L	<1.0	5 μg/L	64.0	53.0	99.0	
EP075(SIM): 2.4.6-Trichlorophenol	88-06-2	1	µg/L	<1.0	5 μg/L	61.6	50.0	106	
EP075(SIM): 2.4.5-Trichlorophenol	95-95-4	1	µg/L	<1.0	5 μg/L	66.2	51.0	105	
EP075(SIM): Pentachlorophenol	87-86-5	2	µg/L	<2.0	10 µg/L	13.6	10.0	95.0	
EP075(SIM)B: Polynuclear Aromatic Hydrocart	oons (QCLot: 3704590)								
EP075(SIM): Naphthalene	91-20-3	1	µg/L	<1.0	5 µg/L	66.0	50.0	94.0	
EP075(SIM): Acenaphthylene	208-96-8	1	µg/L	<1.0	5 µg/L	70.3	63.6	114	
EP075(SIM): Acenaphthene	83-32-9	1	μg/L	<1.0	5 µg/L	68.6	62.2	113	
EP075(SIM): Fluorene	86-73-7	1	µg/L	<1.0	5 μg/L	72.0	63.9	115	
EP075(SIM): Phenanthrene	85-01-8	1	µg/L	<1.0	5 µg/L	108	62.6	116	
EP075(SIM): Anthracene	120-12-7	1	µg/L	<1.0	5 µg/L	91.9	64.3	116	
EP075(SIM): Fluoranthene	206-44-0	1	µg/L	<1.0	5 µg/L	91.6	63.6	118	
EP075(SIM): Pyrene	129-00-0	1	µg/L	<1.0	5 µg/L	92.4	63.1	118	
EP075(SIM): Benz(a)anthracene	56-55-3	1	µg/L	<1.0	5 µg/L	74.4	64.1	117	
EP075(SIM): Chrysene	218-01-9	1	µg/L	<1.0	5 µg/L	72.0	62.5	116	
EP075(SIM): Benzo(b+j)fluoranthene	205-99-2	1	µg/L	<1.0	5 μg/L	77.8	61.7	119	
	205-82-3								
EP075(SIM): Benzo(k)fluoranthene	207-08-9	1	µg/L	<1.0	5 µg/L	91.3	63.0	115	
EP075(SIM): Benzo(a)pyrene	50-32-8	0.5	µg/L	<0.5	5 µg/L	73.4	63.3	117	
EP075(SIM): Indeno(1.2.3.cd)pyrene	193-39-5	1	µg/L	<1.0	5 µg/L	73.7	59.9	118	
EP075(SIM): Dibenz(a.h)anthracene	53-70-3	1	µg/L	<1.0	5 µg/L	74.9	61.2	117	
EP075(SIM): Benzo(g.h.i)perylene	191-24-2	1	µg/L	<1.0	5 μg/L	72.7	59.1	118	

Matrix Spike (MS) Report

The quality control term Matrix Spike (MS) refers to an intralaboratory split sample spiked with a representative set of target analytes. The purpose of this QC parameter is to monitor potential matrix effects on analyte recoveries. Static Recovery Limits as per laboratory Data Quality Objectives (DQOs). Ideal recovery ranges stated may be waived in the event of sample matrix interference.

Sub-Matrix: SOIL				Ма	trix Spike (MS) Report		
				Spike	SpikeRecovery(%)	Acceptable L	.imits (%)
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High

Page	: 9 of 10
Work Order	: ES2120014
Client	: MARINE POLLUTION RESEARCH PTY LTD
Project	: Warriewood



Sub-Matrix: SOIL				Ма	atrix Spike (MS) Report		
				Spike	SpikeRecovery(%)	Acceptable I	Limits (%)
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EG005(ED093)T: T	otal Metals by ICP-AES (QCLot: 3717867)						
ES2120014-004	NC3	EG005T: Arsenic	7440-38-2	50 mg/kg	78.3	70.0	130
		EG005T: Chromium	7440-47-3	50 mg/kg	83.6	68.0	132
		EG005T: Copper	7440-50-8	250 mg/kg	84.9	70.0	130
		EG005T: Lead	7439-92-1	250 mg/kg	83.8	70.0	130
		EG005T: Zinc	7440-66-6	250 mg/kg	82.6	66.0	133
EG035T: Total Re	coverable Mercury by FIMS (QCLot: 3717866)						
ES2120014-004	NC3	EG035T: Mercury	7439-97-6	5 mg/kg	116	70.0	130
EP066: Polychlori	nated Biphenyls (PCB) (QCLot: 3710476)						
ES2120146-002	Anonymous	EP066: Total Polychlorinated biphenyls		1 mg/kg	95.7	70.0	130
EP068A: Organoc	hlorine Pesticides (OC) (QCLot: 3710475)						
ES2120146-002	Anonymous	EP068: gamma_BHC	58-89-9	0.5 ma/ka	91.2	70.0	130
	, alony mode	EP068: Hentachlor	76-44-8	0.5 mg/kg	83.7	70.0	130
		EP068: Aldrin	309-00-2	0.5 mg/kg	89.9	70.0	130
		EP068: Dieldrin	60-57-1	0.5 mg/kg	102	70.0	130
		EP068: Endrin	72-20-8	2 mg/kg	95.6	70.0	130
		EP068: 4.4`-DDT	50-29-3	2 mg/kg	76.9	70.0	130
Sub-Matrix: WATER				Ma	atrix Spike (MS) Report		
				Spike	SpikeRecovery(%)	Acceptable	Limits (%)
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High
EG020T: Total Met	als by ICP-MS (QCLot: 3714684)						
ES2120014-001	NC3	EG0204-T: Arsenic	7440-38-2	1 ma/l	92.4	70.0	130
		EG020A-T: Chromium	7440-47-3	1 mg/L	91.2	70.0	130
		EG020A-T: Copper	7440-50-8	1 mg/L	90.5	70.0	130
		EG020A-T: Lead	7439-92-1	1 mg/L	89.8	70.0	130
		EG020A-T: Zinc	7440-66-6	1 mg/L	91.1	70.0	130
EG035T: Total Re	coverable Mercury by FIMS (QCLot: 3715633)						
ES2118655-052	Anonymous	EG035T: Mercury	7439-97-6	0.01 mg/L	89.3	70.0	130
EK055G: Ammonia	a as N by Discrete Analyser (OCI of: 3716083)						
ES2119688-001	Anonymous	EK055G: Ammonia as N	7664-41-7	1 mg/l	112	70.0	130
EK057G: Nitrite a	N by Discrete Analyser (OCI of: 3705742)	EN0000. Annihima as N					
ES2119687-001		EK0670: Nitrite on N	14797-65-0	0.5 mg/l	101	70.0	130
EK050C: Nitrite n	$(NO_{\rm N})$ by Discrete Applyant (OCL et 27)		11707 00 0	0.0 mg/L		10.0	100
EK059G: Nitrite p	lus Nitrate as N (NOX) by Discrete Analyser (QCLot: 37	16085)				=0.0	100
ES2119814-007	Anonymous	EK059G: Nitrite + Nitrate as N		0.5 mg/L	# Not	70.0	130
					Determined		
EK061G: Total Kje	Idahl Nitrogen By Discrete Analyser (QCLot: 3716081)						
ES2119867-001	Anonymous	EK061G: Total Kieldahl Nitrogen as N		5 ma/l	101	70.0	130

Page	: 10 of 10
Work Order	: ES2120014
Client	: MARINE POLLUTION RESEARCH PTY LTD
Project	Warriewood



Sub-Matrix: WATER					Matrix Spike (MS) Report				
					SpikeRecovery(%)	Acceptable L	.imits (%)		
Laboratory sample ID	Sample ID	Method: Compound	CAS Number	Concentration	MS	Low	High		
EK067FG: Filtered Total Phosphorus as P by Discrete Analyser (QCLot: 3718379)									
ES2120014-002	NC4	EK067FG: Filtered Total Phosphorus as P		1 mg/L	105	70.0	130		
EK067G: Total Pho	sphorus as P by Discrete Analyser (QCLot: 3716080)								
ES2119814-002	Anonymous	EK067G: Total Phosphorus as P		1 mg/L	108	70.0	130		
EK071G: Reactive Phosphorus as P by discrete analyser (QCLot: 3705741)									
ES2119687-001	Anonymous	EK071G: Reactive Phosphorus as P	14265-44-2	0.5 mg/L	102	70.0	130		



: Jacob Broom

· ____

QA/QC Compliance Assessment to assist with Quality Review : ES2120014 Page : 1 of 12 : Environmental Division Sydney : MARINE POLLUTION RESEARCH PTY LTD Laboratory : Paul Anink Telephone : +61-2-8784 8555 : Warriewood **Date Samples Received** : 27-May-2021 **Issue Date** : -----: 07-Jun-2021

This report is automatically generated by the ALS LIMS through interpretation of the ALS Quality Control Report and several Quality Assurance parameters measured by ALS. This automated reporting highlights any non-conformances, facilitates faster and more accurate data validation and is designed to assist internal expert and external Auditor review. Many components of this report contribute to the overall DQO assessment and reporting for guideline compliance.

No. of samples received

No. of samples analysed

: 5

: 5

Brief method summaries and references are also provided to assist in traceability.

Summary of Outliers

Work Order

Client

Site

Contact Project

Sampler

Order number

Outliers : Quality Control Samples

This report highlights outliers flagged in the Quality Control (QC) Report.

- NO Method Blank value outliers occur.
- NO Duplicate outliers occur.
- <u>NO</u> Laboratory Control outliers occur.
- Matrix Spike outliers exist please see following pages for full details.
- For all regular sample matrices, NO surrogate recovery outliers occur.

Outliers : Analysis Holding Time Compliance

• <u>NO</u> Analysis Holding Time Outliers exist.

Outliers : Frequency of Quality Control Samples

• Quality Control Sample Frequency Outliers exist - please see following pages for full details.



Outliers : Quality Control Samples

Duplicates, Method Blanks, Laboratory Control Samples and Matrix Spikes

Matrix: WATER

Compound Group Name	Laboratory Sample ID	Client Sample ID	Analyte	CAS Number	Data	Limits	Comment
Matrix Spike (MS) Recoveries							
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete A	r ES2119814007	Anonymous	Nitrite + Nitrate as N		Not		MS recovery not determined,
					Determined		background level greater than or
							equal to 4x spike level.

Outliers : Frequency of Quality Control Samples

Matrix: WATER

Quality Control Sample Type	Со	unt	Rate	(%)	Quality Control Specification
Method	QC	Regular	Actual	Expected	
Laboratory Duplicates (DUP)					
PAH/Phenols (GC/MS - SIM)	0	4	0.00	10.00	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	0	4	0.00	10.00	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	0	3	0.00	10.00	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)					
PAH/Phenols (GC/MS - SIM)	0	4	0.00	5.00	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	0	4	0.00	5.00	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	0	3	0.00	5.00	NEPM 2013 B3 & ALS QC Standard

Analysis Holding Time Compliance

If samples are identified below as having been analysed or extracted outside of recommended holding times, this should be taken into consideration when interpreting results.

This report summarizes extraction / preparation and analysis times and compares each with ALS recommended holding times (referencing USEPA SW 846, APHA, AS and NEPM) based on the sample container provided. Dates reported represent first date of extraction or analysis and preclude subsequent dilutions and reruns. A listing of breaches (if any) is provided herein.

Holding time for leachate methods (e.g. TCLP) vary according to the analytes reported. Assessment compares the leach date with the shortest analyte holding time for the equivalent soil method. These are: organics 14 days, mercury 28 days & other metals 180 days. A recorded breach does not guarantee a breach for all non-volatile parameters.

Holding times for VOC in soils vary according to analytes of interest. Vinyl Chloride and Styrene holding time is 7 days; others 14 days. A recorded breach does not guarantee a breach for all VOC analytes and should be verified in case the reported breach is a false positive or Vinyl Chloride and Styrene are not key analytes of interest/concern.

Matrix: SOIL				Evaluation	on: \star = Holding time breach ; \checkmark = Within holding time			
Method		Sample Date	Ex	Extraction / Preparation		Analysis		
Container / Client Sample ID(s)			Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EA055: Moisture Content (Dried @ 105-110°C)								
Soil Glass Jar - Unpreserved (EA055)								
NC3,	NC5	27-May-2021				04-Jun-2021	10-Jun-2021	✓
EG005(ED093)T: Total Metals by ICP-AES								
Soil Glass Jar - Unpreserved (EG005T)								
NC3,	NC5	27-May-2021	04-Jun-2021	23-Nov-2021	1	04-Jun-2021	23-Nov-2021	✓
EG035T: Total Recoverable Mercury by FIMS								
Soil Glass Jar - Unpreserved (EG035T)								
NC3,	NC5	27-May-2021	04-Jun-2021	24-Jun-2021	1	07-Jun-2021	24-Jun-2021	 ✓



Method Sample Def Entertant/r Programmo/ r Programo/ r Programmo/ r Programo/ r Programmo/ r Programo/	Matrix: SOIL						Evaluation	: × = Holding time	breach ; 🗸 = Withi	n holding time.				
Canadian (2) (Canadia Sarayo (1/2)) Date for exclusion Date for exclusion Date for exclusion Date for exclusion Debts - Publich (Canadia Sarayo (1/2)) NC5 27 Mary-2021 04-Jun-2021 √ 04-Jun-2021	Method		Sai	ample Date	Ext	raction / Preparation			Analysis					
EP066 (P07) CCS CCS <thcs< th=""> CCS <thcs< th=""> <thcs< <="" td=""><td>Container / Client Sample ID(s)</td><td></td><td></td><td></td><td>Date extracted</td><td>Due for extraction</td><td>Evaluation</td><td>Date analysed</td><td>Due for analysis</td><td>Evaluation</td></thcs<></thcs<></thcs<>	Container / Client Sample ID(s)				Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation				
Sing (Janger Janger (Janger Janger Jahren Jahr	EP066: Polychlorinated Biphenyls (PCB)													
NC3, NC5 27 May-2021 04-Jun-2021 04-Ju	Soil Glass Jar - Unpreserved (EP066)													
$ \text{Problem Comparing Control Contr$	NC3,	NC5	27-1	-May-2021	04-Jun-2021	10-Jun-2021	✓	04-Jun-2021	14-Jul-2021	✓				
Sale Glass Jar - Unpreserved (EP065) NC3, NC5 P7-May-2021 04-Jun-2021 ✓ 04-Jun-2021 14-Jul-2021 ✓ Mathed Sample Date Sample Date Sample Date Extractor / Proprietation Extractor / Proprietation Extractor / Proprietation Extractor / Proprietation Image: Sample Date Sample Date Extractor / Proprietation	EP068A: Organochlorine Pesticides (OC)													
NCS, NCS 27 May-2021 (0-Jun-2021) (0-Jun-2021) <td>Soil Glass Jar - Unpreserved (EP068)</td> <td></td> <td></td> <td></td> <td></td> <td>40.1.0004</td> <td></td> <td></td> <td></td> <td></td>	Soil Glass Jar - Unpreserved (EP068)					40.1.0004								
Evaluation: we transmission: we transmissin: we transmission: we transmission: we transmission: we transmis	NC3,	NC5	27-1	-May-2021	04-Jun-2021	10-Jun-2021	✓	04-Jun-2021	14-Jul-2021	✓				
Method Sample Date Image: Date in the image: Date i	Matrix: WATER						Evaluation	: × = Holding time	breach ; 🗸 = Withi	n holding time.				
Containery Claims Sample 10(s) Date extraction Evaluation Date manysed Due for extraction Evaluation EAD25: Total Suspended Solids drived at 194 ± 2°C 0	Method		Sai	ample Date	Ext	raction / Preparation			Analysis					
EA025. Total Supponded Solids dried at 104 ± 2°C Clase Plastic Bottie - Natural (EA025H) NC4, 27-May-2021 02-Jun-2021 03-Jun-2021 $\sqrt{3}$ <td< td=""><td>Container / Client Sample ID(s)</td><td></td><td></td><td></td><td>Date extracted</td><td>Due for extraction</td><td>Evaluation</td><td>Date analysed</td><td>Due for analysis</td><td>Evaluation</td></td<>	Container / Client Sample ID(s)				Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation				
Clear Plastic Bottle - Natural (EA02SH) NC4, 27-May-2021 02-Jun-2021 03-Jun-2021 03-Jun-202	EA025: Total Suspended Solids dried at 104 ± 2°C													
NG3, NG5 NC4, NG5 27-May-2021 02-Jun-2021 03-Jun-2021 03-Jun-20	Clear Plastic Bottle - Natural (EA025H)													
NCS Image: Constraint of the Constrai	NC3,	NC4,	27-1	-May-2021				02-Jun-2021	03-Jun-2021	✓				
CODUCT: Total Metale by UCP-MS Clear Plastic Bottle - Nitric Acid; Unfittered (EG020A-T) NC5 VICE <	NC5													
Clear Plastic Bottle - Nitric Acid; Unfiltered (EG020A-T) NC5 03-Jun-2021 23-Nov-2021 24-Jun-2021 24-Jun	EG020T: Total Metals by ICP-MS													
NC3. NC5 27-May-2021 03-Jun-2021 23-N0V-2021 ✓ 03-Jun-2021 ✓ 03-Jun-2021 ✓ EG035T: Total Recoverable Mercury by FIMS NC5 27-May-2021 04-Jun-2021 24-Jun-2021 ✓ EK055G: Ammonia as N by Discrete Analyser Discrete Analyser 04-Jun-2021 24-Jun-2021 ✓ Icar Plastic Bottle - Sulfuric Acid (EK055G) NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ Icar Plastic Bottle - Sulfuric Acid (EK057G) NC4, 27-May-2021 03-Jun-2021 29-May-2021 ✓ Icos Science NC4, 27-May-2021 103-Jun-2021 29-May-2021 ✓ Icos Science NC4, 27-May-2021 103-Jun-2021 29-May-2021 ✓ Icos Science NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ Icos Science NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ Icos Science <td>Clear Plastic Bottle - Nitric Acid; Unfiltered (EG020A</td> <td>А-T)</td> <td></td> <td></td> <td></td> <td>00 No. 0004</td> <td></td> <td></td> <td>00 No. 0004</td> <td></td>	Clear Plastic Bottle - Nitric Acid; Unfiltered (EG020A	А-T)				00 No. 0004			00 No. 0004					
EG0351: Total Recoverable Marcury by FMSClear Plastic Bottle - Nitric Acid; Unfiltered (EG035T) NC3, NC5NC527-May-202104-Jun-202124-Jun-2021 \checkmark EK055G: Ammonia as N by Discrete AnalyserClear Plastic Bottle - Sulfuric Acid (EK055G) NC3, NC4, NC527-May-202104-Jun-202124-Jun-2021EK055G: Ammonia as N by Discrete AnalyserClear Plastic Bottle - Sulfuric Acid (EK057G) NC3, NC4,27-May-202103-Jun-202124-Jun-2021K05EK057G: Nitrite as N by Discrete AnalyserClear Plastic Bottle - Natural (EK057G) NC3, NC4,27-May-202103-Jun-202129-May-2021 \checkmark Clear Plastic Bottle - Natural (EK057G) NC3, NC4,NC4Clear Plastic Bottle - Natural (EK057G) NC4, <td <="" colspan="4" td=""><td>NC3,</td><td>NC5</td><td>27-1</td><td>-May-2021</td><td>03-Jun-2021</td><td>23-N0V-2021</td><td>~</td><td>03-Jun-2021</td><td>23-NOV-2021</td><td>✓</td></td>	<td>NC3,</td> <td>NC5</td> <td>27-1</td> <td>-May-2021</td> <td>03-Jun-2021</td> <td>23-N0V-2021</td> <td>~</td> <td>03-Jun-2021</td> <td>23-NOV-2021</td> <td>✓</td>				NC3,	NC5	27-1	-May-2021	03-Jun-2021	23-N0V-2021	~	03-Jun-2021	23-NOV-2021	✓
Clear Plastic Bottle - Nitric Acid; Unfiltered (EG035T) NC5 27.May-2021 04.Jun-2021 24.Jun-2021 ✓ EK055G: Ammonia as N by Discrete Analyser 03.Jun-2021 24.Jun-2021 ✓ EK055G: Nitrite as N by Discrete Analyser 03.Jun-2021 24.Jun-2021 ✓ EK057G: Nitrite as N by Discrete Analyser 03.Jun-2021 24.Jun-2021 ✓ EK057G: Nitrite as N by Discrete Analyser 03.Jun-2021 24.Jun-2021 ✓ EK057G: Nitrite as N by Discrete Analyser 03.Jun-2021 24.Jun-2021 ✓ EK059G: Nitrite plus Nitrate as N (NCA, NC5 NC4, 27.May-2021 28.May-2021 29.May-2021 ✓ SC3 NC4, 27.May-2021 03.Jun-2021 24.Jun-2021 ✓ NC5 NC4, 27.May-2021 03.Jun-2021 24.Jun-2021 ✓ NC5 NC4, 27.May-2021 03.Jun-2021 24.Jun-2021 ✓	EG035T: Total Recoverable Mercury by FIMS													
NC3, NC3 Image Stress Str	Clear Plastic Bottle - Nitric Acid; Unfiltered (EG035T	T)	27.1	May 2024				04 Jun 2024	24 Jun 2021	,				
EK056G: Ammonia as N by Discrete Analyser Clear Plastic Bottle - Sulfuric Acid (EK055G) NC3, NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 \checkmark EK057G: Nitrite as N by Discrete Analyser Clear Plastic Bottle - Natural (EK057G) NC3, NC4, 27-May-2021 28-May-2021 29-May-2021 \checkmark EK057G: Nitrite as N (NOx) by Discrete Analyser Clear Plastic Bottle - Natural (EK057G) NC3, NC4, 27-May-2021 28-May-2021 29-May-2021 \checkmark EK060EX EK061G: Solifuric Acid (EK057G) NC3, NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 \checkmark EK061G: Total Kjeldahi Nitrogen By Discrete Analyser EK061G: NC4, NC3 NC4, 27-May-2021 03 -Jun-2021 24 -Jun-2021 \checkmark NC4, 27-May-2021 03-Jun-2021 24 -Jun-2021 \checkmark NC4, 27-May-2021 03-Jun-2021 24 -Jun-2021 \checkmark NC4, NC4, 27	NC3,	NC5	27-1	-1Vidy-2021				04-Juli-2021	24-3011-2021	√				
Clear Plastic Bottle - Sulfuric Acid (EK055G) NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ EK057G: Nitrite as N by Discrete Analyser EK057G) NC4, 27-May-2021 03-Jun-2021 29-May-2021 ✓ EK057G: Nitrite as N by Discrete Analyser 27-May-2021 28-May-2021 29-May-2021 ✓ EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser 27-May-2021 03-Jun-2021 29-May-2021 ✓ EK069G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser EK069G: NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ EK061G: Total Kjeldahl Nitrogen By Discrete Analyser 24-Jun-2021 03-Jun-2021 24-Jun-2021 ✓ Clear Plastic Bottle - Sulfuric Acid (EK061G) NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ NC3, NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ NC3 NC4, 27-May-2021	EK055G: Ammonia as N by Discrete Analyser													
NC3, NC5 NC4, Image 2011 Image 2011 <thimage 2011<="" th=""></thimage>	Clear Plastic Bottle - Sulturic Acid (EK055G)		27-1	-May-2021				03-Jun-2021	24lun-2021	1				
Incomposition Incomposition<	NC5	NC4,						00 000 2021	2100112021	v				
EK0950: Nutrice as N by Discrete Analyser Clear Plastic Bottle - Natural (EK057G) NC3, NC4, NC5 EK059G: Nitrite plus Nitrate as N (NOX) by Discrete Analyser Clear Plastic Bottle - Sulfuric Acid (EK059G) NC3, NC4, NC5 Clear Plastic Bottle - Sulfuric Acid (EK059G) NC3, NC4, Z7-May-2021 03-Jun-2021 24-Jun-2021 NC5 Z7-May-2021 EK067IG: Total Kjeldahl Nitrogen By Discrete Analyser Clear Plastic Bottle - Sulfuric Acid (EK061G) NC4, NC3 NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ NC5 03-Jun-2021 24-Jun-2021 ✓ EK067FG: Filtered Total Phosphorus as P by Discrete Analyser 03-Jun-2021 24-Jun-2021 ✓ EK067FG: Filtered Total Phosphorus as P by Discrete Analyser														
NC3. NC4. 27-May-2021 28-May-2021 29-May-2021 ✓ NC5 NC5 28-May-2021 29-May-2021 ✓ EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser 03-Jun-2021 24-Jun-2021 ✓ Clear Plastic Bottle - Sulfuric Acid (EK069G) NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ NC5 Static Bottle - Sulfuric Acid (EK061G) NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ NC5 NC5 NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ EK061G: Total Kjeldahl Nitrogen By Discrete Analyser NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ NC5 NC4, NC4, 27-May-2021 03-Jun-2021 ✓ 24-Jun-2021 ✓ NC5 NC5 NC4, NC4, NC5 NC4, NC5	Clear Plastic Bottle - Natural (EK057G)													
NC5 Intrite plus Nitrate as N (NOx) by Discrete Analyser EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser Clear Plastic Bottle - Sulfuric Acid (EK059G) NC3, NC4, EK061G: Total Kjeldahl Nitrogen By Discrete Analyser EK067FG: Filtered Total Phosphorus as P by Discrete Analyser EK067FG: Filtered Total Phosphorus as P by Discrete Analyser EK067FG: Sulfuric Acid (EK067FG)	NC3,	NC4,	27-1	-May-2021				28-May-2021	29-May-2021	1				
EK059G: Nitrite plus Nitrate as N (NOx) by Discrete Analyser 27-May-2021 03-Jun-2021 24-Jun-2021 \$	NC5									, i i i i i i i i i i i i i i i i i i i				
Clear Plastic Bottle - Sulfuric Acid (EK059G) NC3, NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ EK061G: Total Kjeldahl Nitrogen By Discrete Analyser EK061G: Total Kjeldahl Nitrogen By Discrete Analyser 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ ✓ EK061G: Total Kjeldahl Nitrogen By Discrete Analyser EK061G: NC3, NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ Ø Ø ✓ ✓ EK067FG: Filtered Total Phosphorus as P by Discrete Analyser EK067FG: Filtered Total Phosphorus as P by Discrete Analyser ✓ ✓ ✓	EK059G: Nitrite plus Nitrate as N (NOx) by Discret	te Analyser												
NC3, NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 ✓ EK061G: Total Kjeldahl Nitrogen By Discrete Analyser EK061G: Total Kjeldahl Nitrogen By Discrete Analyser 27-May-2021 03-Jun-2021 24-Jun-2021 24-Jun-2021 ✓ Clear Plastic Bottle - Sulfuric Acid (EK061G) NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 24-Jun-2021 ✓ ✓ EK067FG: Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK067FG; Filtered Total Phosphorus as P by Discrete Analyser EK0FG	Clear Plastic Bottle - Sulfuric Acid (EK059G)													
NC5 Image: Constant of the cons	NC3,	NC4,	27-1	-May-2021				03-Jun-2021	24-Jun-2021	✓				
EK061G: Total Kjeldahl Nitrogen By Discrete Analyser Clear Plastic Bottle - Sulfuric Acid (EK061G) NC3, NC4, NC5 EK067FG: Filtered Total Phosphorus as P by Discrete Analyser Clear Plastic Bottle - Sulfuric Acid (EK061G) NC5	NC5													
Clear Plastic Bottle - Sulfuric Acid (EK061G) NC3, NC4, O3-Jun-2021 Q3-Jun-2021 Q4-Jun-2021	EK061G: Total Kjeldahl Nitrogen By Discrete Analy	/ser												
NC3, NC4, 27-May-2021 03-Jun-2021 24-Jun-2021 24-Jun-2021 24-Jun-2021 24-Jun-2021 24-Jun-2021 24-Jun-2021 ✓ EK067FG: Filtered Total Phosphorus as P by Discrete Analyser EK067FG: Filtered Total Phosphorus as P by Discrete Analyser EK067FG: Filtered Total Phosphorus as P by Discrete Analyser EK067FG: Filtered Total Phosphorus as P by Discrete Analyser EK067FG: Filtered Total Phosphorus as P by Discrete Analyser	Clear Plastic Bottle - Sulfuric Acid (EK061G)													
NC5 EK067FG: Filtered Total Phosphorus as P by Discrete Analyser Clear Plastic Bottle - Sulfuric Acid (EK067FG)	NC3,	NC4,	27-1	-May-2021	03-Jun-2021	24-Jun-2021	~	03-Jun-2021	24-Jun-2021	✓				
EK067FG: Filtered Total Phosphorus as P by Discrete Analyser Clear Plastic Bottle - Sulfuric Acid (EK067FG)	NC5													
Clear Plastic Bottle - Sulfuric Acid (EK067FG)	EK067FG: Filtered Total Phosphorus as P by Discr	ete Analyser		1										
	Clear Plastic Bottle - Sulfuric Acid (EK067FG)	NC4	27.1	May-2021	04- lun-2024	24_ lun_2021		04- lun-2024	24_ lun_2021					
	NC5	INC4,	21-1	-may-2021	07-0011-202 I	2-7-5011-2021	~	0-7-0uii-2021		•				



Matrix: WATER					Evaluation	: × = Holding time	breach ; 🗸 = Withi	in holding time.
Method		Sample Date	Ex	traction / Preparation			Analysis	
Container / Client Sample ID(s)			Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
EK067G: Total Phosphorus as P by Discrete Analyser								
Clear Plastic Bottle - Sulfuric Acid (EK067G) NC3, NC5	NC4,	27-May-2021	03-Jun-2021	24-Jun-2021	1	03-Jun-2021	24-Jun-2021	~
EK071G: Reactive Phosphorus as P by discrete analys	er							
Clear Plastic Bottle - Natural (EK071G) NC3, NC5	NC4,	27-May-2021				28-May-2021	29-May-2021	✓
EP020: Oil and Grease (O&G)								
Amber Glass Bottle - Sulfuric Acid (EP020) NC3,	NC5	27-May-2021				03-Jun-2021	24-Jun-2021	~
EP066: Polychlorinated Biphenyls (PCB)								
Amber Glass Bottle - Unpreserved (EP066) NC3,	NC5	27-May-2021	28-May-2021	03-Jun-2021	1	01-Jun-2021	07-Jul-2021	1
EP068A: Organochlorine Pesticides (OC)								
Amber Glass Bottle - Unpreserved (EP068) NC3,	NC5	27-May-2021	28-May-2021	03-Jun-2021	~	01-Jun-2021	07-Jul-2021	1
EP068B: Organophosphorus Pesticides (OP)								
Amber Glass Bottle - Unpreserved (EP068) NC3,	NC5	27-May-2021	28-May-2021	03-Jun-2021	1	01-Jun-2021	07-Jul-2021	1
EP075(SIM)A: Phenolic Compounds								
Amber Glass Bottle - Unpreserved (EP075(SIM)) NC3,	NC5	27-May-2021	28-May-2021	03-Jun-2021	~	01-Jun-2021	07-Jul-2021	~
EP075(SIM)B: Polynuclear Aromatic Hydrocarbons								
Amber Glass Bottle - Unpreserved (EP075(SIM)) NC3,	NC5	27-May-2021	28-May-2021	03-Jun-2021	~	01-Jun-2021	07-Jul-2021	~
MW006: Faecal Coliforms & E.coli by MF								
Sterile Plastic Bottle - Sodium Thiosulfate (MW006) NC3, NC5	NC4,	27-May-2021				28-May-2021	28-May-2021	~
MW024: Algae Count								
Plastic Bottle - Lugols lodine (MW024_TOT) NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	✓
MW024: Bacillariophytes (Diatoms) - Centrales								
Plastic Bottle - Lugols lodine (MW024_TOT) NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	1
MW024: Bacillariophytes (Diatoms) - Pennales								
Plastic Bottle - Lugols Iodine (MW024_TOT) NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	✓

Page	5 of 12
Work Order	: ES2120014
Client	: MARINE POLLUTION RESEARCH PTY LTD
Project	Warriewood



Matrix: WATER					Evaluation	: × = Holding time	breach ; 🗸 = Withi	in holding time.
Method		Sample Date	Ex	traction / Preparation			Analysis	
Container / Client Sample ID(s)			Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation
MW024: Bacillariophytes (Diatoms) - TOTAL BAC	LLARIOPHYTES							
Plastic Bottle - Lugols lodine (MW024_TOT)								
NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	✓
MW024: Chlorophytes (Green Algae)								
Plastic Bottle - Lugols lodine (MW024_TOT)	Nor	27 May 2024				04 100 2024	22 Nov 2021	
NC3,	NC5	27-May-2021				01-Jun-2021	23-1100-2021	✓
MW024: Chlorophytes (Green Algae) - TOTAL CHI	LOROPHYTES							
Plastic Bottle - Lugois Iodine (MW024_TOT)	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	
NW/024: Cuenenhytee (Blue Creen Alree)								
MW024: Cyanophytes (Blue Green Algae)								
NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	 ✓
MW024: Cvanophytes (Blue Green Algae) - Other	Cvanophytes							
Plastic Bottle - Lugols Iodine (MW024_TOT)								
NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	✓
MW024: Cyanophytes (Blue Green Algae) - TOTAL	CYANOPHYTES							
Plastic Bottle - Lugols lodine (MW024_TOT)								
NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	✓
MW024: Cyanophytes (Blue Green Algae) - TOTAL	POTENTIALLY TOXIC CYANOPHYTES							
Plastic Bottle - Lugols Iodine (MW024_TOT)	NOT	27 May 2024				04 100 2024	22 Nov 2021	
NC3,	NC5	27-Way-2021				01-301-2021	23-1100-2021	~
MW024: Flagellates - Cryptophytes								
Plastic Bottle - Lugois Iodine (MW024_101)	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	
NW024; Elegelletes Euglenenbytes								
NW024. Plagenates - Euglenophytes								
NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	✓
MW024: Flagellates - Pyrrophytes								
Plastic Bottle - Lugols lodine (MW024_TOT)								
NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	 ✓
MW024: Flagellates - TOTAL FLAGELLATES								
Plastic Bottle - Lugols lodine (MW024_TOT)							00 No. 0004	
NC3,	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	✓
MW024: Golden/Yellow-Green Algae								
Plastic Bottle - Lugols Iodine (MW024_TOT)	NC5	07_May_2001				01- Jun-2021	23-Nov-2021	
		21-iiidy-2021				01-0011-2021	20 1107 2021	V
WW024: Golden/Yellow-Green Algae- TOTAL GOL	DEN/YELLOW-GREEN ALGAE					1		
NC3	NC5	27-May-2021				01-Jun-2021	23-Nov-2021	1
Page	: 6 of 12							
------------	-------------------------------------							
Work Order	ES2120014							
Client	: MARINE POLLUTION RESEARCH PTY LTD							
Project	: Warriewood							



Matrix: WATER						Evaluation: * = Holding time breach ; * = Within holding time					
Method			Sample Date	Ex	traction / Preparation			Analysis			
Container / Client Sample ID(s)				Date extracted	Due for extraction	Evaluation	Date analysed	Due for analysis	Evaluation		
MW024: Haptophytes											
Plastic Bottle - Lugols lodine (MW024_TOT) NC3,	NC5		27-May-2021				01-Jun-2021	23-Nov-2021	1		
MW024: Haptophytes - TOTAL HAPTOPHYTES											
Plastic Bottle - Lugols Iodine (MW024_TOT) NC3,	NC5		27-May-2021				01-Jun-2021	23-Nov-2021	~		
MW024: Raphidophyte											
Plastic Bottle - Lugols Iodine (MW024_TOT) NC3,	NC5		27-May-2021				01-Jun-2021	23-Nov-2021	~		
MW024: Raphidophyte - TOTAL RAPHIDOPHYT	E										
Plastic Bottle - Lugols Iodine (MW024_TOT) NC3,	NC5		27-May-2021				01-Jun-2021	23-Nov-2021	~		
MW024: Rhodophytes (Red Algae)											
Plastic Bottle - Lugols Iodine (MW024_TOT) NC3,	NC5		27-May-2021				01-Jun-2021	23-Nov-2021	~		
MW024:Rhodophytes (Red Algae) - TOTAL RHC	DOPHYTES										
Plastic Bottle - Lugols Iodine (MW024_TOT) NC3,	NC5		27-May-2021				01-Jun-2021	23-Nov-2021	~		
MW024T: TOTAL ALGAE											
Plastic Bottle - Lugols lodine (MW024_TOT) NC3,	NC5		27-May-2021				01-Jun-2021	23-Nov-2021	1		



Quality Control Parameter Frequency Compliance

The following report summarises the frequency of laboratory QC samples analysed within the analytical lot(s) in which the submitted sample(s) was(were) processed. Actual rate should be greater than or equal to the expected rate. A listing of breaches is provided in the Summary of Outliers.

Matrix: SOIL				Evaluatio	on: × = Quality Co	ontrol frequency	not within specification ; \checkmark = Quality Control frequency within specification.
Quality Control Sample Type		C	Count Rate (%)				Quality Control Specification
Analytical Methods	Method	OC	Reaular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP)							
Moisture Content	EA055	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	2	12	16.67	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Pesticides by GCMS	EP068	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	12	8.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Pesticides by GCMS	EP068	1	12	8.33	5.00	1	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	12	8.33	5.00	1	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓ ✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Matrix Snikes (MS)							
Pesticides by GCMS	EP068	1	12	8.33	5.00	1	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	12	8.33	5.00	1	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	1	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-AES	EG005T	1	20	5.00	5.00		NEPM 2013 B3 & ALS QC Standard
				r Evelvetie		-	
			aunt	Evaluatio	Dete (%)		Overlity Control Specification
Analytical Methods	Method	00	Regular	Actual	Fxpected	Evaluation	
		00	rteada	Actual	Expected		
Ammonia as N by Discrete analyser	EKOSSC	2	20	10.00	10.00		NEPM 2013 B3 & ALS OC Standard
Filtered Total Phosphorus as P By Discrete Analy	EKOGZEC	1	3	33 33	10.00	v	NEPM 2013 B3 & ALS OC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EKOSOC	2	19	10.53	10.00	v	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	2	20	10.00	10.00	v	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (GC/MS - SIM)	ED075(SIM)	0	4	0.00	10.00	V	NEPM 2013 B3 & ALS OC Standard
Pesticides by GCMS		0	4	0.00	10.00	<u>×</u>	NEPM 2013 B3 & ALS OC Standard
Polychlorinated Binhenvis (PCB)	EP066	0	3	0.00	10.00		NEPM 2013 B3 & ALS OC Standard
Reactive Phosphorus as P-By Discrete Analyser	EF000	1	9	11 11	10.00	x	NEPM 2013 B3 & ALS OC Standard
Suspended Solids (High Level)	ENU/IG	2	20	10.00	10.00	• •	NEPM 2013 B3 & ALS OC Standard
Total Kieldahl Nitrogen as N By Discrete Analyser	EAU25H	1	10	10.00	10.00	× (NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	ECO25T	2	20	10.00	10.00	× (NEPM 2013 B3 & ALS OC Standard
	EG0351	2	20	10.00	10.00	✓	INCLIVIZOTO DO & ALO QO Glatiliatu

Page : 8 of 12 Work Order : ES2120014 Client : MARINE POLLUTION RESEARCH PTY LTD Project : Warriewood



				Evaluatio	n: × = Quality Co	ontrol frequency	not within specification ; \checkmark = Quality Control frequency within specification.
Quality Control Sample Type		Count Rate (%)			Rate (%)	Quality Control Specification	
Analytical Methods	Method	QC	Reaular	Actual	Expected	Evaluation	
Laboratory Duplicates (DUP) - Continued							
Total Metals by ICP-MS - Suite A	EG020A-T	2	19	10.53	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Phosphorus as P By Discrete Analyser	EK067G	2	20	10.00	10.00	✓	NEPM 2013 B3 & ALS QC Standard
Laboratory Control Samples (LCS)							
Ammonia as N by Discrete analyser	EK055G	1	20	5.00	5.00	\checkmark	NEPM 2013 B3 & ALS QC Standard
Filtered Total Phosphorus as P By Discrete Analy	EK067FG	1	3	33.33	5.00	~	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Oil and Grease	EP020	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	1	4	25.00	5.00	~	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	3	33.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Reactive Phosphorus as P-By Discrete Analyser	EK071G	1	9	11.11	5.00	~	NEPM 2013 B3 & ALS QC Standard
Suspended Solids (High Level)	EA025H	3	20	15.00	15.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Kjeldahl Nitrogen as N By Discrete Analyser	EK061G	3	10	30.00	15.00	~	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	~	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite A	EG020A-T	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Phosphorus as P By Discrete Analyser	EK067G	3	20	15.00	15.00	~	NEPM 2013 B3 & ALS QC Standard
Method Blanks (MB)							
Ammonia as N by Discrete analyser	EK055G	1	20	5.00	5.00	1	NEPM 2013 B3 & ALS QC Standard
Filtered Total Phosphorus as P By Discrete Analy	EK067FG	1	3	33.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	19	5.26	5.00	1	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Oil and Grease	EP020	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	1	4	25.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Polychlorinated Biphenyls (PCB)	EP066	1	3	33.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Reactive Phosphorus as P-By Discrete Analyser	EK071G	1	9	11.11	5.00	1	NEPM 2013 B3 & ALS QC Standard
Suspended Solids (High Level)	EA025H	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Kjeldahl Nitrogen as N By Discrete Analyser	EK061G	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite A	EG020A-T	1	19	5.26	5.00	~	NEPM 2013 B3 & ALS QC Standard
Total Phosphorus as P By Discrete Analyser	EK067G	1	20	5.00	5.00	\checkmark	NEPM 2013 B3 & ALS QC Standard
Matrix Spikes (MS)							
Ammonia as N by Discrete analyser	EK055G	1	20	5.00	5.00	1	NEPM 2013 B3 & ALS QC Standard
Filtered Total Phosphorus as P By Discrete Analy	EK067FG	1	3	33.33	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite and Nitrate as N (NOx) by Discrete Analyser	EK059G	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Nitrite as N by Discrete Analyser	EK057G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	0	4	0.00	5.00	×	NEPM 2013 B3 & ALS QC Standard
Pesticides by GCMS	EP068	0	4	0.00	5.00	x	NEPM 2013 B3 & ALS QC Standard

Page	9 of 12
Work Order	ES2120014
Client	MARINE POLLUTION RESEARCH PTY LTD
Project	Warriewood



Matrix: WATER		Evaluation: 🗴 = Quality Control frequency not within specification ; 🗸 = Quality Control frequency within specification.					
Quality Control Sample Type		Co	ount		Rate (%)		Quality Control Specification
Analytical Methods	Method	00	Reaular	Actual	Expected	Evaluation	
Matrix Spikes (MS) - Continued							
Polychlorinated Biphenyls (PCB)	EP066	0	3	0.00	5.00	×	NEPM 2013 B3 & ALS QC Standard
Reactive Phosphorus as P-By Discrete Analyser	EK071G	1	9	11.11	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Kjeldahl Nitrogen as N By Discrete Analyser	EK061G	1	10	10.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Mercury by FIMS	EG035T	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Metals by ICP-MS - Suite A	EG020A-T	1	19	5.26	5.00	✓	NEPM 2013 B3 & ALS QC Standard
Total Phosphorus as P By Discrete Analyser	EK067G	1	20	5.00	5.00	✓	NEPM 2013 B3 & ALS QC Standard



Brief Method Summaries

The analytical procedures used by the Environmental Division have been developed from established internationally recognized procedures such as those published by the US EPA, APHA, AS and NEPM. In house developed procedures are employed in the absence of documented standards or by client request. The following report provides brief descriptions of the analytical procedures employed for results reported in the Certificate of Analysis. Sources from which ALS methods have been developed are provided within the Method Descriptions.

Analytical Methods	Method	Matrix	Method Descriptions
Moisture Content	EA055	SOIL	In house: A gravimetric procedure based on weight loss over a 12 hour drying period at 105-110 degrees C. This method is compliant with NEPM Schedule B(3).
Total Metals by ICP-AES	EG005T	SOIL	In house: Referenced to APHA 3120; USEPA SW 846 - 6010. Metals are determined following an appropriate acid digestion of the soil. The ICPAES technique ionises samples in a plasma, emitting a characteristic spectrum based on metals present. Intensities at selected wavelengths are compared against those of matrix matched standards. This method is compliant with NEPM Schedule B(3)
Total Mercury by FIMS	EG035T	SOIL	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl2) (Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. Mercury in solids are determined following an appropriate acid digestion. Ionic mercury is reduced online to atomic mercury vapour by SnCl2 which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3)
Polychlorinated Biphenyls (PCB)	EP066	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This method is compliant with NEPM Schedule B(3).
Pesticides by GCMS	EP068	SOIL	In house: Referenced to USEPA SW 846 - 8270 Extracts are analysed by Capillary GC/MS and quantification is by comparison against an established 5 point calibration curve. This technique is compliant with NEPM Schedule B(3).
Suspended Solids (High Level)	EA025H	WATER	In house: Referenced to APHA 2540D. A gravimetric procedure employed to determine the amount of `non-filterable` residue in a aqueous sample. The prescribed GFC (1.2um) filter is rinsed with deionised water, oven dried and weighed prior to analysis. A well-mixed sample is filtered through a glass fibre filter (1.2um). The residue on the filter paper is dried at 104+/-2C. This method is compliant with NEPM Schedule B(3)
Hardness as CaCO3	EA065	WATER	In house: Referenced to APHA 2340 B. This method is compliant with NEPM Schedule B(3)
Total Metals by ICP-MS - Suite A	EG020A-T	WATER	In house: Referenced to APHA 3125; USEPA SW846 - 6020, ALS QWI-EN/EG020. The ICPMS technique utilizes a highly efficient argon plasma to ionize selected elements. Ions are then passed into a high vacuum mass spectrometer, which separates the analytes based on their distinct mass to charge ratios prior to their measurement by a discrete dynode ion detector.
Total Mercury by FIMS	EG035T	WATER	In house: Referenced to AS 3550, APHA 3112 Hg - B (Flow-injection (SnCl2)(Cold Vapour generation) AAS) FIM-AAS is an automated flameless atomic absorption technique. A bromate/bromide reagent is used to oxidise any organic mercury compounds in the unfiltered sample. The ionic mercury is reduced online to atomic mercury vapour by SnCl2 which is then purged into a heated quartz cell. Quantification is by comparing absorbance against a calibration curve. This method is compliant with NEPM Schedule B(3).
Ammonia as N by Discrete analyser	EK055G	WATER	In house: Referenced to APHA 4500-NH3 G Ammonia is determined by direct colorimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)
Nitrite as N by Discrete Analyser	EK057G	WATER	In house: Referenced to APHA 4500-NO2- B. Nitrite is determined by direct colourimetry by Discrete Analyser. This method is compliant with NEPM Schedule B(3)

 Page
 : 11 of 12

 Work Order
 : ES2120014

 Client
 : MARINE POLLUTION RESEARCH PTY LTD

 Project
 : Warriewood



Analytical Methods	Method	Matrix	Method Descriptions
Nitrate as N by Discrete Analyser	EK058G	WATER	In house: Referenced to APHA 4500-NO3- F. Nitrate is reduced to nitrite by way of a chemical reduction followed
			by quantification by Discrete Analyser. Nitrite is determined seperately by direct colourimetry and result for Nitrate
			calculated as the difference between the two results. This method is compliant with NEPM Schedule B(3)
Nitrite and Nitrate as N (NOx) by Discrete	EK059G	WATER	In house: Referenced to APHA 4500-NO3- F. Combined oxidised Nitrogen (NO2+NO3) is determined by
Analyser			Chemical Reduction and direct colourimetry by Discrete Analyser. This method is compliant with NEPM
			Schedule B(3)
Total Kjeldahl Nitrogen as N By Discrete	EK061G	WATER	In house: Referenced to APHA 4500-Norg D (In house). An aliquot of sample is digested using a high
Analyser			temperature Kjeldahl digestion to convert nitrogenous compounds to ammonia. Ammonia is determined
			colorimetrically by discrete analyser. This method is compliant with NEPM Schedule B(3)
Total Nitrogen as N (TKN + Nox) By	EK062G	WATER	In house: Referenced to APHA 4500-Norg / 4500-NO3 This method is compliant with NEPM Schedule B(3)
Discrete Analyser			
Filtered Total Phosphorus as P By	EK067FG	WATER	In house: Referenced to APHA 4500-P H, Jirka et al, Zhang et al. This procedure involves sulphuric acid
Discrete Analy			digestion of a filtered sample aliquot to break phosphorus down to orthophosphate. The orthophosphate reacts
			with ammonium molybdate and antimony potassium tartrate to form a complex which is then reduced and its
			concentration measured at 880nm using discrete analyser. This method is compliant with NEPM Schedule B(3)
Total Phosphorus as P By Discrete	EK067G	WATER	In house: Referenced to APHA 4500-P H, Jirka et al, Zhang et al. This procedure involves sulphuric acid
Analyser			digestion of a sample aliquot to break phosphorus down to orthophosphate. The orthophosphate reacts with
			ammonium molybdate and antimony potassium tartrate to form a complex which is then reduced and its
			concentration measured at 880nm using discrete analyser. This method is compliant with NEPM Schedule B(3)
Reactive Phosphorus as P-By Discrete	EK071G	WATER	In house: Referenced to APHA 4500-P F Ammonium molybdate and potassium antimonyl tartrate reacts in acid
Analyser			medium with othophosphate to form a heteropoly acid -phosphomolybdic acid - which is reduced to intensely
			coloured molybdenum blue by ascorbic acid. Quantification is by Discrete Analyser. This method is compliant
			with NEPM Schedule B(3)
Oil and Grease	EP020	WATER	In house: Referenced to APHA 5520 B. Oil & grease is a gravimetric procedure to determine the amount of oil &
			grease residue in an aqueous sample. The sample is serially extracted three times n-hexane. The resultant
			extracts are combined, dehydrated and concentrated prior to gravimetric determination. This method is compliant
			with NEPM Schedule B(3)
Polychlorinated Biphenyls (PCB)	EP066	WATER	In house: Referenced to USEPA SW 846 - 8270 Sample extracts are analysed by Capillary GC/MS and
			quantification is by comparison against an established 5 point calibration curve. This method is compliant with
			NEPM Schedule B(3)
Pesticides by GCMS	EP068	WATER	In house: Referenced to USEPA SW 846 - 8270 Sample extracts are analysed by Capillary GC/MS and
			quantification is by comparison against an established 5 point calibration curve. This method is compliant with
			NEPM Schedule B(3)
PAH/Phenols (GC/MS - SIM)	EP075(SIM)	WATER	In house: Referenced to USEPA SW 846 - 8270 Sample extracts are analysed by Capillary GC/MS in SIM Mode
			and quantification is by comparison against an established 5 point calibration curve. This method is compliant
			with NEPM Schedule B(3)
Thermotolerant Coliforms & E.coli by	MW006	WATER	AS 42/6./
Membrane Filtration			
Total Algae Count	MW024 TOT	WATER	In house: Referenced to Hotzel and Groome, 1999 and APHA 10200
Preparation Methods	Method	Matrix	Method Descriptions

 Page
 : 12 of 12

 Work Order
 : ES2120014

 Client
 : MARINE POLLUTION RESEARCH PTY LTD

 Project
 : Warriewood



Preparation Methods	Method	Matrix	Method Descriptions
Hot Block Digest for metals in soils sediments and sludges	EN69	SOIL	In house: Referenced to USEPA 200.2. Hot Block Acid Digestion 1.0g of sample is heated with Nitric and Hydrochloric acids, then cooled. Peroxide is added and samples heated and cooled again before being filtered and bulked to volume for analysis. Digest is appropriate for determination of selected metals in sludge, sediments, and soils. This method is compliant with NEPM Schedule B(3).
Tumbler Extraction of Solids	ORG17	SOIL	In house: Mechanical agitation (tumbler). 10g of sample, Na2SO4 and surrogate are extracted with 30mL 1:1 DCM/Acetone by end over end tumble. The solvent is decanted, dehydrated and concentrated (by KD) to the desired volume for analysis.
TKN/TP Digestion	EK061/EK067	WATER	In house: Referenced to APHA 4500 Norg - D; APHA 4500 P - H. This method is compliant with NEPM Schedule B(3)
TKN/TP (filtered) Digestion	EK061F/EK067F	WATER	In house: Referenced to APHA 4500 Norg - D; APHA 4500 P - H. This method is compliant with NEPM Schedule B(3)
Digestion for Total Recoverable Metals	EN25	WATER	In house: Referenced to USEPA SW846-3005. Method 3005 is a Nitric/Hydrochloric acid digestion procedure used to prepare surface and ground water samples for analysis by ICPAES or ICPMS. This method is compliant with NEPM Schedule B(3)
Separatory Funnel Extraction of Liquids	ORG14	WATER	In house: Referenced to USEPA SW 846 - 3510 100 mL to 1L of sample is transferred to a separatory funnel and serially extracted three times using DCM for each extract. The resultant extracts are combined, dehydrated and concentrated for analysis. This method is compliant with NEPM Schedule B(3). ALS default excludes sediment which may be resident in the container.