



ACTION PLANS

m: 0426 957 518
e: operations@actionplans.com.au
w: www.actionplans.com.au

DEVELOPMENT APPLICATION

THESE PLANS ARE FOR DEVELOPMENT APPROVAL ONLY.

ITEM DETAILS	DEVELOPMENT APPLICATION			
ADDRESS	39 PRINCE EDWARD ROAD, SEAFORTH, NSW, 2092			
LOT & DP/SP	LOT 141 DP 11162			
COUNCIL	NORTHERN BEACHS COUNCIL (MANLY)			
SITE AREA	518.50m ²			
FRONTAGE	12.19m			
CONTROLS	PERMISSIBLE / REQUIRED	EXISTING	PROPOSED	COMPLIANCE
	m / m ² / %	m / m ² / %	m / m ² / %	
LEP				
LAND ZONING	R2 – LOW DENSITY RESIDENTIAL	R2	R2	YES
MINIMUM LOT SIZE	500m ²	518.50m ²	UNCHANGED	YES
FLOOR SPACE RATIO	0.45 : 1 (233.325m ²)	0.31 : 1 (162.96m ²)	0.37 : 1 (191.96m ²)	YES
MAXIMUM BUILDING HEIGHT	8.5m	9.6m	UNCHANGED	NO
HAZARDS				
ACID SULFATE SOILS	NOT IDENTIFIED	N/A	N/A	N/A
FLOOD PLANNING	NOT IDENTIFIED	N/A	N/A	N/A
TERRESTRIAL BIODIVERSITY	NOT IDENTIFIED	N/A	N/A	N/A
RIPARIAN LAND & WATERCOURSE	NOT IDENTIFIED	N/A	N/A	N/A
WETLANDS	NOT IDENTIFIED	N/A	N/A	N/A
LANDSLIP RISK	NOT IDENTIFIED	N/A	N/A	N/A
TERRESTRIAL BIODIVERSITY	NOT IDENTIFIED	N/A	N/A	N/A
FORESHORE SCENIC PRO. AREA	NOT IDENTIFIED	N/A	N/A	N/A
BUSHFIRE	NOT IDENTIFIED	N/A	N/A	N/A
DCP				
RESIDENTIAL OPEN SPACE	AREA OS3			
TOTAL OPEN SPACE (TOS)	55% (285.175m ²)	392.52m ² (75%)	334.5m ² (64%)	YES
LANDSCAPE AREA	35% OF TOS (55%) : 99.81m ²	280.34m ²	314.93m ²	YES
OPEN SPACE ABOVE GROUND	MAX. 40% OF TOS (55%) : 114.07m ²	13.40m ²	31.72m ²	YES
PRINCIPAL PRIVATE OPEN SPACE	18m ²	0m ²	21.84m ²	YES
FRONT SETBACK	PREVALING BULDING LINE: 6m	10.9m	8.93m	YES
REAR SETBACK	8.0m	16.6m	UNCHANGED	YES
SIDE SETBACKS	1/3 WALL HEIGHT 3.050m	N:0.994m S:1.016m	N:UNCHANGED S:UNCHANGED	NO NO
CAR PARKING SPACES	Required: 1	1	UNCHANGED	YES

SHEET NUMBER	SHEET NAME	DATE PUBLISHED
DA00	COVER	06/04/2020
DA01	NOTATION	06/04/2020
DA02	SITE ANALYSIS	06/04/2020
DA03	SITE / ROOF / SEDIMENT EROSION / WASTE MANAGEMENT / STORMWATER CONCEPT PLAN	06/04/2020
DA04	EXISTING GARAGE FLOOR PLAN	06/04/2020
DA05	EXISTING GROUND FLOOR PLAN	06/04/2020
DA06	EXISTING FIRST FLOOR PLAN	06/04/2020
DA07	PROPOSED GARAGE FLOOR PLAN	06/04/2020
DA08	PROPOSED GROUND FLOOR PLAN	06/04/2020
DA09	PROPOSED FIRST FLOOR PLAN	06/04/2020
DA10	NORTH / EAST ELEVATION	06/04/2020
DA11	SOUTH / WEST ELEVATION	06/04/2020
DA12	PROPOSED CARPORT / DRIVEWAY	06/04/2020
DA13	NORTH / EAST ELEVATION - CARPORT	06/04/2020
DA14	SOUTH / WEST ELEVATION - CARPORT	06/04/2020
DA15	LONG / CROSS SECTION	06/04/2020
DA16	DRIVEWAY LONG / CROSS SECTION	06/04/2020
DA17	AREA CALCULATIONS / SAMPLE BOARD	06/04/2020
DA18	WINTER SOLSTICE 9 AM	06/04/2020
DA19	WINTER SOLSTICE 12 PM	06/04/2020
DA20	WINTER SOLSTICE 3 PM	06/04/2020
DA21	BASIX COMMITMENTS	06/04/2020

39 PRINCE EDWARD ROAD,
SEAFORTH NSW 2092




NCC & AS COMPLIANCES SPECIFICATIONS

- EARTHWORKS - PART 3.1.1 OF NCC
- EARTH RETAINING STRUCTURES - PART 3.1.2 OF NCC
- DRAINAGE - PART 3.1.3 OF NCC
- TERMITE-RISK MANAGEMENT - PART 3.1.4 OF NCC
- FOOTINGS & SLAB - PART 3.2 OF NCC INCLUDING AS2870
- MASONRY - PART 3.3 OF NCC INCLUDING AS3700
- FRAMING - PART 3.4 OF NCC
- SUB FLOOR VENTILATION - PART 3.4.1 OF NCC
- ROOF CLADDING AND WALL-CLADDING - PART 3.5 OF NCC
- GLAZING - PART 3.6 OF NCC INCLUDING AS1288
- FIRE SAFETY - PART 3.7 OF NCC
- FIRE SEPERATION - PART 3.7.2 OF NCC
- FIRE PROTECTION OF SEPERATING WALLS AND FLOORS- PART 3.7.3 OF NCC
- SMOKE ALARMS - PART 3.7.5 OF NCC
- WET AREAS AND EXTERNAL WATERPROOFING - PART 3.8.1 OF NCC
- ROOM HEIGHTS - PART 3.8.2 OF NCC
- FACILITIES - PART 3.8.3 OF NCC
- LIGHT - PART 3.8.4 OF NCC
- VENTILATION - PART 3.8.5 OF NCC
- SOUND INSULATION - PART 3.8.6 OF NCC
- STAIRWAYAND RAMP CONSTRUCTION - PART 3.9.1 OF NCC
- BARRIERS AND HANDRAILS - PART 3.9.2 OF NCC
- SWIMMING POOLS - PART 3.10.1 OF NCC
- CONSTRUCTION IN BUSHFIRE PRONE AREAS - PART 3.10.5 OF NCC
- FENCING & OTHER PROVISIONS - REGS & AS1926
- DEMOLITION WORKS - AS2601-1991 THE DEMOLITION OF STRUCTURES.
- ALL WATERPROOF MEMBRANES TO COMPLY WITH WITH AS 3740-2010
- ALL PLUMBING & DRAINAGE WORK TO COMPLY WITH AS 3500
- SITE CLASSIFICATION AS TO AS 2870
- ALL PLASTERBOARD WORK TO COMPLY WITH AS 2588-1998
- ALL STRUCTURAL STEEL WORK TO COMPLY WITH AS 4100 & AS 1554
- ALL CONCRETE WORK TO COMPLY WITH AS 3600
- ALL ROOF SHEETING WORK TO COMPLY WITH AS 1562-1992
- ALL SKYLIGHTS TO COMPLY WITH WITH AS 4285-2007
- ALL CERAMIC TILING TO COMPLY WITH AS 3958.1-2007 & 3958.2-1992
- ALL GLAZING ASSEMBLIES TO COMPLY WITH AS2047 & 1288
- ALL TIMBER RETAINING WALLS ARE TO COMPLY WITH AS 1720.1-2010, AS 1720.2-2006, AS 1720.4-2006, AS 1170.1-1989 & AS 1170.4-2007
- ALL RETAINING WALLS ARE TO COMPLY WITH 3700 - 2011 & AS 3600 -2009
- ALL CONSTRUCTION TO COMPLY TO AS3959- 2009

NOTES

- APPROVED MEANS BY THE 'RELEVANT LOCAL AUTHORITY' OR COUNCIL
- THE OWNER WILL DIRECTLY PAY THE FEES ASSOCIATED WITH THE FOLLOWING:
BUILDING APPROVAL FROM COUNCIL, FOOTPATH AND KERB DEPOSITS WITH THE LOCAL COUNCIL, INSURANCE FEE TO BUILDING SERVICES CORPORATION, LONG SERVICE LEAVE SERVICE LEVY FEE AND APPROVAL FEE BY WATER AND SEWERAGE AUTHORITY. ALL OTHER FEES ARE TO BE PAID BY THE BUILDER. THE AMOUNT OF ANY LOCAL AUTHORITY DEPOSITS WHICH ARE FORFEITED DUE TO DAMAGE OR OTHER CAUSE WILL BE DEDUCTED FROM THE PAYMENTS DUE TO THE BUILDER.
- THE BUILDER IS TO PROVIDE AT HIS/HER OWN EXPENSE ADEQUATE PUBLIC RISK INSURANCE AND ARRANGE INDEMNIFICATION UNDER THE WORKERS COMPENSATION ACT. WORKS INSURANCE TO BE STATED IN THE CONTRACT CONDITIONS.
- ALL WORK TO BE CARRIED OUT IN A TRADESMEN LIKE MANNER AND IN ACCORDANCE WITH THE STANDARDS CODES AND REGULATIONS OF THE STANDARDS ASSOCIATION OF AUSTRALIA, BUILDING CODE OF AUSTRALIA AND ANY STATUTORY AUTHORITY HAVING JURISDICTION OVER THE WORK.
- ALL TENDERERS ARE TO VISIT THE SITE TO SATISFY THEMSELVES AS TO THE NATURE AND EXTENT OF THE WORKS, FACILITIES AVAILABLE AND DIFFICULTIES ENTAILED IN THE WORKS AS VARIATIONS WILL NOT BE ALLOWED DUE TO WORK ARISING OWING TO NEGLIGENCE OF THIS CLAUSE.
- ALL WORK AND MATERIALS TO COMPLY WITH THE CURRENT AUSTRALIAN STANDARDS AT THE TIME OF COMMENCEMENT WERE APPLICABLE.
- THESE DRAWINGS SHALL BE READ IN CONJUNCTION WITH ALL STRUCTURAL AND OTHER CONSULTANTS DRAWINGS AND SPECIFICATIONS AND WITH ANY SUCH WRITTEN INSTRUCTIONS AS MAY BE ISSUED DURING THE COURSE OF THE CONTRACT.
- SET OUT DIMENSIONS SHOWN ON THIS DRAWING SHALL BE VERIFIED BY THE BUILDER ON SITE BEFORE COMMENCEMENT OF ANY WORK. DIMENSIONS SHOULD NOT BE OBTAINED BY SCALING THE DRAWINGS. USE ONLY FIGURED DIMENSIONS. ALL DIMENSIONS ARE IN MILLIMETRES.
- THE BUILDER IS TO ENSURE ALL CONSTRUCTION, LEVELS AND OTHER ITEMS COMPLY WITH THE CONDITIONS OF THE BUILDING APPROVAL.
- THE BUILDER IS TO COMPLY WITH ALL ORDINANCES, LOCAL AUTHORITY REGULATIONS AND THE REQUIREMENTS OF ALL SERVICES SUPPLY AUTHORITIES HAVING JURISDICTION OVER THE WORKS.
- ALL PLUMBING AND DRAINAGE WORK TO BE INSTALLED AND COMPLETED BY A LICENCED TRADESMAN AND IN ACCORDANCE WITH THE STATUTORY BODY HAVING AUTHORITY OVER THE WORKS. CONNECT ALL WASTE TO SYDNEY WATER SEWER LINE
- ALL NEW DOWNPIPES ARE TO BE CONNECTED TO THE EXISTING STORM WATER SYSTEM.
- ALL POWER AND STORMWATER OUTLET LOCATIONS SHALL BE DETERMINED ON SITE BY THE OWNER.
- SMOKE DETECTOR ALARM TO BE INSTALLED IN ACCORDANCE WITH AS3786 AND THE BUILDING CODE OF AUSTRALIA.
- ELECTRICAL WORK TO BE IN ACCORDANCE WITH SAA WIRING RULES AND BE DONE BY A LICENCED TRADESMAN
- ANY DETAILING IN ADDITION TO WHAT IS SUPPLIED SHALL BE RESOLVED BETWEEN THE OWNER AND THE BUILDER TO THE OWNER'S APPROVAL, EXCEPT FOR ANY STRUCTURAL DETAILS OR DESIGN WHICH IS SUPPLIED BY THE ENGINEER.
- ALL TIMBER SIZES AND CONCRETE DETAILS TO BE CONFIRMED BY THE BUILDER PRIOR TO COMMENCEMENT OF ANY WORK.
- ALL STRUCTURAL WORK IS TO BE IN ACCORDANCE WITH THE STRUCTURAL DETAILS PREPARED BY A STRUCTURAL ENGINEER (i.e.) PIERS, FOOTINGS, CONCRETE SLABS, RETAINING WALLS, STEELWORK, FORMWORK, UNDERPINNING, ADDITIONAL STRUCTURAL LOADS, TIMBER FRAMING, WIND BRACING AND ASSOCIATED CONNECTIONS. BUILDER TO OBTAIN PRIOR TO FINALISING TENDER.
- ANY WORK INDICATED ON THE PLANS BUT NOT SPECIFIED, AND ANY ITEM NOT SHOWN ON THE PLAN WHICH IS OBVIOUSLY NECESSARY AS A PART OF CONSTRUCTION AND/OR FINISH IS TO BE CONSIDERED AS SHOWN AND SPECIFIED, AND IS TO BE DONE AS PART OF THE CONTRACT. VARIATIONS WILL NOT BE PERMITTED WITHOUT THE WRITTEN CONSENT OF THE OWNER.
- THE BUILDER SHALL PROVIDE SEDIMENT AND SILTRATION CONTROL MEASURES AS REQUIRED BY COUNCIL AND MAINTAIN THEM THROUGH THE DURATION OF THE WORKS.
- A LEGIBLE COPY OF THE PLANS BEARING APPROVAL STAMPS MUST BE MAINTAINED ON THE JOB AT ALL TIMES. HOURS OF CONSTRUCTION WILL BE RESTRICTED TO THE TIMES AS REQUIRED BY THE BUILDING APPROVAL.
- THE BUILDER IS TO ARRANGE FOR ALL INSPECTIONS REQUIRED BY THE AUTHORITIES AND LENDING INSTITUTIONS TO THEIR REQUIREMENTS.
- THE BUILDER IS TO OBTAIN APPROVAL FOR INTERRUPTIONS TO EXISTING SERVICES AND MINIMISE THE DURATION AND NUMBER OF INTERRUPTIONS. ANY INTERRUPTIONS WITH EXISTING SERVICES AND EQUIPMENT TO BE ATTENDED TO BY THE APPROPRIATELY SKILLED TRADESMEN.
- THE BUILDER SHALL RESTORE, REINSTATE OR REPLACE ANY DAMAGE CAUSED TO EXISTING STRUCTURES OR LANDSCAPING BY CONSTRUCTION WORK OR WORKMEN. PROVIDE PROTECTION TO EXISTING TREES TO REMAIN AS REQUIRED BY APPROVAL CONDITIONS.
- ALL BRICKWORK IS TO BE SELECTED BY OWNER AND IS TO COMPLY WITH AS1640
- ALL MASONRY TO COMPLY WITH AS3700
- ALL METALWORK AND FLASHING ITEMS NECESSARY TO SATISFACTORY COMPLETE WORK SHALL BE PROVIDED.
- ALL GUTTERS, DOWNPIPES TO BE COLORBOND.
- ALL TIMBER CONSTRUCTION TO BE IN ACCORDANCE WITH THE AUSTRALIAN STANDARD 1684 "TIMBER FRAMING CODE"
- ALL GLAZING INSTALLED TO COMPLY WITH AS1288, 2047 AND IN ACCORDANCE WITH MANUFACTURERS RECOMMENDATION
- ALL WALL AND CEILING LININGS TO BE PLASTERBOARD OR CEMENT RENDER AS SELECTED AND VILLA BOARD IN WET AREAS, TO COMPLY WITH THE RELEVANT AUSTRALIAN STANDARDS OR INSTALLED IN ACCORDANCE WITH MANUFACTURERS SPECIFICATION.
- ALL BATHROOMS AND WET AREAS TO BE ADEQUATELY WATERPROOFED TO MANUFACTURERS SPECIFICATION AND AS3740 AND PART 3.8.1 OF THE BUILDING CODE OF AUSTRALIA HOUSING PROVISIONS
- STAIRS AND BALUSTRADES TO COMPLY WITH PART 3.9.1 & 3.9.2 OF THE BUILDING CODE OF AUSTRALIA HOUSING PROVISION.
- TERMITE PROTECTION MEASURES TO COMPLY WITH AS 3660 AND BE INSTALLED TO MANUFACTURERS SPECIFICATION.
- ANY DETAILING ADDITIONAL TO THAT SUPPLIED, SHALL BE RESOLVED BETWEEN THE OWNER AND THE BUILDER TO THE OWNER'S APPROVAL. EXCEPT FOR ANY STRUCTURAL DETAILS OR DESIGN WHICH IS TO BE SUPPLIED BY THE STRUCTURAL ENGINEER.

PRINCE EDWARD ROAD



NOTE: ALL DEMOLISHED ELEMENTS TO ENG. SPECIFICATIONS AND AS. 2601 - 2001



ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN
A	31/01/2020	INITIAL DESIGN PLAN	AL
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR
C	01/04/2020	DEVELOPMENT APPLICATION	LRP

NOTES
This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.
Do not scale measure from drawings. Figured dimensions are to be used only.
The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.

LEGEND

- LANDSCAPE
- HARD SURFACE
- PROPOSED
- EXISTING
- DEMOLISHED
- DP. DOWNPIPE
- EARTH
- SETBACKS
- BOUNDARY LINE

CLIENT

CHRIS & SUSIE
McCALL

PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.

DA02

DATE


06 April 2020

DRAWING NAME


SITE ANALYSIS

SCALE


1:200 @A3



STREET VIEW



LOCATION VIEW



AERIAL MAP



ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au


REV.	DATE	COMMENTS	DRWN
A	31/01/2020	INITIAL DESIGN PLAN	AL
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR
C	01/04/2020	DEVELOPMENT APPLICATION	LRP

NOTES
This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.
Do not scale measure from drawings. Figured dimensions are to be used only.
The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.



LEGEND	
<div></div>	LANDSCAPE
<div></div>	HARD SURFACE
<div></div>	PROPOSED
<div></div>	EXISTING
<div></div>	DEMOLISHED
<div></div>	DOWNPIPE
<div></div>	EARTH
<div></div>	SETBACKS
<div></div>	BOUNDARY LINE

CLIENT
CHRIS & SUSIE McCALL
PROJECT ADDRESS
39 PRINCE EDWARD ROAD, SEAFORTH NSW 2092

DRAWING NO.
DA03
DATE
06 April 2020
DRAWING NAME
SITE / ROOF / SEDIMENT EROSION / WASTE MANAGEMENT / STORMWATER CONCEPT PLAN
SCALE
1:200 @A3



PRINCE EDWARD ROAD




DUST CONTROL :
TO REDUCE DUST GENERATED BY WIND ACTION, THE REMOVAL OF THE TOP SOIL IS TO BE MINIMISED. TO PREVENT DUST GENERATION, WATERING DOWN OF THE SITE, ESPECIALLY DURING THE MOVEMENT OF MACHINERY IS REQUIRED. WHERE EXCAVATING INTO ROCK, KEEP THE SURFACE MOIST TO MINIMISE DUST. CONSTRUCT A GRAVEL ENTRY/EXIT POINT USING BLUE METAL AND RESTRICT ALL VEHICLE MOVEMENTS WITHIN THE SITE TO A MINIMUM. ENSURE WIND BREAKS, SUCH AS EXISTING FENCES ARE MAINTAINED DURING THE CONSTRUCTION PHASE UNTIL NEW LANDSCAPING IS PROVIDED OR REINSTATED. PREVENT DUST BY COVERING STOCKPILES

SEDIMENT NOTE :
1. ALL EROSION AND SEDIMENT CONTROL MEASURES TO BE INSPECTED AND MAINTAINED DAILY BY THE SITE MANAGER.
2. MINIMISE DISTURBED AREAS, REMOVE EXCESS SOIL FROM EXCAVATED AREA AS SOON AS POSSIBLE.
3. ALL MATERIAL STOCKPILE TO BE CLEAR FROM DRAINS, GUTTERS AND FOOTPATHS, OR WITHIN SEDIMENT FENCE AREA.
4. DRAINAGE TO BE CONNECTED TO STORMWATER AS SOON AS POSSIBLE. IF STORED ON SITE, IT MUST BE FILTERED BEFORE RELEASING INTO STORMWATER SYSTEM OR WATERWAYS.
5. ROADS AND FOOTPATHS TO BE SWEEPED DAILY.

STOCKPILES :
ALL STOCKPILES ARE TO BE KEPT ON-SITE WHERE POSSIBLE. ANY MATERIALS PLACED ON THE FOOTPATHS OR NATURE STRIPS REQUIRE COUNCIL'S PERMISSION.
ALL STOCKPILES ARE TO BE PLACED AWAY FROM THE DRAINAGE LINES AND STREET GUTTERS. IT IS BEST TO LOCATE THESE ON THE HIGHEST PART OF THE SITE IF POSSIBLE. PLACE WATERPROOF COVERING OVER STOCKPILES.
IF REQUIRED PROVIDE DIVERSION DRAIN & BANK AROUND STOCKPILES.

GUTTER PROTECTION :
PROVIDE PROTECTION TO DOWNHILL GRATE IN GUTTER BY MEANS OF SAND BAGS OR BLUE METAL WRAPPED IN GEOTEXTILE FABRIC. WHEN SOIL OR SAND BUILDS UP AROUND THIS SEDIMENT BARRIER, THE MATERIAL SHOULD BE RELOCATED BACK TO THE SITE FOR DISPOSAL.

NOTE: ALL PROPOSED STORMWATER TO CONNECT WITH EXISTING



NOTE: ALL DEMOLISHED ELEMENTS TO ENG. SPECIFICATIONS AND AS. 2601 - 2001



ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN	NOTES
A	31/01/2020	INITIAL DESIGN PLAN	AL	<p>This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.</p> <p>Do not scale measure from drawings. Figured dimensions are to be used only.</p> <p>The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.</p> <p>All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.</p>
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR	
C	01/04/2020	DEVELOPMENT APPLICATION	LRP	

LEGEND

EXISTING

PROPOSED

DEMOLISHED

CLIENT

CHRIS & SUSIE
McCALL

PROJECT ADDRESS

39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.

DA04

DATE

06 April 2020


DRAWING NAME

EXISTING GARAGE FLOOR
PLAN


SCALE

1:100 @A3





NOTE: ALL DEMOLISHED ELEMENTS TO ENG. SPECIFICATIONS AND AS. 2601 - 2001



ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN	NOTES
A	31/01/2020	INITIAL DESIGN PLAN	AL	This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans. Do not scale measure from drawings. Figured dimensions are to be used only. The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components. All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR	
C	01/04/2020	DEVELOPMENT APPLICATION	LRP	

LEGEND

EXISTING

PROPOSED

DEMOLISHED

CLIENT

CHRIS & SUSIE
McCALL

PROJECT ADDRESS

39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.

DA05

DATE


06 April 2020


DRAWING NAME

EXISTING GROUND FLOOR
PLAN


SCALE

1:100 @A3





NOTE: ALL DEMOLISHED ELEMENTS TO ENG. SPECIFICATIONS AND AS. 2601 - 2001



ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN	NOTES
A	31/01/2020	INITIAL DESIGN PLAN	AL	LEGEND <div><div>EXISTING</div><div>PROPOSED</div><div>DEMOLISHED</div></div> <p>This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans. Do not scale measure from drawings. Figured dimensions are to be used only. The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components. All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.</p>
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR	
C	01/04/2020	DEVELOPMENT APPLICATION	LRP	

CLIENT
CHRIS & SUSIE
McCALL

PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092


DRAWING NO.
DA06


DATE
06 April 2020

DRAWING NAME
EXISTING FIRST FLOOR PLAN

SCALE
1:100 @A3







ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN
A	31/01/2020	INITIAL DESIGN PLAN	AL
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR
C	01/04/2020	DEVELOPMENT APPLICATION	LRP

NOTES
This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.
Do not scale measure from drawings. Figured dimensions are to be used only.
The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.

LEGEND
EXISTING
PROPOSED
DEMOLISHED

CLIENT
CHRIS & SUSIE
McCALL


PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.
DA08

DATE
06 April 2020

DRAWING NAME
PROPOSED GROUND FLOOR
PLAN

SCALE
1:100 @A3





ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN
A	31/01/2020	INITIAL DESIGN PLAN	AL
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR
C	01/04/2020	DEVELOPMENT APPLICATION	LRP

NOTES
This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.
Do not scale measure from drawings. Figured dimensions are to be used only.
The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.

LEGEND
■ EXISTING
■ PROPOSED
- - - DEMOLISHED

CLIENT
CHRIS & SUSIE
McCALL


PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092



DRAWING NO.
DA09


DATE
06 April 2020

DRAWING NAME
PROPOSED FIRST FLOOR
PLAN

SCALE
1:100 @A3

















ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN	NOTES
A	31/01/2020	INITIAL DESIGN PLAN	AL	This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans. Do not scale measure from drawings. Figured dimensions are to be used only. The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components. All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR	
C	01/04/2020	DEVELOPMENT APPLICATION	LRP	

LEGEND

	EXISTING		WEATHERBOARDS
	PROPOSED		MASONRY
	METAL ROOFING		EARTH
	TILED ROOFING		SETBACKS
	DEMOLISHED		BOUNDARY LINE

CLIENT
CHRIS & SUSIE
McCALL


PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.
DA10

DATE
06 April 2020


DRAWING NAME
NORTH / EAST ELEVATION

SCALE
1:100 @A3




1 SOUTH ELEVATION

1:100



2 WEST ELEVATION











1:100



ACTION PLANS
m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN	NOTES
A	31/01/2020	INITIAL DESIGN PLAN	AL	This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans. Do not scale measure from drawings. Figured dimensions are to be used only. The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components. All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR	
C	01/04/2020	DEVELOPMENT APPLICATION	LRP	

LEGEND

	EXISTING		WEATHERBOARDS
	PROPOSED		MASONRY
	METAL ROOFING		EARTH
	TILED ROOFING		SETBACKS
	DEMOLISHED		BOUNDARY LINE

CLIENT
CHRIS & SUSIE
McCALL

PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.
DA11

DATE
06 April 2020

DRAWING NAME
SOUTH / WEST ELEVATION

SCALE
1:100 @A3



ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN
A	31/01/2020	INITIAL DESIGN PLAN	AL
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR
C	01/04/2020	DEVELOPMENT APPLICATION	LRP

NOTES
This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.
Do not scale measure from drawings. Figured dimensions are to be used only.
The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.

LEGEND
<div></div> EXISTING
<div></div> PROPOSED
<div></div> DEMOLISHED

CLIENT
CHRIS & SUSIE
McCALL


PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.
DA12


DATE
06 April 2020


DRAWING NAME
PROPOSED CARPORT /
DRIVEWAY

SCALE
1:50 @A3




PRINCE EDWARD ROAD







1 NORTH ELEVATION - CARPORT 1:100





2 EAST ELEVATION - CARPORT 1:100




1 SOUTH ELEVATION - CARPORT 1:100



2 WEST ELEVATION - CARPORT 1:100



2 CROSS SECTION 1:100



ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN	NOTES
A	31/01/2020	INITIAL DESIGN PLAN	AL	This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans. Do not scale measure from drawings. Figured dimensions are to be used only. The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components. All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR	
C	01/04/2020	DEVELOPMENT APPLICATION	LRP	

LEGEND

EXISTING

PROPOSED

METAL ROOFING

TILED ROOFING

DEMOLISHED

WEATHERBOARDS

MASONRY

EARTH

SETBACKS

BOUNDARY LINE

CLIENT

CHRIS & SUSIE McCALL

PROJECT ADDRESS

39 PRINCE EDWARD ROAD, SEAFORTH NSW 2092

DRAWING NO.

DA15

DATE


06 April 2020

DRAWING NAME


LONG / CROSS SECTION

SCALE

1:100 @A3



1 LONG SECTION - CARPORT 1:100



2 CROSS SECTION - CARPORT 1:100



ACTION PLANS

m: 0426 957 518
e: operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN	NOTES
A	31/01/2020	INITIAL DESIGN PLAN	AL	<p>This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.</p> <p>Do not scale measure from drawings. Figured dimensions are to be used only.</p> <p>The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.</p> <p>All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the</p>
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR	
C	01/04/2020	DEVELOPMENT APPLICATION	LRP	

LEGEND

EXISTING

☐ **PROPOSED**

 METAL ROOFING **TILED ROOFING**

- - - DEMOLISHED

 WEATHERBOARDS

 MASONRY **EARTH**

— — SETBACKS

— . — BOUNDARY LINE

CLIENT

CHRIS & SUSIE
McCALL

PROJECT ADDRESS

39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.

DA16

DATE _____


06 April 2020

DRAWING NAME

DRIVEWAY LONG / CROSS
SECTION

SCALE

1:100 @A3



SITE AREA	518.50m ²			
FRONTAGE	12.19m			
CONTROLS	PERMISSIBLE / REQUIRED	EXISTING	PROPOSED	COMPLIANCE
	m / m ² / %	m / m ² / %	m / m ² / %	
MINIMUM LOT SIZE	500m ²	518.50m ²	UNCHANGED	YES
FLOOR SPACE RATIO	0.45 : 1 (233.325m ²)	0.31 : 1 (162.03m ²)	0.37 : 1 (191.96m ²)	YES
DCP				
RESIDENTIAL OPEN SPACE	AREA OS3			
TOTAL OPEN SPACE (TOS)	55% (285.175m ²)	392.52m ² (75%)	334.5m ² (64%)	YES
LANDSCAPE AREA	35% OF TOS (55%) : 99.81m ²	280.34m ²	314.93m ²	YES
OPEN SPACE ABOVE GROUND	MAX. 40% OF TOS (55%) : 114.07m ²	13.40m ²	31.72m ²	YES
PRINCIPAL PRIVATE OPEN SPACE	18m ²	0m ²	21.84m ²	YES

1

PROPOSED AREA CALCULATIONS

1:200

MT-01
COLOURBOND METAL ROOF SHEETING
POWDERCOAT FINISH 'IRONSTONE' OR SIMILAR
WHERE MARKED ON ELEVATION.

ASD
ALUMINIUM BIFOLD DOOR FRAME
POWDERCOAT FINISH 'BLACK' OR SIMILAR
WHERE MARKED ON ELEVATION.

AWF
ALUMINIUM WINDOW FRAME
POWDERCOAT FINISH 'BLACK' OR SIMILAR
WHERE MARKED ON ELEVATION.



2

SAMPLE BOARD



ACTION PLANS
m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN
A	31/01/2020	INITIAL DESIGN PLAN	AL
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR
C	01/04/2020	DEVELOPMENT APPLICATION	LRP

NOTES
This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.
Do not scale measure from drawings. Figured dimensions are to be used only.
The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.

- LEGEND**
- FLOOR SPACE RATIO
 - LANDSCAPED AREA
 - OPEN SPACE ABOVE GROUND
 - TOTAL OPEN SPACE
 - PRIVATE OPEN SPACE

CLIENT
CHRIS & SUSIE
McCALL


PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.
DA17

DATE
06 April 2020




DRAWING NAME
AREA CALCULATIONS /
SAMPLE BOARD

SCALE
1:200 @A3



[illegible]


LEGEND

	EXISTING SHADOWS
	PROPOSED SHADOWS
	NEIGHBOURING SHADOWS

PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DATE
06 April 2020

SCALE
1:200 @A3





ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN
A	31/01/2020	INITIAL DESIGN PLAN	AL
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR
C	01/04/2020	DEVELOPMENT APPLICATION	LRP


NOTES
This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.
Do not scale measure from drawings. Figured dimensions are to be used only.
The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.

LEGEND
<div></div> EXISTING SHADOWS
<div></div> PROPOSED SHADOWS
<div></div> NEIGHBOURING SHADOWS


CLIENT
CHRIS & SUSIE McCALL
PROJECT ADDRESS
39 PRINCE EDWARD ROAD, SEAFORTH NSW 2092

DRAWING NO.
DA19
DATE
06 April 2020

DRAWING NAME
WINTER SOLSTICE 12 PM
SCALE
1:200 @A3






PRINCE EDWARD ROAD



[illegible]


LEGEND

	EXISTING SHADOWS
	PROPOSED SHADOWS
	NEIGHBOURING SHADOWS

PROJECT ADDRESS
39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DATE
06 April 2020

SCALE
1:200 @A3



Alterations and Additions

Certificate number: A373780

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary
Date of issue: Wednesday, 01, April 2020
To be valid, this certificate must be lodged within 3 months of the date of issue.



Description of project

Project address	
Project name	39 PRINCE EDWARD ROAD, SEAFORTH
Street address	39 PRINCE EDWARD Road SEAFORTH 2092
Local Government Area	Northern Beaches Council
Plan type and number	Deposited Plan 11162
Lot number	141
Section number	
Project type	
Dwelling type	Separate dwelling house
Type of alteration and addition	My renovation work is valued at \$50,000 or more, and does not include a pool (and/or spa).

Certificate Prepared by (please complete before submitting to Council or PCA)
Name / Company Name: Action Plans
ABN (if applicable): 17118297587

BASIX Certificate number: A373780

page 2 / 6

Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Lighting			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		✓	✓
Fixtures			
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		✓	✓
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		✓	✓
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		✓	

BASIX Certificate number: A373780

page 3 / 6

Construction			Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Insulation requirements					
The applicant must construct the new or altered construction (floor(s), walls, and ceilings/roofs) in accordance with the specifications listed in the table below, except that a) additional insulation is not required where the area of new construction is less than 2m2, b) insulation specified is not required for parts of altered construction where insulation already exists.			✓	✓	✓
Construction	Additional insulation required (R-value)	Other specifications			
floor above existing dwelling or building.	nil				
external wall: framed (weatherboard, fibro, metal clad)	R1.30 (or R1.70 including construction)				
raked ceiling, pitched/skillion roof: framed	ceiling: R2.50 (up), roof: foil/sarking	medium (solar absorptance 0.475 - 0.70)			

BASIX Certificate number: A373780

page 6 / 6

Legend
In these commitments, "applicant" means the person carrying out the development.
Commitments identified with a "✓" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
Commitments identified with a "✓" in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
Commitments identified with a "✓" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.



ACTION PLANS

m: 0426 957 518
e:operations@actionplans.com.au
w: www.actionplans.com.au

REV.	DATE	COMMENTS	DRWN
A	31/01/2020	INITIAL DESIGN PLAN	AL
B	09/03/2020	FIRST DESIGN AMENDMENT	DLR
C	01/04/2020	DEVELOPMENT APPLICATION	LRP

NOTES
This drawing is the copyright of Action Plans and not be altered, reproduced or transmitted in any form or by any means in part or in whole with the written permission of Action Plans.
Do not scale measure from drawings. Figured dimensions are to be used only.
The Builder/Contractor shall check and verify all levels and dimensions on site prior to commencement of any work, creation of shop drawings, or fabrication of components.
All errors and omissions are to be verified by the Builder/Contractor and referred to the designer prior to the commencement of works.
All window & door dimensions, orientation, glazing materials, opening types, frame types are to be confirmed by a suitably qualified person prior to the ordering of any such materials are to take place.
U value takes precedence over glazing type/colour in all cases.
all new glazing must meet the BASIX specified frame and glass type, **OR** meet the ecified U value and SHGC value.

CLIENT

CHRIS & SUSIE
McCALL

PROJECT ADDRESS

39 PRINCE EDWARD
ROAD, SEAFORTH
NSW 2092

DRAWING NO.

DA21

DATE

06 April 2020

DRAWING NAME

BASIX COMMITMENTS

BASIX Certificate number: A373780

page 4 / 6

Glazing requirements	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check			
Windows and glazed doors						
The applicant must install the windows, glazed doors and shading devices, in accordance with the specifications listed in the table below. Relevant overshadowing specifications must be satisfied for each window and glazed door.	✓	✓	✓			
The following requirements must also be satisfied in relation to each window and glazed door:		✓	✓			
Each window or glazed door with improved frames, or pyrolytic low-e glass, or clear/air gap/clear glazing, or toned/air gap/clear glazing must have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below. Total system U-values and SHGCs must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions. The description is provided for information only. Alternative systems with complying U-value and SHGC may be substituted.		✓	✓			
For projections described in millimetres, the leading edge of each eave, pergola, verandah, balcony or awning must be no more than 500 mm above the head of the window or glazed door and no more than 2400 mm above the sill.	✓	✓	✓			
Pergolas with polycarbonate roof or similar translucent material must have a shading coefficient of less than 0.35.		✓	✓			
Pergolas with fixed battens must have battens parallel to the window or glazed door above which they are situated, unless the pergola also shades a perpendicular window. The spacing between battens must not be more than 50 mm.		✓	✓			
Windows and glazed doors glazing requirements						
Window / door no.	Orientation	Area of glass inc. frame (m2)	Overshadowing	Shading device	Frame and glass type	
			Height (m)	Distance (m)		
W01	N	1.8	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)
W02	E	3.18	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)
W03	S	1.8	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)
W04	S	2.58	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)
D01	E	4.41	0	0	eave/verandah/pergola/balcony >=900 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)

BASIX Certificate number: A373780

page 4 / 6

Glazing requirements	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check			
Windows and glazed doors						
The applicant must install the windows, glazed doors and shading devices, in accordance with the specifications listed in the table below. Relevant overshadowing specifications must be satisfied for each window and glazed door.	✓	✓	✓			
The following requirements must also be satisfied in relation to each window and glazed door:		✓	✓			
Each window or glazed door with improved frames, or pyrolytic low-e glass, or clear/air gap/clear glazing, or toned/air gap/clear glazing must have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below. Total system U-values and SHGCs must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions. The description is provided for information only. Alternative systems with complying U-value and SHGC may be substituted.		✓	✓			
For projections described in millimetres, the leading edge of each eave, pergola, verandah, balcony or awning must be no more than 500 mm above the head of the window or glazed door and no more than 2400 mm above the sill.	✓	✓	✓			
Pergolas with polycarbonate roof or similar translucent material must have a shading coefficient of less than 0.35.		✓	✓			
Pergolas with fixed battens must have battens parallel to the window or glazed door above which they are situated, unless the pergola also shades a perpendicular window. The spacing between battens must not be more than 50 mm.		✓	✓			
Windows and glazed doors glazing requirements						
Window / door no.	Orientation	Area of glass inc. frame (m2)	Overshadowing Height (m) Distance (m)	Shading device	Frame and glass type	
W01	N	1.8	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)
W02	E	3.18	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)
W03	S	1.8	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)
W04	S	2.58	0	0	eave/verandah/pergola/balcony >=600 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)
D01	E	4.41	0	0	eave/verandah/pergola/balcony >=900 mm	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)