



TREE REMOVAL PLAN

CLIENT DETAIL	S:				PI	AN REVISION	SIGNATURE:	***************************************				DATE:	
Joslin			ISSUE	BY	DATE	DESCRIPTION		SITE NOTES			ORIENTATION	X X	ALCOHOLD WAS TO NOT
-			Α	PA	14.11.20	Tender Plans		N OF AC DUCTS N				_	E WEST OF
No 78, Lot 80		646	В	PA	30.11.20	Tender Presentation Changes dated 20.11,20	ON SITE DUE TO	CONSTRUCTION	CONSTRAINTS			Rette	erBuilt
Karingal Cres		010	С	PA	14.01.21	Variation 2	HYDRAULICS	REQUIRED				Dette	Johnson
Frenchs Fore			D	PA	11.02.21	Submission Plan	1			DIAL 1100	Z Z V ANTOX	属等的温度	Homes
HOUSE NAME:			Ε				1			BEFORE YOU DIG		LICENCE NU	MBER 244242C
Astoria :	39F MK	2	F				1			SITE INDUCTION			
FACADE:			G				1				please review and make	SUF ET : Electric Turret	RVEY KEY
Tradi	tional		Н				1			yourself familiar with	Emergency Contacts. Site	LP : Light Pole	E LIN : Lintel
INCLUSION	SCALE	JOB#	1				SEWER AT F	RONT OF SITE	Ε	Specific Hazards and	the Site Specific Induction cated on the Site Induction	PP : Power Pole WC : Water Connection	SLH : Sewer Lamphole o SMH : Sewer Manhole O
Better Luxury	1:200	0582-JOS	J				1			Sign.		WM : Water Meter	SMS : Sewer Maint, Shaft o
PROMOTION	1	HEET	К				WIND	SITE	SOIL		ole understanding this	GM: Gas Meter SV: Stop Valve	TEL : Telecom Pit PC : Pram Crossing
Oppulance	2	of 12	L				N2	Р	М	Emergency Contact	the Site Supervisor or Number located on the sign.	HYD : Hydrant SWP : Stormenter Bit	CH VC : Vehicle Crossing DH&W:Drillhole & Wing
© copyrig	C copyright. ALL RIGHT R				DER THE	PROVISIONS OF THE COPYRIGHT AC	T 1968, THIS PL	AN IS OWNED E	BY AND INTEND	ED FOR THE EXC	LUSIVE USE OF BETTE	R BUILT HOMES	PTY LTD
						Contact: [P] 1300 100 922	[W] www.betterl			B] Better Built Horn			






SHADOW CAST AT 9.00am ON JUNE 21st

SHADOW CAST AT 12.00pm ON JUNE 21st

SHADOW CAST AT 3.00pm ON JUNE 21st

SHADOW DIAGRAM 21ST ILINE

LIENT DETAILS:			Р	LAN REVISION	SIGNATURE:					DATE:		
Joslin		ISSUE	BY DATE	DESCRIPTION		SITE NOTES			ORIENTATION			
		A	PA14.11.20	Tender Plans	-FINAL LOCATIO	ON OF AC DUCTS I	MAY BE ALTERED					
ITE ADDRESS: No 78, Lot 80, D	DD 26616	В	PA30.11.20	Tender Presentation Changes dated 20.11.20	ON SITE DUE T	O CONSTRUCTION	CONSTRAINTS			RATT	erBuilt	
aringal Crescent,		С	PA14.01.21	Variation 2	HYDRAULIC	S REQUIRED			Σ	Detter Dui		
renchs Forest		D	PA11.02.21	Submission Plan	1	ONLOGINED		DIAL 1100	Z Z Junos		Homes	
OUSE NAME:		Е			1			BEFORE YOU DIG		LICENCE NU	MBER 244242C	
Astoria 39F	- MK2	F			1			SITE INDUCTION				
ACADE:		G			1				please review and make		RVEY KEY	
Tradition	nal	Н		Y-11	1				Emergency Contacts, Site	ET : Electric Turret	HW : Headwall	
CLUSION SO	CALE JOB#				SEIVIED AT	RONT OF SIT		Specific Hazards and	the Site Specific Induction	PP : Power Pole	SLH : Sewer Lamphole	
naciolizati (con		4			SEWERAIT	KONT OF SITE	-	information that is lo		WC : Water Connection	O SMH : Sewer Manhole	
etter Luxury 1:	:200 0582-JOS	J			1			Sign,		WM : Water Meter	SMS : Sewer Maint, Shaft	
ROMOTION	SHEET	К			WIND	SITE	SOIL	f you have any troub	le understanding this	GM : Gas Meter	TEL : Telecom Pit	
S	::-:::::::::::::::::::::::::::::::::::					SILE	JOIL		he Site Supervisor or	SV : Stop Valve HYD : Hydrant	PC : Pram Crossing	
Oppulance	5 of 12	ᆫ	4 1		N2	P	M	Emergency Contact !	Number located on the sign.	SWD - Stormwater Da	WC: Vehicle Crossing This Wing This Wing	
@t-t+	ALL DICHT DEC	EDVED	LINDED TH	E PROVISIONS OF THE COPYRIGHT AC	T 40CO TINO DI	AND OWNED	DV AND INTEND			Total Commission Fix	1 - L D. Mart. D. Million & Trang	




SHADOW CAST AT 9.00am ON DECEMBER 21st

SHADOW CAST AT 12.00pm ON DECEMBER 21st


SHADOW CAST AT 3.00pm ON DECEMBER 21st

CLIENT DETAILS:					F	PLAN REVISION	SIGNATURE:					DATE:	
Joslin			ISSUE	BY	DATE	DESCRIPTION		SITE NOTES		T	ORIENTATION		
•			Α	PA	14.11.20	Tender Plans		N OF AC DUCTS					
SITE ADDRESS: No 78, Lot 80, I	DD 36616		В	PA	30.11.20	Tender Presentation Changes dated 20.11.2	ON SITE DUE TO	O CONSTRUCTION	CONSTRAINTS			Rette	erBuilt
Karingal Cresce		[С	PA	14.01.2	Variation 2	HYDRAULIC	S REQUIRED			Σ	Dette	
Frenchs Forest			D	PA	11.02.21	Submission Plan		O I LEGO II LED		DIAL 1100	Z Z V WHICK		Homes
HOUSE NAME:			Е							BEFORE YOU DIG		HOENOE NIL	MBER 244242C
Astoria 39	F MK2	1	F									LICENCE NO	MBER 244242C
ACADE:			G				_			SITE INDUCTION	please review and make		RVEY KEY
Traditio	onal	1	Н				_			yourself familiar with	Emergency Contacts. Site	ET : Electric Turret	HW : Headwall
ICLUSION S	SCALE JO	DB#	1			W	SEWER AT F	RONT OF SITE	F	Specific Hazards and	the Site Specific Induction	PP : Power Pole	SLH : Sewer Lamphole
Better Luxury 1	1:200 058	2-JOS	J	_						Information that is lo	ocated on the Site Induction	WC : Water Connection WM : Water Meter	SMH: Sewer Manhole SMS: Sewer Maint, Shaft
PROMOTION	SHEET		К	_			WIND	SITE	SOIL	f you have any trout	ole understanding this	GM : Gas Meler	TEL : Telecom Pit
Oppulance	6 of	12	L	_			N2	P	14	nstruction, contact t	the Site Supervisor or	SV : Stop Valve HYD : Hydrant	PC : Pram Crossing (F) VC : Vehicle Crossing
			EDVE	LINI	DED TI	E DROVISIONS OF THE CORVENIENT				Emergency Contact	Number located on the sign	SWP : Stormwater Pit	T DH&W:Drillhole & Wing
C copyright	t. ALL NIGI	II KES	LKVLL	, UN	DEK IF	E PROVISIONS OF THE COPYRIGHT Contact: [P] 1300 100 922						R BUILT HOMES	PTY LTD
						Contact. [F] 1300 100 922	[vv] www.better	builthomes.com.	.au [F	B] Better Built Hom	nes Sydney		



GROUND FLOOR


CLIENT DETAILS:			Pl	AN REVISION	SIGNATURE:					DATE:	
Joslin	ISSUE	BY	DATE	DESCRIPTION		SITE NOTES			ORIENTATION	STATE OF THE PARTY	
-	Α	PA	14.11.20	Tender Plans	-FINAL LOCATIO	N OF AC DUCTS N	MAY BE ALTERED				
SITE ADDRESS: No 78, Lot 80, DP 36616	DP 36616 B PA30.11.20 Tender Presentation Changes dated 20.11.20 ON SITE DUE TO CONSTRUCTION CONSTRAINTS						Rett	erBuilt			
Karingal Crescent.	cent, C PA[14.01.21] Variation 2 HYDRAULICS REQUIRED				Σ	Dett					
Frenchs Forest 2086	D	PA	11.02.21	Submission Plan	1	TILGOINED		DIAL 1100	Z Z NAMECK	180	Homes
OUSE NAME:	E				i			BEFORE YOU DIG		HOENOEN	W. IDED 0
Astoria 39F MK2	F			The state of the s	1					LICENCE NU	MBER 244242C
ACADE:	G				1			SITE INDUCTION	lease review and make	SUI	RVEY KEY
Traditional	Н			300	1			yourself familiar with	Photographic Manager and Control	ET : Electric Turret LP : Light Pole	HW : Headwall
CLUSION SCALE JOB#				***	SEWER AT F	RONT OF SITE	=	Specific Hazards and	the Site Specific Induction	PP : Power Pole	O SLH : Sewer Lamphole of
etter Luxury 1:100 0582-JOS	1				1			nformation that is loc	ated on the Site Induction	WC : Water Connection WM : Water Meter	SMH : Sewer Manhole C
PROMOTION SHEET	К				WIND	SITE	SOIL	f you have any troubl	e understanding this	GM : Gas Meter	TEL : Telecom Pit
Oppulance 7 of 12	1				N2	D		nstruction, contact th	e Site Supervisor or	SV : Stop Valve HYD : Hydrant	PC : Pram Crossing [H] VC : Vehicle Crossing
5.101.000.000	SEDVE) LIM	DED THE	BROVISIONS OF THE CORVERGUE AS				Emergency Contact N	umber located on the sign	CILD O	
C sepjing ALL MOITI NE	OLIVEL	J. 014	DEIX ITIE	PROVISIONS OF THE COPYRIGHT AC Contact: [P] 1300 100 922	[W] www.better	AN IS OWNED E			USIVE USE OF BETTE	R BUILT HOMES	PTY LTD




FIRST FLOOR

CLIENT DETAILS:			PI	AN REVISION	SIGNATURE:				DATE:		
Joslin	ISSUE	BY	DATE	DESCRIPTION		SITE NOTES	***************************************	ORIENTATION			
-	Α	PA	14.11.20	Tender Plans		N OF AC DUCTS A			_		
SITE ADDRESS: No 78, Lot 80, DP 36616	В	PA	30.11.20	Tender Presentation Changes dated 20.11.20	ON SITE DUE TO	CONSTRUCTION	CONSTRAINTS		IRette	erBuilt	
Karingal Crescent.	С	PA	14.01.21	Variation 2	HYDRAULICS	REQUIRED			Homes		
Frenchs Forest 2086	D	PA	11.02.21	Submission Plan	1			DIAL 1100 ≥ 2 1		nomes	
HOUSE NAME:	E				1			BEFORE YOU DIG	LICENCE NU	MBER 244242C	
Astoria 39F MK2	F			HANDE CONTRACTOR OF THE CONTRA	1			SITE INDUCTION	ALC: NO SERVICE SERVIC		
ACADE:	G			1000	1			Before entering site please review and make		RVEY KEY	
Traditional	Н				1			yourself familiar with Emergency Contacts. Sit		HW : Headwall LIN : Lintel	
NCLUSION SCALE JOB#	1	_		and a second sec	SEWER AT F	RONT OF SITE	E, i	Specific Hazards and the Site Specific Induction	PP : Power Pole	SLH : Sewer Lamphole o	
Setter Luxury 1:100 0582-JOS	J				-			information that is located on the Site Induction	WC : Water Connection WM : Water Meter	SMH: Sewer Manhole C SMS: Sewer MainL Shaft o	
PROMOTION SHEET	K				WIND	SITE	SOIL	If you have any trouble understanding this	GM: Gas Meter SV: Stop Valve	PC : Pram Crossing	
Oppulance 8 of 12	L		_		N2	P		instruction, contact the Site Supervisor or	HYD : Hydrani	H VC : Vehicle Crossing	
	EDVE	N 1 181	DED TUI	PROVIDIONO OF THE CORVERS IT A				Emergency Contact Number located on the sign DED FOR THE EXCLUSIVE USE OF BETT	N. SWP : Stormwater Pit	The DH&W:Drillhole & Wing	

[FB] Better Built Homes Sydney



ELEVATION 1




ELEVATION 2

CLIENT DETAILS:			P	LAN REVISION	SIGNATURE:			***************************************		DATE:	
Joslin	ISSUE	BY	DATE	DESCRIPTION		SITE NOTES	-		ORIENTATION		SPACE STATE
-	Α	PA	14.11.20	Tender Plans		N OF AC DUCTS N				_ 🏠	
SITE ADDRESS: No 78, Lot 80, DP 36616	В	PA	30.11.20	Tender Presentation Changes dated 20.11.20	ON SITE DUE TO	CONSTRUCTION	CONSTRAINTS			Rette	erBuilt
Karingal Crescent,	С	PA	14.01.21	Variation 2	HYDRAULIC:	SREQUIRED			Σ	Dette	Julia
Frenchs Forest 2086	D	PA	11.02.21	Submission Plan	1 5. 6. 62. 60	o redonied		DIAL 1100	Z Z V		Homes
HOUSE NAME:	E				1			BEFORE YOU DIG		LICENCE NI	MBER 244242C
Astoria 39F MK2	F			Ç.	1			SITE INDUCTION			
FACADE:	G				1				please review and make		RVEY KEY
Traditional	н				1					ET : Electric Turret LP : Light Pole	HW : Headwall LIN : Lintel
NCLUSION SCALE JOB#	ī				SEWER AT F	RONT OF SITE		Specific Hazards an	d the Site Specific Induction ocated on the Site Induction	PP : Power Pole WC : Water Connection	SLH : Sewer Lamphole o
Better Luxury 1:100 0582-JOS	J				1			Sign.	ocated on the Site Induction	WM : Water Meter	SMS : Sewer Maint. Shaft o
PROMOTION SHEET	К				WIND	SITE	SOIL		ble understanding this	GM : Gas Meter SV : Stop Valve	PC : Pram Crossing
Oppulance 9 of 12	L				N2	P			the Site Supervisor or Number located on the sign.	HYD : Hydrani	氏 VC : Vehicle Crossing
© copyright. ALL RIGHT RE	SERVE	D. UN	DER TH	E PROVISIONS OF THE COPYRIGHT AC		AN IS OWNED I		ED FOR THE EXC	THISIVE USE OF RETTE	SWP : Stormwaler Pit	DH&W:Dnithole & Wing
				Contact: [P] 1300 100 922	[W] www.better			B) Better Built Hon		N DOILT HOWES	FITLID



ELEVATION 3




ELEVATION 4

CLIENT DETAILS:				PI	LAN REVISION	SIGNATURE:					DATE:	
Joslin	[ISSUE	BY	DATE	DESCRIPTION		SITE NOTES		T T	ORIENTATION	SHOW THE RESERVE	
•	_ [Α	PA	14.11.20	Tender Plans		N OF AC DUCTS N					
NITE ADDRESS:		В	PA	30.11.20	Tender Presentation Changes dated 20,11,20	ON SITE DUE TO	O CONSTRUCTION	CONSTRAINTS			RATT	erBuilt
No 78, Lot 80, DP 36616 Karingal Crescent.	Ī	С	PA	14.01.21	Variation 2	HYDRALILIC	S REQUIRED			Σ	Dette	
Frenchs Forest 2086		D	PA	11.02.21	Submission Plan	7 1110101010	O NEGOTIVED		DIAL 1100	Z Z AMIOX		Homes
OUSE NAME:		Е				7			BEFORE YOU DIG		LICENCE NIL	MBER 244242C
Astoria 39F MK2	ı	F			-	1					LICENCE NO	MBER 244242C
ACADE:		G				-			SITE INDUCTION	please review and make		RVEY KEY
Traditional	ı	Н			40.00	-			yourself familiar with		ET : Electric Turret LP : Light Pole	HW : Headwall
ICLUSION SCALE JOE	#	1			Name of the Control o	SEWER AT E	RONT OF SITE		Specific Hazards and	the Site Specific Induction	PP : Power Pole	SLH : Sewer Lamphole
		'					MONTO OF OTHE	-	information that is lo	cated on the Site Induction	WC : Water Connection	SMH : Sewer Manhole
Setter Luxury 1:100 0582	108	J							Sign.		WM : Water Meler	SMS : Sewer Maint, Shaft
PROMOTION SHEET		К			4	WIND	SITE	SOIL		ele understanding this	GM : Gas Meter SV : Stop Valve	TEL : Telecom Pit PC : Pram Crossing
Oppulance 10 of	12	L			P AND U.S. CONTROL OF THE PARTY	N2	Р			he Site Supervisor or	HYD : Hydrant	K VC : Vehicle Crossing
O									Emergency Contact	Number located on the sign	SWP : Stormwater Pit	The DH&W:Dritthole & Wing
C copyright. ALL RIGH	RES	EKVEL). UN	DEK THE	PROVISIONS OF THE COPYRIGHT AG	CT 1968, THIS PL	AN IS OWNED I	BY AND INTEND	ED FOR THE EXC	LUSIVE USE OF BETTE	R BUILT HOMES	PTY LTD
					Contact: [P] 1300 100 922		builthomes.com.		B] Better Built Hom			

NOTE: WINDOWS OF THE FIRST FLOOR BEDROOMS ONLY IS TO HAVE A RESTRICTED (R) RES OPENING OF 125MM MAX. AS REQUIRED BY 6.C. AON 0105/13

NOTE:

"ALL WINDOWS WITH BRICKWORK OVER TO HAVE A MINIMUM OF 3 COURSES ABOVE GALINTEL EXTEND BRICKWORK ABOVE EAVES SOFFIT LINING IF REQUIRED.



SECTION X-X

GAS INSTANTENEOUS HWU
3 STAR RATED SHOWERHEADS 4 STAR RATED TOILET FLUSHING SYSTEM *KITCHEN & BATHROOM TAPS WITH MINIMUM 4 STAR FLOW RATE *PROVIDE WATER SAVING FLICKMIXER KITCHEN TAP
PROVIDE ENERGY SAVING FLUORESCENT GLOBES TO: AS PER BASIX CERTIFICATE
WEATHER STRIP ACROSS ENTRY
RAINWATER TANK MUST CONNECT TO ALL TOILETS IN THE DEVELOPMENT WATER TAP THAT SUPPLIES WASHING MACHINE AND ONE GARDEN TAP.

CLIENT DETAILS:					P	AN REVISION	SIGNATURE:				***	DATE:		
Joslin			ISSUE	BY	DATE	DESCRIPTION		SITE NOTES			ORIENTATION	CONTRACTOR OF THE PARTY OF THE		
			Α	PA	14.11.20	Tender Plans		N OF AC DUCTS M						
No 78, Lot 80,	DP 366	316	В	PA	30.11.20	Tender Presentation Changes dated 20.11.20	ON SITE DUE TO	CONSTRUCTION	CONSTRAINTS			Rett	erBuilt	
Karingal Creso		310	C	PA	14.01.21	Variation 2	HYDRAULICS	REQUIRED			Σ	Dette		
Frenchs Fores	t 2086		D	PA	11.02.21	Submission Plan		, redonted		DIAL 1100	Z Z V VINCA		Homes	
HOUSE NAME:			Е				1			BEFORE YOU DIG		LICENCE NI	JMBER 244242C	
Astoria 39	F MK2		F				1					LICENCE NO	MBER 244242C	
ACADE:			G				1			SITE INDUCTION	please review and make		RVEY KEY	
Traditi	onal		Н				1			yourself familiar with	Emergency Contacts, Site	ET : Electric Turret	HW : Headwall UN : Untel	
NCLUSION	SCALE	JOB#	ī				SEWER AT F	RONT OF SITE	:	Specific Hazards and	the Site Specific Induction	PP : Power Pole	O SLH : Sewer Lamphole o	
Better Luxury	1:100	0582-JOS	J				f			information that is lo Sign.	cated on the Site Induction	WC : Water Connection WM : Water Meter	SMH: Sewer Manhole C SMS: Sewer Maint, Shaft a	
PROMOTION	s	HEET	К				WIND I	SITE	SOIL	f you have any troub	le understanding this	GM: Gas Meter SV: Stop Valve	FEL: Telecom Pit	
Oppulance	11	of 12	L				N2	P	0.000	Instruction, contact t	he Site Supervisor or	HYD : Mudmet	PC : Pram Crossing C: VC : Vehicle Crossing	
© copyrigh	it. ALL	RIGHT RES	SERVE	D. UN	DER TH	PROVISIONS OF THE COPYRIGHT AC		AN IS OWNED B		ED FOR THE EVO	Number located on the sign	SWP : Stormwater Pit	T DH&W:Drillhole & Wing	
0 17.0						Contact: [P] 1300 100 922	[W] www.betterb	uilthomes.com.a		B] Better Built Hom		R BUILT HOMES	PTYLTD	



1:200

RETAINING WALL



1

2

SALECID CUSTOM GOS
ANTI-CONSTRUMENT


SALECTID CUSTOM GOS


ANTI-CONSTRUMENT

SALECTID CUSTOM GOS

SALECTID CUSTOM G

4





NEIGHBOURS NOTIFICATION PLAN

CLIENT DETAILS:				PL	AN REVISION	SIGNATURE:		-			DATE:	
Joslin	ISS	UE B	r D/	ATE	DESCRIPTION		SITE NOTES			ORIENTATION	SATE OF THE SAME O	Park Planter
-	A	P	A14.	.11.20	Tender Plans	-FINAL LOCATIO	N OF AC DUCTS	MAY BE ALTERED			_	
SITE ADDRESS: No 78, Lot 80, DP 36616	Е	3 P	A30.	.11.20	Tender Presentation Changes dated 20.11.20	ON SITE DUE TO	O CONSTRUCTION	CONSTRAINTS			RATT	erBuilt
Karingal Crescent,	C	P	A14.	.01.21	Variation 2	HYDRALILIC	S REQUIRED			Σ	Der	ėi Dalir
Frenchs Forest 2086	D	P	A 11.	02.21	Submission Plan	TITIBLOCK	5 KEQUINED		DIAL 1100	Z Z WHEEL		Homes
HOUSE NAME:	E		T			1			BEFORE YOU DIG	ь ;		
Astoria 39F MK2	F					1					LICENCE NU	JMBER 244242C
FACADE:	G	;	\top	$\neg \neg$	Control of the Contro	1			SITE INDUCTION	please review and make	SU	RVEY KEY
Traditional			+			1			yourself familiar with	Emergency Contacts. Site	ET : Electric Turret	HW : Headwall
NCLUSION SCALE JOB	, 1		+-	_		SEWERATE	RONT OF SITE	F	Specific Hazards and	the Site Specific Induction	PP : Power Pole	SLH : Sewer Lamphole o
Better Luxury 0582~	os i		+	-+		-		_	information that is lo	cated on the Site Induction	WC : Water Connection WM : Water Meter	SMH : Sewer Manhole C
PROMOTION SHEET	K	-	+	-		WIND			orgn. If you have any troub	le understanding this	GM : Gas Meter	TEL : Telecom Pit
Oppulance 12 of 1	, ``	-	+	-			SITE		instruction, contact t	he Site Supervisor or	SV : Stop Valve HYD : Hydrant	PC : Pram Crossing (H) VC : Vehicle Crossing
		<u>/FD 11</u>		I		N2	F	M	Emergency Contact I	Number located on the sign.		
C copyright. ALL RIGHT	KESEKI	VED. U	NDE	K THE	PROVISIONS OF THE COPYRIGHT AC	TACT 1968, THIS PLAN IS OWNED BY AND INTENDED FOR THE EXCLUSIVE USE OF BETTER BUILT HOM						PTY LTD
					Contact: [P] 1300 100 922	[W] www.better	builthomes.com.	au [F	B] Better Built Hom	es Sydney		



COUNCIL - EXTERNAL COLOUR SCHEDULE

Clients N		Richard James Jo	oslin & Ruth Joslin						
Job Nu		05							
Lot Nur		Lot 80, 78 Karingal Crescer							
Postal Ac		78 Karingal Crescent, F							
Contact N		0416 0	the same of the sa						
Dat		11.01.2021 Item Range / Colour							
Item	Range / Colour	liem	Range / Colour						
BRICKS		DRIVEWAY							
Austral Bricks Wilderness Bluegum		Avista Plain Finish Concrete Bluestone							
ROOF, GUTTER & RAINWATER TANK		FRONT DOOR & FRAME							
Colorbond Monument		Stained Quantum Walnut	1000年11日本						
FASCIA,PARAPET ROOF & CAPPING		PVC PAINTED DOWNPIPES & METER BOX							
Colorbond Monument		Taubmans to match Colorbond Monumnent							
WINDOW FRAMES		CLADDING							
Wideline Monument		Taubmans Sealord							
GARAGE DOOR		TIMBER POSTS							
Colorbond Basalt		Taubmnas Sealorf							
Client Signature:			13/01/2021						