BASIX°Certificate

Building Sustainability Index www.basix.nsw.gov.au

Alterations and Additions

Certificate number: A388485

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Thursday, 03, September 2020

To be valid, this certificate must be lodged within 3 months of the date of issue.



Drainet name	00000 0/40 Adalaida Ct. Dalaawlah Haishta			
Project name	80820 - 2/19 Adelaide St, Balgowlah Heights, NSW, 2093			
0(1) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	· ·			
Street address	19 Adelaide Street Balgowlah Heights 2093			
Local Government Area	Northern Beaches Council			
Plan type and number	Deposited Plan 2610			
Lot number	13			
Section number	D			
Project type				
Dwolling type	Separate dwelling house			
Dwelling type	Separate dwelling house			
Type of alteration and	My renovation work is valued at \$50,000 or more			
addition	and does not include a pool (and/or spa).			

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: Brian Teplicanec Consultancy

ABN (if applicable): 58867627002

_

BASIX Certificate number: A388485 page 2 / 4

Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Lighting			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		✓	~
Fixtures			
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		✓	✓
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		✓	✓
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		✓	

BASIX Certificate number: A388485 page 3 / 4

Construction			Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Insulation requirements					
The applicant must construct the new or altered construction (floor(s), walls, and ceilings/roofs) in accordance with the specifications listed in the table below, except that a) additional insulation is not required where the area of new construction is less than 2m2, b) insulation specified is not required for parts of altered construction where insulation already exists.			V	V	~
Construction	Additional insulation required (R-value)	Other specifications			
internal wall shared with garage: plasterboard (R0.36)	nil				

BASIX Certificate number: A388485

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a " " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a "

"in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a "

"" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.